N-FOCUS Data Model

ADDR

An ADDRESS of an AGENCY RELATED PERSON,DSS OFFICE or ORGANIZATION.

Priority 0 Dups N Download Y Upload Y NFOTS005

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A number used for unique identification. **********THIS ATTRIBUTE USED BY REPORT(S): A CF-3637.**********					
CTY	CHAR	25	N	0	
The city in which the ADDRESS is located.** **********This attribute is used on interface D E, CSE.**********					
ST CD	CHAR	2	N	0	
ZP5 CD	CHAR	5	Y	0	
ZP4 CD	CHAR	4	Y	0	
********** *****This attribute is used on interfaces DE, DAS, CSE.********** **********A 4-digit number that further identifies each postal deliver y area in the United States.					
CNTY RSD CD	CHAR	3	N	0	
ELM SCHL CD	CHAR	3	Y	0	
Unique identification code for the public elementary schools within the State of Nebraska. NOTE: This attribute wi ll be used to sort child care providers. So a child care provider's 'physical ' address should contain the public elementary school they					
SCHL DIST	CHAR	6	Y	0	
The school district where the ORG or ARP is located					
HIGH SCHL	CHAR	3	Y	0	
The high school designated as closest to the ORG or ARP					
JUNIOR HIGH	CHAR	3	Y	0	
The Junior High School designated a s closest to the ORG or ARP					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
ATTN CD	CHAR	2	Y	0	
If an address requires an Attention To or Care Of designation, this indicator will be set. There will be a correspondi ng code table with the valid values.					
ATTN TO NME	VARCHAR	40	Y	0	
Name of the person or organizationa l designation of where the mail should be delivered. The Attention Indicator mu st be set before data can be stored in this line. Column is less than 50 charac ters to allow for the literal tag for Attn etc					
PO BOX	CHAR	8	Y	0	
Post Office Box Number.					
PRE DIR DSC CD	CHAR	2	Y	0	
Directional description that pre cedes the street name/number. (i.e. North (N), Southwest (SW)). There will be a code table for the valid directional descriptions.					
POST DIR DSC CD	CHAR	2	Y	0	
SCNDRY UNT CD	CHAR	4	Y	0	
Apartment, Building etc We will setup the USPS Code table for valid abbreviations as an N-FOCUS code table. The code table will use a code value equal to the USPS preferred unit abbreviation (i.e. BLDG for a Building).					
SCNDRY UNT DSC	CHAR	8	Y	0	
If a secondary unit is specified , a range or unique identifier may be provided. Some Secondary Units do not req uire a description (i.e. Lobby).					

PRIM ADDR DSC	CHAR	8	Y	0
The descriptor that uniquely iden tifies a delivery point on a physical street. (i.e. house number 4331)				
STREET TYP CD	CHAR	5	Y	0
STREET NME	VARCHAR	50	Y	0
The street name can be a textual des cription of the street or it may be a numerical representation of a street. (Do dge or 177).				
LNE 1	VARCHAR	50	Y	0
LNE 2	VARCHAR	50	Y	0
LNE 3	VARCHAR	50	Y	0
New address line required to meet USPS Pu blication 28 standards.				
DIR DSC	VARCHAR	150	Y	0
Unstructured text describing/documentin g how to arrive at the appropriate ADDRESS. This may include distance to local s ervices.				

Parents of **ADDR**

Children of **ADDR**

N0450051	**Parent**	ADDR		**Child**	ARP_ADDRSE					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ADDRID_NBR			INTEGER	4	0		N
N2270051	**Parent**	ADDR		**Child**	DSS_OFC_ADDRSE					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ADDRID_NBR			INTEGER	4	0		N
N5550051	**Parent**	ADDR		**Child**	ORG_ADDRSE					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ADDRID_NBR			INTEGER	4	0		N

ADOPTION

Adoption information regarding the child in ca re.

Priority 20 Dups N Download N Upload N NFOTS792

Column	Type	Length	Nulls	Scale	Key
FK PRS TRKNGID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2
ARTIFICAL ID NUMBER ASSIGNED TO IDEN TIFY THE FCRB ADOPTION RECORD					
FREE DT	DATE	4	Y	0	
Official court date child became fr ee for adoption					
FINAL DT	DATE	4	Y	0	
Official court date adoption was f inalized					
PREV ADOP CD	CHAR	2	Y	0	
Indicates whether child was pr eviously adopted in this or any state. For reviewed children, this may also inc lude if an adoption was completed in another state before the child's Nebraska removal from the home.Values: Yes, No, Unknown					
AGE PREV ADOP CD	CHAR	2	Y	0	
Code indicating the age gr oup when adopted, answered only for reviewed childrenValues: less than 2 years o ld, two to five years old, six to twelve years old					
PRIV ADOP ID	CHAR	30	Y	0	
Identification number or name given by the private agency to protect the anonymity of the child					
PRIV ADOPTE SEX CD	CHAR	1	Y	0	
A code representing the gender of a private adoption childValues: Male, Female, Unknown					

PRIV ADOPTE BD	DATE	4	Y	0
The month, day, century, and year the privately adopted child was born.				
UPD USRID	CHAR	8	N	0
Last Update User ID.				
UPD TS	TIMESTMP	10	N	0
Last Update Timestamp				

Parents of **ADOPTION**

N7927861 **Child** ADOPTION **Parent** PRS_TRKNG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PRS_TRKNGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ADOPTION**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

AFCARS_COMP_MSR

We will process AFCARS Foster Care data to duplicate the values of the ACF (Administration for Children and Families) d erives for the CFSR (Child and Family Services) permanency composite measures. Processing will be done on a monthly basis. The data f

Priority 20 Dups N Download N Upload N NFOTS905

Column	Type	Length	Nulls	Scale	Key
PROC YR	CHAR	4	N	0	1
AFCARS foster care processin g year					
PROC MO	CHAR	2	N	0	2
AFCARS foster care processin g month					
AREA NME	CHAR	20	N	0	3
A defined area within the S tate of Nebraska for example City, Federal FIPS, Judicial District, State.					
LOCT NME	CHAR	25	N	0	4
A specific location within the area. Examples could include: Lincoln, Omaha, Lancaster, Judicial District 01 and Nebraska.					
COMP CD	CHAR	2	N	0	5
Code representing the Compos ite which is a set of Measures.					
MSR CD	CHAR	2	N	0	6
Measure is a further descript ion of the Composite. The measure is a collection of data to comprise a percent age or median.					
POP NBR	INTEGER	4	N	0	
Number of persons represente d within the measure or composite.					
MSR NUMERATOR NB	INTEGER	4	Y	0	
MSR DENOMINATOR I	INTEGER	4	Y	0	
Number below the line used in the calculation of the measure percentage and will be used by the b usiness analyst.					
MSR PCT	DECIMAL	7	Y	4	
Calculated result of the Num erator and Denominator. Max value can be 100.0000%.					
MSR MEDIAN	DECIMAL	7	Y	4	
Calculated median for a s pecific measure.Percentage and median are both defined as optional because they are mutually exclusive.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **AFCARS_COMP_MSR**

Children of **AFCARS_COMP_MSR**

Parent COLNAME	Child TYPE	LEN	SC	D	N

AFCARS_EPSD

An AFCARS episode is the time between remov al from home and discharge from legal custody for a child under 18 years of age.

Priority 20 Dups N Download N Upload N NFOTS032

Column	Type	Length	Nulls	Scale	Key
ARPID NBR	INTEGER	4	N	0	1
AGENCY RELATED PERSON ID NUMBE R FOR THE CHILD					
EPSD BEG DT	DATE	4	N	0	2
THE BEGIN DATE OF THE REMOVA L FROM HOME (DATE WHEN THE CHILD WAS REMOVED FROM THE HOME)					
EPSD BEG ENT DT	DATE	4	N	0	
THE ENTRY DATE OF THE RE MOVAL FROM HOME (WHEN THE WORKER ENTERED THE REMOVAL DATE)					
EPSD END DT	DATE	4	Y	0	
THE BEGIN DATE OF THE DISCHA RGE FROM FOSTER CARE (THE DATE THE CHILD FROM LEGAL CUSTODY)					
EPSD END ENT DT	DATE	4	Y	0	
THE DATE THE DISCHARGE D ATE WAS ENTERED BY THE WORKER					
DSCHRG RSN CD	CHAR	2	Y	0	
THE REASON THE CHILD WAS D ISCHARGED FROM FOSTER CARE					
PGM CASEID NBR	INTEGER	4	Y	0	
THE CURRENT CFS CASE THE CHILD IS ASSIGNED TO					
UPD USRID	CHAR	8	N	0	
MODULE NAME THAT INSERTED RECO RD					
UPD TS	TIMESTMP	10	N	0	
DATE AND TIME THE RECORD WAS ADDE D TO THE TABLE					

Parents of **AFCARS_EPSD**

Children of **AFCARS_EPSD**

Parent COLNAME	Child TYPE	LEN	SC	D	N

AFCARS_FC

Derived data concerning AFCARS foster care da ta.

Priority 3 Dups N Download N Upload N NFOTS907

Column	Type	Length	Nulls	Scale	Key
REC NBR	INTEGER	4	N	0	1
RPT PRD END DT	CHAR	6	N	0	2
TYP CD	CHAR	1	N	0	3
ST	CHAR	2	N	0	
LOC AGNCY FIPS CD	CHAR	5	N	0	
RECENT PRD RVW DT	CHAR	8	N	0	
CHLD BD	CHAR	8	N	0	

CHLD SEX	CHAR	1	N	0
CHLD RACE IA	CHAR	1	N	0
CHLD RACE AS	CHAR	1	N	0
CHLD RACE BL	CHAR	1	N	0
CHLD RACE NH	CHAR	1	N	0
CHLD RACE WH	CHAR	1	N	0
CHLD RACE UN	CHAR	1	N	0
CHLD HISP ORIG	CHAR	1	N	0
CHLD DISAB	CHAR	1	N	0
CHAR MNTL RETARD	CHAR	1	N	0
CHAR VIS HRNG IMPR	CHAR	1	N	0
CHAR PHYS DISAB	CHAR	1	N	0
CHAR EMTNL DSTRB	CHAR	1	N	0
CHAR OTH MED CONI	CHAR	1	N	0
CHLD EVER ADOP	CHAR	1	N	0
CHLD PREV ADOP AGI	CHAR	1	N	0
FRST RMVL DT	CHAR	8	N	0
TOT NBR RMVL TO D	CHAR	2	N	0
LST FOST DSCHRG DT	CHAR	8	N	0
LATEST RMVL DT	CHAR	8	N	0
TRN DT	CHAR	8	N	0
CURR FC PLMNT DT	CHAR	8	N	0
NBR PREV PLMNTS	CHAR	2	N	0
MANNER OF RMVL	CHAR	1	N	0
PHYSCL AB	CHAR	1	N	0
SEX AB	CHAR	1	N	0
NEG	CHAR	1	N	0
PRT ALC AB	CHAR	1	N	0
PRT DRUG AB	CHAR	1	N	0

CHLD ALC AB	CHAR	1	N	0
CHLD DRUG AB	CHAR	1	N	0
CHLD DISABILITY	CHAR	1	N	0
CHLD BEHVR PROB	CHAR	1	N	0
PRT DTH	CHAR	1	N	0
PRT INCARC	CHAR	1	N	0
CARETKR INAB COPE	CHAR	1	N	0
ABANDONMENT	CHAR	1	N	0
RELINQ	CHAR	1	N	0
INADQT HSNG	CHAR	1	N	0
PLMNT SETTING	CHAR	1	N	0
PLMNT OUT OF ST	CHAR	1	N	0
CASE PLAN GOA	CHAR	1	N	0
CARETKR FAM STRUCT	CHAR	1	N	0
CARETKR1 BD YR	CHAR	4	N	0
CARETKR2 BD YR	CHAR	4	N	0
PRTL RI TRMN MOM	CHAR	8	N	0
PRTL RI TRMN DAD	CHAR	8	N	0
FOST FAM STRUCT	CHAR	1	N	0
F CARETKR1 BDYR	CHAR	4	N	0
F CARETKR2 BDYR	CHAR	4	N	0
F CARETKR1 RACE IA	CHAR	1	N	0
F CARETKR1 RACE AS	CHAR	1	N	0
F CARETKR1 RACE BL	CHAR	1	N	0
F CARETKR1 RACE NH	CHAR	1	N	0
F CARETKR1 RACE WH	CHAR	1	N	0
F CARETKR1 RACE UN	CHAR	1	N	0
F CARETKR1 HISP	CHAR	1	N	0
F CARETKR2 RACE IA	CHAR	1	N	0

F CARETKR2 RACE AS	CHAR	1	N	0
F CARETKR2 RACE BL	CHAR	1	N	0
F CARETKR2 RACE NH	CHAR	1	N	0
F CARETKR2 RACE WH	CHAR	1	N	0
F CARETKR2 RACE UN	CHAR	1	N	0
F CARETKR2 HISP	CHAR	1	N	0
FC DSCHRG DT	CHAR	8	N	0
FC DSCHRG TRN DT	CHAR	8	N	0
DSCHRG RSN	CHAR	1	N	0
TITLE IV E FC	CHAR	1	N	0
TITLE IV E ADOP	CHAR	1	N	0
TITLE IV A	CHAR	1	N	0
TITLE IV D	CHAR	1	N	0
TITLE XIX	CHAR	1	N	0
SSI OR SS	CHAR	1	N	0
NONE	CHAR	1	N	0
FC MO PMT AMT	CHAR	5	N	0

Parents of **AFCARS_FC**

Children of **AFCARS_FC**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

ALLEGATION

Priority 5 Dups N Download N Upload N NFOTS801

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
FK ARPID NBR	INTEGER	4	Y	0	
INCD CNTY CD	CHAR	3	Y	0	
County where alleged child m altreatment occurred.					
INCD DT	DATE	4	Y	0	
Date when alleged child maltreatm ent occurred.					
FINDING DT	DATE	4	Y	0	
Date on which Dept decison is made as to next planned action					

FINDING CD	CHAR	2	Y	0

A finding based on information gathered/analyzed by the worker during Assessment or by Law Enforcement without Assessment, as to whether credible evidence exists that maltreatment has occurr ed as defined in state statute.

EXPUNGE DT	DATE	4	Y	0

Date the expungement was appro ved.

EXPUNG RSN	CHAR	2	Y	0

Indicates why an allegation wa s expunged.

TYP CD	CHAR	2	N	0

Code which defines the maltreatmen t alleged to have been committed by the perpetrator(s) upon the victim(s). Exam ples - Physical Abuse, Sexual Abuse, etc.

FK INTAKENBR	INTEGER	4	Y	0
FK0ARPID NBR	INTEGER	4	Y	0
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
DTH IND	CHAR	1	Y	0

The child died as a result of abu se or neglect, because either (a) an injury resulting from the abuse or neglect was the cause of death or (b) abuse and/or neglect were contributing factors to the cause of death.

FOSTER PRT IND	CHAR	1	Y	0

An indicator which will id entify if the alleged perpetrator is also alleged victims's foster parent. The alleged perpetrator may have both a foster parent and another relationship to t he alleged victim. Valid values: Y=yes and N=no.

CARETKR IND	CHAR	1	Y	0

An indicator which will ident ify if the alleged perpetrator is responsible for the care and supervision of th e alleged victim. Valid Values: Y=yes and N=no

INCD LOCT CD	CHAR	2	Y	0

Place or setting where the i ncident occurred

VCTM LIV STAT CD	CHAR	2	Y	0

Victim's living status at time of allegation. (.ie Living Alone, Living with Perpetrator, or Living wi th others)

VCTM LA CD	CHAR	2	Y	0

Victim's living arrangement a t time of allegation. (example: own home verses licensed or certified facility)

SLF NEG IND	CHAR	1	Y	0

This will be a check-box on t he window that is either checked or not checked. Checked means the allegation was self-neglect. Not checked means the allegation was perpetrated

SVC STAT CD	CHAR	2	Y	0

When an allegation is substan tiated we need to document whether services were offered to the victim and wheth er they were accepted etc A codes table entry will be used to store the options .

Parents of **ALLEGATION**

N8010401	**Child**	ALLEGATION	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK0ARPID_NBR	ID_NBR		INTEGER	4	0		N A
N8010402	**Child**	ALLEGATION	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N A
N8018201	**Child**	ALLEGATION	**Parent**	INTAKE					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_INTAKENBR	NBR		INTEGER	4	0		N A

Children of **ALLEGATION**

N1708011	**Parent**	ALLEGATION	**Child**	COR				
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_ALLEGATIONID_NB		INTEGER	4	0		N

ALRT

Notification (either system or worker generated) t o DSS personnel of impending or past activity which is either information to or requiring action by a worker.

Priority 80 Dups N Download N Upload Y NFOTS010

Column	Type	Length	Nulls	Scale	Key
FK MST CASEID NBR	INTEGER	4	N	0	1
ALRT NBR	INTEGER	4	N	0	
A specific ALERT number retrieved from the master ALERT decode table.See: i:\appdev\baa\deliv\codeval\alrtcode.doc					
ID NBR	INTEGER	4	N	0	2
An identifier which will cause a particu lar ALERT to be unique.					
TYP CD	CHAR	2	N	0	
DSP DT	DATE	4	N	0	
Date an ALERT is displayed to a worker.* ***** Comments ******For worker-generated ALERTs, Display Date will be specified by the worker.The date to be displayed on system-generated ALERTs, will need to be specified in the appropriate rule.					
DUE DT	DATE	4	Y	0	
The date any action required by an actio n-required ALERT is due to complete.					
SHRT DSC	CHAR	20	N	0	
Allows users to better identify Alerts from the Alert Display Window.					
DSC	CHAR	174	Y	0	
The English text detailing specific informa tion regarding the ALERT.Free-form for worker-generated pre-set text for system- generated.					
ARP NME	CHAR	71	Y	0	
ARP Name that the Alert is associated w ith pr Program Case Name that the Alert is associated with.					
MST CASE NME	CHAR	71	N	0	
Master Case Name that the Alert is identified with.					
PGM CD	CHAR	2	Y	0	
If it is a Program Case Alert, the Progr am Code the Alert is associated with (from Program Case).					
SRC ID	CHAR	8	N	0	
Identification of the source of the ALER T whether system or worker (userid) generated.Worker generated will show user id or sign-on id, etc.					
STAT CD	CHAR	1	N	0	
Code identifying the open or closed sta tus of an action-required ALERT.					
CLOS DT	DATE	4	Y	0	
The date any action required by an ALER T (with a due date) is completed.					
FK PGM CASEID NBR	INTEGER	4	Y	0	
FK PGM CASEPGM CD	CHAR	2	Y	0	
FK ARPID NBR	INTEGER	4	Y	0	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **ALRT**

N0100401	**Child**	ALRT	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N0105151	**Child**	ALRT	**Parent**	MST_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_MST_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A
N0105951	**Child**	ALRT	**Parent**	PGM_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PGM_CASEPGM_CD	PGM_CD		CHARACTER	2	0		N	A
		FK_PGM_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **ALRT**

N6450101	**Parent**	ALRT	**Child**	POSTN_ALRT_DSP					
		COLNAME			TYPE	LEN	SC	D	N
	FK_MST_CASEID_NBR		FK_ALRTFK_MST_CASE		INTEGER	4	0		N
	ID_NBR		FK_ALRTID_NBR		INTEGER	4	0		N

ANSWER

Structured text associated with a CPS case which helps describe the situation to an AGENCY RELATED PERSON involved in a child we lfare case. Codes tables drive narrative types available/required per populatio n type and/or status of MC/PC.

Priority 18 Dups N Download N Upload N NFOTS803

Column	Type	Length	Nulls	Scale	Kev
ID NBR	INTEGER	4	N	0	1
Value uniquely assigned to each ANSWER					
FK ASSMNTID NBR	INTEGER	4	Y	0	
FK RISK DTLID NBR	INTEGER	4	Y	0	
FK SUBSIDYID NBR	INTEGER	4	Y	0	
FK PLMNTID NBR	INTEGER	4	Y	0	
FK SAFETY PLAN ID	INTEGER	4	Y	0	
RSPNS CD	CHAR	5	N	0	
Indicates whether or not user has re sponded to the question, item, etc.					
CHKLST CD	CHAR	5	N	0	
Identifies from what set of questio ns the question and response codes refer to					
QUES CD	CHAR	2	Y	0	
Codes which define questions which ar e answered during different phases of a child welfare case					
RSPNS DT	DATE	4	Y	0	
Date worker answers predefined quest ions.					
FK ARPID NBR	INTEGER	4	Y	0	
FK PMT DETRMNID N	INTEGER	4	Y	0	
FK PMT DETRMN HFK	INTEGER	4	Y	0	
FK PMT DETRMN HID	INTEGER	4	Y	0	
FK ORGID NBR	INTEGER	4	Y	0	
UPD USRID	CHAR	8	N	0	

UPD_TS	TIMESTMP	10	N	0			

Parents of **ANSWER**

N8030401	**Child**	ANSWER	**Parent**	ARP							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A	
N8035501	**Child**	ANSWER	**Parent**	ORG							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A	
N8038051	**Child**	ANSWER	**Parent**	ASSMNT							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ASSMNTID_NBR	ID_NBR		INTEGER	4	0		N	A	
N8038381	**Child**	ANSWER	**Parent**	PMT_DETRMN							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_PMT_DETRMNID_NB	ID_NBR		INTEGER	4	0		N	A	
N8038391	**Child**	ANSWER	**Parent**	PMT_DETRMN_HIST							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_PMT_DETRMN_HFK	FK_PMT_DETRMNID_NB		INTEGER	4	0		N	A	
		FK_PMT_DETRMN_HID	ID_NBR		INTEGER	4	0		N	A	
N8038431	**Child**	ANSWER	**Parent**	PLMNT							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_PLMNTID_NBR	ID_NBR		INTEGER	4	0		N	A	
N8038511	**Child**	ANSWER	**Parent**	RISK_DTL							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_RISK_DTLID_NBR	ID_NBR		INTEGER	4	0		N	A	
N8038531	**Child**	ANSWER	**Parent**	SAFETY_PLAN_DTL							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_SAFETY_PLAN_ID	ID_NBR		INTEGER	4	0		N	A	
N8038561	**Child**	ANSWER	**Parent**	SUBSIDY							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_SUBSIDYID_NBR	ID_NBR		INTEGER	4	0		N	A	

Children of **ANSWER**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

APRV_ITM

The approval details describing the PROGRAM SE RVICE TYPE an ORGANIZATION is approved to provide. Approval items may be includ ed for agreements and contracts.

Priority 6 Dups N Download N Upload N NFOTS015

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
TYP_CD	CHAR	2	N	0	6
This attribute is used by report IV- E-12.**********A code specifying an APPROVAL ITE M Type.Valid Values:See I:\projshar\codevals\Aprvitem.doc					
TYP_CD_DSC	CHAR	77	Y	0	
Unstructured text describing/doc umenting an APPROVAL ITEM Type.					
FK_APRV_PGM_SVCFK	CHAR	2	N	0	5
FK_APRV_PGM_SVCFK(	INTEGER	4	N	0	4
FK_APRV_PGM_SVCFK1	INTEGER	4	N	0	2

FK_APRV_PGM_SVCFK2	INTEGER	4	N	0	1
FK_APRV_PGM_SVCFK3	INTEGER	4	N	0	3
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **APRV_ITM**

N0150201 **Child** APRV_ITM **Parent** APRV_PGM_SVC

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_APRV_PGM_SVCFK2	FK_SVC_APRVFK_ORGI	INTEGER	4	0		N	A
FK_APRV_PGM_SVCFK1	FK_SVC_APRVID_NBR	INTEGER	4	0		N	A
FK_APRV_PGM_SVCFK3	FK_ORGID_NBR	INTEGER	4	0		N	A
FK_APRV_PGM_SVCFK	FK_PGM_SVC_TYPPGM	CHARACTER	2	0		N	A
FK_APRV_PGM_SVCFK0	FK_PGM_SVC_TYPFK_S	INTEGER	4	0		N	A

Children of **APRV_ITM**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

APRV_PGM_SVC

The SERVICE TYPE and PROGRAM specified for an approval of an ORGANIZATION. This information may be included for agreements or contracts.INT: Whenever a new occurance of SERVICE APPROVAL is created, new occurances of APPROVAL PROGRAM SERVICE (tied to thi

Priority 2 Dups N Download N Upload N NFOTS020

Column	Type	Length	Nulls	Scale	Key
PREPRINT_IND	CHAR	1	N	0	
A code indicating if a pre print claim should be generated.For Child Care claims, this code will always be 'Y". Specific FC Claims may be 'Y' or 'N'. All other claims (JOBS, Energy) are 'N'.					
AUTO_CLM_IND	CHAR	1	N	0	
A code indicating whether or not an automatic claim is generated for specific FC cases.					
PREPRINT_FREQ_CD	CHAR	2	Y	0	
A code identifying the frequency of printing preprint documents for an ORGANIZATION for a specific pro gram service.					
FK_PGM_SVC_TYPFK_S	INTEGER	4	N	0	5
FK_PGM_SVC_TYPPGM	CHAR	2	N	0	4
FK_SVC_APRVFK_ORGI	INTEGER	4	N	0	1
FK_SVC_APRVID_NBR	INTEGER	4	N	0	2
FK_ORGID_NBR	INTEGER	4	N	0	3
HOLD_AUTHN_IND	CHAR	1	N	0	
An indicator specifying whether the provider of a specific PROGRAM SERVICE TYPE should have new SERVICE AUTHORIZATION's set up.'Y' - no new SERVICE AUTHORIZATION's allowed'N' - n ew SERVICE AUTHORIZATION's allowed					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **APRV_PGM_SVC**

N0205501	**Child**	APRV_PGM_SVC	**Parent**	ORG							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A	
N0206251	**Child**	APRV_PGM_SVC	**Parent**	PGM_SVC_TYP							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_PGM_SVC_TYPFK_S	FK_SVC_TYPID_NBR		INTEGER	4	0		N	A	
		FK_PGM_SVC_TYPPGM	PGM_CD		CHARACTER	2	0		N	A	
N0207251	**Child**	APRV_PGM_SVC	**Parent**	SVC_APRV							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_SVC_APRVFK_ORGI	FK_ORGID_NBR		INTEGER	4	0		N	A	
		FK_SVC_APRVID_NBR	ID_NBR		INTEGER	4	0		N	A	

Children of **APRV_PGM_SVC**

N0150201	**Parent**	APRV_PGM_SVC	**Child**	APRV_ITM					
		COLNAME			TYPE	LEN	SC	D	N
	FK_SVC_APRVFK_ORGI		FK_APRV_PGM_SVCFK2		INTEGER	4	0		N
	FK_SVC_APRVID_NBR		FK_APRV_PGM_SVCFK1		INTEGER	4	0		N
	FK_ORGID_NBR		FK_APRV_PGM_SVCFK3		INTEGER	4	0		N
	FK_PGM_SVC_TYPPGM		FK_APRV_PGM_SVCFK		CHARACTER	2	0		N
	FK_PGM_SVC_TYPFK_S		FK_APRV_PGM_SVCFK0		INTEGER	4	0		N
N0250201	**Parent**	APRV_PGM_SVC	**Child**	APRV_PGM_SVC_HIST					
		COLNAME			TYPE	LEN	SC	D	N
	FK_SVC_APRVFK_ORGI		FK_APRV_PGM_SVCFK2		INTEGER	4	0		N
	FK_SVC_APRVID_NBR		FK_APRV_PGM_SVCFK1		INTEGER	4	0		N
	FK_ORGID_NBR		FK_APRV_PGM_SVCFK3		INTEGER	4	0		N
	FK_PGM_SVC_TYPPGM		FK_APRV_PGM_SVCFK		CHARACTER	2	0		N
	FK_PGM_SVC_TYPFK_S		FK_APRV_PGM_SVCFK0		INTEGER	4	0		N
N0300201	**Parent**	APRV_PGM_SVC	**Child**	APRV_PGM_SVC_RTE					
		COLNAME			TYPE	LEN	SC	D	N
	FK_SVC_APRVFK_ORGI		FK_APRV_PGM_SVCFK2		INTEGER	4	0		N
	FK_SVC_APRVID_NBR		FK_APRV_PGM_SVCFK1		INTEGER	4	0		N
	FK_ORGID_NBR		FK_APRV_PGM_SVCFK3		INTEGER	4	0		N
	FK_PGM_SVC_TYPPGM		FK_APRV_PGM_SVCFK		CHARACTER	2	0		N
	FK_PGM_SVC_TYPFK_S		FK_APRV_PGM_SVCFK0		INTEGER	4	0		N
N7350201	**Parent**	APRV_PGM_SVC	**Child**	SVC_AUTHN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_SVC_APRVFK_ORGI		FK_APRV_PGM_SVCFK2		INTEGER	4	0		N
	FK_SVC_APRVID_NBR		FK_APRV_PGM_SVCFK1		INTEGER	4	0		N
	FK_ORGID_NBR		FK_APRV_PGM_SVCFK3		INTEGER	4	0		N
	FK_PGM_SVC_TYPPGM		FK_APRV_PGM_SVCFK		CHARACTER	2	0		N
	FK_PGM_SVC_TYPFK_S		FK_APRV_PGM_SVCFK0		INTEGER	4	0		N

APRV_PGM_SVC_HIST

Priority 6 Dups N Download N Upload N NFOTS025

Column	Type	Length	Nulls	Scale	Key
CRET_TS	TIMESTMP	10	N	0	6
CLOS_RSN_CD	CHAR	2	Y	0	
A code specifying the reason for the closure of the APPROVAL PROGRAM SERVICE.Valid Values:License revo kedStandards not metAbuse substantiatedRequested closingProgram Service Type Clo sed					
FK_APRV_PGM_SVCFK	CHAR	2	N	0	4
FK_APRV_PGM_SVCFK0	INTEGER	4	N	0	5

FK_APRV_PGM_SVCFK1	INTEGER	4	N	0	2
FK_APRV_PGM_SVCFK2	INTEGER	4	N	0	1
FK_APRV_PGM_SVCFK3	INTEGER	4	N	0	3
STAT_CD	CHAR	2	N	0	
BEG_DT	DATE	4	N	0	
END_DT	DATE	4	N	0	
RSN_DSC	CHAR	250	Y	0	

Unstructured text describi ng the reason for the present APPROVAL PROGRAM SERVICE status to include any lim itations placed on the provider.

UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **APRV_PGM_SVC_HIST**

N0250201 **Child** APRV_PGM_SVC_HIST **Parent** APRV_PGM_SVC

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_APRV_PGM_SVCFK2	FK_SVC_APRVFK_ORGI	INTEGER	4	0		N	A
FK_APRV_PGM_SVCFK1	FK_SVC_APRVID_NBR	INTEGER	4	0		N	A
FK_APRV_PGM_SVCFK3	FK_ORGID_NBR	INTEGER	4	0		N	A
FK_APRV_PGM_SVCFK	FK_PGM_SVC_TYPPGM	CHARACTER	2	0		N	A
FK_APRV_PGM_SVCFK0	FK_PGM_SVC_TYPFK_S	INTEGER	4	0		N	A

Children of **APRV_PGM_SVC_HIST**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

APRV_PGM_SVC_RTE

Priority 6 Dups N Download N Upload N NFOTS030

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	7
RTE_BEG_DT	DATE	4	N	0	

This attribute is used b y report IV-E-12.**********The date either the M inimum/Maximum Rate Amounts (eg. the range) are effective or the date the Rate A mount is effective.

RTE_END_DT	DATE	4	N	0	

This attribute is used b y report IV-E-12.**********The date either the M inimum/Maximum Rate Amounts (eg. the range) are no longer in effect, OR the date the Rate Amount is no longer in effect.

RTE_AMT	DECIMAL	7	Y	3	
MIN_RTE_AMT	DECIMAL	7	Y	3	

This attribute is used by report IV-E-12.**********The minimum amount an ORGANIZATION has agreed to accept and DSS has agreed to pay for a particular PROGRAM SERVICE TYPE.INT: Minimum/Maximum amounts establish a range for

MAX_RTE_AMT	DECIMAL	7	Y	3	

This attribute is used by report IV-E-12.**********The maximum amount an ORGANIZATION has agreed to accept and DSS has agreed to pay for a particular PROGRAM SERVICE TYPE. INT: Minimum/Maximum Rate Amounts establish a ra

UNT FREQ CD	CHAR	2	N	0	6

This attribute is used by report IV-E-12.**********The code specifying the frequency of the unit number.Valid Values:TripOccurrencePersonMileJobHourDay WeekMonthQuarterAnnual

FK APRV PGM SVCFK	CHAR	2	N	0	5
FK APRV PGM SVCFK(	INTEGER	4	N	0	4
FK APRV PGM SVCFK1	INTEGER	4	N	0	2
FK APRV PGM SVCFK2	INTEGER	4	N	0	1
FK APRV PGM SVCFK3	INTEGER	4	N	0	3
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
COND DSC	VARCHAR	1,000	Y	0	

Unstructured text used to document rate conditions that cannot be captured via the maximum, minimum or usu al rate.Example - provider agrees to accept a lower rate for second child.

Parents of **APRV_PGM_SVC_RTE**

N0300201 **Child** APRV_PGM_SVC_RTE **Parent** APRV_PGM_SVC

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_APRV_PGM_SVCFK2	FK_SVC_APRVFK_ORGI	INTEGER	4	0		N	A
FK_APRV_PGM_SVCFK1	FK_SVC_APRVID_NBR	INTEGER	4	0		N	A
FK_APRV_PGM_SVCFK3	FK_ORGID_NBR	INTEGER	4	0		N	A
FK_APRV_PGM_SVCFK	FK_PGM_SVC_TYPPGM	CHARACTER	2	0		N	A
FK_APRV_PGM_SVCFK0	FK_PGM_SVC_TYPFK_S	INTEGER	4	0		N	A

Children of **APRV_PGM_SVC_RTE**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

APS_REGISTRY

Priority 20 Dups N Download N Upload N NFOTS915

Column	Type	Length	Nulls	Scale	Kev
CASE ID	CHAR	2	Y	0	
POUND SIGN	DECIMAL	9	N	0	1
INTAKE OFFICE	VARCHAR	5	Y	0	
INTAKE WORKER	VARCHAR	5	Y	0	
DATE OF REPORT	CHAR	10	Y	0	
TIME OF REPORT	CHAR	6	Y	0	
ASSIGNED OFFICE	VARCHAR	5	Y	0	
VICTIM NAME LAST	VARCHAR	20	Y	0	
FIRST	VARCHAR	14	Y	0	

MI	CHAR	1	Y	0
AGE	CHAR	3	Y	0
DOB	VARCHAR	10	Y	0
SEX	CHAR	1	Y	0
RACE	CHAR	2	Y	0
MAR STAT	CHAR	2	Y	0
SOC SEC	VARCHAR	11	Y	0
ADDRESS	VARCHAR	50	Y	0
CITY	VARCHAR	15	Y	0
ZIP	VARCHAR	5	Y	0
CO	CHAR	2	Y	0
TELE	VARCHAR	12	Y	0
LIV ARR	CHAR	2	Y	0
LIV STAT	CHAR	2	Y	0
SP CHAR1	CHAR	2	Y	0
SP CHAR2	CHAR	2	Y	0
SP CHAR3	CHAR	2	Y	0
INC OCCURED WHERE	CHAR	2	Y	0
REPORTER LAST NAME	VARCHAR	25	Y	0
GIVEN	VARCHAR	15	Y	0
R ADDRES	VARCHAR	30	Y	0
R CITY	VARCHAR	15	Y	0
R STATE	CHAR	2	Y	0
R ZIP	CHAR	5	Y	0
R PHONE	VARCHAR	12	Y	0
REL CODE	CHAR	2	Y	0
ALL PERP LAST NAME	VARCHAR	20	Y	0
F NAME	VARCHAR	14	Y	0
P MI	CHAR	1	Y	0

P ADDRES	VARCHAR	30	Y	0
P CITY	VARCHAR	15	Y	0
P STATE	CHAR	2	Y	0
P TELE	VARCHAR	12	Y	0
REL VCTM	CHAR	2	Y	0
P SEX	CHAR	1	Y	0
P RACE	CHAR	2	Y	0
P DOB	VARCHAR	10	Y	0
S CH1	CHAR	2	Y	0
S CH2	CHAR	2	Y	0
P SOC SEC	VARCHAR	11	Y	0
FIND1	CHAR	2	Y	0
FIND2	CHAR	2	Y	0
FIND3	CHAR	2	Y	0
FIND4	CHAR	2	Y	0
FIND5	CHAR	2	Y	0
FIND6	CHAR	2	Y	0
LO RECORD CHECK	CHAR	2	Y	0
LO DATE	VARCHAR	10	Y	0
TYP CASE	CHAR	2	Y	0
LO WORKER	INTEGER	4	Y	0
CEN REG CK DT DONI	VARCHAR	10	Y	0
PREV STATUS	CHAR	2	Y	0
PREV WRKR	VARCHAR	5	Y	0
PREV OFC	VARCHAR	5	Y	0
CKD BY WORKER	VARCHAR	5	Y	0
DIS LO INT WK ASS	VARCHAR	5	Y	0
DATE ASSIGNED	VARCHAR	10	Y	0
PRIORITY	CHAR	1	Y	0

SUPV	VARCHAR	5	Y	0
C S DET DUE DATE	VARCHAR	10	Y	0
CASE STATUS PEND	CHAR	1	Y	0
LEA CONT BY WKR	VARCHAR	5	Y	0
ON DATE	VARCHAR	10	Y	0
AT TIME	CHAR	6	Y	0
REFERRED FOR ACT	CHAR	1	Y	0
ONLY INFO	CHAR	1	Y	0
ASSIST	CHAR	1	Y	0
HLTH DEPT REF DATE	VARCHAR	10	Y	0
LIC FAC	CHAR	1	Y	0
FAC CODE	CHAR	2	Y	0
FOR ACTION	CHAR	1	Y	0
INFO ONLY	CHAR	1	Y	0
FOR THEIR INFO	CHAR	1	Y	0
NAME OF FACILITY	VARCHAR	50	Y	0
H DEPT FINDG DATE	VARCHAR	10	Y	0
HEALTH DEPT DETER	CHAR	2	Y	0
CASE STATUS DET	CHAR	2	Y	0
WORKER	VARCHAR	5	Y	0
DATE	VARCHAR	10	Y	0
L OFFICE	VARCHAR	5	Y	0
SERV PROV1	CHAR	2	Y	0
SERV PROV2	CHAR	2	Y	0
SERV PROV3	CHAR	2	Y	0
SERV PROV4	CHAR	2	Y	0
SERV PROV5	CHAR	2	Y	0
SERV PROV6	CHAR	2	Y	0
SERV PROV7	CHAR	2	Y	0

SERV PROV8	CHAR	2	Y	0
CMNT	VARCHAR	2,000	Y	0
VCTM PHON LST NME	CHAR	8	Y	0
SOUNDEX Key for last name. Used for phonetic name searching.				
PERP PHON LST NME	CHAR	8	Y	0
SOUNDEX Key for last name. Used for phonetic name searching.				

Parents of **APS_REGISTRY**

Children of **APS_REGISTRY**

Parent COLNAME	Child TYPE	LEN	SC	D	N

APS_SVC_AT

Priority 20 Dups N Download N Upload N NFOTS033

Column	Type	Length	Nulls	Scale	Key
FK PCPIFK PGM CASE	CHAR	2	N	0	1
FK0PCPIFK PGM CASE	INTEGER	4	N	0	2
FK PCPIFK ARPID NB	INTEGER	4	N	0	3
SVC AT DT	DATE	4	N	0	4
Date the service or action was provided.					
AT PROVD CD	CHAR	2	N	0	5
Date the ABILITY TO PAY was c reated (set to the current date the occurrence was created).					
This date is set w hen the ABILITY TO PAY occurrence is created and is never updated.					
TYP CD	CHAR	2	N	0	
Type of service or action that was provided.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **APS_SVC_AT**

N0335851 **Child** APS_SVC_AT **Parent** PCPI

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK0PCPIFK_PGM_CASE	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_PCPIFK_ARPID_NB	FK_ARPID_NBR	INTEGER	4	0		N	A

Children of **APS_SVC_AT**

Parent COLNAME	Child TYPE	LEN	SC	D	N

AR

Priority 1 Dups N Download Y Upload Y NFOTS035

Column	Type	Length	Nulls	Scale	Key

OP TYP CD CHAR 2 N 0
********** ******THIS ATTRIBUTE USED BY REPORT(S): FNS-209********** **********A code specifying the type of ELIGIBILITY BUDGET OVERPAYMENT.Valid Values: Technical Administrative Household error

OP ENT TYP CD CHAR 2 N 0
An attribute specifying the type of overpayments summed into the A/R. The overpayments may be Claim Item, Eligibil ity Determination or External.

PGM CD CHAR 2 N 0
A code specifying the high level category of assistance for the PROGRAM CASE. Possible programs represented: ADC EA JO BS-ADC RRP ET AABD RRP Child Care Food Stamps FS E&T EAP (energy) Child Welfare Medicaid

CRET DT DATE 4 N 0
The date that overpayments are grouped in to an A/R so the first-in-first-out method can be applied.

ID NBR INTEGER 4 N 0 1
********** ***THIS ATTRIBUTE USED BY REPORT(S): FNS-209.********** **********A number used for unique identification.

BEG BAL DECIMAL 9 N 2
The money to be withheld, recouped, offse t or otherwise recovered for a specific ACCOUNTS RECEIVABLE.

FK ORGID NBR INTEGER 4 Y 0

FK REPY MTHDID NBR INTEGER 4 Y 0

COMPROMISED IND CHAR 1 N 0
This attribute is set to yes when an account has been compromised. This means that no overpayments can be transf erred into or out of the account.

CURR BAL DECIMAL 9 N 2
The ACCOUNTS RECEIVABLE Beginning Balanc e less the amount collected to date for a specific ACCOUNTS RECEIVABLE.

ADJ AMT DECIMAL 9 Y 2
Serves as a holding bin for amounts that are currently not collectable.

UPD USRID CHAR 8 N 0

UPD TS TIMESTMP 10 N 0

TOP DT DATE 4 Y 0
Top_Date - This will contain the date on w hich an AR was sent to the Feds for PREOFFSET address request OR certification.

TOP CD CHAR 2 Y 0
TOP_CODE - If an AR is sent for PREOFFSET address request this will have a value of 'P'. If AR is sent for certificatio n this will have a value of 'C'.

FED FISCAL YR CHAR 4 Y 0
Federal Fiscal Year which typically runs from October to September and is used to identify the period when overpaym ents should be reimbursed to the federal government.

Parents of **AR**

N0355501	**Child**	AR	**Parent**	ORG					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N A
N0356901	**Child**	AR	**Parent**	REPY_MTHD					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_REPY_MTHDID_NBR	ID_NBR		INTEGER	4	0		N A

Children of **AR**

N0700351	**Parent**	AR	**Child**	AR_STAT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARID_NBR		INTEGER		4	0	N	
N0750351	**Parent**	AR	**Child**	AR_TRN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARID_NBR		INTEGER		4	0	N	
N1500351	**Parent**	AR	**Child**	CLM_ITM_OP						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARID_NBR		INTEGER		4	0	N	
N1700351	**Parent**	AR	**Child**	COR						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARID_NBR		INTEGER		4	0	N	
N2730351	**Parent**	AR	**Child**	ATP_ARP_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARID_NBR		INTEGER		4	0	N	
N2740351	**Parent**	AR	**Child**	AR_BIL_DTL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARID_NBR		INTEGER		4	0	N	
N2900351	**Parent**	AR	**Child**	ED_AR_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARID_NBR		INTEGER		4	0	N	
N3300351	**Parent**	AR	**Child**	ED_OP						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARID_NBR		INTEGER		4	0	N	
N3650351	**Parent**	AR	**Child**	EXT_OP						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARID_NBR		INTEGER		4	0	N	

AR_BIL_DTL

An ACCOUNTS RECEIVABLE BILLING DETAIL tracks the Billing Parties (type code = BP), Responsible Person(s) (type code = RP), and Client(s) (type code = CL) that are associated with an ACCOUNTS RECEIVABLE. The Billing Parties are the individuals that shou

Priority 3 Dups N Download N Upload N NFOTS274

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	2
A number used to uniquely identify an occurrence of ACCOUNTS RECEIVABLE BILLING DETAIL.					
FK_ARID_NBR	INTEGER	4	N	0	1
BEG_DT	DATE	4	N	0	
The date on which the ACCOUNTS REC EIVABLE BILLING DETAIL became effective.					
END_DT	DATE	4	N	0	
The date on which ACCOUNTS RECEIVA BLE BILLING DETAIL will end.					
TYP_CD	CHAR	2	N	0	
A code that indicates the type of ACCOUNTS RECEIVABLE BILLING DETAIL (BP - Billing Party , RP - Responsible Person , or CL - Client).					
FK_ORGID_NBR	INTEGER	4	Y	0	
FK_ARPID_NBR	INTEGER	4	Y	0	
BIL_PARTY_REL_CD	CHAR	2	Y	0	
A code that indicates th e Billing Parties relationship to the Clients related to the ACCOUNTS RECEIVABLE (CL - Client, PA - Parent, SP - Spouse, GU - Guardian, or OH - Other).					
SUSP_BIL_IND	CHAR	1	Y	0	
An indicator that specifies if the Billing Party should not receive a billing statement each month (Y - The Billing Party will not receive a billing statement each month, N (default) - The Billing Party will receive a billing statement each month).					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **AR_BIL_DTL**

N2740351	**Child**	AR_BIL_DTL	**Parent**	AR						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARID_NBR	ID_NBR		INTEGER	4	0		N	A
N2740401	**Child**	AR_BIL_DTL	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N2745501	**Child**	AR_BIL_DTL	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **AR_BIL_DTL**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

AR_STAT

The history of status changes for ACCOUNTS_RECE IVABLE.

Priority 2 Dups N Download Y Upload Y NFOTS070

Column	Type	Length	Nulls	Scale	Key
FK ARID NBR	INTEGER	4	N	0	1
STAT CD	CHAR	2	N	0	
A code representation of the status of the ACCOUNTS RECEIVABLE. Statuses are as follows: Pending Active Closed Inactive					
STAT RSN CD	CHAR	2	Y	0	
STAT BEG DT	DATE	4	N	0	2
STAT END DT	DATE	4	N	0	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **AR_STAT**

N0700351	**Child**	AR_STAT	**Parent**	AR						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **AR_STAT**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

AR_TRN

Priority 4 Dups N Download Y Upload Y NFOTS075

Column	Type	Length	Nulls	Scale	Key
FK ARID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2
TYP CD	CHAR	2	N	0	
STAT CD	CHAR	2	N	0	
The status of the AR transaction.Vali d values: Pending Applied					

STAT CHG DT	DATE	4	Y	0
The date the status code changed.				
STAT RSN CD	CHAR	2	Y	0
AMT	DECIMAL	8	N	2
RCVD DT	DATE	4	N	0
APP DT	DATE	4	Y	0
The date the A/R Transaction is applie d to the A/R.				
COLL DSC	CHAR	77	Y	0
Unstructured text identifying/docume nting anACCOUNTS RECEIVABLE TRANSACTION.**********Comments********** *** SOURCE:Basic				
FK ED EXPNDFK EDID	INTEGER	4	Y	0
FK ED EXPNDFK EDFK	INTEGER	4	Y	0
FK ED EXPNDFK EDF0	CHAR	2	Y	0
FK ED EXPNDID NBR	INTEGER	4	Y	0
FK CSH REPYID NBR	INTEGER	4	Y	0
FK CLM ITM EXPNID	INTEGER	4	Y	0
TRFR DT	DATE	4	Y	0
The date that this transaction transf erred to this A/R.				
TRFR CD	CHAR	2	Y	0
The kind of Account_Receivable this c ollection transfered from:Valid Values:HouseholdAgency				
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
MO CHRG INCR DT	DATE	4	Y	0
The date on which DD charges where incurred.				

Parents of **AR_TRN**

N0750351 **Child** AR_TRN **Parent** AR

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARID_NBR	ID_NBR	INTEGER	4	0		N	A

N0751451 **Child** AR_TRN **Parent** CLM_ITM_EXPND

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CLM_ITM_EXPNID	ID_NBR	INTEGER	4	0		N	A

N0751901 **Child** AR_TRN **Parent** CSH_REPY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CSH_REPYID_NBR	ID_NBR	INTEGER	4	0		N	A

N0753201 **Child** AR_TRN **Parent** ED_EXPND

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_EXPNDFK_EDF0	FK_EDFK_PGM_CASEP	CHARACTER	2	0		N	A
FK_ED_EXPNDFK_EDFK	FK_EDFK_PGM_CASEI	INTEGER	4	0		N	A
FK_ED_EXPNDFK_EDID	FK_EDID_NBR	INTEGER	4	0		N	A
FK_ED_EXPNDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **AR_TRN**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

ARP

Priority 0 Dups N Download Y Upload Y NFOTS040

Column	Type	Length	Nulls	Scale	Key
INF SSN XREF ID	DECIMAL	11	Y	0	
PHON LST NME	CHAR	8	N	0	
The soundex key calculated for the ARP.Last_Name. The soundex routine permits phonetic name searches.					
ID NBR	INTEGER	4	N	0	1
A random number assigned by the system fo r unique identification of the ARP.					
FRST NME	CHAR	20	N	0	
The given name by which an AGENCY_RELAT ED_PERSON is currently known. A history of this attribute is maintained in the NAME_HISTORY entity type.					
MIDL NME	CHAR	20	Y	0	
The middle name or initial by which an AGENCY_RELATED_PERSON is currently known. A history of this attribute is mainta ined in the NAME_HISTORY entity type.					
LST NME	CHAR	25	N	0	
The surname by which an AGENCY_RELATED_P ERSON is currently known. History of this attribute is maintained in the NAME_H ISTORY entity type.					
NME EXTN CD	CHAR	3	Y	0	
UNK ABS PRT IND	CHAR	1	N	0	
An indicator that identifies tha t a person's biological parent is unknown.Valid values:YesNoNot ApplicableDefau lt value:Not Applicable					
US CTZNSP IND	CHAR	1	N	0	
An indicator which will identify i f the AGENCY RELATED PERSON is a US citizen.Valid Values: Y = yes, N = No, U = U nknownDefault Value: u.					
US CTZNSP BEG DT	DATE	4	Y	0	
The date the AGENCY RELATED PER SON'S citizenship is effective. This date can either be the date the AGENCY REL ATED PERSON'S citizenship is factually effective OR the date DSS considers the AGENCY RELATED PERSON'S citizenship to be effective or importa					
INTPTR ND IND	CHAR	1	N	0	
An indicator which identifies whet her the ARP requires a language interpreter. If the value in this attribute is 'Y' then there must be a valid value in Primary_Oral_Language_Code.					
PRIM WRIT LNG CD	CHAR	2	Y	0	
A code designating the primary language that the ARP reads and/or writes.					
PRIM ORAL LNG CD	CHAR	2	Y	0	
A code designating the primary language spoken by an ARP.					
SSN	CHAR	9	Y	0	
The unique number assigned to a person by th e Social Security Administration.					
BD	DATE	4	Y	0	
The month, day, century, and year a person wa s born.					
DCSD DT	DATE	4	Y	0	
The date an AGENCY_RELATED_PERSON died.					
SEX CD	CHAR	1	N	0	
A code representing the gender of an AGEN CY_RELATED_PERSON. Note that U designates Unknown, not Unborn.					
ETN CD	CHAR	2	Y	0	
A code designating a person's ethnic gro up. Examples: White (not of Hispanic origin), Black/African American, American Indian/Alaskan Native, Hispanic/Mexican American, Asian/Pacific Islander, Othe r.					
DISC ARP IND	CHAR	1	N	0	
UPD USRID	CHAR	8	N	0	
The identification of the user or modu le that inserted or last updated the ARP record.					

UPD TS	TIMESTMP	10	N	0
The timestamp that the ARP record was ins erted or last updated.				
LTRCY ASSMNT LVL	SMALLINT	2	Y	0
ABS PRT REF IND	CHAR	1	N	0
Valid values:YesNoUnknownNot App licableDefault value:Not Applicable				
CHKOUT MST CASE ID	INTEGER	4	Y	0
RACE CD	CHAR	2	Y	0
A code designating the race of an ARP if the ARP is of hispanic ethnic origin Examples: American Indian/Alaskan Native , Asian/Pacific Islander, Black, White, Unable to determine/other.				
CRET TS	TIMESTMP	10	Y	0
DATE/TIME ON WHICH WORKER CREATED THE AR P				
CRET USRID	CHAR	8	Y	0
WORKER WHO CREATED THE ARP				
TANF TRKNG RVW DT	DATE	4	Y	0
Identifies when a TANF review has been performed. The current maximum TANF benefit amount is 60 months this m ay change in the future so the maximum amount should be driven by a codes table value.				

Parents of ARP

Children of ARP

N0070401	**Parent**	ARP	**Child**	INTERNET_ADDR						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0100401	**Parent**	ARP	**Child**	ALRT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0410401	**Parent**	ARP	**Child**	ARP_NARR_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0420401	**Parent**	ARP	**Child**	ARP_DTL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0430401	**Parent**	ARP	**Child**	RACE_ETHNICITY						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0440401	**Parent**	ARP	**Child**	PRTL_RIGHTS						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0440402	**Parent**	ARP	**Child**	PRTL_RIGHTS						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK0ARPID_NBR		INTEGER	4	0		N	
N0450401	**Parent**	ARP	**Child**	ARP_ADDRSE						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0470401	**Parent**	ARP	**Child**	SSN_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0500401	**Parent**	ARP	**Child**	LIV_PLACE						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0510401	**Parent**	ARP	**Child**	WRK_REG_ET						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0520401	**Parent**	ARP	**Child**	COURT_DTL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0530401	**Parent**	ARP	**Child**	SANCTION						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0550401	**Parent**	ARP	**Child**	ARP_TANF_TRKNG						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0600401	**Parent**	ARP	**Child**	ARP_FUNC_REL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK0ARPID_NBR		INTEGER	4	0		N	
N0600402	**Parent**	ARP	**Child**	ARP_FUNC_REL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0650401	**Parent**	ARP	**Child**	ARP_REL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK0ARPID_NBR		INTEGER	4	0		N	
N0650402	**Parent**	ARP	**Child**	ARP_REL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0950401	**Parent**	ARP	**Child**	BCKGRND_CHK						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N0960401	**Parent**	ARP	**Child**	SFTY_AST_ARP_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	

N1030401	**Parent**	ARP	**Child**	PA_ARP_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N1070401	**Parent**	ARP	**Child**	SFTY_PLN_ARP_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N1130401	**Parent**	ARP	**Child**	PCA_ARP_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N1160401	**Parent**	ARP	**Child**	SWTF_ACCT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N1220401	**Parent**	ARP	**Child**	ST_WARD_DTL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N1310401	**Parent**	ARP	**Child**	SWTF_TRAN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N1320401	**Parent**	ARP	**Child**	TRAN_RGST						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N1330401	**Parent**	ARP	**Child**	SWTF_REQ						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N1330402	**Parent**	ARP	**Child**	SWTF_REQ						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK0ARPID_NBR		INTEGER	4	0		N	
N1950401	**Parent**	ARP	**Child**	RSRC_OWNER						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N2150401	**Parent**	ARP	**Child**	DISC_ARP_XREF						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK0ARPID_NBR		INTEGER	4	0		N	
N2150402	**Parent**	ARP	**Child**	DISC_ARP_XREF						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N2520401	**Parent**	ARP	**Child**	ED_ARP_ELIG_SUMM						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N2600401	**Parent**	ARP	**Child**	ED_ARP_EXPN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N2650401	**Parent**	ARP	**Child**	ED_INC_ACTIVITY						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N2730401	**Parent**	ARP	**Child**	ATP_ARP_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N2740401	**Parent**	ARP	**Child**	AR_BIL_DTL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N2760401	**Parent**	ARP	**Child**	ED_RSRC_OWNER						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N2800401	**Parent**	ARP	**Child**	ED_NON_FINANCIAL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER	4	0		N	
N2800402	**Parent**	ARP	**Child**	ED_NON_FINANCIAL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK0ARPID_NBR		INTEGER	4	0		N	

N2810401	**Parent**	ARP	**Child**	ED_ARP_ELIG_DTL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N2870401	**Parent**	ARP	**Child**	ED_SANCTION_DTL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N2920401	**Parent**	ARP	**Child**	ED_FIN_ARP_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N3300401	**Parent**	ARP	**Child**	ED_OP						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N3400401	**Parent**	ARP	**Child**	ARP_EXPN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N3650401	**Parent**	ARP	**Child**	EXT_OP						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N3750401	**Parent**	ARP	**Child**	FS_ISSU						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N4000401	**Parent**	ARP	**Child**	HLTH_CHK						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N4020401	**Parent**	ARP	**Child**	PRSN_ASTNC_PLN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N4200401	**Parent**	ARP	**Child**	CSE_NONCOOP						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N4300401	**Parent**	ARP	**Child**	INF_IRS_1099						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N4900401	**Parent**	ARP	**Child**	MDCR						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N4920401	**Parent**	ARP	**Child**	MDCR_BUYIN_INP						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N4930401	**Parent**	ARP	**Child**	INF_MDCR_RSPNS						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N5000401	**Parent**	ARP	**Child**	MED_DETRMN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N5050401	**Parent**	ARP	**Child**	MED_PROVDR_LOCK_IN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N5200401	**Parent**	ARP	**Child**	MST_CASE_PRS						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N5350401	**Parent**	ARP	**Child**	NME_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N5700401	**Parent**	ARP	**Child**	ORG_PRS_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	
N5800401	**Parent**	ARP	**Child**	PCAI						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR		INTEGER		4	0	N	

N5850401	**Parent**	ARP		**Child**	PCPI					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N5980401	**Parent**	ARP		**Child**	CARD_HOLDER					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N6350401	**Parent**	ARP		**Child**	PHN_NBR					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N6370401	**Parent**	ARP		**Child**	PYE_PMT_MTHD					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N6460401	**Parent**	ARP		**Child**	YLS_ASSMNT					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N6500401	**Parent**	ARP		**Child**	PREG					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK0ARPID_NBR			INTEGER		4	0	N
N6500402	**Parent**	ARP		**Child**	PREG					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N6600401	**Parent**	ARP		**Child**	INC_ACTIVITY					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N7000401	**Parent**	ARP		**Child**	SCHL_ATTNDCE					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N7170401	**Parent**	ARP		**Child**	CHLD_RVW_SEL					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N7240401	**Parent**	ARP		**Child**	SUBS_ADOP_DTL					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N7420401	**Parent**	ARP		**Child**	SVC_REQ					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N7450401	**Parent**	ARP		**Child**	US_IMMGRTN_STAT					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N7520401	**Parent**	ARP		**Child**	ARP_VERF					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N7860401	**Parent**	ARP		**Child**	PRS_TRKNG					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N7960401	**Parent**	ARP		**Child**	FCRB_PLMNT					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N7980401	**Parent**	ARP		**Child**	FCRB_REL					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK0ARPID_NBR			INTEGER		4	0	N
N7980402	**Parent**	ARP		**Child**	FCRB_REL					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N
N8010401	**Parent**	ARP		**Child**	ALLEGATION					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK0ARPID_NBR			INTEGER		4	0	N
N8010402	**Parent**	ARP		**Child**	ALLEGATION					
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N

N8030401	**Parent**	ARP		**Child**	ANSWER						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N8190401	**Parent**	ARP		**Child**	ICPC						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N8210401	**Parent**	ARP		**Child**	INTAKE_ARP_INVLV						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N8300401	**Parent**	ARP		**Child**	MED_INFO						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N8360401	**Parent**	ARP		**Child**	TRIBAL_INFO						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N8380401	**Parent**	ARP		**Child**	PMT_DETRMN						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N8400401	**Parent**	ARP		**Child**	PERM_OBJ						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N8410401	**Parent**	ARP		**Child**	PRS_ADD_DTL						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N8420401	**Parent**	ARP		**Child**	PRS_CHAR						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N8560401	**Parent**	ARP		**Child**	SUBSIDY						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N8770401	**Parent**	ARP		**Child**	CFS_ASSET_TEST						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N8800401	**Parent**	ARP		**Child**	FAMILY_DTL						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N8900401	**Parent**	ARP		**Child**	CS_REF_RLE						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N9900401	**Parent**	ARP		**Child**	CONV_CLI_XREF						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	
N9990401	**Parent**	ARP		**Child**	KNOWN_CASE						
		COLNAME				TYPE	LEN	SC	D	N	
	ID_NBR		FK_ARPID_NBR			INTEGER		4	0	N	

ARP_ADDRSE

An AGENCY RELATED PERSON using an ADDRESS.

Priority 1 Dups N Download Y Upload Y NFOTS045

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	3
A number used for unique identific ation.**********THIS ATTRIBUTE IS USED BY REP ORT(S): ACF-3637, ACF-4125.					
TYP_CD	CHAR	2	N	0	
A code specifying the type of ADDR ESS.Valid values:Physical AddressMailing Address ********** **********THIS ATTRIBUTE IS USED BY REPORT(S): ACF-3637, ACF-4125.					
BEG_DT	DATE	4	N	0	

END DT DATE 4 N 0
********** **********THIS ATTRIBUTE IS USED BY REPORT(S): ACF-3637, ACF-4125.********** **********The date the AGENCY RELATED PERSONs involvement with an ADDRESS ends.

FK ARPID NBR INTEGER 4 N 0 1

FK ADDRID NBR INTEGER 4 N 0 2

UPD USRID CHAR 8 Y 0

UPD TS TIMESTMP 10 Y 0

LST KNOW ADDR IND CHAR 1 Y 0
A Y/N Indicator. If th e physical address currently on N-FOCUS is the last known address for an ARP but they are no longer living at the address, then the Last Known Address Indicator is set to Y.

Parents of **ARP_ADDRSE**

N0450051	**Child**	ARP_ADDRSE	**Parent**	ADDR							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ADDRID_NBR	ID_NBR		INTEGER	4	0		N	A	
N0450401	**Child**	ARP_ADDRSE	**Parent**	ARP							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A	

Children of **ARP_ADDRSE**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

ARP_DTL

WILL BE USED TO STORE ARP RELATED INFORMATION. BY USING THE CLASSIFICATION CODE WE WILL BE ABLE TO STORE DIFFERENT TYPES OF IN FORMATION. CURRENTLY, WE PLAN TO STORE CONTINUOUS ELIGIBILITY AND HEALTH INSURA NCE (AS IT RELATES TO KC) INFORMATION.

Priority 1 Dups N Download Y Upload Y NFOTS042

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2

A number used for unique identificati on.**********THIS ATTRIBUTE USED BY REPORT(S) : ACF-3637.**********

CLSF CD CHAR 2 N 0
THIS REPRESENTS THE KIND OF INFORMAT ION BEING CAPUTRED WITH THIS ENTITY. IT COULD BE OVERRIDE INFORMATION, COMMENTS RELATING TO THE BUDGET, ETC.

TYP CD CHAR 2 Y 0
THIS IS A GENERIC ATTRIBUTE THAT WILL VARY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE TYPE COD E OF WHATEVER WE ARE TRYING TO STORE.

BEG DT DATE 4 Y 0
THIS IS A GENERIC ATTRIBUTE THAT WILL VARY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE BEGIN DA TE OF WHATEVER WE ARE TRYING TO STORE.

END DT DATE 4 Y 0
THIS IS A GENERIC ATTRIBUTE THAT WILL VARY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE END DATE OF WHATEVER WE ARE TRYING TO STORE.

STAT CD CHAR 2 Y 0
THIS IS A GENERIC ATTRIBUTE THAT WIL L VARY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE STATUS CODE OF WHATEVER WE ARE TRYING TO STORE.

DT DATE 4 Y 0
THIS IS A GENERIC ATTRIBUTE THAT WILL VAR Y BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE DATE THAT R ELATES TO THE INFORMATION WE ARE STORING.

DSC	VARCHAR	254	Y	0	
THIS IS A GENERIC ATTRIBUTE THAT WILL VA RY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE DESCRIPTION OF WHATEVER WE ARE TRYING TO STORE.					
SRC NME	CHAR	75	Y	0	
THIS IS A GENERIC ATTRIBUTE THAT WIL L VARY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE SOURCE OF WHATEVER WE ARE TRYING TO STORE.					
FREQ CD	CHAR	2	Y	0	
THIS IS A GENERIC ATTRIBUTE THAT WIL L VARY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE FREQUEN CY CODE OF WHATEVER WE ARE TRYING TO STORE.					
NBR	INTEGER	4	Y	0	
THIS IS A GENERIC ATTRIBUTE THAT WILL VA RY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE SOME NUMBER THA T RELATES TO THE INFORMATION WE ARE STORING.					
IND	CHAR	1	Y	0	
THIS IS A GENERIC ATTRIBUTE THAT WILL VA RY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE SOME INDICATOR THAT RELATES TO THE INFORMATION WE ARE STORING.					
AMT	DECIMAL	8	Y	2	
THIS IS A GENERIC ATTRIBUTE THAT WILL VA RY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE SOME AMOUNT THA T RELATES TO THE INFORMATION WE ARE STORING.					
CAT CD	CHAR	2	Y	0	
THIS IS A GENERIC ATTRIBUTE THAT WILL VARY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE CATEGORY CODE OF WHATEVER WE ARE TRYING TO STORE.					
GENERIC CD	CHAR	2	Y	0	
THIS IS A GENERIC ATTRIBUTE THAT WILL VARY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE GEN ERIC CODE OF WHATEVER WE ARE TRYING TO STORE.					
RSN CD	CHAR	2	Y	0	
THIS IS A GENERIC ATTRIBUTE THAT WILL VARY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE REASON C ODE OF WHATEVER WE ARE TRYING TO STORE.					
EFF DT TYP CD	CHAR	2	Y	0	
THIS IS A GENERIC ATTRIBUTE TH AT WILL VARY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE T YPE OF EFFECTIVE DATING WHICH SHOULD BE USED.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
FK MST CASEID NBR	INTEGER	4	Y	0	
FK ARPID NBR	INTEGER	4	N	0	1

Parents of **ARP_DTL**

N0420401	**Child**	ARP_DTL	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N0425151	**Child**	ARP_DTL	**Parent**	MST_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_MST_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **ARP_DTL**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

ARP_EXPN

An expense for an individual.

Priority 15 Dups N Download Y Upload Y NFOTS340

Column	Type	Length	Nulls	Scale	Key
FK_ARPID_NBR	INTEGER	4	N	0	1
ID_NBR	INTEGER	4	N	0	2
A number used for unique identificat ion.					
FK_MST_CASEID_NBR	INTEGER	4	Y	0	
TYP_CD	CHAR	2	N	0	
A code specifying the type of expens e. These code values are stored in the 1821 code table.					
DSC	CHAR	50	Y	0	
A free text entry field used to describ e an expense.					
CLOSE_DT	DATE	4	Y	0	
Implies that the Expense is closed as of this date. It does not imply that the Expense was always active prior to this date. This date MUST be kept in sync with the END_DATE of the highest dat e instance of ARP_EXPENSE_AMOUNT.					
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	

Parents of **ARP_EXPN**

N3400401 **Child** ARP_EXPN **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N3405151 **Child** ARP_EXPN **Parent** MST_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_MST_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ARP_EXPN**

N3453401 **Parent** ARP_EXPN **Child** ARP_EXPN_AMT

COLNAME		TYPE	LEN	SC	D	N
FK_ARPID_NBR	FK_ARP_EXPNFK_ARPI	INTEGER	4	0		N
ID_NBR	FK_ARP_EXPNID_NBR	INTEGER	4	0		N

ARP_EXPN_AMT

An Expense Amount that is associated with an expense for an individual.

Priority 20 Dups N Download Y Upload Y NFOTS345

Column	Type	Length	Nulls	Scale	Key
FK_ARP_EXPNFK_ARPI	INTEGER	4	N	0	1
FK_ARP_EXPNID_NBR	INTEGER	4	N	0	2
BEG_DT	DATE	4	N	0	3
The date the service associated with an Expense Amount began.					
END_DT	DATE	4	Y	0	
The date the service associated with an Expense Amount ended.					
FREQ_CD	CHAR	2	N	0	
A code that shows how often the expense occurs, e.g. monthly or weekly. This field is driven by the 1822 code table.					
AMT	DECIMAL	9	Y	2	
The actual amount of the expense pa yment for a particular expense.					
TRANSP_MILES	INTEGER	4	Y	0	
For a transportation expen se, this is the number of miles driven.					
MEAL_DAYS_NBR	INTEGER	4	Y	0	
For "Meals to Obtain Medi cal Care" expense types, this is the number of days for which meals will be reim bursed. Meals will be reimbursed on a per diem rate that is code table driven.					

VERF SRC CD	CHAR	2	Y		0
This will identify the sour ce that was used to verify the AMOUNT. For example: (receipts, tax return etc) .					
VERF DT	DATE	4	Y		0
This will provide the date that the AMOUNT was verified.					
UPD USRID	CHAR	8	N		0
UPD TS	TIMESTMP	10	N		0

Parents of **ARP_EXPN_AMT**

N3453401 **Child** ARP_EXPN_AMT **Parent** ARP_EXPN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARP_EXPNFK_ARPI	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_ARP_EXPNID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ARP_EXPN_AMT**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

ARP_FUNC_REL

This entity is used to store the functiona l relationships between two ARP's. Functional relationships are defined as "pa rental control", "care-giver", etc.

Priority 1 Dups N Download Y Upload Y NFOTS060

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	3
FK ARPID NBR	INTEGER	4	N	0	1
FK0ARPID NBR	INTEGER	4	N	0	2
TYP CD	CHAR	2	N	0	
BEG DT	DATE	4	N	0	
The date the ARP RELATIONSHIP is effective.********** THIS ATTRIBUTE IS NEEDED FOR REPORT(S):ACF-3637, IV-E-12. **********					
END DT	DATE	4	N	0	
The date the ARP RELATIONSHIP is no longer effective.********** THIS ATTRIBUTE IS N EEDED FOR REPORT(S):ACF-3637, IV-E-12. **********					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
SRC CD	CHAR	2	Y	0	
This attribute designates which area the occurrence was created for: "MD" for Medical "LA" for Legal Agent s spaces for ARP Family Relat. Expert System KB					
FK ORGID NBR	INTEGER	4	Y	0	

Parents of **ARP_FUNC_REL**

N0600401	**Child**	ARP_FUNC_REL	**Parent**	ARP							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK0ARPID_NBR	ID_NBR		INTEGER	4	0		N	A	
N0600402	**Child**	ARP_FUNC_REL	**Parent**	ARP							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A	
N0605501	**Child**	ARP_FUNC_REL	**Parent**	ORG							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A	

Children of **ARP_FUNC_REL**

N8710601	**Parent**	ARP_FUNC_REL	**Child**	LEGAL_AT_ARP_INVLV					
		COLNAME			TYPE	LEN	SC	D	N
	FK_ARPID_NBR		FK_ARP_FUNC_RELFK		INTEGER	4	0		N
	FK0ARPID_NBR		FK_ARP_FUNC_RELFK0		INTEGER	4	0		N
	ID_NBR		FK_ARP_FUNC_RELID		INTEGER	4	0		N

ARP_NARR_INVLV

Priority 5 Dups N Download N Upload N NFOTS041

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
FK NARR HDRID NBR	INTEGER	4	N	0	2
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **ARP_NARR_INVLV**

N0410401	**Child**	ARP_NARR_INVLV	**Parent**	ARP							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A	
N0418311	**Child**	ARP_NARR_INVLV	**Parent**	NARR_HDR							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_NARR_HDRID_NBR	ID_NBR		INTEGER	4	0		N	A	

Children of **ARP_NARR_INVLV**

Parent		**Child**						
	COLNAME			TYPE	LEN	SC	D	N

ARP_REL

Priority 1 Dups N Download Y Upload Y NFOTS065

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2
A number used for unique identificati on.**********THIS ATTRIBUTE NEEDED FOR REPORT(S):V CIS-CW.**********					
TYP CD	CHAR	2	N	0	
BEG DT	DATE	4	N	0	
The date the ARP RELATIONSHIP is effe ctive.********** THIS ATTRIBUTE IS NEEDED FOR REPOR T(S):ACF-3637, IV-E-12. **********					

END DT	DATE	4	N	0	
The date the ARP RELATIONSHIP is no l onger effective.********** THIS ATTRIBUTE IS NEEDED FOR REPORT(S):ACF-3637, IV-E-12. **********					
FK ARPID NBR	INTEGER	4	N	0	1
FK0ARPID NBR	INTEGER	4	Y	0	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
VERF SRC CD	CHAR	2	Y	0	
This will identify the source th at was used to verify the family relationship. (1800 code table)					
VERF DT	DATE	4	Y	0	
The date the family relationship dat a was verified.					

Parents of **ARP_REL**

N0650401	**Child**	ARP_REL	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK0ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N0650402	**Child**	ARP_REL	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **ARP_REL**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

ARP_TANF_TRKNG

Priority	30	Dups	N	Download	N	Upload	N	NFOTS055

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
FK ARPID NBR	INTEGER	4	N	0	1
TYP CD	CHAR	2	N	0	2
This attribute defines where t he TANF funding is provided. Values are In state, Tribal and out of state.					
ST CD	CHAR	2	N	0	3
That state in which the case pe rson is accumulating benefits. For type codes In State this value will be Nebras ka.					
MOD USRID	CHAR	8	N	0	
The worker that entered thi s information into the system. This will always be the user currently logged on and creating this information CURRENT SQLID. This column may be used for busin ess tracking and display purposes.					
MOD TS	TIMESTMP	10	N	0	
The date/time this information was entered into the system. Applications should use CURRENT TIMESTAMP. This column may be used for business tracking and display purposes.					
ACCUM MOS NBR	SMALLINT	2	N	0	
Number of months for wh ich TANF assistance is given to the case person for this state within the given type. This attribute may be summarized across all types by reporting applicatio ns to calculate the total benefit months to date.					
UPD USRID	CHAR	8	N	0	
Logon ID of the last person to update the record. For technical purposes. This information may be updated by programs (primarily batch and expert system) and should use CURRENT SQLID.					

UPD TS	TIMESTMP	10	N	0

Date and Time the last update was applied to the record. For technical purposes. This information may be upd ated by programs (primarily batch and expert system) and should CURRENT TIMESTAM P

Parents of **ARP_TANF_TRKNG**

N0550401	**Child**	ARP_TANF_TRKNG	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **ARP_TANF_TRKNG**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

ARP_VERF

This table will be used to store ARP related v erification information.

Priority 20 Dups N Download Y Upload Y NFOTS752

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
TYP CD	CHAR	2	N	0	2
The type of ARP related verification (1801 code table)					
SRC CD	CHAR	2	N	0	
The source of the verification. (180 0 code table)					
VERF DT	DATE	4	N	0	
The date the verification was verif ied by the worker.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK ARPID NBR	INTEGER	4	N	0	1

Parents of **ARP_VERF**

N7520401	**Child**	ARP_VERF	**Parent**	ARP
		COLNAME		TYPE LEN SC D N UPD
		FK_ARPID_NBR		ID_NBR INTEGER 4 0 N A

Children of **ARP_VERF**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

ASP

A person employed by the DSS agency.

Priority 1 Dups N Download Y Upload N NFOTS080

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
LOGON ID	CHAR	8	N	0	1
Staff person's unique Logon ID to N-FO CUS.					
STAT CD	CHAR	2	N	0	
Status indicating whether or not a staff person is currently employed at the Department of Social Services.Permitted val ues are:A = ActiveI = Inactive					
LST NME	CHAR	25	N	0	
The surname by which an AGENCY RELATED P ERSON is currently known.					
FRST NME	CHAR	20	N	0	
The given name by which an AGENCY RELAT ED PERSON is currently known.					
MIDL NME	CHAR	20	Y	0	
The middle name or initial by which an AGENCY RELATED PERSON is currently known.					
EXTN NME	CHAR	3	Y	0	
An expansion to a person's name (usual ly abbreviated)that represents their distinction within the family. Valid values : JR - Junior,SR - Senior, I - The First, II - The Second, III - The Third, IV - The Fourth, V - The Fifth					

CLSF CD	CHAR	5	Y	0

The classification code for this employe e within DSS as defined by the Human Resources department.Refer to decument I:\P ROJSHAR\CODEVALS\CLASS for a list of all valid codes and their meanings.

CASE ASGN LNG CD	CHAR	2	Y	0
PHON LST NME	CHAR	8	N	0

SOUNDEX Key for last name. Used fo r phonetic name searching.

FK DSS OFCID NBR	CHAR	3	Y	0
PHN NBR	CHAR	10	Y	0
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
EMPLD BY CD	CHAR	2	Y	0

Specifies employer of individual sta ff person/user. Code will specify employer. For example: 01 = DHHS, 02 = exter nal agency

Parents of **ASP**

N0802251	**Child**	ASP	**Parent**	DSS_OFC				
		COLNAME			TYPE	LEN	SC D	N UPD
		FK_DSS_OFCID_NBR		ID_NBR	CHARACTER	3	0	N A

Children of **ASP**

N0820801	**Parent**	ASP	**Child**	ASP_CASE_INVLV				
		COLNAME			TYPE	LEN	SC D	N
	LOGON_ID			FK_ASPLOGON_ID	CHARACTER	8	0	N
N2350801	**Parent**	ASP	**Child**	DSS_OFC_POSTN_STF				
		COLNAME			TYPE	LEN	SC D	N
	LOGON_ID			FK_ASPLOGON_ID	CHARACTER	8	0	N
N7610801	**Parent**	ASP	**Child**	REVIEW				
		COLNAME			TYPE	LEN	SC D	N
	LOGON_ID			FK_ASPLOGON_ID	CHARACTER	8	0	N
N8200801	**Parent**	ASP	**Child**	INTAKE				
		COLNAME			TYPE	LEN	SC D	N
	LOGON_ID			FK_ASPLOGON_ID	CHARACTER	8	0	N
N8590801	**Parent**	ASP	**Child**	VSTN_PLAN				
		COLNAME			TYPE	LEN	SC D	N
	LOGON_ID			FK_ASPLOGON_ID	CHARACTER	8	0	N

ASP_CASE_INVLV

Identifies those HHS workers that are in volved in the case. You must interrogate TYP_CD to understand their involvement in the case. Workers may be involved in the case in more than one role and cou ld contain entries for each of those roles.

Priority 20 Dups N Download N Upload N NFOTS082

Column	Type	Length	Nulls	Scale	Key
FK ASPLOGON ID	CHAR	8	N	0	1
ID NBR	INTEGER	4	N	0	2

ARTIFICAL ID NUMBER ASSIGNED T O IDENTIFY THE ASP_CASE_INVOLVEMENT RECORD.

RLE CD	CHAR	2	N	0

SAMPLES: 01 - The LOGON_ID of the worker acting as the case manager. During design, the function which creates t he initial court report information used in the draft will verif

FK CRT RPT INFOFK	INTEGER	4	Y	0
FK CRT RPT INFOID	INTEGER	4	Y	0

UPD_USRID	CHAR	8	N	0
LAST UPDATE USER ID.				
UPD_TS	TIMESTMP	10	N	0
LAST UPDATE TIMESTAMP				

Parents of **ASP_CASE_INVLV**

N0820801 **Child** ASP_CASE_INVLV **Parent** ASP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ASPLOGON_ID	LOGON_ID	CHARACTER	8	0		N	A

N0820861 **Child** ASP_CASE_INVLV **Parent** CRT_RPT_INFO

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CRT_RPT_INFOFK	FK_LEGAL_ATID_NBR	INTEGER	4	0		N	A
FK_CRT_RPT_INFOID	ID_NBR	INTEGER	4	0		N	A

Children of **ASP_CASE_INVLV**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ASSIGNHIST

Priority 20 Dups N Download N Upload N NFOTS911

Column	Type	Length	Nulls	Scale	Key
FIRST_NM	CHAR	16	N	0	2
LAST_NM	CHAR	16	N	0	1
ASSIGNMENT_CODE	INTEGER	4	N	0	
PROG_ELIG	SMALLINT	2	Y	0	
FCRB_NO	CHAR	4	N	0	
MEETING_DT	INTEGER	4	Y	0	
DT_NEXT_CRT_HRNG	INTEGER	4	Y	0	
SOURCE_NEXT_REV	CHAR	1	Y	0	
CRT_REV_DT	INTEGER	4	Y	0	
SOURCE_REV_DT	CHAR	1	Y	0	
AGY_NM	CHAR	9	Y	0	
AGY_ID	CHAR	5	Y	0	
CASEMANAGER	CHAR	21	Y	0	
NOTES1	CHAR	73	Y	0	
NOTES2	CHAR	79	Y	0	
NOTES3	CHAR	79	Y	0	

Parents of **ASSIGNHIST**

Children of **ASSIGNHIST**

Parent		Child					
	COLNAME		TYPE	LEN	SC	D	N

ASSMNT

An in depth contact between an ASP and related A RPs regarding the situation that has caused CPS to become involved. This contac t is conducted to make a case determination in regard to allegations and to dete rmine what services, if any, are needed.

Priority 2 Dups N Download N Upload N NFOTS805

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Value uniquely assigned to each ASSESS MENT.					
AB NEG IND	CHAR	1	N	0	
Either a 'Y' or 'N' to indicat e if it is an Abuse Neglect Case.					
MALTRTMT LKLIHD CD	DECIMAL	2	Y	1	
Final Initial Assessment r ating calculated based on scores assigned to 14 elements and 4 qualifiers.					
TYP CD	CHAR	2	N	0	
Code identifying the phase of a specif ic Assessment. Valid values: Initial Family with a default of None					
FK PGM CASEPGM CD	CHAR	2	Y	0	
FK PGM CASEID NBR	INTEGER	4	Y	0	
BEG DT	DATE	4	N	0	
Date Assessment is created automatical ly based on an intake or manually by a worker					
END DT	DATE	4	Y	0	
Date worker changes status of the ASSE SSMENT to closed.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **ASSMNT**

N8055951	**Child**	ASSMNT	**Parent**	PGM_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PGM_CASEPGM_CD	PGM_CD		CHARACTER	2	0		N	A
		FK_PGM_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **ASSMNT**

N8038051	**Parent**	ASSMNT	**Child**	ANSWER				
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_ASSMNTID_NBR		INTEGER	4	0		N
N8168051	**Parent**	ASSMNT	**Child**	FAM_STRENGTH				
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_ASSMNTID_NBR		INTEGER	4	0		N

AT_VAR

The variable information that is inserted into t he PROGRAM CASE NOTICE ACTION. These variables will be inserted into exact posi tions on the referenced template.

Priority 14 Dups N Download N Upload Y NFOTS120

Column	Type	Length	Nulls	Scale	Key
SEQ NBR	INTEGER	4	N	0	3
The sequence in which variable inform ation will be placed on a form.					

FK_COR_ENTFK_CORID	INTEGER	4	N	0	1
TXT	VARCHAR	254	Y	0	
Information needed to populate a CORRESPO NDENCE.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
FK_COR_ENTID_NBR	INTEGER	4	N	0	2
REC_LENGTH	SMALLINT	2	Y	0	
COMMENT_IND	CHAR	1	N	0	
Designates whether the ACTION_VAR IABLE.TEXT attribute contains comments. Comments can be subsequently edited.					

Parents of **AT_VAR**

N1201751 **Child** AT_VAR **Parent** COR_ENT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_COR_ENTFK_CORID	FK_CORID_NBR	INTEGER	4	0		N	A
FK_COR_ENTID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **AT_VAR**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

ATP

Priority 1 Dups N Download N Upload N NFOTS272

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	1
A number assigned to an ABILITY TO PAY. An adjustment to an ABILITY TO PAY (version number > 1) will have the same ident ification number as the original ABILITY TO PAY (version number = 1).					
VERS_NBR	SMALLINT	2	N	0	2
BEG_DT	DATE	4	N	0	
The date on which the ABILITY TO PAY beca me effective.					
END_DT	DATE	4	N	0	
The date on which the ABILITY TO PAY will end.					
TYP_CD	CHAR	2	N	0	
A code that indicates the type of ABILITY TO PAY determination (IN - Initial, AN - Annual, HD - Hardship, or PA - Pre-aut horization).					
CRET_DT	DATE	4	N	0	
Date the ABILITY TO PAY was created (set to the current date the occurrence was created). This date is set when the ABI LITY TO PAY occurrence is created and is never updated.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **ATP**

Children of **ATP**

N2732721	Parent	ATP	Child	ATP_ARP_INVLV				
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_ATPID_NBR		INTEGER	4	0		N
	VERS_NBR		FK_ATPVERS_NBR		SMALLINT	2	0		N

ATP_ARP_INVLV

Priority 3 Dups N Download N Upload N NFOTS273

Column	Type	Length	Nulls	Scale	Key
TYP CD	CHAR	2	N	0	2
A code that indicates the type of ABILITY TO PAY ARP INVOLVEMENT (CL - Client, or RP - Responsible Person).					
FK ARPID NBR	INTEGER	4	N	0	1
FK ATPID NBR	INTEGER	4	N	0	3
FK ATPVERS NBR	SMALLINT	2	N	0	4
FK ARID NBR	INTEGER	4	Y	0	
RESP PRS REL CD	CHAR	2	Y	0	
A code that indicates the Responsible Persons relationship to the Client(s) in the ABILITY TO PAY (CL - Client, or PA - Parent).					
MO AMT	DECIMAL	9	Y	2	
A dollar amount the Responsible Person is required to pay each month (this may be zero for Med eligible without share of cost, State Wards, Sub-Guardians, or Sub-Adopts).					
MO AMT RSN CD	CHAR	2	Y	0	
FULL COST IND	CHAR	1	Y	0	
An indicator that specif ies if the Responsible Person is required to pay the full cost of service each m onth (Values: Y- The Responsible Person is required to pay full cost, N - The Re sponsible Person is not required to pay full cost).					
FULL COST RSN CD	CHAR	2	Y	0	
A code that indicates the reason the Responsible Person has been assessed full cost (Values: Default , Determined full cost because of financial review, Reducing assets, Non-coopera tion, others).					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **ATP_ARP_INVLV**

N2730351	Child	ATP_ARP_INVLV	Parent	AR					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARID_NBR	ID_NBR		INTEGER	4	0		N A

N2730401	Child	ATP_ARP_INVLV	Parent	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N A

N2732721	Child	ATP_ARP_INVLV	Parent	ATP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ATPID_NBR	ID_NBR		INTEGER	4	0		N A
		FK_ATPVERS_NBR	VERS_NBR		SMALLINT	2	0		N A

Children of **ATP_ARP_INVLV**

Parent		Child					
	COLNAME		TYPE	LEN	SC	D	N

BCKGRND_CHK

ENTITY TO IDENTIFY BACKGROUND CHECKS FOR OR G RELATED PEOPLE.

Priority 10 Dups N Download N Upload N NFOTS095

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2
This will be a number assigned by N-FOCUS to uniquely identify an BACKGROUND CHECK.					
TYP CD	CHAR	2	N	0	
IDENTIFIES THE TYPE OF BACKGROUND CHECK PERFORMED					
RSLT DT	DATE	4	N	0	
DATE THE BACKGROUND CHECK RESULT S WERE COMPLETE					
PASS IND	CHAR	1	N	0	
INDICATOR TO SHOW IF THE ARP PA SSED THE BACKGROUND CHECK. COMMENTS SHOULD BE USED TO EXPLAIN.					
UPD USRID	CHAR	8	N	0	
LAST UPDATED BY					
UPD TS	TIMESTMP	10	N	0	
LAST UPDATED TIMESTAMP					

Parents of **BCKGRND_CHK**

N0950401 **Child** BCKGRND_CHK **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **BCKGRND_CHK**

Parent **Child**

COLNAME		TYPE	LEN	SC	D	N

CARD_HOLDER

New entity called CARD_HOLDER that will ass ociate people (ARPs) with an EBT_ACCOUNT. This will be an associative entity. The one to many relationship from EBT_ACCT to CARD_HOLDER is logically mand atory but, to physically implement it, it was chan

Priority 51 Dups N Download N Upload N NFOTS598

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
FK EBT ACCOUNTID N	INTEGER	4	N	0	2
PRIM ALT CD	CHAR	2	N	0	
iDENTIFIES THE CARD HOLDER A S PRIMARY (01) OR ALTERNATE (02 - 99).					
PGM ACCS CD	CHAR	2	N	0	
IDENTIFIES THE TYPE OF ACCES S THIS CARD HOLDER HAS TO THE EBT ACCOUNT (1-FOOD STAMPS, 2-CASH, 3-BOTH).					
CRD ISS CD	CHAR	2	N	0	
INDICATES THE CARD HAS NOT BE EN PICKED UP, IT HAS BEEN PICKED UP OR IT WAS NEVER PICKED UP AND THE ACCOUNT WA S EXPUNGED.					
ISS RDY DT	DATE	4	N	0	
THE EARLIEST DATE WHEN A CARD CAN BE ISSUED TO THE CARDHOLDER.					
ISS DT	DATE	4	Y	0	
THE DATE THE CARD WAS ISSUED TO T HE CLIENT OTC OR MAILED TO THE CLIENT.					
ISS TYP CD	CHAR	2	N	0	
THE CARD ISSURANCE TYPE(OTC, MAIL). COPIED FROM PGM_CASE WHEN THE RECORD IS BUILT.					
UPD TS	TIMESTMP	10	N	0	
The timestamp that the Card Holde r record was inserted or last updated.					
UPD USRID	CHAR	8	N	0	
The identification of the user or module that inserted or last updated the Card Holder record.					

Parents of **CARD_HOLDER**

N5980401	**Child**	CARD_HOLDER	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N5985961	**Child**	CARD_HOLDER	**Parent**	EBT_ACCOUNT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_EBT_ACCOUNTID_N	ID_NBR		INTEGER	4	0		N	A

Children of **CARD_HOLDER**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

CASE_PLAN

A plan that will be followed when dealing wit h the program case.

Priority 0 Dups N Download N Upload N NFOTS806

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
ID NBR	INTEGER	4	N	0	1
A number used for unique identifica tion					
FK CASE PLANID NBR	INTEGER	4	Y	0	
PREP DT	DATE	4	N	0	
The date the case plan was prepare d.					
PAL IND	CHAR	1	N	0	
Indicates whether or not the case plan includes a plan for Preparation for Adult Living for a youth 16 or older.					
BEG DT	DATE	4	N	0	
The date the case plan began.					
FAM AGMT IND	CHAR	1	N	0	
Indicates whether or not the family and the worker have reached convergence concerning the case plan (ie. whe ther or not both parties have agreed on the case plan).					
STAT CD	CHAR	2	N	0	
The status of the case plan (ie. i nitial, review, on-going).					
CRT ORDRD IND	CHAR	1	N	0	
Identifies whether the CASE_ PLAN is voluntary or court ordered.					
END DT	DATE	4	N	0	
The date the case plan ended.					
POP SERV CD	CHAR	2	N	0	
The population that is being s erved code.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
SUPV APRV DT	DATE	4	Y	0	
SUPV LOGON ID	CHAR	8	Y	0	
Logon user id of the person that approved the CASE_PLAN. Only Supervisors with sufficient authority can appr ove a CASE_PLAN. Supervisor's name will be printed on the Final Case Plan docum ent.					
ALT SUPV LOGON ID	CHAR	8	Y	0	
Logon user id of the per son that approves the CASE_PLAN in absence/on behalf or the promary Supervisor. If Final Case Plan document is approved by secondary supervisor, it will have n ames of both alternate and main supervisors.					

Parents of **CASE_PLAN**

Children of **CASE_PLAN**

N8088061	**Parent**	CASE_PLAN	**Child**	CPGI						
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_CASE_PLANID_NBR			INTEGER		4	0	N
N8098061	**Parent**	CASE_PLAN	**Child**	CPL_LEGAL_AT_INVLV						
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_CASE_PLANID_NBR			INTEGER		4	0	N
N8108061	**Parent**	CASE_PLAN	**Child**	CASE_PLAN_PCPI						
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_CASE_PLANID_NBR			INTEGER		4	0	N
N8408061	**Parent**	CASE_PLAN	**Child**	PERM_OBJ						
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_CASE_PLANID_NBR			INTEGER		4	0	N

CASE_PLAN_GOAL

This is the entity type that sets up the goals that are involved in the case plan.

Priority 0 Dups N Download N Upload N NFOTS807

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
********** **********This attribute is used on report(s) ACF-103.********** **********DEFINITION:A unique number used for identification.					
BEG DT	DATE	4	N	0	
The date the goal begins.					
BY WHEN DT	DATE	4	Y	0	
The date the goal should b e accomplished.					
INCPLT RSN CD	CHAR	2	Y	0	
A code specifying the r eason for the goal.					
FAM AGMT IND	CHAR	1	N	0	
Indicates whether or not the family and the worker have reached convergence concerning the goal (ie. whe ther or not both parties have agreed on the goal).					
OTCM AREA CD	CHAR	2	Y	0	
A code specifying the ou tcome of the goal.					
RSLT CD	CHAR	2	Y	0	
The code showing the results of the case plan goal.					
END DT	DATE	4	Y	0	
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
PRS INVLVD	VARCHAR	254	N	0	
This area lists the people involved in the case plan goal.					
EVAL MTHD	VARCHAR	254	Y	0	
The method used to evaluate the case plan goal.					
SVC	VARCHAR	254	Y	0	
The services used for this goal.					
DSC	VARCHAR	254	N	0	
Unstructured text describing the case plan goal.					

Parents of **CASE_PLAN_GOAL**

Children of **CASE_PLAN_GOAL**

N8088071	**Parent**	CASE_PLAN_GOAL	**Child**	CPGI					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_CASE_PLAN_GOID		INTEGER	4	0		N
N8118071	**Parent**	CASE_PLAN_GOAL	**Child**	CASE_PLAN_GOAL_TXT					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_CASE_PLAN_GOID		INTEGER	4	0		N

CASE_PLAN_PCPI

The involvement of an AGENCY RELATED PER SON in a CASE PLAN. INT: The relationship CASE_PLAN always CONTAINS CASE_PLAN_PC PI was changed to optional in TD. The insert/delete process(es) for CASE_PLAN_P CPI must enforce this integrity.

Priority 4 Dups N Download N Upload N NFOTS810

Column	Type	Length	Nulls	Scale	Key
FK CASE PLANID NBR	INTEGER	4	N	0	3
FK PCPIFK PGM CASE	CHAR	2	N	0	2
FK PCPIFK PGM CAS0	INTEGER	4	N	0	1
FK PCPIFK ARPID NB	INTEGER	4	N	0	4
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **CASE_PLAN_PCPI**

N8105851	**Child**	CASE_PLAN_PCPI	**Parent**	PCPI					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD		CHARACTER	2	0		N A
		FK_PCPIFK_PGM_CAS0	FK_PGM_CASEID_NBR		INTEGER	4	0		N A
		FK_PCPIFK_ARPID_NB	FK_ARPID_NBR		INTEGER	4	0		N A
N8108061	**Child**	CASE_PLAN_PCPI	**Parent**	CASE_PLAN					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_CASE_PLANID_NBR	ID_NBR		INTEGER	4	0		N A

Children of **CASE_PLAN_PCPI**

Parent		**Child**						
	COLNAME			TYPE	LEN	SC	D	N

CC_SCH

THIS IS A SCHEDULE ENTITY TO RETAIN THE PERIODS OF TIME NEEDED FOR CHILD CARE.

Priority 13 Dups N Download N Upload N NFOTS130

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
FK LICENSE APRVLIC	INTEGER	4	Y	0	
FK SVC AUTHNID NBR	INTEGER	4	Y	0	
BEG TME	TIME	3	N	0	

THE BEGIN TIME OF THE PERIOD NEEDED F OR CHILD CARE. INT: THIS MUST BE USED WITH END TIME

END TME	TIME	3	N	0	

THE END TIME OF THE PERIOD FOR NEEDED CHILD CARE ASSOCIATED WITH THE BEGIN TIME.INT: THIS MUST BE USED WITH BEGIN TIM E

ADD UNT	SMALLINT	2	Y	0	

THIS IS THE NUMBER OF UNITS ADDITIONA L TO THE AMOUNT DEFINED BY THE BEGIN AND END TIME.

REPEAT CD	CHAR	2	Y		0
THIS IS THE FREQUENCY AT WHICH A PA RTICULAR SCHEDULE WILL BE IDENTICAL.VALID VALUES:DAILYWEEKLYMONTHLYANNUALLY					
DT	DATE	4	N		0
THIS IS THE DATE AT WHICH THE SCHEDULE TIM E OR UNITS IS TO OCCUR.					
UPD TS	TIMESTMP	10	N		0
UPD USRID	CHAR	8	N		0

Parents of **CC_SCH**

N1307351	**Child**	CC_SCH	**Parent**	SVC_AUTHN						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_SVC_AUTHNID_NBR	ID_NBR		INTEGER	4	0		N	A
N1308271	**Child**	CC_SCH	**Parent**	LICENSE_APRV						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_LICENSE_APRVLIC	LICENSE_NBR		INTEGER	4	0		N	A

Children of **CC_SCH**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

CFS_ASSET_TEST

Stores information about asset test of C FS cases. A CFS_ASSET_TEST is created for each ARP of a program case.

Priority 3 Dups N Download Y Upload Y NFOTS877

Column	Type	Length	Nulls	Scale	Kev
FK EDID NBR	INTEGER	4	N	0	1
FK EDFK PGM CASEI	INTEGER	4	N	0	2
FK EDFK PGM CASEP	CHAR	2	N	0	3
FK ARPID NBR	INTEGER	4	N	0	4
ID NBR	INTEGER	4	N	0	5
A number used for unique ident ification					
TOT ASSET AMT	DECIMAL	8	N	2	
The total asset amount for the ARP.					
IVE ASSET LMT AMT	DECIMAL	8	Y	2	
The asset limit for IV-E eligibility.					
MED ASSET LMT AMT	DECIMAL	8	Y	2	
The asset limit for MED eligibility.					
MNT ASSET LMT AMT	DECIMAL	8	Y	2	
The asset limit for maintenance eligibility.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	

Parents of **CFS_ASSET_TEST**

N8770401	**Child**	CFS_ASSET_TEST	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N8772401	**Child**	CFS_ASSET_TEST	**Parent**	ED						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_EDFK_PGM_CASEP	FK_PGM_CASEPGM_CD		CHARACTER	2	0		N	A
		FK_EDFK_PGM_CASEI	FK_PGM_CASEID_NBR		INTEGER	4	0		N	A
		FK_EDID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **CFS_ASSET_TEST**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

CHLD_DTL

Priority 20 Dups N Download N Upload N NFOTS084

Column	Type	Length	Nulls	Scale	Key
FK LEGAL AT PRSFK	INTEGER	4	N	0	1
FK0LEGAL AT PRSFK	CHAR	2	N	0	2
FK1LEGAL AT PRSFK	INTEGER	4	N	0	3
FK2LEGAL AT PRSFK	INTEGER	4	N	0	4
FK LEGAL AT PRSBEG	DATE	4	N	0	5
FK LEGAL AT PRSID	INTEGER	4	N	0	6
FK CRT RPT INFOFK	INTEGER	4	N	0	7
FK CRT RPT INFOID	INTEGER	4	N	0	8
ID NBR	INTEGER	4	N	0	9

Artificial id number assigned to ide ntify the CHILD_DETAIL record.

AGRVTD CRMST CD CHAR 2 Y 0

Determines why resonable ef forts are no longer required.

CUST RCMND CD CHAR 2 Y 0

Determines the worker's reco mmendation for whom should have legal custory of the child. Values: remain wit h HHS, remain with HHS OJS, return to parents, remain with tribal court, blank

CASE PLAN SVC CD CHAR 2 Y 0

Determines the degree to w hich services are being provided to this child. Values: all, some, most, blank

CHLD ND MET CD CHAR 2 Y 0

Determines the degree to whi ch services are being provided to this child. Values: are, are not, blank (not answered)

PLMNT NCSRY CD CHAR 2 Y 0

Does the worker recommend th at out-of-home placement continue? Values: continues to be, is no longer, bla nk (not answered)

PROGRESS CD CHAR 2 Y 0

Code determines if progress is being made. Values: excellent, good, fair, poor

RE CD CHAR 2 Y 0

Determines the worker's recommendati ons on reunification efforts. If code = '04', both REASONABLE_EFFORTS_FINDING _DATE and REASONABLE_EFFORTS_PERM_CODE are required.

RE FNDNG DT	DATE	4	Y	0
The date the court made a findi ng on reasonable efforts.				
RE PERM CD	CHAR	2	Y	0
The worker's ercommendation on efforts to establish permanency for the child. Values: have, have not, blank (not answered)				
RMVL NCSRY IND	CHAR	1	Y	0
The worker is forced to sele ct a checkbox which reads 'removal from the home was necessary because continua tion therein would have beencontrary to the welfare of such child'. Values: ye s, no				
PLMNT NCSRY RSN	CHAR	254	Y	0
The workers reason for the removal or placement indicated in removal or placement necessary indicators. Ju stification for PLACEMENT_NECESSARY_CODE.				
UPD USRID	CHAR	8	N	0
LAST UPDATE USER ID.				
UPD TS	TIMESTMP	10	N	0
LAST UPDATE TIMESTAMP.				

Parents of **CHLD_DTL**

N0840861 **Child** CHLD_DTL **Parent** CRT_RPT_INFO

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CRT_RPT_INFOFK	FK_LEGAL_ATID_NBR	INTEGER	4	0		N	A
FK_CRT_RPT_INFOID	ID_NBR	INTEGER	4	0		N	A

N0848261 **Child** CHLD_DTL **Parent** LEGAL_AT_PRS_INVLV

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_LEGAL_AT_PRSFK	FK_PCPIFK_PGM_CAS0	INTEGER	4	0		N	A
FK0LEGAL_AT_PRSFK	FK_PCPIFK_PGM_CASE	CHARACTER	2	0		N	A
FK1LEGAL_AT_PRSFK	FK_PCPIFK_ARPID_NB	INTEGER	4	0		N	A
FK2LEGAL_AT_PRSFK	FK_LEGAL_ATID_NBR	INTEGER	4	0		N	A
FK_LEGAL_AT_PRSBEG	BEG_DT	DATE	4	0		N	A
FK_LEGAL_AT_PRSID	ID_NBR	INTEGER	4	0		N	A

Children of **CHLD_DTL**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

CHLD_RVW

Priority 15 Dups N Download N Upload N NFOTS715

Column	Type	Length	Nulls	Scale	Kev
ID NBR	INTEGER	4	N	0	1
FK CHLD RVW SELFK	INTEGER	4	Y	0	
FK CHLD RVW SELBEG	DATE	4	Y	0	
RVW DT	DATE	4	N	0	
Date when this review was initiated by the Protection & Safety administrator or selected reviewers. Current date wi ll be used unless the reviewer over types the value.					
RVW BY LOGON ID	CHAR	8	N	0	
Logon Id of the worker that actually performed the review and made the final determinations included in the review. Screen will default to the logon ID of the user entering the data. If that person is entering data for another, they may enter the logon					
VERF IND	CHAR	1	N	0	
Indicates that the Protection & Sa fety staff has completed the review and verified all related information is comp lete. The online creation of the review record with default the indicator to ' No'.Values: Yes, No					

LEG REF SBM DT	DATE	4	Y	0
Date when the legal referral was submitted to the HHS Legal by Protection & Safety.				
LEG REF STAT CD	CHAR	2	Y	0
LEG REF STA RSN CD	CHAR	2	Y	0
Code indicating the reas on for the status. If the Legal Referral was rejected, this code will indicate t he reason for rejection.(e.g)Lack of Supporting EvendenceNo Legal Foundations.				
LEG REF STA EFT DT	DATE	4	Y	0
Actual date when this st atus became effective when HHS Legal made the decision to accept or reject the legal referral.				
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0

Parents of **CHLD_RVW**

N7157171 **Child** CHLD_RVW **Parent** CHLD_RVW_SEL

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CHLD_RVW_SELFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_CHLD_RVW_SELBEG	BEG_DT	DATE	4	0		N	A

Children of **CHLD_RVW**

N7167151 **Parent** CHLD_RVW **Child** CHLD_RVW_BARR

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_CHLD_RVWID_NBR	INTEGER	4	0		N

N7187151 **Parent** CHLD_RVW **Child** CHLD_RVW_STAT

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_CHLD_RVWID_NBR	INTEGER	4	0		N

N7197151 **Parent** CHLD_RVW **Child** CHLD_RVW_AT_TAKEN

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_CHLD_RVWID_NBR	INTEGER	4	0		N

N7207151 **Parent** CHLD_RVW **Child** CHLD_RVW_LG_REF_AT

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_CHLD_RVWID_NBR	INTEGER	4	0		N

CHLD_RVW_AT_TAKEN

Priority 20 Dups N Download N Upload N NFOTS719

Column	Type	Length	Nulls	Scale	Key
FK CHLD RVWID NBR	INTEGER	4	N	0	1
TYP CD	CHAR	2	N	0	2
EFCTV DT	DATE	4	N	0	
Date when this action bec ame effective.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **CHLD_RVW_AT_TAKEN**

N7197151 **Child** CHLD_RVW_AT_TAKEN **Parent** CHLD_RVW

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CHLD_RVWID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **CHLD_RVW_AT_TAKEN**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

CHLD_RVW_BARR

Priority 20 Dups N Download N Upload N NFOTS716

Column	Type	Length	Nulls	Scale	Key
FK CHLD RVWID NBR	INTEGER	4	N	0	1
CAT CD	CHAR	2	N	0	2
Code to group the barriers into three basic categories.(e.g)General BarriersSafety Issue BarriersPermanency Bar riers					
TYP CD	CHAR	2	N	0	3
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **CHLD_RVW_BARR**

N7167151 **Child** CHLD_RVW_BARR **Parent** CHLD_RVW

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CHLD_RVWID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **CHLD_RVW_BARR**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

CHLD_RVW_LG_REF_AT

Priority 20 Dups N Download N Upload N NFOTS720

Column	Type	Length	Nulls	Scale	Key
FK CHLD RVWID NBR	INTEGER	4	N	0	1
TYP CD	CHAR	2	N	0	2
EFCTV DT	DATE	4	N	0	3
Date when this action be came effective default is Current Date.					
CMP DT	DATE	4	Y	0	
Date when this action was completed by HHS Legal.					
CRT AT CD	CHAR	2	Y	0	
Code indicating the act ion taken by the court.(e.g)AffirmedDenied					
NXT HRNG DT	DATE	4	Y	0	
Date when the next he aring will be held for the child.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **CHLD_RVW_LG_REF_AT**

N7207151 **Child** CHLD_RVW_LG_REF_AT **Parent** CHLD_RVW

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CHLD_RVWID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **CHLD_RVW_LG_REF_AT**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

CHLD_RVW_SEL

Priority 10 Dups N Download N Upload N NFOTS717

Column	Type	Length	Nulls	Scale	Key

FK_ARPID_NBR	INTEGER	4	N	0	1
BEG_DT	DATE	4	N	0	2

The date the child became a cand idate for review. This date will be populated when the child is chosen for revi ew and will never change.

TYP_CD	CHAR	2	N	0

Code to indicate the type of rev iew that must be conducted for the child.(e.g): 15 of 22 (out of home), 6 months (in home - back with parent), 6 months (in home - never removed), Non-ward.

END_DT	DATE	4	Y	0

The date after which the child i s no longer a candidate for review. The end date will be high dated when the r ow is created and will only be updated when the child is no longer reviewed when it will have a valid ending date.

UPD_USRID	CHAR	8	N	0
UPD_TS	TIMESTMP	10	N	0

Parents of **CHLD_RVW_SEL**

N7170401 **Child** CHLD_RVW_SEL **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **CHLD_RVW_SEL**

N7157171 **Parent** CHLD_RVW_SEL **Child** CHLD_RVW

COLNAME		TYPE	LEN	SC	D	N
FK_ARPID_NBR	FK_CHLD_RVW_SELFK	INTEGER	4	0		N
BEG_DT	FK_CHLD_RVW_SELBEG	DATE	4	0		N

CHLD_RVW_STAT

Priority 20 Dups N Download N Upload N NFOTS718

Column	Type	Length	Nulls	Scale	Key
FK_CHLD_RVWID_NBR	INTEGER	4	N	0	1
TYP_CD	CHAR	2	N	0	2

Code to define the specific sta tus of the child.(e.g)Adoption or Guardianship FinalizedAwaiting 6 Month Placeme nt Requirement for Adoption.Awaiting court dateCase on appealChild is 16 or olde rCase closed

EFCTV_DT	DATE	4	N	0

Date when this status became effective.

UPD_USRID	CHAR	8	N	0
UPD_TS	TIMESTMP	10	N	0

Parents of **CHLD_RVW_STAT**

N7187151 **Child** CHLD_RVW_STAT **Parent** CHLD_RVW

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CHLD_RVWID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **CHLD_RVW_STAT**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

CLM

*A document received by DSS from an ARP or anORGANIZ ATION requesting payment for a service.*****************Comments**************** ** NOTE: The status of a CLAIM is derived based on the status of the CLAIM ITEM(s) associated with the CLAIM.*

Priority 1 Dups N Download N Upload N NFOTS135

Column	Type	Length	Nulls	Scale	Key

ID NBR	INTEGER	4	N	0	1

A number used for unique identification.

TYP CD	CHAR	2	N	0

A code specifying the type of CLAIM.***** ***********Comments***************** See Codes Table

BIL DT	DATE	4	Y	0

The date the CLAIM was submitted to DSS.*
****************Comments****************** NOTE: The Billing Date must be less than orequal to the Received Date.

RCVD DT	DATE	4	Y	0

The date the CLAIM was received by DSS.* ****************Comments****************** NOTE: The Received Date must be great er than orequal to the Billing Date and less than or equal to the current date.

SBM ORG NBR	INTEGER	4	Y	0

The number submitted on a CLAIM whic h does not match an ORGANIZATION on file.

SUB DSS OFC ID NBR	CHAR	3	N	0

The DSS OFFICE of all CLAIM I TEMS.INT: DSS OFFICES on CLAIM ITEMS must be the same. If not, all CLAIM ITEMS are suspended. CLAIM ITEMS that do not match must be on a different CLAIM.

TOT SUB AMT	DECIMAL	9	N	2

The total submitted amount of all Cl aim Items associated to a Claim.

TOT NET AMT	DECIMAL	9	N	2

The total amount of all Claim Items associated with a Claim approved for payment.

TOT FICA	DECIMAL	9	N	2

The total amount of FICA withheld on an entire Claim.

TOT RDTN AMT	DECIMAL	9	N	2

The total amount of reductions (Rat e and Customer Obligation Amount) for an entire Claim.

BTCH NBR	CHAR	17	N	0

A number assigned at the time a claim(s) is created or when a preprinted claim is updated to identify which batch the c laim(s) can be located.Number will consist of Julian Date(5), UserID(8) and time (4).

FK ORGID NBR	INTEGER	4	Y	0
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
AUTO PREPRNT CD	CHAR	1	N	0

This will specify how the Claim was created, and this attribute will be used internally to control processing. The values will be:A - Automatic ClaimB - Batch PreprintO - On-line PreprintN - None

TOT CHRG	DECIMAL	9	Y	2

A total of the total submitted amount m inus the customer obligation amount of all claim items associated to a claim.

Parents of **CLM**

N1355501	**Child**	CLM	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR		ID_NBR	INTEGER	4	0		N	A

Children of **CLM**

N1401351	**Parent**	CLM	**Child**	CLM_ITM					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_CLMID_NBR		INTEGER	4	0		N
N7211351	**Parent**	CLM	**Child**	SUSP_CLM					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_CLMID_NBR		INTEGER	4	0		N

CLM_ITM

Priority 13 Dups N Download N Upload N NFOTS140

Column	Type	Length	Nulls	Scale	Key
FK CLMID NBR	INTEGER	4	N	0	1
LNE NBR	SMALLINT	2	N	0	2
********** *******This attribute will be used by report(s) ACF-231, IV-E-12, ACF-301, ACF-1 08, ACF-700, FORM-942, FSA-302, FSA-3645, SF-269D.********** **********A number used for unique identification.					
VERS NBR	SMALLINT	2	N	0	3
********** **********THIS ATTRIBUTE NEEDED FOR REPORT(S): ACF-231, IV-E-12.********** **********A number indicating if a CLAIM ITEM is an original or an adjustment to an original CLAIM ITEM.					
FUND CD	CHAR	2	N	0	
A code specifing the type of reserve where money is stored.					
SVC BEG DT	DATE	4	Y	0	
SVC END DT	DATE	4	Y	0	
SBM AMT	DECIMAL	9	Y	2	
********** *********THIS ATTRIBUTE NEEDED FOR REPORT(S): FORM-942.********** **********The amount submitted for a CLAIM ITEM.					
VAL NET AMT	DECIMAL	9	Y	2	
********** **********This attribute will be used on report(s) FSA-302, FORM-942, SF-269A, IV-E-12. **********The total amount validated for payment for a CLAIM ITEM, taking into consideration FICA t					
FICA AMT	DECIMAL	9	Y	2	
The amount of FICA being withheld f rom a CLAIM ITEM.					
UNT NBR	DECIMAL	6	Y	2	
********** *******This attribute is used on report(s) ACF-700.********** **********The submitted number of units provided for a service.					
UNT RTE	DECIMAL	7	Y	3	
********** *******This attribute is used on report(s) ACF-700, IV-E-12.********** **********The unit rate submitted on a CLAIM ITEM.					
UNT FREQ CD	CHAR	2	Y	0	
CUST OBL AMT	DECIMAL	6	Y	2	
The amount an AGENCY RELATED PE RSON is obligated to pay for the SERVICE TYPE submitted on a CLAIM ITEM.					
RTV PROVDR IND	CHAR	1	N	0	
SBM SVC AUTHN NBR	INTEGER	4	Y	0	
The number submitted on th e CLAIM ITEM which does not match a SERVICE AUTHORIZATION on file.					
SBM ARP NBR	INTEGER	4	Y	0	
The number submitted on a CLAIM ITEM which does not match an AGENCY RELATED PERSON on file.					
SBM SVC TYP NBR	INTEGER	4	Y	0	
The number submitted on a CL AIM ITEM which does not match a SERVICE TYPE on file.					
VAL RTE AMT	DECIMAL	7	Y	3	
The net rate amount after modifi cations.					
VAL UNT NBR	DECIMAL	6	Y	2	
The net unit number after modifi cations.					

FK_CLM_ITM_EXPNID	INTEGER	4	Y	0
RTE_MOD_RSN_CD	CHAR	2	Y	0
A code specifying why the rat e on a Claim_Item was reduced.				
UNT_MOD_RSN_CD	CHAR	2	Y	0
A code specifying why a unit_ number on Claim_Item was modified.				
STAT_CD	CHAR	2	N	0
STAT_CHG_DT	DATE	4	N	0
The date the status changed from one value to another.				
UPD_USRID	CHAR	8	N	0
UPD_TS	TIMESTMP	10	N	0
FK_SVC_AUTHNID_NBR	INTEGER	4	Y	0
OP_AMT	DECIMAL	9	Y	2
THE AMOUNT OF OVERPAYMENT AT THE TIME THE CLAIM ITEM WAS CREATED.				
UNDRPMT_AMT	DECIMAL	9	Y	2
THE AMOUNT OF UNDERPAYMENT AT TH E TIME A CLAIM ITEM WAS CREATED.				
OTH_OBL_AMT	DECIMAL	9	Y	2

Parents of **CLM_ITM**

N1401351	**Child**	CLM_ITM	**Parent**	CLM					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_CLMID_NBR		ID_NBR	INTEGER	4	0		N A
N1401451	**Child**	CLM_ITM	**Parent**	CLM_ITM_EXPND					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_CLM_ITM_EXPNID		ID_NBR	INTEGER	4	0		N A
N1407351	**Child**	CLM_ITM	**Parent**	SVC_AUTHN					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_SVC_AUTHNID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **CLM_ITM**

N1421401	**Parent**	CLM_ITM	**Child**	CLM_ITM_ADJ_RSN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_CLMID_NBR		FK_CLM_ITM	FK_CLMID	INTEGER	4	0		N
	LNE_NBR		FK_CLM_ITM	LNE_NBR	SMALLINT	2	0		N
	VERS_NBR		FK_CLM_ITM	VERS_NBR	SMALLINT	2	0		N
N1481401	**Parent**	CLM_ITM	**Child**	CLM_ITM_FNDNG_EXCP					
		COLNAME			TYPE	LEN	SC	D	N
	FK_CLMID_NBR		FK_CLM_ITM	FK_CLMID	INTEGER	4	0		N
	LNE_NBR		FK_CLM_ITM	LNE_NBR	SMALLINT	2	0		N
	VERS_NBR		FK_CLM_ITM	VERS_NBR	SMALLINT	2	0		N
N1501401	**Parent**	CLM_ITM	**Child**	CLM_ITM_OP					
		COLNAME			TYPE	LEN	SC	D	N
	FK_CLMID_NBR		FK_CLM_ITM	FK_CLMID	INTEGER	4	0		N
	LNE_NBR		FK_CLM_ITM	LNE_NBR	SMALLINT	2	0		N
	VERS_NBR		FK_CLM_ITM	VERS_NBR	SMALLINT	2	0		N
N1551401	**Parent**	CLM_ITM	**Child**	CLM_ITM_STAT_RSN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_CLMID_NBR		FK_CLM_ITM	FK_CLMID	INTEGER	4	0		N
	LNE_NBR		FK_CLM_ITM	LNE_NBR	SMALLINT	2	0		N
	VERS_NBR		FK_CLM_ITM	VERS_NBR	SMALLINT	2	0		N

CLM_ITM_ADJ_RSN *The reason a Claim_Item is adjusted.Com ments: If a paid Claim_Item is adjusted, there must be a relationship between C laim_Item_Adjustment_Reason and Cliam_Item.*

Priority 19 Dups N Download N Upload N NFOTS142

Column	Type	Length	Nulls	Scale	Key
TYP CD	CHAR	4	N	0	4
A code specifying why a Claim _Item was adjusted.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
FK CLM ITMFK CLMID	INTEGER	4	N	0	1
FK CLM ITMLNE NBR	SMALLINT	2	N	0	3
FK CLM ITMVERS NBR	SMALLINT	2	N	0	2

Parents of **CLM_ITM_ADJ_RSN**

N1421401 **Child** CLM_ITM_ADJ_RSN **Parent** CLM_ITM

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CLM_ITMFK_CLMID	FK_CLMID_NBR	INTEGER	4	0		N	A
FK_CLM_ITMLNE_NBR	LNE_NBR	SMALLINT	2	0		N	A
FK_CLM_ITMVERS_NBR	VERS_NBR	SMALLINT	2	0		N	A

Children of **CLM_ITM_ADJ_RSN**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

CLM_ITM_EXPND

The dollar amount of the CLAIM_ITEM_EXPEN DITURE grouped by Payee, by Organization, by Program

Priority 1 Dups N Download N Upload N NFOTS145

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Used for unique identification					
NET AMT	DECIMAL	8	N	2	
PRG CD	CHAR	2	N	0	
A code specifying the high leve l category of assistance.					
FK VOCHRNBR	INTEGER	4	Y	0	
FK PMTWRNT NBR	INTEGER	4	Y	0	
FICA AMT	DECIMAL	9	Y	2	
The amount of money expended from a fund to pay FICA.					
FK VOCHRCRET DT	DATE	4	Y	0	
FK PMTISS DT	DATE	4	Y	0	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **CLM_ITM_EXPND**

N1456401	**Child**	CLM_ITM_EXPND	**Parent**	PMT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PMTWRNT_NBR	WRNT_NBR		INTEGER	4	0		N	A
		FK_PMTISS_DT	ISS_DT		DATE	4	0		N	A
N1457551	**Child**	CLM_ITM_EXPND	**Parent**	VOCHR						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_VOCHRNBR	NBR		INTEGER	4	0		N	A
		FK_VOCHRCRET_DT	CRET_DT		DATE	4	0		N	A

Children of **CLM_ITM_EXPND**

N0751451	**Parent**	CLM_ITM_EXPND	**Child**	AR_TRN					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_CLM_ITM_EXPNID		INTEGER	4	0		N
N1401451	**Parent**	CLM_ITM_EXPND	**Child**	CLM_ITM					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_CLM_ITM_EXPNID		INTEGER	4	0		N

CLM_ITM_FNDNG_EXCP

Priority 20 Dups N Download N Upload N NFOTS148

Column	Type	Length	Nulls	Scale	Key
SPENDDOWN AMT	DECIMAL	9	N	2	

The dollar amount o f the Case Person's spenddown to be applied against the total charge on the CLA IM ITEM. The spenddown amount cannot exceed the CLAIM ITEM total charge.

TOT DY HOSP NBR	SMALLINT	2	N	0	

The number of day s, between the CLAIM ITEM service begin and end dates, that the Case Person was hospitalized. This number can not exceed the number of days between the CLAIM I TEM service begin and end dates.

HOSP LV DY NBR	SMALLINT	2	N	0	

The number of days , between the CLAIM ITEM service begin and end dates, that the Provider served t he Case Person at the hospital. The number of Hospital Leave Days must be less than or equal to the Total Days Hospitalized Number.

HOSP NBIL MED AMT	DECIMAL	9	N	2	

The dollar amou nt of the Hospital Leave Days. Calculated using the following formula: ((CLAIM ITEM Units * 12)/PROGRAM SERVICE TYPE available days)) * CLAIM ITEM Rate * Hos pital Leave Day Number.

HOSP PMT RDTN AM	DECIMAL	9	N	2	
THERA LV DY NBR	SMALLINT	2	N	0	
THERA DY UND CAP I	SMALLINT	2	N	0	

The number of Therapeutic Leave Days that fall under the 52-day limit. This number cannot exc eed the number of Therapeutic Leave Day Number.

THERA NBIL MED AM	DECIMAL	9	N	2	

The dollar amo unt of the Therapeutic Leave Days under the 52-day limit. Calculated using the following formula: ((CLAIM ITEM Units * 12)/PROGRAM SERVICE TYPE available day s)) * CLAIM ITEM Rate * Therapeutic Day Under Cap Number.

THERA PMT RDTN AM	DECIMAL	9	N	2	

The dollar amo unt of the Therapeutic Leave Days that are over the 52-day limit. Calculated us ing the following formula: ((CLAIM ITEM Units * 12)/ PROGRAM SERVICE TYPE avail able days)) * CLAIM ITEM Rate * Therapeutic Days Over Cap.

BIL TO MED AMT	DECIMAL	9	Y	2	

The dollar amount of the CLAIM ITEM net charge amount that will have Medicaid as the funding sourc e. Calculated using the following formula: Billed to Medicaid Amt = CLAIM ITEM Net Charge - Not Billed To Medicaid Amt.

NBIL TO MED AMT	DECIMAL	9	Y	2	

UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
FK_CLM_ITMFK_CLMID	INTEGER	4	N	0	1
FK_CLM_ITMLNE_NBR	SMALLINT	2	N	0	2
FK_CLM_ITMVERS_NBR	SMALLINT	2	N	0	3

Parents of **CLM_ITM_FNDNG_EXCP**

N1481401 **Child** CLM_ITM_FNDNG_EXCP **Parent** CLM_ITM

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CLM_ITMFK_CLMID	FK_CLMID_NBR	INTEGER	4	0		N	A
FK_CLM_ITMLNE_NBR	LNE_NBR	SMALLINT	2	0		N	A
FK_CLM_ITMVERS_NBR	VERS_NBR	SMALLINT	2	0		N	A

Children of **CLM_ITM_FNDNG_EXCP**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

CLM_ITM_OP

A record which constitutes an overage paid t o an ARP or ORGANIZATION based on a CLAIM ITEM.

Priority 19 Dups N Download N Upload N NFOTS150

Column	Type	Length	Nulls	Scale	Key
CRET_DT	DATE	4	N	0	
The date the entity was created.					
ID_NBR	INTEGER	4	N	0	1
This attribute is used by report F SA-3645, IV-E-12.**********A number used for un ique identification.**********Comments**********					
TYP_CD	CHAR	2	N	0	
A code specifying the type of CLAI M ITEM OVERPAYEMNT.Valid Values: Technical Administrative Household error					
TYP_CD_CHG_DT	DATE	4	Y	0	
The date the type code chan ged.					
STAT_CD	CHAR	2	N	0	
A code specifying the type of sta tus for aCLAIM ITEM OVERPAYMENT.**********Comments********** THIS ATTTRIBUTE IS NEEDED FOR REPORT(S): IV-E-12, ACF-231.Valid Values:PendingActive Inactive Closed					
STAT_CHG_DT	DATE	4	N	0	
********** **********THIS ATTRIBUTE USED FOR REPORT(S): IV-E-12, ACF-231.********** **********The date the status for the CLAIM ITEM OVERPAYM ENT changes.					
STAT_RSN_CD	CHAR	2	Y	0	
A code specifying the reason for the status of an CLAIM ITEM OVERPAYMENT.**********Comments********** ******* THIS ATTRIBUTE IS NEEDED FOR REPORT(S):FNS-209, SSA-4972.Valid Values: Appealed/Contested No collection for a specified period of time					
AMT	DECIMAL	7	N	2	
********** ********THIS ATTRIBUTE USED FOR REPORT(S): ACF-231, IV-E-12.********** **********The dollar amount of the CLAIM ITEM OVERPAYMENT.					
FRD_CD	CHAR	2	Y	0	
A code specifying the status of fr aud.Valid Values: Determine Fraud Non Fraud Referred f or Fraud					

FRD TYP CD CHAR 2 Y 0
A code specifying how the CLAI M ITEM OVERPAYMENT was determined to be fraudulent.Valid Values:Court determined Legal hearingSigned waiver
FRD AMT DECIMAL 7 Y 2
The dollar amount the CLAIM ITEM OVERPAYMENT is found to be fraudulent.
FRD REF DT DATE 4 Y 0
The date the CLAIM ITEM OVERPA YMENT was referred to the Fraud Unit for fraud investigation.**********Co mments**********
FRD DETRMN DT DATE 4 Y 0
The date the Fraud Investig ation Unit determined the CLAIM ITEM OVERPAYMENT to be fraudulent.
PD TO DT AMT DECIMAL 8 Y 2
The amount of the overpaymen t that has beem collected to this date.
UPD USRID CHAR 8 N 0

UPD TS TIMESTMP 10 N 0
********** **********This attribute is used on report(s) ACF-231.********** **********
FK ARID NBR INTEGER 4 Y 0

FK CLM ITMFK CLMID INTEGER 4 Y 0

FK CLM ITMLNE NBR SMALLINT 2 Y 0

FK CLM ITMVERS NBR SMALLINT 2 Y 0

Parents of **CLM_ITM_OP**

N1500351	**Child**	CLM_ITM_OP	**Parent**	AR						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARID_NBR	ID_NBR		INTEGER	4	0		N	A
N1501401	**Child**	CLM_ITM_OP	**Parent**	CLM_ITM						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_CLM_ITMFK_CLMID	FK_CLMID_NBR		INTEGER	4	0		N	A
		FK_CLM_ITMLNE_NBR	LNE_NBR		SMALLINT	2	0		N	A
		FK_CLM_ITMVERS_NBR	VERS_NBR		SMALLINT	2	0		N	A

Children of **CLM_ITM_OP**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

CLM_ITM_STAT_RSN

*The status of a CLAIM ITEM at a partic ular point in time. **********Comments********** INT: If the CLA IM ITEM.STATUS CODE is suspended or rejected, there must be an association betwe en CLAIM ITEM STATUS REASON and CLAIM ITEM.*

Priority 19 Dups N Download N Upload N NFOTS155

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
TYP CD	CHAR	4	N	0	1
A code specifying the reason a CLAIM ITEM wassuspended or rejected**********Comments********** * :See Codes Table.					
FK CLM ITMFK CLMID	INTEGER	4	N	0	2
FK CLM ITMLNE NBR	SMALLINT	2	N	0	4
FK CLM ITMVERS NBR	SMALLINT	2	N	0	3

UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0

Parents of **CLM_ITM_STAT_RSN**

N1551401 **Child** CLM_ITM_STAT_RSN **Parent** CLM_ITM

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CLM_ITMFK_CLMID	FK_CLMID_NBR	INTEGER	4	0		N	A
FK_CLM_ITMLNE_NBR	LNE_NBR	SMALLINT	2	0		N	A
FK_CLM_ITMVERS_NBR	VERS_NBR	SMALLINT	2	0		N	A

Children of **CLM_ITM_STAT_RSN**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

CNTCT_DTL

Describes interview/contact with ARP during t his Safety Assessment.

Priority 37 Dups N Download N Upload N NFOTS099

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Unique Id used to identify Narrativ es that belong to this Safety Assessment.					
CONTACTED BY CD	CHAR	2	N	0	
Indicates if this contact with person involved in Safety Assessment was made by HHSS or by Law Enforcement					
ITL CNTCT DT	DATE	4	N	0	
Date this person was first co ntacted					
ITL CNTCT TME	TIME	3	N	0	
Time this person was first c ontacted					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK SFTY AST ARPFK	INTEGER	4	Y	0	
FK0SFTY AST ARPFK	INTEGER	4	Y	0	
FK SFTY AST ARPBEG	DATE	4	Y	0	

Parents of **CNTCT_DTL**

N0990961 **Child** CNTCT_DTL **Parent** SFTY_AST_ARP_INVLV

COLNAME		TYPE	LEN	SC	D	N	UPD
FK0SFTY_AST_ARPFK	FK_SFTY_ASSMNTID_N	INTEGER	4	0		N	A
FK_SFTY_AST_ARPFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_SFTY_AST_ARPBEG	BEG_DT	DATE	4	0		N	A

Children of **CNTCT_DTL**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

CODE_DECODE

Priority 0 Dups N Download N Upload N NFOTS160

Column	Type	Length	Nulls	Scale	Key
CATEGORY ID	CHAR	4	N	0	1

CD ID	CHAR	30	N	0	2
BEG EFCTV DT	DATE	4	N	0	3
END EFCTV DT	DATE	4	N	0	
UPDT TS	TIMESTMP	10	N	0	
DECODE VALU	CHAR	200	N	0	
UPD USRID	CHAR	8	N	0	
LNG CD	CHAR	2	N	0	4

The ISO 639 2-letter abbreviation for the language for example, ES for Spanish.

Parents of **CODE_DECODE**

Children of **CODE_DECODE**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

CODE_STAGING

Used as staging entity for changes made to CODE_DECODE.

Priority 0 Dups N Download N Upload N NFOTS161

Column	Type	Length	Nulls	Scale	Key
CATEGORY ID	CHAR	4	N	0	1
CD ID	CHAR	30	N	0	2
BEG EFCTV DT	DATE	4	N	0	3
END EFCTV DT	DATE	4	N	0	
UPDT TS	TIMESTMP	10	N	0	
DECODE VALU	CHAR	200	N	0	
UPD USRID	CHAR	8	N	0	
LNG CD	CHAR	2	N	0	4

The ISO 639 2-letter abbreviatio n for the language for example, SP for Spanish.

Parents of **CODE_STAGING**

Children of **CODE_STAGING**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

COM_BANK_ACCT

Money for State Wards is on deposit in a COMMERCIAL BANK ACCOUNT.

Priority 20 Dups N Download N Upload N NFOTS118

Column	Type	Length	Nulls	Scale	Key

ID NBR	INTEGER	4	N	0	1
This will be a unique number as signed by N-FOCUS that will identify the commercial bank account.					
ACCT NME	CHAR	35	N	0	
Freeform text.					
INST XREF	CHAR	2	N	0	
Institution Number that was assigned to each Bank Account in the AIMS system.					
END CHK NBR	INTEGER	4	N	0	
The Number of last check w ritten on this Bank Account.					
ACCUM EXC INT AMT	DECIMAL	9	N	2	
This is the amount o f interest remaining after the month's interest has been divided among the ward accounts. It will be added to next month's interest when interest is divided among ward accounts.					
DSPRS INT IND	CHAR	1	N	0	
Indicator used during ba tch processing to determine if the interest should be divided among the wards.					
CMNT	VARCHAR	50	N	0	
Text field to store comments abou t the Bank Account.					
FK ORGID NBR	INTEGER	4	Y	0	
UPD USRID	CHAR	8	N	0	
The Userid of the last user that updated this row.					
UPD TS	TIMESTMP	10	N	0	
The Timestamp of the last updat e for this row.					

Parents of **COM_BANK_ACCT**

N1185501	**Child**	COM_BANK_ACCT	**Parent**	ORG				
		COLNAME			TYPE	LEN	SC D	N UPD
		FK_ORGID_NBR		ID_NBR	INTEGER	4	0	N A

Children of **COM_BANK_ACCT**

N1161181	**Parent**	COM_BANK_ACCT	**Child**	SWTF_ACCT				
		COLNAME			TYPE	LEN	SC D	N
	ID_NBR			FK_COM_BANK_ACCID	INTEGER	4	0	N
N1191181	**Parent**	COM_BANK_ACCT	**Child**	COM_BANK_ACCT_ASGN				
		COLNAME			TYPE	LEN	SC D	N
	ID_NBR			FK_COM_BANK_ACCID	INTEGER	4	0	N
N1211181	**Parent**	COM_BANK_ACCT	**Child**	COM_BANK_ACCT_TYP				
		COLNAME			TYPE	LEN	SC D	N
	ID_NBR			FK_COM_BANK_ACCID	INTEGER	4	0	N
N1311181	**Parent**	COM_BANK_ACCT	**Child**	SWTF_TRAN				
		COLNAME			TYPE	LEN	SC D	N
	ID_NBR			FK_COM_BANK_ACCID	INTEGER	4	0	N
N1361181	**Parent**	COM_BANK_ACCT	**Child**	SWTF_BTCH_HDR				
		COLNAME			TYPE	LEN	SC D	N
	ID_NBR			FK_COM_BANK_ACCID	INTEGER	4	0	N
N1371181	**Parent**	COM_BANK_ACCT	**Child**	COM_BANK_STMNT				
		COLNAME			TYPE	LEN	SC D	N
	ID_NBR			FK_COM_BANK_ACCID	INTEGER	4	0	N

COM_BANK_ACCT_ASGN

Priority 22 Dups N Download N Upload N NFOTS119

Column	Type	Length	Nulls	Scale	Kev
FK COM BANK ACCID	INTEGER	4	N	0	1
FK DSS OFC POSTFK	CHAR	3	N	0	2
FK DSS OFC POSTID	INTEGER	4	N	0	3

ID NBR	INTEGER	4	N	0	4
A unique number assigned b y NFOCUS to the BANK ACCOUNT ASSIGNMENT.					
BEG DT	DATE	4	N	0	
The begin date of the assi gnment.					
END DT	DATE	4	N	0	
The ending date of the ass ignment.					
UPD USRID	CHAR	8	N	0	
The Userid of the last user that updated this row.					
UPD TS	TIMESTMP	10	N	0	
The Timestamp of the last update for this row.					

Parents of **COM_BANK_ACCT_ASGN**

N1191181 **Child** COM_BANK_ACCT_ASGN **Parent** COM_BANK_ACCT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_COM_BANK_ACCID	ID_NBR	INTEGER	4	0		N	A

N1192301 **Child** COM_BANK_ACCT_ASGN **Parent** DSS_OFC_POSTN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR	CHARACTER	3	0		N	A
FK_DSS_OFC_POSTID	ID_NBR	INTEGER	4	0		N	A

Children of **COM_BANK_ACCT_ASGN**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

COM_BANK_ACCT_TYP

Priority 22 Dups N Download N Upload N NFOTS121

Column	Type	Length	Nulls	Scale	Key
FK COM BANK ACCID	INTEGER	4	N	0	1
TYP CD	CHAR	2	N	0	2
Code to indicate which type s of ACCOUNTs are valid at this commercial bank account.					
PRSN ASSETS IND	CHAR	1	N	0	
Used to indicate i f funds for this account and type should be included in Wards' Personal Assets balance.					
MO MNT IND	CHAR	1	N	0	
Indicates if Monthly Ma intenance is paid for this ACCOUNT Type for associated Commercial Bank Account.					
UPD USRID	CHAR	8	N	0	
The Userid of the last u ser that updated this row.					
UPD TS	TIMESTMP	10	N	0	
The Timestamp of the last u pdate for this row.					

Parents of **COM_BANK_ACCT_TYP**

N1211181 **Child** COM_BANK_ACCT_TYP **Parent** COM_BANK_ACCT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_COM_BANK_ACCID	ID_NBR	INTEGER	4	0		N	A

Children of **COM_BANK_ACCT_TYP**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

COM_BANK_STMNT

Each monthly bank statement.

Priority 22 Dups N Download N Upload N NFOTS137

Column	Type	Length	Nulls	Scale	Key
FK COM BANK ACCID	INTEGER	4	N	0	1

ID NBR	INTEGER	4	N	0	2
Unique number assigned by NFOC US to uniquely identify the BANK STATEMENT.					
BEG DT	DATE	4	N	0	
The begin date of the monthly statement.					
END DT	DATE	4	N	0	
The ending date of the monthly statement.					
INT ERND AMT	DECIMAL	9	Y	2	
Interest earned for the month as reported on the bank statement. This interest will be divided among th e ward accounts.					
UNDST INT AMT	DECIMAL	9	Y	2	
This is the amount of i nvestment interest as reported by NIS.					
INVMT INT ERND AM	DECIMAL	9	Y	2	
This is the amount of investment interest as reported by NIS.					
INT DIST DT	DATE	4	N	0	
Date interest was distrib uted.					
UPD USRID	CHAR	8	N	0	
The Userid of the last user that updated this row.					
UPD TS	TIMESTMP	10	N	0	
The Timestamp of the last upda te for this row.					

Parents of **COM_BANK_STMNT**

N1371181 **Child** COM_BANK_STMNT **Parent** COM_BANK_ACCT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_COM_BANK_ACCID	ID_NBR	INTEGER	4	0		N	A

Children of **COM_BANK_STMNT**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

COMPLAINANT

An entity type that identifies the person (including anonymous) that made a COMPLAINT.

Priority 31 Dups N Download N Upload N NFOTS564

Column	Type	Length	Nulls	Scale	Kev
FK COMPLAINTID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2
A random number assigned by the s ystem for unique identification					
FRST NME	CHAR	20	Y	0	
First Name of the complainant.					
LST NME	CHAR	25	Y	0	
Last Name of the complainant.					
ANON IND	CHAR	1	N	0	
Indicates whether the complaina nt is anonymous (i.e. not willing to provide the name) or not.					
COMPLAINT DT	DATE	4	N	0	
The date the complainant ca lled to make a complaint against an Organization.					
SRC CD	CHAR	2	N	0	
Describes the part played by the complainant.(e.g)Friend /NeighborEmployee MotherAttorneyDHHS StaffUnknown					
CRET TS	TIMESTMP	10	N	0	
Timestamp of initial creation of the row will never be changed.					
CRET USRID	CHAR	8	N	0	
Userid of initial creation of the row will never be changed.					
MOD TS	TIMESTMP	10	N	0	
Timestamp of the last modificatio n to be used for business purposes.					
MOD USRID	CHAR	8	N	0	
Userid that made last modifica tion to be used for business purposes.					
UPD TS	TIMESTMP	10	N	0	
Record updated Timestamp					

UPD_USRID	CHAR	8	N	0
Userid that last updated the r ecord.				

Parents of **COMPLAINANT**

N5645621	**Child**	COMPLAINANT	**Parent**	COMPLAINT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_COMPLAINTID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **COMPLAINANT**

Parent	Child

COLNAME	TYPE	LEN	SC	D	N

COMPLAINT

Track complaints made against an Organization that DHHS conducts business. If a person identifies multiple complaints in the same call, there will be multiple instances of complaint created.

Priority 30 Dups N Download N Upload N NFOTS562

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	1
A random number assigned by the sys tem for unique identification					
RCVD_DT	DATE	4	N	0	
The date the complaint was receive d by DHHS Staff.					
RCVD_BY_USRID	CHAR	8	N	0	
The DHHS Staff that received the complaint.					
RCVD_BY_OFC_ID	CHAR	3	N	0	
The office where the DHHS S taff that receives the complaint is located.					
TYP_CD	CHAR	2	N	0	
The type of concern/issue involved in the COMPLAINT. (e.g)BillingStaffingContractLicensingSafety					
STAT_CD	CHAR	2	N	0	
The status of the complaint. The s tatus could be either on-going/open or closed.					
CLOS_DT	DATE	4	Y	0	
The date the complaint was closed.					
CLOS_RSN_CD	CHAR	2	Y	0	
The reason that led to the clo sing of the complaint. Values:ResolvedUnfoundedInsufficient InformationIntake Cr eated.					
INCD_DT	DATE	4	Y	0	
If the complaint is about a specif ic incidence, the date the incident happened					
PROVDR_FUNC_TYP_CI	CHAR	2	Y	0	
Function/service provid ed by the Provider Organization at the time when the COMPLAINT was made.(e.g)Ado ption/Guardian ServicesChild CareEducation ServicesTransportationUtilities					
INTAKE_IND	CHAR	1	Y	0	
Indicates that an Intake must b e created before the Complaint can be closed. Applicable only for Safety concern .					
CRET_TS	TIMESTMP	10	N	0	
Timestamp of initial creation of t he row will never be changed.					
CRET_USRID	CHAR	8	N	0	
Userid of initial creation of t he row will never be changed.					
MOD_TS	TIMESTMP	10	N	0	
Timestamp of the last modification to be used for business purposes.					
MOD_USRID	CHAR	8	N	0	
Userid that made last modificati on to be used for business purposes.					
UPD_TS	TIMESTMP	10	N	0	
Record updated Timestamp					
UPD_USRID	CHAR	8	N	0	
Userid that last updated the rec ord.					
FK_INTAKENBR	INTEGER	4	Y	0	

FK_ORGID_NBR	INTEGER	4	Y	0

Parents of **COMPLAINT**

N5625501	**Child**	COMPLAINT	**Parent**	ORG					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N A
N5628201	**Child**	COMPLAINT	**Parent**	INTAKE					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_INTAKENBR	NBR		INTEGER	4	0		N A

Children of **COMPLAINT**

N5645621	**Parent**	COMPLAINT	**Child**	COMPLAINANT					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_COMPLAINTID_NBR		INTEGER	4	0		N
N5665621	**Parent**	COMPLAINT	**Child**	COMPLAINT_ASGN					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_COMPLAINTID_NBR		INTEGER	4	0		N

COMPLAINT_ASGN

Documents worker(s) responsible for this COMPLAINT.

Priority 32 Dups N Download N Upload N NFOTS566

Column	Type	Length	Nulls	Scale	Key
FK_COMPLAINTID_NBR	INTEGER	4	N	0	1
FK_DSS_OFC_POSTFK	CHAR	3	N	0	2
FK_DSS_OFC_POSTID	INTEGER	4	N	0	3
RLE_CD	CHAR	2	N	0	4
Role played by the worker assi gned to the COMPLAINT.(e.g)PrimarySecondary					
BEG_DT	DATE	4	N	0	5
Date the Assignment Started					
END_DT	DATE	4	N	0	
Date the Assignment Ended					
CRET_TS	TIMESTMP	10	N	0	
Timestamp of initial creation of the row will never be changed.					
CRET_USRID	CHAR	8	N	0	
Userid of initial creation of the row will never be changed.					
MOD_TS	TIMESTMP	10	N	0	
Timestamp of the last modifica tion to be used for business purposes.					
MOD_USRID	CHAR	8	N	0	
Userid that made last modif ication to be used for business purposes.					
UPD_TS	TIMESTMP	10	N	0	
Record updated Timestamp					
UPD_USRID	CHAR	8	N	0	
Userid that last updated th e record.					

Parents of **COMPLAINT_ASGN**

N5662301	**Child**	COMPLAINT_ASGN	**Parent**	DSS_OFC_POSTN					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR		CHARACTER	3	0		N A
		FK_DSS_OFC_POSTID	ID_NBR		INTEGER	4	0		N A
N5665621	**Child**	COMPLAINT_ASGN	**Parent**	COMPLAINT					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_COMPLAINTID_NBR	ID_NBR		INTEGER	4	0		N A

Children of **COMPLAINT_ASGN**

Parent		Child				
	COLNAME		TYPE	LEN	SC	D	N

CONV_CASE_XREF

Provides a cross-reference from a newly converted N-FOCUS case to the corresponding legacy system case.

Priority 2 Dups N Download N Upload N NFOTS995

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Unique identifier					
LEGACY CASE ID	INTEGER	4	N	0	
Case identifier from t he legacy systems.					
CRET DT	DATE	4	N	0	
Date the case conversion star ted.					
CLOS DT	DATE	4	N	0	
Date the legacy case was clos ed.					
FK PGM CASEPGM CD	CHAR	2	Y	0	
FK PGM CASEID NBR	INTEGER	4	Y	0	
LEGACY SVP DIV	CHAR	1	Y	0	

Parents of **CONV_CASE_XREF**

N9955951 **Child** CONV_CASE_XREF **Parent** PGM_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PGM_CASEPGM_CD	PGM_CD	CHARACTER	2	0		N	A
FK_PGM_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **CONV_CASE_XREF**

N9909951 **Parent** CONV_CASE_XREF **Child** CONV_CLI_XREF

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_CONV_CASE_XRID	INTEGER	4	0		N

CONV_CLI_XREF

Provides a cross-reference from a newly c onverted ARP to the client in the legacy systems.

Priority 3 Dups N Download N Upload N NFOTS990

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Unique identifier					
LEGACY CLI ID	SMALLINT	2	N	0	
Identifier of the client in the legacy systems.					
CRET DT	DATE	4	N	0	
Date the client's case conver sion started.					
CLOS DT	DATE	4	N	0	
Date the client's legacy case was closed.					
FK ARPID NBR	INTEGER	4	Y	0	
FK CONV CASE XRID	INTEGER	4	Y	0	
LEGACY PGM TYP	SMALLINT	2	N	0	
Legacy system case prog ram type. Identifies PAE, FSP or SVP programs.					

Parents of **CONV_CLI_XREF**

N9900401	**Child**	CONV_CLI_XREF	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N9909951	**Child**	CONV_CLI_XREF	**Parent**	CONV_CASE_XREF						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_CONV_CASE_XRID	ID_NBR		INTEGER	4	0		N	A

Children of **CONV_CLI_XREF**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

CONV_FCRB_XREF

Information regarding conversion of a ch ild from the FCRB historical table to N-FOCUS.

Priority 20 Dups N Download N Upload N NFOTS797

Column	Type	Length	Nulls	Scale	Key
SEQ NBR	INTEGER	4	N	0	1
BTCH UPD ONLY DT	DATE	4	Y	0	
The date the batch c onversion process ran which created the tracking record and associated converted information in N-FOCUS.					
FINAL DT	DATE	4	Y	0	
The date entered by the FCRB to indicate that all information regarding the child has been converted from th e FCRB system to N-FOCUS.					
UPD USRID	CHAR	8	N	0	
Last Update User ID.					
UPD TS	TIMESTMP	10	N	0	
Last Update Timestamp.					
FK PRS TRKNGID NBR	INTEGER	4	Y	0	

Parents of **CONV_FCRB_XREF**

N7977861	**Child**	CONV_FCRB_XREF	**Parent**	PRS_TRKNG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PRS_TRKNGID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **CONV_FCRB_XREF**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

CONV_FSP_DUPL_PMT

Tracks all duplicate FSP payments tah t have already been reported as duplicates.

Priority 0 Dups N Download N Upload N NFOTS164

Column	Type	Length	Nulls	Scale	Key
SSN	INTEGER	4	N	0	3
HH NBR	SMALLINT	2	N	0	2
From the legacy system					
ENTLMT DT	CHAR	4	N	0	1
Format YYMM.					
SYS TYP CD	CHAR	2	N	0	
NFOCUS PC ID NBR	INTEGER	4	N	0	
RPT DTL TXT	CHAR	79	N	0	

UPD_USRID	CHAR	8	N		0
UPD_TS	TIMESTMP	10	N		0

Parents of **CONV_FSP_DUPL_PMT**

Children of **CONV_FSP_DUPL_PMT**

Parent COLNAME	Child TYPE	LEN	SC	D	N

CONV_PAE_DUPL_PMT

Identifies duplicate PAE payments tha t have already been reported.

Priority 0 Dups N Download N Upload N NFOTS997

Column	Type	Length	Nulls	Scale	Key
PREV_DUPL_DT	CHAR	6	N	0	2
Date the duplicate pa yments was reported previously.					
PGM_CASE_ID_NBR	INTEGER	4	N	0	1
RPT_DTL_TXT	CHAR	120	N	0	
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **CONV_PAE_DUPL_PMT**

Children of **CONV_PAE_DUPL_PMT**

Parent COLNAME	Child TYPE	LEN	SC	D	N

COR

The compilation of information that is going to be supplied to the recipient of the CORRESPONDENCE.

Priority 2 Dups N Download Y Upload Y NFOTS170

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	1
A number used for unique identification.					
TEMPLATE_NBR	CHAR	8	N	0	
The pre-defined number used to iden tify the correct form template.See I:\PROJSHAR\CODEVALS\CORRTEMP.DOC for values.					
TYP_CD	CHAR	2	N	0	
A code specifying what type of CASE CORRE SPONDENCE is needed.Valid CORRESPONDENCE types are:ReferralVerificationSpeednote Notice					
STAT_CD	CHAR	2	N	0	
A code which represents the status of th e CORRESPONDENCE.VALID VALUESCreatedCanceledPrintedRe-printedDestroyed					
STAT_DT	DATE	4	N	0	
The date that the CORRESPONDENCE status was created.					
SENT_TO	CHAR	52	Y	0	
Contains enough of the first line of the mailing address to show who the correspondence was sent to to display in a list box.					

MAIL DT	DATE	4	Y	0
Stores the next mailing date for a corre spondence.				
FK ARID NBR	INTEGER	4	Y	0
FK MST CASEID NBR	INTEGER	4	Y	0
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
CRET DT	DATE	4	N	0
This field will be used to enforce effec tive dating when calling actions from the codes table.				
ZP5 CD	CHAR	5	Y	0
Zip code used to sort mailed documents.				
FK INTAKENBR	INTEGER	4	Y	0
FK ORGID NBR	INTEGER	4	Y	0
DOC ID	INTEGER	4	Y	0
FK ALLEGATIONID NB	INTEGER	4	Y	0
PHASE NBR	SMALLINT	2	Y	0
Contains phase of print architecture t hat document was created with.				
LNG CD	CHAR	2	Y	0
Contains current language of the correspo ndence document.				
FK PRSN ASTNC PID	INTEGER	4	Y	0
FK YLS ASSMNTID NB	INTEGER	4	Y	0

Parents of **COR**

N1700351	**Child**	COR	**Parent**	AR						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARID_NBR	ID_NBR		INTEGER	4	0		N	A
N1704021	**Child**	COR	**Parent**	PRSN_ASTNC_PLN						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PRSN_ASTNC_PID	ID_NBR		INTEGER	4	0		N	A
N1705151	**Child**	COR	**Parent**	MST_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_MST_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A
N1705501	**Child**	COR	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A
N1706461	**Child**	COR	**Parent**	YLS_ASSMNT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_YLS_ASSMNTID_NB	ID_NBR		INTEGER	4	0		N	A
N1708011	**Child**	COR	**Parent**	ALLEGATION						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ALLEGATIONID_NB	ID_NBR		INTEGER	4	0		N	A
N1708201	**Child**	COR	**Parent**	INTAKE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_INTAKENBR	NBR		INTEGER	4	0		N	A

Children of **COR**

N1721701	**Parent**	COR	**Child**	COR_ARCH						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_CORID_NBR		INTEGER	4	0		N	
N1751701	**Parent**	COR	**Child**	COR_ENT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_CORID_NBR		INTEGER	4	0		N	
N1801701	**Parent**	COR	**Child**	COR_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_CORID_NBR		INTEGER	4	0		N	
N1821701	**Parent**	COR	**Child**	COR_DOC						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_CORID_NBR		INTEGER	4	0		N	
N1871701	**Parent**	COR	**Child**	COR_TRIG						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_CORID_NBR		INTEGER	4	0		N	
N6101701	**Parent**	COR	**Child**	PGM_CASE_COR						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_CORID_NBR		INTEGER	4	0		N	

COR_ARCH

archive for correspondenc afp data stream. ea ch will be stored only 7 days.

Priority 12 Dups N Download N Upload N NFOTS172

Column	Type	Length	Nulls	Scale	Key
AFP REC	VARCHAR	3,900	N	0	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK CORID NBR	INTEGER	4	N	0	1
SEQ NBR	SMALLINT	2	N	0	2
A number used for the secondary uni que identifier.					
ARCH TME CD	CHAR	2	N	0	
Allows AFP Data Streams to be s tored online for different period of time.					

Parents of **COR_ARCH**

N1721701	**Child**	COR_ARCH	**Parent**	COR						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_CORID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **COR_ARCH**

Parent			**Child**					
	COLNAME			TYPE	LEN	SC	D	N

COR_DOC

THIS ENTITY SPECIFIES THE TEMPLATES AND INSERTS NEEDED TO BUILD A PIECE OF CORRESPONDENCE.

Priority 6 Dups N Download N Upload N NFOTS182

Column	Type	Length	Nulls	Scale	Key
FK CORID NBR	INTEGER	4	N	0	1
SEQ	SMALLINT	2	N	0	2
ORDERING ATTRIBUTE TO PLACE THE TEMPLATE NAMES IN THE CORRECT ORDER TO CREATE THE CORRESPONDENCE.					
NAME	CHAR	18	N	0	3
THE NAME OF A VALUE WHICH WILL BE INSER TED INTO THE TEMPLATE AS THE CORRESPONDENCE IS CREATED. THIS IS ALSO AN ORDERIN G ATTRIBUTE SUBSIDIARY TO SEQ.					

SUBSCRIPT	SMALLINT	2	N	0	4
A SUBSCRIPT FOR NAME WHICH TOGETHE R WITH NAME CREATES A SUBSCRIPTED VARIABLE NAME. VALUES START AT 1 FOR SUBSCRIP TED VARIABLES. A VALUE OF 0 IMPLIES THAT THE VARIABLE IS NOT SUBSCRIPTED. THIS IS ALSO AN ORDERING ATTRIBUTE SUBSIDIARY TO NAME.					
VALUE0	VARCHAR	3,700	N	0	
A STRING VALUE ASSOCIATED WITH THE VA RIABLE. THIS TEXT IS INSERTED INTO THE TEMPLATE AT THE LOCATION IN THE TEMPLATE WHERE VALUE OF NAME APPEARS.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK COR TMPL NAMNA	CHAR	12	Y	0	

Parents of **COR_DOC**

N1821701	**Child**	COR_DOC	**Parent**	COR					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_CORID_NBR	ID_NBR		INTEGER	4	0		N A
N1821841	**Child**	COR_DOC	**Parent**	COR_TMPL_NAME					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_COR_TMPL_NAMNAM	NAME		CHARACTER	12	0		N A

Children of **COR_DOC**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

COR_ENT

Priority 12 Dups N Download N Upload N NFOTS175

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
FK CORID NBR	INTEGER	4	N	0	1
SEQ NBR	SMALLINT	2	N	0	
A number used for unique identificat ion.					
CODES KEY	CHAR	8	N	0	
The pre-defined template number us ed to identify the correct form template.					
SEC ID	SMALLINT	2	Y	0	
This attribute specifies which sectio n within the Correspondence the action belongs.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
ID NBR	INTEGER	4	N	0	2
NTC AT GEN MO	INTEGER	4	Y	0	
Stores the benefit month the a ction was generated.					
FK NARR HDRID NBR	INTEGER	4	Y	0	

Parents of **COR_ENT**

N1751701	**Child**	COR_ENT	**Parent**	COR					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_CORID_NBR	ID_NBR		INTEGER	4	0		N A
N1758311	**Child**	COR_ENT	**Parent**	NARR_HDR					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_NARR_HDRID_NBR	ID_NBR		INTEGER	4	0		N A

Children of **COR_ENT**

N1201751	**Parent**	COR_ENT	**Child**	AT_VAR					
		COLNAME			TYPE	LEN	SC	D	N
	FK_CORID_NBR		FK_COR_ENTFK_CORID		INTEGER	4	0		N
	ID_NBR		FK_COR_ENTID_NBR		INTEGER	4	0		N

COR_HIST

Priority 12 Dups N Download N Upload N NFOTS180

Column	Type	Length	Nulls	Scale	Key
FK CORID NBR	INTEGER	4	N	0	1
STAT CD	CHAR	2	N	0	
A code which represents the status of the CORRESPONDENCE.VALID VALUESCreatedCanceledPrintedRe-printedDestroyed					
STAT DT	DATE	4	N	0	
The date that the CORRESPONDENCE st atus was created.					
MAIL DT	DATE	4	Y	0	
Will keep track of the corresponden ce mail date. This is the next business day.					
UPD TS	TIMESTMP	10	N	0	2
UPD USRID	CHAR	8	N	0	
LNG CD	CHAR	2	Y	0	
cONTAINS THE LANGUAGE THAT THE DOCUM ENT WAS PRINTED IN.					

Parents of **COR_HIST**

N1801701	**Child**	COR_HIST	**Parent**	COR						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_CORID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **COR_HIST**

Parent		**Child**						
	COLNAME			TYPE	LEN	SC	D	N

COR_TMPL_LINE

The entity provides a selection of boiler plate items which may be combined in any order to create correspondence items. A particular entity may appear in more than one correspondence item and a corre spondence item may contain several template (possibly

Priority 1 Dups N Download N Upload N NFOTS185

Column	Type	Length	Nulls	Scale	Key
FK COR TMPL NAMN/	CHAR	12	N	0	1
LINE	SMALLINT	2	N	0	2
This is a sequence number to orde r the lines within a specific template.					
CODES	CHAR	24	N	0	
This field contains a structure giving formatting related information for generated text.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
ATTRS	VARCHAR	250	N	0	
Additional information used by s tyle sheets, formatting, or correspondence creation in various ways.					
TEXT0	VARCHAR	3,650	N	0	
Boilerplate to be incorporated i nto the correspondence. Also contains named insertion points.					

Parents of **COR_TMPL_LINE**

N1851841	**Child**	COR_TMPL_LINE	**Parent**	COR_TMPL_NAME							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_COR_TMPL_NAMNAM		NAME	CHARACTER	12	0		N	A	

Children of **COR_TMPL_LINE**

Parent		**Child**				
	COLNAME		TYPE	LEN	SC	D	N

COR_TMPL_NAME

This table is parent to the Correspondenc e Template Line and Correspondence Document tables. The Correspondence Document names templates and this table links to the lines for the template in the Corres pondence Template Line table.

Priority 0 Dups N Download N Upload N NFOTS184

Column	Type	Length	Nulls	Scale	Key
NAME	CHAR	12	N	0	1
THIS ATTRIBUTE IS THE IDENTITY OF A SPECIFIC TEMPLATE.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
DSC	VARCHAR	250	Y	0	
This is used to describe the templ ates stored on the COR_TMP table.					

Parents of **COR_TMPL_NAME**

Children of **COR_TMPL_NAME**

N1821841	**Parent**	COR_TMPL_NAME	**Child**	COR_DOC						
		COLNAME			TYPE	LEN	SC	D	N	
	NAME		FK_COR_TMPL_NAMNAM		CHARACTER	12	0		N	
N1851841	**Parent**	COR_TMPL_NAME	**Child**	COR_TMPL_LINE						
		COLNAME			TYPE	LEN	SC	D	N	
	NAME		FK_COR_TMPL_NAMNAM		CHARACTER	12	0		N	

COR_TRIG

Priority 12 Dups N Download N Upload N NFOTS187

Column	Type	Length	Nulls	Scale	Key
FK CORID NBR	INTEGER	4	N	0	1
SRC ID NBR	INTEGER	4	N	0	2
The ID_NBR of the source associa ted to the correspondence being sent to NCJIS.This may be any ID NBR and is dete rmined by TYP_CD.					
TYP CD	CHAR	2	N	0	3
The type of the correspondence to tr ansfer. This will allow Law Enforcement Notice, Safety Plan, and YLS Assessmen t with room for expansion.					
STAT CD	CHAR	2	N	0	4
The status of the correspondence as it existed in the correspondence at the time this information is captured. Stat us will either be PL (Print Local), DE (destroyed) or CR (created).					
PROC TS	TIMESTMP	10	Y	0	
The time in which this corresponden ce is handled by an interface and the information is transferred to an external interface. This information is also used to identify a time period after which this row should be archived or purged.					
UPD TS	TIMESTMP	10	N	0	
Update Timestamp					

UPD USRID	CHAR	8	N	0
Update user ID				

Parents of **COR_TRIG**

N1871701 **Child** COR_TRIG **Parent** COR

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CORID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **COR_TRIG**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

COURT_DTL

The description of an individual's court ord er or petition information.

Priority 1 Dups N Download Y Upload Y NFOTS052

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
BEG DT	DATE	4	N	0	2
This attribute is the effective dat e of the court order/petition information.					
END DT	DATE	4	N	0	
This attribute is the date the cour t order/petition information is no longer effective.					
PETN CO DT	DATE	4	N	0	
This attribute is the date of t he court order/petition.					
CNTR TO WLFR IND	CHAR	1	N	0	
This attribute indicates whether or not the court order/petition contains the correct wording for contrar y to the welfare of the child.					
RSNBL EFRT IND	CHAR	1	N	0	
This attribute indicates wh ether or not the court order/petition contains the correct wording regarding rea sonable efforts to keep the child in the home.					
RSNBL EFRT A B IND	CHAR	1	N	0	
This attribute indicate s whether or not the court order/petition contains the correct wording regarding reasonable efforts to keep the child in the home not being required for suffici ent cause.					
NPT DT	DATE	4	Y	0	
This attribute is the date of the N unc Pro Tunc order.					
LIVED W PRNT IND	CHAR	1	N	0	
This attribute indicates whether or not the child lived with parents or specified relative.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	

Parents of **COURT_DTL**

N0520401 **Child** COURT_DTL **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **COURT_DTL**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

CPGI

INT: The relationship CASE_PLAN_GOAL always INVOLV ED_IN CASE_PLAN_GOAL_INVOLVEMENT was changed to optional in TD. The insert/dele te process(es) for CASE_PLAN_GOAL_INVOLVEMENT must enforce this integrity.

Priority 1 Dups N Download N Upload N NFOTS808

Column	Type	Length	Nulls	Scale	Key

FK CASE PLANID NBR	INTEGER	4	N	0	1
FK CASE PLAN GOID	INTEGER	4	N	0	2
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **CPGI**

N8088061	**Child**	CPGI	**Parent**	CASE_PLAN						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_CASE_PLANID_NBR	ID_NBR		INTEGER	4	0		N	A
N8088071	**Child**	CPGI	**Parent**	CASE_PLAN_GOAL						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_CASE_PLAN_GOID	ID_NBR		INTEGER	4	0		N	A

Children of **CPGI**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

CPL_LEGAL_AT_INVLV

The associative entity between case plan and legal action.

Priority 2 Dups N Download N Upload N NFOTS809

Column	Type	Length	Nulls	Scale	Key
BEG DT	DATE	4	N	0	3
Date the Case Plan was fir st assigned to the legal action					
END DT	DATE	4	N	0	
Date the relationship betw een a Case Plan and a legal action was ended (used in case of error)					
FK LEGAL ATID NBR	INTEGER	4	N	0	2
FK CASE PLANID NBR	INTEGER	4	N	0	1
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **CPL_LEGAL_AT_INVLV**

N8098061	**Child**	CPL_LEGAL_AT_INVLV	**Parent**	CASE_PLAN						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_CASE_PLANID_NBR	ID_NBR		INTEGER	4	0		N	A
N8098251	**Child**	CPL_LEGAL_AT_INVLV	**Parent**	LEGAL_AT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_LEGAL_ATID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **CPL_LEGAL_AT_INVLV**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

CPS_CNTR_RGSTY_RPT

Priority 1 Dups N Download N Upload N NFOTS506

Column	Type	Length	Nulls	Scale	Key
RPT NBR	CHAR	9	N	0	1
Unique Identification of a Child Abuse and Neglect Report					
HIST IND	CHAR	1	N	0	2
Indicates if the informa tion for the report was from the history job code 33. (This is a Y or N)					

RPT DT	DATE	4	Y	0
The date the report was re ceived by CPS				
PRIM OFC NBR	CHAR	5	Y	0
The Code value for t he City where the office of the responsible worker is assigned				
ASTNG OFC NBR	CHAR	5	Y	0
The Code value for the City where the office of the worker assisting in the investigation is assig ned				
ASTNG WRKR NBR	CHAR	5	Y	0
The code value or number for the worker assisting in the investigation				
INCD DT	DATE	4	Y	0
The date that best identi fies when the incident occurredCase Status Determination date				
STAT DETRMN DT	DATE	4	Y	0
AB IND	CHAR	1	Y	0
Indicator that one of the allegations was Abuse				
NEG IND	CHAR	1	Y	0
Indicator that one of the allegations was Neglect				
SXL AB IND	CHAR	1	Y	0
HH STREET	CHAR	28	Y	0
The number and street n ame for the household of the family involved in the case				
HH CITY	CHAR	13	Y	0
The City name for the hou sehold of the family involved in the case				
HH STATE CD	CHAR	2	Y	0
The State abbreviatio n for the household of the family involved in the case				
HH ZIP CD	CHAR	9	Y	0
The 9 digit Zipcode for the household of the family involved in the case				
LAW ENFR INVLV IND	CHAR	1	Y	0
Indicator if L aw Enforcement is involved in the case				
RPT PRIRTY CD	CHAR	1	Y	0
Identifies the Prio rity of the report				
MRTL STAT CD	CHAR	1	Y	0
Code of Marital Stat us for parent 1 and 2				
ALLGD PRP 1 REL CD	CHAR	2	Y	0
Code value ide ntifying relationship of Other Alleged Perpetrator to the Victim				
ALLGD PRP 2 REL CD	CHAR	2	Y	0
Code value ide ntifying relationship for the 2nd Other Alleged Perpetrator to the Victim				
FCLTY NME	CHAR	35	Y	0
Name of a Daycare or In stitutional Care Facility				
FCLTY ADDR	CHAR	28	Y	0
The number and street name for the Daycare or Institutional Facility				
FCLTY CITY	CHAR	13	Y	0
The City name the Dayc are or Institutional Facility				
FCLTY STATE CD	CHAR	2	Y	0
The State abbrevia tion for the Daycare or Institutional Facility				
FCLTY ZIP CD	CHAR	9	Y	0
The 9 digit Zipcode the Daycare or Institutional Facility				
RPT SRC CD	CHAR	2	Y	0
Code Identifying the S ource of the Report				
ATRNY LEG ACT IND	CHAR	1	Y	0
County Attorney /Juvenile Court Legal Action indicator				
POLICE LEG ACT IND	CHAR	1	Y	0
Police Hold Le gal Action Indicator				
PRSCTN LEG ACT IND	CHAR	1	Y	0
PRIM WRKR MIDL ITL	CHAR	1	Y	0

PRIM WRKR LST NME	CHAR	19	Y	0
Middle Initial of the Name for Primary Worker assigned to the Report				
HH WRK PHN ACD NI	CHAR	3	Y	0
Area Code for Person Head of Households Work Phone #				
HH WRK PHN PFX NE	CHAR	3	Y	0
Prefix for Per son Head of Households Work Phone #				
HH WRK PHN SFX NB	CHAR	4	Y	0
Person Head of Households Work Phone #				
LE AGNCY REF NME	CHAR	35	Y	0
Name of Law Enfo rcement Agency Report Referred to				
LE CNTCT FRST NME	CHAR	10	Y	0
First name of L aw Enforcement Contact				
LE CNTCT LAST NME	CHAR	19	Y	0
Last Name of La w Enforcement Contact				
LE CNT PHN ACD NBI	CHAR	3	Y	0
Area Code of L aw Enforcement Referral Phone				
LE CNT PHN PFX NBR	CHAR	3	Y	0
Prefix of Law Enforcement Referral Phone #				
LE CNT PHN SFX NBR	CHAR	4	Y	0
Law Enforcemen t Referral Phone #				
LE REF DT	DATE	4	Y	0
Date Referral was made to Law Enforcement				
RPTR PHN ACD NBR	CHAR	3	Y	0
Home Phone Area Code				
RPTR PHN PFX NBR	CHAR	3	Y	0
Home Phone Prefi x				
RPTR PHN SFX NBR	CHAR	4	Y	0
Home Phone Numbe r				
RPTR WK PH ACD NB	CHAR	3	Y	0
Work Phone Are a Code				
RPTR WK PH PFX NBI	CHAR	3	Y	0
Home Phone Pre fix				
RPTR WK PH SFX NBI	CHAR	4	Y	0
Work Phone Num ber				
WITNESS INFO LNE 1	CHAR	79	Y	0
Free text iden tifying name and specifics about Witness 1				
WITNESS INFO LNE 2	CHAR	79	Y	0
Free text iden tifying name and specifics about Witness 1				
WITNESS INFO LNE 3	CHAR	79	Y	0
Free text iden tifying name and specifics about Witness 1				
WITNESS INFO LNE 4	CHAR	79	Y	0
Free text iden tifying name and specifics about Witness 1				

Parents of **CPS_CNTR_RGSTY_RPT**

Children of **CPS_CNTR_RGSTY_RPT**

N5075061	**Parent**	CPS_CNTR_RGSTY_RPT	**Child**	CPS_PRS					
		COLNAME			TYPE	LEN	SC	D	N
	RPT_NBR		FK_CPS_CNTR_RGSRPT		CHARACTER	9	0		N
	HIST_IND		FK_CPS_CNTR_RGSHIS		CHARACTER	1	0		N
N5085061	**Parent**	CPS_CNTR_RGSTY_RPT	**Child**	CPS_NARR					
		COLNAME			TYPE	LEN	SC	D	N
	RPT_NBR		FK_CPS_CNTR_RGSRPT		CHARACTER	9	0		N
	HIST_IND		FK_CPS_CNTR_RGSHIS		CHARACTER	1	0		N

CPS_NARR *detailed information describing the ongoing in vestigation or the findings.*

Priority 2 Dups N Download N Upload N NFOTS508

Column	Type	Length	Nulls	Scale	Key
FK CPS CNTR RGSRPT	CHAR	9	N	0	1
FK CPS CNTR RGSHIS	CHAR	1	N	0	2
TYP CD	CHAR	2	N	0	3
Code identifier the narrative type (investigation, report)					
PAGE NBR	CHAR	1	N	0	4
Page number of the narrative.					
LNE NBR	CHAR	2	N	0	5
Line number on the page					
TXT	VARCHAR	79	Y	0	
Line of text up to 79 characters.					

Parents of **CPS_NARR**

N5085061 **Child** CPS_NARR **Parent** CPS_CNTR_RGSTY_RPT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CPS_CNTR_RGSRPT	RPT_NBR	CHARACTER	9	0		N	A
FK_CPS_CNTR_RGSHIS	HIST_IND	CHARACTER	1	0		N	A

Children of **CPS_NARR**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

CPS_PRS

Contain demographic information about the perso n involved in a cps case.

Priority 2 Dups N Download N Upload N NFOTS507

Column	Type	Length	Nulls	Scale	Key
FK CPS CNTR RGSRPT	CHAR	9	N	0	1
FK CPS CNTR RGSHIS	CHAR	1	N	0	2
TYP CD	CHAR	2	N	0	3
SNDX	CHAR	8	Y	0	
The soundex key calculated for the Last _Name. The soundex routine permits phonetic name searches.					
INVLV RLE CD	CHAR	1	Y	0	
(P = Perpetrator, V= Victim, N= Not Involved)					
NME IND	CHAR	1	Y	0	
A or C					
FRST NME	CHAR	10	Y	0	
First name of person.					
MID ITL	CHAR	1	Y	0	
Middle initial of person.					
LST NME	CHAR	19	Y	0	
Last name of person.					
RACE CD	CHAR	1	Y	0	
Race Code					
RLE CD	CHAR	1	Y	0	
Role Code					
AGE	CHAR	2	Y	0	
Age					
SEX CD	CHAR	1	Y	0	
gender/sex					

BD	DATE	4	Y	0
The month, day, century, and year a perso n was born.				
SSN	CHAR	9	Y	0
The unique number assigned to a person b y the Social Security Administration.				
STREET	CHAR	28	Y	0
The number and street name				
CTY	CHAR	13	Y	0
City name				
ST CD	CHAR	2	Y	0
state abbreviation				
ZP CD	CHAR	9	Y	0
9 digit zip code				
PHN ACD NBR	CHAR	3	Y	0
Phone Area Code				
PHN PRFX NBR	CHAR	3	Y	0
Phone Prefix				
PHN SFX NBR	CHAR	4	Y	0
phone number				
EXPUNG DT	DATE	4	Y	0
date of expungement for person.				
UPD USRID	CHAR	8	N	0
The identification of the user or module that inserted or last updated the ARP record.				
UPD TS	TIMESTMP	10	N	0
The timestamp that the ARP record was inserted or last updated.				

Parents of **CPS_PRS**

N5075061 **Child** CPS_PRS **Parent** CPS_CNTR_RGSTY_RPT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CPS_CNTR_RGSRPT	RPT_NBR	CHARACTER	9	0		N	A
FK_CPS_CNTR_RGSHIS	HIST_IND	CHARACTER	1	0		N	A

Children of **CPS_PRS**

N5095071 **Parent** CPS_PRS **Child** CPS_PRS_DTL

COLNAME		TYPE	LEN	SC	D	N
FK_CPS_CNTR_RGSRPT	FK0CPS_PRSFK_CPS_C	CHARACTER	9	0		N
FK_CPS_CNTR_RGSHIS	FK_CPS_PRSFK_CPS_C	CHARACTER	1	0		N
TYP_CD	FK_CPS_PRSTYP_CD	CHARACTER	2	0		N

CPS_PRS_DTL

Information for only the child involved in the cps case.

Priority 3 Dups N Download N Upload N NFOTS509

Column	Type	Length	Nulls	Scale	Key
FK0CPS PRSFK CPS C	CHAR	9	N	0	1
FK CPS PRSFK CPS C	CHAR	1	N	0	2
FK CPS PRSTYP CD	CHAR	2	N	0	3
PRT 1 REL	CHAR	2	Y	0	
Childs relationship to parent 1					
PRT 2 REL	CHAR	2	Y	0	
Childs relationship to parent 2					
PLMNT 1 CD	CHAR	1	Y	0	
Child Placement First occurre nce					
PLMNT 2 CD	CHAR	1	Y	0	
Child Placement Second occurr ence					
PLMNT 3 CD	CHAR	1	Y	0	
Child Placement third occurre nce					

PLMNT 4 CD	CHAR	1	Y	0
Child Placement fourth occurr ence				
PLMNT 5 CD	CHAR	1	Y	0
Child Placement fifth occurre nce				
PLMNT 6 CD	CHAR	1	Y	0
Child Placement sixth occurre nce				
PLMNT 7 CD	CHAR	1	Y	0
Child Placement seventh occur rence				
PLMNT 8 CD	CHAR	1	Y	0
Child Placement eighth occurr ence				
PLMNT 9 CD	CHAR	1	Y	0
Child Placement ninth occurre nce				
PLMNT 1 TXT TYP	CHAR	20	Y	0
Other Placement first oc currence				
PLMNT 2 TXT TYP	CHAR	20	Y	0
other placement second o ccurrence.				
PLMNT 3 TXT TYP	CHAR	20	Y	0
other placement third oc currence.				
PLMNT 4 TXT TYP	CHAR	20	Y	0
other placement fourth o ccurrence.				
BRAIN DAMAGE IND	CHAR	1	Y	0
maltreatment type				
SBDRL HEMATOMA IN	CHAR	1	Y	0
maltreatment type				
BONE FRACTURE IND	CHAR	1	Y	0
maltreatment type				
DSLCTN SPRAIN IND	CHAR	1	Y	0
maltreatment type				
INTRL INJURIES IND	CHAR	1	Y	0
maltreatment type				
POISONING IND	CHAR	1	Y	0
maltreatment type				
BURNS SCALDS IND	CHAR	1	Y	0
maltreatment type				
CUTS ABRASIONS IND	CHAR	1	Y	0
maltreatment type				
BRUISES MAJOR IND	CHAR	1	Y	0
maltreatment type				
BRUISES MINOR IND	CHAR	1	Y	0
maltreatment type				
STRANGLE SUFF IND	CHAR	1	Y	0
maltreatment type				
BITES PUNCTURE IND	CHAR	1	Y	0
maltreatment type				
TYING CNFMNT IND	CHAR	1	Y	0
maltreatment type				
WELTS IND	CHAR	1	Y	0
maltreatment type				
EXC DISP SPKNG IND	CHAR	1	Y	0
maltreatment type				
SHAKE TWIST IND	CHAR	1	Y	0
maltreatment type				
NEGLECT IND	CHAR	1	Y	0
maltreatment type				
LACK FOOD IND	CHAR	1	Y	0
maltreatment type				
LACK SHELTER IND	CHAR	1	Y	0
maltreatment type				

LACK CLOTHING IND	CHAR	1	Y	0
maltreatment type				
LACK MED CARE IND	CHAR	1	Y	0
maltreatment type				
LACK SUPVN IND	CHAR	1	Y	0
maltreatment type				
EDUC NEGLECT IND	CHAR	1	Y	0
maltreatment type				
FAIL THRV ORG IND	CHAR	1	Y	0
maltreatment type				
FAIL THRV NORG IND	CHAR	1	Y	0
maltreatment type				
LOCK IN OUT IND	CHAR	1	Y	0
maltreatment type				
EXPOSURE IND	CHAR	1	Y	0
maltreatment type				
ABANDONMENT IND	CHAR	1	Y	0
maltreatment type				
EMOTIONAL NEG IND	CHAR	1	Y	0
maltreatment type				
MN BABY DOE IND	CHAR	1	Y	0
maltreatment type				
FETAL ALC DRUG IND	CHAR	1	Y	0
maltreatment type				
UNSNTRY UNSF H INI	CHAR	1	Y	0
maltreatment type				
SXL AB IND	CHAR	1	Y	0
maltreatment type				
INCEST IND	CHAR	1	Y	0
maltreatment type				
SEX EXPLOR IND	CHAR	1	Y	0
maltreatment type				
OTHER SEX AB IND	CHAR	1	Y	0
maltreatment type				
OTHER DEATH IND	CHAR	1	Y	0
maltreatment type				

Parents of **CPS_PRS_DTL**

N5095071 **Child** CPS_PRS_DTL **Parent** CPS_PRS

COLNAME		TYPE	LEN	SC	D	N	UPD
FK0CPS_PRSFK_CPS_C	FK_CPS_CNTR_RGSRPT	CHARACTER	9	0		N	A
FK_CPS_PRSFK_CPS_C	FK_CPS_CNTR_RGSHIS	CHARACTER	1	0		N	A
FK_CPS_PRSTYP_CD	TYP_CD	CHARACTER	2	0		N	A

Children of **CPS_PRS_DTL**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

CRT_RPT_INFO

Priority 20 Dups N Download N Upload N NFOTS086

Column	Type	Length	Nulls	Scale	Key
FK LEGAL ATID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2

Artifical id number assigned to identify the COURT_REPORT_INFORMATION record.

LST FINAL DT	DATE	4	Y	0
The date the last instance of a court report was finalized. Indicates the validity of temporal data conta ined within COURT_REPORT_INFORMATION and its subordinates.				
LST EDITED DT	DATE	4	Y	0
The date the court report was last edited and reviewed by the worker. LAST_EDITED_DATE <= LAST_FINALIZED _DATE implies that there is a current draft in process.				
UPD USRID	CHAR	8	N	0
LAST UPDATE USER ID.				
UPD TS	TIMESTMP	10	N	0
LAST UPDATE TIMESTAMP.				

Parents of **CRT_RPT_INFO**

N0868251 **Child** CRT_RPT_INFO **Parent** LEGAL_AT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_LEGAL_ATID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **CRT_RPT_INFO**

N0820861 **Parent** CRT_RPT_INFO **Child** ASP_CASE_INVLV

COLNAME		TYPE	LEN	SC	D	N
FK_LEGAL_ATID_NBR	FK_CRT_RPT_INFOFK	INTEGER	4	0		N
ID_NBR	FK_CRT_RPT_INFOID	INTEGER	4	0		N

N0840861 **Parent** CRT_RPT_INFO **Child** CHLD_DTL

COLNAME		TYPE	LEN	SC	D	N
FK_LEGAL_ATID_NBR	FK_CRT_RPT_INFOFK	INTEGER	4	0		N
ID_NBR	FK_CRT_RPT_INFOID	INTEGER	4	0		N

N0880861 **Parent** CRT_RPT_INFO **Child** EXT_PRSNL

COLNAME		TYPE	LEN	SC	D	N
FK_LEGAL_ATID_NBR	FK_CRT_RPT_INFOFK	INTEGER	4	0		N
ID_NBR	FK_CRT_RPT_INFOID	INTEGER	4	0		N

N0920861 **Parent** CRT_RPT_INFO **Child** INCLD_NARR_INVLV

COLNAME		TYPE	LEN	SC	D	N
FK_LEGAL_ATID_NBR	FK_CRT_RPT_INFOFK	INTEGER	4	0		N
ID_NBR	FK_CRT_RPT_INFOID	INTEGER	4	0		N

CS_REF

Priority 20 Dups N Download N Upload N NFOTS885

Column	Type	Length	Nulls	Scale	Kev
ID NBR	INTEGER	4	N	0	1
Unique identifier of the table CHILD S UPPORT REFERRAL					
FK MST CASEID NBR	INTEGER	4	Y	0	
FK DSS OFC POSTFK	CHAR	3	Y	0	
FK0DSS OFC POSTFK	INTEGER	4	Y	0	
FK1DSS OFC POSTFK	CHAR	8	Y	0	
FK DSS OFC POSTID	INTEGER	4	Y	0	
CPARTY HHS IND	CHAR	1	N	0	
This attribute will indicate i f the dependents for the given referral are wards of the state which will mean t hat HHS is the custodial party. Indicator = Y if HHS is the Custodial Party.					
UNK NON CPARTY INI	CHAR	1	N	0	
This attribute will indica te that the Non-Custodial party for the referral is unknown. Indicator = Y if t he Non-Custodial Party is Unknown.					
FINAL DT	DATE	4	N	0	
Date the Referral is 'SENT' to HAR TS and is in Final Status.					
UPD USRID	CHAR	8	N	0	

UPD TS	TIMESTMP	10	N		0
SPLMT DOC SENT IND	CHAR	1	Y		0
Used to indicate whether o r not additional documentation was sent to CHARTS for this referral.					
GC CLAIMED IND	CHAR	1	Y		0
Used to indicate whether or no t Good Cause is claimed on the NCP.					
CHLD IN INST IND	CHAR	1	Y		0
Used to indicate that the Ch ild is in an institution and there is no CP on the Referral.					
REFERRAL COMMENTS	VARCHAR	1,900	Y		0
Additional Comments					

Parents of **CS_REF**

N8852351 **Child** CS_REF **Parent** DSS_OFC_POSTN_STF

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_DSS_OFC_POSTFK	FK_DSS_OFC_POSTFK	CHARACTER	3	0		N	A
FK0DSS_OFC_POSTFK	FK_DSS_OFC_POSTID	INTEGER	4	0		N	A
FK1DSS_OFC_POSTFK	FK_ASPLOGON_ID	CHARACTER	8	0		N	A
FK_DSS_OFC_POSTID	ID_NBR	INTEGER	4	0		N	A

N8855511 **Child** CS_REF **Parent** MST_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_MST_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **CS_REF**

N8908851 **Parent** CS_REF **Child** CS_REF_RLE

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_CS_REFID_NBR	INTEGER	4	0		N

CS_REF_RLE

Priority 30 Dups N Download N Upload N NFOTS890

Column	Type	Length	Nulls	Scale	Key
FK CS REFID NBR	INTEGER	4	N	0	1
FK ARPID NBR	INTEGER	4	N	0	2
ROLE CD	CHAR	2	N	0	
ARP's Role in the CHILD_SUPPORT_ REFERRAL. The possible values are 'DP' for Dependent, 'CP' for Custodial Pa rty, and 'NP' for Non-Custodial Party.					
DEPENDENT PGM CD	CHAR	2	Y	0	
This defines the type of Program that the particular dependent is being referred to CHARTS for. Possibi lities are ADC, AABC, CC, MED, CFS. There is no requirement to know the actual case number.					
CP ADJU CNTY FIPS	CHAR	5	Y	0	
This identifies the giv ens FIPS code for a given county. For a Role of 'CP' for Custodial Parent, th e code will be the county of residence of the Custodial Party. For a role of ' DP' for Dependent , the code will be the county of Adjudication for t					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **CS_REF_RLE**

N8900401 **Child** CS_REF_RLE **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N8908851 **Child** CS_REF_RLE **Parent** CS_REF

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CS_REFID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **CS_REF_RLE**

Parent COLNAME	Child TYPE	LEN	SC	D	N

CSE_NONCOOP

Priority 20 Dups N Download Y Upload Y NFOTS420

Column	Type	Length	Nulls	Scale	Key
FK_ARPID_NBR	INTEGER	4	N	0	1
BEG_DT	DATE	4	N	0	2
Date the Noncooperation Started i n CHARTS					
END_DT	DATE	4	N	0	
Date the Noncooperation End in CH ARTS					
CSE_ARP_ID_NBR	CHAR	13	N	0	
Identifies client in CHAR TS					
SANC_CD	CHAR	2	N	0	
SB=SANCTION BEGIN PENDINGSI=SANC TION IMPOSEDSE=SANCTION END PENDINGSL=SANCTION LIFTEDSN=SANCTION NOT IMPOSED					
RCVD_BEG_DT	DATE	4	N	0	
Date the Noncooperation Star t Date was Sent from CHARTS to NFOCUS					
RCVD_END_DT	DATE	4	N	0	
Date the Noncooperation End Date was Sent from CHARTS to NFOCUS					
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	

Parents of **CSE_NONCOOP**

N4200401 **Child** CSE_NONCOOP **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **CSE_NONCOOP**

Parent COLNAME	Child TYPE	LEN	SC	D	N

CSH_REPY

This entity records teh information for a manu al payment made to DSS for an overpayment.

Priority 0 Dups N Download N Upload N NFOTS190

Column	Type	Length	Nulls	Scale	Key
TYP_CD	CHAR	2	N	0	
The type of the cash repayment.Valid Values:cashcheckmoney ordercashier checkvoucherother					
ID_NBR	INTEGER	4	N	0	1
SRC_DOC_NBR	INTEGER	4	Y	0	
The Number of the document used for payment					
SRC_DOC_DT	DATE	4	Y	0	
The date the document was writte n.					
DT_RCVD	DATE	4	N	0	
The date DSS received the document.					
AMT	DECIMAL	8	N	2	
The amount of the payment					
SRC_NME	CHAR	46	Y	0	
The name of the individual who issu ed the document.					
UPD_USRID	CHAR	8	N	0	

UPD TS	TIMESTMP	10	N		0

Parents of **CSH_REPY**

Children of **CSH_REPY**

N0751901	**Parent**	CSH_REPY	**Child**	AR_TRN	
		COLNAME		TYPE	LEN SC D N
	ID_NBR		FK_CSH_REPYID_NBR	INTEGER	4 0 N

CURR_OFFICE_POSTN

Table to manage the denormalization o f data maintained in CODE_DECODE, DSS_OFC, DSS_OFC_POSTN, DSS_OFC_POSTN_STF, an d ASP.

Priority 86 Dups N Download N Upload N NFOTS901

Column	Type	Length	Nulls	Scale	Key
OFFICE NBR	CHAR	3	N	0	1
Part of the primary key for an instance of Position. Also foreign key to the Office in which the Posit ion is located.					
POSTN ID NBR	INTEGER	4	N	0	2
PART OF THE PRIMARY K EY FOR AN INSTANCE OF POSITION. THIS FIELD, WHEN USED WITH THE OFFICE_ID FIELD, PROVIDES THE LINK BETWEEN THIS STAFF_PERSON AND THE PROGRAM CASE S/HE IS ASSIGN ED TO.					
OFFICE NAME	CHAR	48	Y	0	
NAME OF AN INSTANCE OF OFFICE					
SERVICE AREA NAME	CHAR	30	Y	0	
DECODE VALUE FOR AN INSTANCE OF CODE CATEGORY 1105. NAME OF A HHS SERVICE AREA.					
COUNTY NAME	CHAR	25	Y	0	
DECODE VALUE FROM THE CODE_DECODE CATEGORY 1057 FOR DSS_OFC.FIPS_cd VALUE.					
H R POSTN NBR	INTEGER	4	Y	0	
QUASI-NEIS RELATED P OSITION NUMBER PROVIDED BY THE USER CREATING THE INSTANCE OF POSITION. ONLINE S EARCH IN N-FOCUS USES THIS VALUE TO FIND AN INSTANCE OF POSITION. THIS IS THE P OSITION NUMBER THAT GETS DISPLAYED ON A REPORT.					
POSTN CLSF	CHAR	50	Y	0	
DECODE VALUE FOR AN INS TANCE OF CODE CATEGORY 1234.					
SUPV OFFICE NBR	CHAR	3	Y	0	
OFFICE IN WHICH TH E SUPERVISOR IS LOCATED.					
SUPV POSTN ID NBR	INTEGER	4	Y	0	
SUPERVISOR'S ID _NUMBER.					
SUPV OFFICE NAME	CHAR	48	Y	0	
NAME OF THE OFFIC E IN WHICH THE SUPERVISOR IS LOCATED.					
SUPV LOGON ID	CHAR	8	N	0	
LOGON ID OF THE PERS ON ASSIGNED TO THE POSITION SUPERVISING THE POSITION.					
SUPV LAST NAME	CHAR	25	N	0	
LAST NAME OF THE PO SITION'S SUPERVISOR.					
SUPV FIRST NAME	CHAR	20	N	0	
FIRST NAME OF THJE POSITION'S SUPERVISOR.					
SUPV NAME EXTN	CHAR	3	Y	0	
EXTENSION TO THE SU PERVISORS NAME - USUALLY ABBREVIATED.					
STAFF LOGON ID	CHAR	8	N	0	
LOGON ID OF THE PER SON ASSIGNED TO THE POSITION.					
STAFF LAST NAME	CHAR	25	N	0	
LAST NAME OF THE S TAFF PERSON ASSIGNED TO THE POSITION.					
STAFF FIRST NAME	CHAR	20	N	0	
FIRST NAME OF THE STAFF PERSON ASSIGNED TO THE POSITION.					
STAFF NAME EXTN	CHAR	3	Y	0	
EXTENSION TO A PER SON NAME USUALLY ABBREVIATED.					

STAFF PHONE NBR	CHAR	10	Y	0
TELEPHONE NUMBER O F THE STAFF PERSON ASSIGNED TO THE POSITION.				
ORIG SVC AREA	CHAR	10	Y	0
Name of the administ rative service area in which the county is located using the original service ar ea boundaries.				
PROT SFTY SVC AREA	CHAR	10	Y	0
Name of the adm inistrative service area in which the county is located using the current Protec tion and Safety (CPS) service area boundaries.				
DD SVC AREA	CHAR	10	Y	0
Name of the administra tive service area in which the county is located using the current Developmental Disabilities (DD) service area (regional) boundaries.				
EMPLD BY NME	CHAR	48	Y	0

Parents of **CURR_OFFICE_POSTN**

Children of **CURR_OFFICE_POSTN**

Parent	Child				
COLNAME		TYPE	LEN	SC	D	N

CUST_AGNCY

Information about the agency that has custod y of the child, while the child is in care.

Priority 20 Dups N Download N Upload N NFOTS789

Column	Type	Length	Nulls	Scale	Key
FK PRS TRKNGID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2
ARTIFICIAL ID NUMBER ASSIGNED TO I DENTIFY THE CUSTODY_AGENCY RECORD					
TYP CD	CHAR	2	N	0	
Code indicating type of custody ag ency.Values: HHS, HHS-OJS, Court, Tribe, Private Agency					
EFCTV DT	DATE	4	Y	0	
The date the agency took the chi ld in custody					
UPD USRID	CHAR	8	N	0	
Last Update User ID.					
UPD TS	TIMESTMP	10	N	0	
Last Update Timestamp.					

Parents of **CUST_AGNCY**

N7897861	**Child**	CUST_AGNCY	**Parent**	PRS_TRKNG				
		COLNAME			TYPE	LEN	SC D	N UPD
		FK_PRS_TRKNGID_NBR		ID_NBR	INTEGER	4	0	N A

Children of **CUST_AGNCY**

N7907891	**Parent**	CUST_AGNCY	**Child**	CUST_AGNCY_CNTCT				
		COLNAME			TYPE	LEN	SC D	N
	FK_PRS_TRKNGID_NBR			FK_CUST_AGNCYFK_PR	INTEGER	4	0	N
	ID_NBR			FK_CUST_AGNCYID_NB	INTEGER	4	0	N

CUST_AGNCY_CNTCT

Information regarding the Custody Agen cy, file location and contact person for the child in care.

Priority 20 Dups N Download N Upload N NFOTS790

Column	Type	Length	Nulls	Scale	Key
FK CUST AGNCYFK PR	INTEGER	4	N	0	1
FK CUST AGNCYID NB	INTEGER	4	N	0	2

ID NBR	INTEGER	4	N	0	3	
ARTIFICIAL ID NUMBER ASSIGNE D TO IDENTIFY THE CUSTODY_AGENCY_CONTACT RECORD						
EFCTV DT	DATE	4	Y	0		
Date of case manager chang e						
CNTCT PRS NME	CHAR	52	Y	0		
If custody is not HHS , this will be private agency contact name.						
UPD USRID	CHAR	8	N	0		
Last Update User ID.						
UPD TS	TIMESTMP	10	N	0		
Last Update Timestamp.						
FK DSS OFC POSTFK	CHAR	3	Y	0		
FK DSS OFC POSTID	INTEGER	4	Y	0		
CRT PRIV AGNCY NMI	CHAR	48	Y	0		
If custody is no t HHS, this will be the Court or Private Agency name.						

Parents of **CUST_AGNCY_CNTCT**

N7902301	**Child**	CUST_AGNCY_CNTCT	**Parent**	DSS_OFC_POSTN						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR		CHARACTER	3	0		N	A
		FK_DSS_OFC_POSTID	ID_NBR		INTEGER	4	0		N	A
N7907891	**Child**	CUST_AGNCY_CNTCT	**Parent**	CUST_AGNCY						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_CUST_AGNCYFK_PR	FK_PRS_TRKNGID_NBR		INTEGER	4	0		N	A
		FK_CUST_AGNCYID_NB	ID_NBR		INTEGER	4	0		N	A

Children of **CUST_AGNCY_CNTCT**

Parent	**Child**				
COLNAME	TYPE	LEN	SC	D	N

DISABILITY

Information regarding a child's diagnosed d isabilities.

Priority 20 Dups N Download N Upload N NFOTS791

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
FK PRS TRKNGID NBR	INTEGER	4	N	0	1
TYP CD	CHAR	2	N	0	2
Code to indicate the type of disab ilityValues: Mental, Visual hearing, physical					
UPD USRID	CHAR	8	N	0	
Last Update User ID.					
UPD TS	TIMESTMP	10	N	0	
Last Update Timestamp.					

Parents of **DISABILITY**

N7917861	**Child**	DISABILITY	**Parent**	PRS_TRKNG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PRS_TRKNGID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **DISABILITY**

Parent	**Child**				
COLNAME	TYPE	LEN	SC	D	N

DISC_ARP_XREF

Cross reference used when an ARP is disco ntinued. Links current ARP with discontinued ARP.

Priority 1 Dups N Download N Upload N NFOTS215

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**

FK_ARPID_NBR	INTEGER	4	N	0	2
FK0ARPID_NBR	INTEGER	4	N	0	1
BEG_DT	DATE	4	N	0	3
The date the duplicate ARP's w ere unduplicated.					
END_DT	DATE	4	N	0	
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
DISC_ARP_RSN_CD	CHAR	2	Y	0	
The reason code docume nts why one ARP has been cross referenced to another ARP.					

Parents of **DISC_ARP_XREF**

N2150401 **Child** DISC_ARP_XREF **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK0ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N2150402 **Child** DISC_ARP_XREF **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **DISC_ARP_XREF**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

DSS_OFC

A specific location in which DSS client service delivery functions and/or support are performed.

Priority 0 Dups N Download Y Upload N NFOTS225

Column	Type	Length	Nulls	Scale	Kev
ID_NBR	CHAR	3	N	0	1
A number used for unique identificati on.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
NME	CHAR	48	Y	0	
The name of the DSS OFFICE.					
GEO_ACD	CHAR	2	Y	0	
A code that specifies which geograph ic area the DSS OFFICE is located in.					
TYP_CD	CHAR	2	Y	0	
A code that specifies the type of DSS OFFICE.					
LEGACY_OFC_NBR	CHAR	5	Y	0	
A number used to identify the DSS OFFICE to the legacy system.					
FK_DSS_OFCID_NBR	CHAR	3	Y	0	
FIPS_CD	SMALLINT	2	Y	0	
FIPS code assigned to the DSS OFFICE .					

Parents of **DSS_OFC**

Children of **DSS_OFC**

N0802251	**Parent**	DSS_OFC	**Child**	ASP						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_DSS_OFCID_NBR		CHARACTER	3	0		N	
N2262251	**Parent**	DSS_OFC	**Child**	DSS_OFC_FNC						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_DSS_OFCID_NBR		CHARACTER	3	0		N	
N2272251	**Parent**	DSS_OFC	**Child**	DSS_OFC_ADDRSE						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_DSS_OFCID_NBR		CHARACTER	3	0		N	
N2302251	**Parent**	DSS_OFC	**Child**	DSS_OFC_POSTN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_DSS_OFCID_NBR		CHARACTER	3	0		N	
N3752251	**Parent**	DSS_OFC	**Child**	FS_ISSU						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_DSS_OFCID_NBR		CHARACTER	3	0		N	
N5152251	**Parent**	DSS_OFC	**Child**	MST_CASE						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_DSS_OFCID_NBR		CHARACTER	3	0		N	
N5952251	**Parent**	DSS_OFC	**Child**	PGM_CASE						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_DSS_OFCID_NBR		CHARACTER	3	0		N	
N6352251	**Parent**	DSS_OFC	**Child**	PHN_NBR						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_DSS_OFCID_NBR		CHARACTER	3	0		N	
N7422251	**Parent**	DSS_OFC	**Child**	SVC_REQ						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_DSS_OFCID_NBR		CHARACTER	3	0		N	

DSS_OFC_ADDRSE

Associated DSS OFFICE to an ADRESS, Each DSS OFFICE can have a mailing address or a physical address.

Priority 2 Dups N Download Y Upload N NFOTS227

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	3
A number used for unique ident ification.					
TYP_CD	CHAR	2	N	0	
A code that specifies the type of the related ADDRESS.Values: MA - Mailing Address PA - Physical Address					
BEG_DT	DATE	4	N	0	
The date on which the DSS OFFI CES involvement with an ADDRESS begins.					
END_DT	DATE	4	N	0	
The date on which the DSS OFFI CES involvement with an ADDRESS ends.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
FK_ADDRID_NBR	INTEGER	4	N	0	2
FK_DSS_OFCID_NBR	CHAR	3	N	0	1

Parents of **DSS_OFC_ADDRSE**

N2270051	**Child**	DSS_OFC_ADDRSE	**Parent**	ADDR						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ADDRID_NBR	ID_NBR		INTEGER	4	0		N	A
N2272251	**Child**	DSS_OFC_ADDRSE	**Parent**	DSS_OFC						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_DSS_OFCID_NBR	ID_NBR		CHARACTER	3	0		N	A

Children of **DSS_OFC_ADDRSE**

Parent COLNAME	Child TYPE	LEN	SC	D	N

DSS_OFC_FNC

Provides a way to categorize DSS OFFICES th at perform similar business functions.

Priority 1 Dups N Download N Upload N NFOTS226

Column	Type	Length	Nulls	Scale	Key
TYP CD	CHAR	2	N	0	2
A code that specifies the type of DSS OFFICE FUNCTION.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK DSS OFCID NBR	CHAR	3	N	0	1

Parents of **DSS_OFC_FNC**

N2262251	**Child**	DSS_OFC_FNC	**Parent**	DSS_OFC					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_DSS_OFCID_NBR		ID_NBR	CHARACTER	3	0		N A

Children of **DSS_OFC_FNC**

Parent COLNAME	Child TYPE	LEN	SC	D	N

DSS_OFC_POSTN

Entity identifying the unique DSS POSITIO N ("slot" defined within the Department) within a specific DSS OFFICE.

Priority 1 Dups N Download Y Upload N NFOTS230

Column	Type	Length	Nulls	Scale	Key
FK DSS OFCID NBR	CHAR	3	N	0	1
ID NBR	INTEGER	4	N	0	2
********** **********THIS ATTRIBUTE NEEDED FOR REPORT(S): FNS-259.********** **********The unique identification of the DSS POSITION as define d by the N-FOCUS system.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
POSTN NBR	INTEGER	4	Y	0	
A numeric value assigned to a DSS_OFFICE_POSITION.					
FTE	DECIMAL	3	Y	2	
A number that signifies a DSS_OFFI CE_POSITION full time equivalency weighting. Values for this attribute will be b etween 0.10 and 1.00 inclusively.					
CLS CD	CHAR	5	Y	0	
The classification code for thi s DSS_OFFICE_POSITION as defined by human resources. The values for this attribu te will be taken from codes category 1234.					
STAT CD	CHAR	2	Y	0	
Describes the current status o f the DSS_OFFICE_POSITION. Permitted values are ActiveInactive.					
FK DSS OFC POSTFK	CHAR	3	Y	0	
FK DSS OFC POSTID	INTEGER	4	Y	0	

Parents of **DSS_OFC_POSTN**

N2302251	**Child**	DSS_OFC_POSTN	**Parent**	DSS_OFC						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_DSS_OFCID_NBR	ID_NBR		CHARACTER	3	0		N	A

Children of **DSS_OFC_POSTN**

N1002301	**Parent**	DSS_OFC_POSTN	**Child**	SFTY_ASSMNT_ASGN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N1192301	**Parent**	DSS_OFC_POSTN	**Child**	COM_BANK_ACCT_ASGN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N1282301	**Parent**	DSS_OFC_POSTN	**Child**	ELEC_APP_PSTN_ASGN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N2352301	**Parent**	DSS_OFC_POSTN	**Child**	DSS_OFC_POSTN_STF					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N3752301	**Parent**	DSS_OFC_POSTN	**Child**	FS_ISSU					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK0		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID0		INTEGER		4	0	N
N3752302	**Parent**	DSS_OFC_POSTN	**Child**	FS_ISSU					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N3852301	**Parent**	DSS_OFC_POSTN	**Child**	GOA_TSK					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N5662301	**Parent**	DSS_OFC_POSTN	**Child**	COMPLAINT_ASGN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N6002301	**Parent**	DSS_OFC_POSTN	**Child**	PGM_CASE_ASGN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N6452301	**Parent**	DSS_OFC_POSTN	**Child**	POSTN_ALRT_DSP					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N6972301	**Parent**	DSS_OFC_POSTN	**Child**	SA_POSTN_ALRT_DSP					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N7302301	**Parent**	DSS_OFC_POSTN	**Child**	SVC_APRV_ASGN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N7902301	**Parent**	DSS_OFC_POSTN	**Child**	CUST_AGNCY_CNTCT					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N8222301	**Parent**	DSS_OFC_POSTN	**Child**	INTAKE_ASGN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N
N8332301	**Parent**	DSS_OFC_POSTN	**Child**	ORG_ASGN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_DSS_OFC	ID_NBR	FK_DSS_OFC_POSTFK		CHARACTER		3	0	N
	ID_NBR		FK_DSS_OFC_POSTID		INTEGER		4	0	N

N8732301 **Parent** DSS_OFC_POSTN **Child** GENR_POSTN_ALRT_DS

COLNAME		TYPE	LEN	SC	D	N
FK_DSS_OFCID_NBR	FK_DSS_OFC_POSTFK	CHARACTER	3	0		N
ID_NBR	FK_DSS_OFC_POSTID	INTEGER	4	0		N

DSS_OFC_POSTN_STF

An associative entity identifying the assignment of a specific AGENCY STAFF PERSON to a DSS OFFICE POSITION.

Priority 2 Dups N Download Y Upload N NFOTS235

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	4

********** **********This attribute is used in Interface HCFA, CSE, MMIS.********** **********The unique identification of the DSS OFFICE POSIT ION ARP as defined by the N-FOCUS system.

BEG DT	DATE	4	N	0	

The date that the AGENCY RE LATED PERSON is assigned to the DSS OFFICE POSITION.

END DT	DATE	4	N	0	

The date that the AGENCY RE LATED PERSON is no longer assigned to the DSS OFFICE POSITION.

UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK DSS OFC POSTFK	CHAR	3	N	0	1
FK DSS OFC POSTID	INTEGER	4	N	0	2
FK ASPLOGON ID	CHAR	8	N	0	3

Parents of **DSS_OFC_POSTN_STF**

N2350801 **Child** DSS_OFC_POSTN_STF **Parent** ASP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ASPLOGON_ID	LOGON_ID	CHARACTER	8	0		N	A

N2352301 **Child** DSS_OFC_POSTN_STF **Parent** DSS_OFC_POSTN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR	CHARACTER	3	0		N	A
FK_DSS_OFC_POSTID	ID_NBR	INTEGER	4	0		N	A

Children of **DSS_OFC_POSTN_STF**

N8852351 **Parent** DSS_OFC_POSTN_STF **Child** CS_REF

COLNAME		TYPE	LEN	SC	D	N
FK_DSS_OFC_POSTFK	FK_DSS_OFC_POSTFK	CHARACTER	3	0		N
FK_DSS_OFC_POSTID	FK0DSS_OFC_POSTFK	INTEGER	4	0		N
FK_ASPLOGON_ID	FK1DSS_OFC_POSTFK	CHARACTER	8	0		N
ID_NBR	FK_DSS_OFC_POSTID	INTEGER	4	0		N

EBT_ACCOUNT

Priority 50 Dups N Download N Upload N NFOTS596

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1

A random number assigned by the s ystem for unique identification of theEBT account.

UPD TS	TIMESTMP	10	N	0	

The timestamp that the EBTaccount record was inserted or last updated.

UPD USRID	CHAR	8	N	0	

The identification of the user or module that inserted or last updated the EBT account record.

Parents of **EBT_ACCOUNT**

Children of **EBT_ACCOUNT**

N5955961	**Parent**	EBT_ACCOUNT	**Child**	PGM_CASE					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_EBT_ACCOUNTID_N		INTEGER	4	0		N
N5985961	**Parent**	EBT_ACCOUNT	**Child**	CARD_HOLDER					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_EBT_ACCOUNTID_N		INTEGER	4	0		N

ED

A statement/determination of eligibility for service s or benefits for a PROGRAM CASE for a defined period of time.

Priority 2 Dups N Download Y Upload Y NFOTS240

Column	Type	Length	Nulls	Scale	Key
FK_PGM_CASEPGM_CD	CHAR	2	N	0	1
FK_PGM_CASEID_NBR	INTEGER	4	N	0	2
ID_NBR	INTEGER	4	N	0	3
TYP_CD	CHAR	2	N	0	
BEG_DT	DATE	4	N	0	
ND_AMT	DECIMAL	8	Y	2	

The need amount determined for aneligibili ty period as determined by program policy.********** *****This attribute is used by report(s) ACF-3637.

PRO_ND_AMT	DECIMAL	8	Y	2	

A program may require proration of ini tial benefits. The ELIGIBILITY DETERMINATION.Need Amount is compared to the Pro ration Method based on program policy.

AUTH_AMT	DECIMAL	8	Y	2	

The total dollar amount authorized for p ayment. The actual payment amount can be reduced by recoupments or pverpayments outstanding.**********This attribute is used b y report(s) SF-269B, SF-269A, FNS-250.

UNT_SIZ_NBR	SMALLINT	2	Y	0	

The total number of AGENCY RELATED PE RSON's involved in the ELIGIBILITY DETERMINATION based on program policy.

RSRC_LMT_AMT	DECIMAL	8	Y	2	

The total amount of resources allowe d by program to be resource eligible.

RSRC_AMT	DECIMAL	8	Y	2	

The total dollar amount of countable res ource value that a PROGRAM CASE may have and still be resource eligible.

NET_INC_AMT	DECIMAL	8	Y	2	

The total amount of INCOME after all allowable disregards have been deducted.

NET_EI_AMT	DECIMAL	8	Y	2	

********** *******This attribute is used on report(s) ORR-6.********** **********The total amount of earned INCOME after the deduction of any allow able disregards.

GR_EI_AMT	DECIMAL	8	Y	2	
PROFIT_SLF_EMP_AMT	DECIMAL	8	Y	2	

The adjusted gross self-employ ment income that results in a positive figure. Self-employment income minus exp enses.

FTX RET IAMT DECIMAL 8 Y 2
The adjusted gross amount of self-em ployment INCOME calculated from the Federal Tax Return before any disregard is applied.
EI DED AMT DECIMAL 8 Y 2
The disregard applied to an Eligibilit y Budget. The amount of the disregard is set by Program Standards.
GR UNERN INC AMT DECIMAL 8 Y 2
********** **********This attribute is used on report(s) ACF-700.********** **********The total amount of unearned INCOME before any disregard i s applied.
DINC AMT DECIMAL 8 Y 2
The amount of income which has been dete rmined to be available income to the participant in the PROGRAM CASE from the fi nancially responsible persons.
PA GRNT AMT DECIMAL 8 Y 2
The total amount of Public Assistance grants that are to be counted as INCOME.
OFFSET AMT DECIMAL 8 N 2
The amount of an underpayment that wil l not be paid to a client, rather applied to an existing Accounts Receivable.
RECOUP AMT DECIMAL 8 Y 2
The amount to be taken out of a clirnt 's benefits to apply to an Accounts Receivable.
CS RECOUP AMT DECIMAL 8 Y 2
The amount to be recouped for an ex ternal Child Support overpayment.
STAT CD CHAR 2 N 0

STAT DT DATE 4 N 0
********** ***This attribute is used on report(s) ORR-6, FNS-209.********** **********The date the Status Code is effective.
END DT DATE 4 N 0

UPD USRID CHAR 8 N 0

UPD TS TIMESTMP 10 N 0
********** ***This attribute is used on report(s) ACF-231.********** **********
NET UNERN INC AMT DECIMAL 8 Y 2
The total amount of unearned in come after the deduction of any allowable disregards.
LOSS SLF EMP AMT DECIMAL 8 Y 2
The adjusted gross self-employme nt income that results in a negative figure. Self-employment income minus expen ses.
USER LOGON ID CHAR 8 Y 0
Logon id of the worker who authoriz ed the budget
TOT OP IND CHAR 1 Y 0
Indicates a total overpayment budget. The need/allotment amounts are set to $0. A total overpayment budget is used t o record an overpayment for an ineligible program.
A78 IND CHAR 1 Y 0
Indicates if the budget was created after the A78 release.
ASGN WRKR NME CHAR 52 Y 0
Captures the full name of the perso n who was assigned to the program when the budget was created
PRORT DT DATE 4 Y 0
Used to store the date used to prorate t he budget.
UNDRPMT RSN CD CHAR 2 Y 0
This is the reason for the underpa yment. Currently used by FSP for offset detail.
CLSF CD CHAR 2 Y 0
This attribute will be used to store the classification code of the budget as determined by Budget Authorization, AABD, A DC, CWIS, FSP or Med Budgeting. This code is from the 1868 code category.

ELIG CD	CHAR	2	Y	0

This code will store whether the budget i s a pass or fail budget. The code values are from the 1078 code category.

Parents of **ED**

N2405951 **Child** ED **Parent** PGM_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PGM_CASEPGM_CD	PGM_CD	CHARACTER	2	0		N	A
FK_PGM_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED**

N2422401	**Parent**	ED	**Child**	ED_REL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2422402	**Parent**	ED	**Child**	ED_REL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK0EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK0EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK0EDID_NBR		INTEGER		4	0	N
N2452401	**Parent**	ED	**Child**	ED_AABD					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEP		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEI		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2522401	**Parent**	ED	**Child**	ED_ARP_ELIG_SUMM					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEP		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEI		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2532401	**Parent**	ED	**Child**	ED_DTL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEP		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEI		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2552401	**Parent**	ED	**Child**	ED_ADC_RRP					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEP		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEI		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2602401	**Parent**	ED	**Child**	ED_ARP_EXPN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2652401	**Parent**	ED	**Child**	ED_INC_ACTIVITY					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2752401	**Parent**	ED	**Child**	ED_RSRC					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2802401	**Parent**	ED	**Child**	ED_NON_FINANCIAL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2812401	**Parent**	ED	**Child**	ED_ARP_ELIG_DTL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2822401	**Parent**	ED	**Child**	ED_PGM_ELIG_DTL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N

N2842401	**Parent**	ED	**Child**	ED_OVERRD_DTL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2862401	**Parent**	ED	**Child**	ED_SHL_EXPN_DTL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2872401	**Parent**	ED	**Child**	ED_SANCTION_DTL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2902401	**Parent**	ED	**Child**	ED_AR_INVLV					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEP		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEI		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2912401	**Parent**	ED	**Child**	ED_FINANCIAL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2932401	**Parent**	ED	**Child**	ED_TOTAL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N2952401	**Parent**	ED	**Child**	ED_CC					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEP		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEI		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N3202401	**Parent**	ED	**Child**	ED_EXPND					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEP		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEI		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N3252401	**Parent**	ED	**Child**	ED_FSP					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEP		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEI		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N3262401	**Parent**	ED	**Child**	ED_OTH_GRANT_AMT					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEPG		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEID		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N3272401	**Parent**	ED	**Child**	ED_MED					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEP		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEI		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N
N3302401	**Parent**	ED	**Child**	ED_OP					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_EDFK_PGM_CASEP		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_EDFK_PGM_CASEI		INTEGER		4	0	N
	ID_NBR		FK_EDID_NBR		INTEGER		4	0	N

N8762401	**Parent**	ED	**Child**	ED_CFS					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASE	PGM_CD	FK_EDFK_PGM_CASEP		CHARACTER	2	0		N
	FK_PGM_CASE	ID_NBR	FK_EDFK_PGM_CASEI		INTEGER	4	0		N
	ID_NBR		FK_EDID_NBR		INTEGER	4	0		N
N8772401	**Parent**	ED	**Child**	CFS_ASSET_TEST					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASE	PGM_CD	FK_EDFK_PGM_CASEP		CHARACTER	2	0		N
	FK_PGM_CASE	ID_NBR	FK_EDFK_PGM_CASEI		INTEGER	4	0		N
	ID_NBR		FK_EDID_NBR		INTEGER	4	0		N

ED_AABD

A statement/determination of eligibility for be nefits for an AABD PROGRAM CASE for a defined period of time.

Priority 3 Dups N Download Y Upload Y NFOTS245

Column	Type	Length	Nulls	Scale	Key
FK EDFK PGM CASEP	CHAR	2	N	0	1
FK EDFK PGM CASEI	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3
CTBL RSRC AMT	DECIMAL	8	Y	2	

The sum of all the ELIGIBILITY DETERMINATION ASSET INVOLVEMENT.Countable Resource Amount.

RSRC DEEM RDTN AM	DECIMAL	8	Y	2	

The amount by which a PRO GRAM CASEs ELIGIBILITY DETERMINATION.Countable Resource Amount can be reduced be cause of a Program's policy allowed reduction. This amount cannot exceed the t otal amount of the sponsor's deemed resource total value.

FRSP GR INC AMT	DECIMAL	8	Y	2	

The total amount of gross in come for all financially responsible persons in the PROGRAM CASE.

FRSP FTX RET IAMT	DECIMAL	8	Y	2	

The adjusted gross amount of the self-employment income caclulated from the Federal Tax Return for all fin ancially responsible persons in the PROGRAM CASE.

INELIG SIB ALO AMT	DECIMAL	8	Y	2	

The amount of the financi ally responsible parents INCOME which will be allocated to all ineligible siblin gs in the PROGRAM CASE.

FRSP ALO AMT	DECIMAL	8	Y	2	

The amount of the financially r esponsible parents INCOME which will be allocated for their needs.

GI DISRD AMT	DECIMAL	8	Y	2	

The amount of general income di sregard which is first applied to the total unearned income in the budget.

NET UNERN IAMT	DECIMAL	8	Y	2	

The total amount of unearned income for the participant, financially responsible spouse and essential person after the application of the general income disregard.

GI DISRD RMDR AMT	DECIMAL	8	Y	2	

The remainder of the gener al disregard which was not applied to the unearned income.

SHL CAMT	DECIMAL	8	Y	2	

The amount of shelter which will be used when calculating the budget. This will be the actual amount of the EXPENS E not to exceed the allowable maximum according to program regulation.

SPCL RQMTS AMT	DECIMAL	8	Y	2	

The total amount of special r equirements for the participant, financially responsible spouse, and essential p erson to be included in the budget.

STD OF ND AMT	DECIMAL	8	Y	2	

TOT RQMTS AMT	DECIMAL	8	Y	2

The total requirements is the sum of the shelter cost, special requirements, and standard of need.

BDGTRY ND AMT	DECIMAL	8	Y	2

The amount of the need determi ned by subtracting the total net earned and unearned income from the total requi rements.

ALO IN AMT	DECIMAL	8	Y	2

The amount that total net earned and unearned INCOME exceeds the total requirements. This amount is only calcula ted and used if there is an associated ADC or RRP PROGRAM CASE.

TOT SSI FEDBENRTE	DECIMAL	7	N	2

The total of the SSI Feder al Benefit Rate calculated when the AABD eligibility Determination is run. This will be the total of all PROGRAM_CASE_PERSON_INVOLVEMENT.SSI_FEDERAL_BENEFIT_RA TE associated to the AABD Program Case.

UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
ALO OUT AMT	DECIMAL	8	Y	2
CS AMT	DECIMAL	8	Y	2

A case total of child support derived from totalling all ELIGIBILITY DETERMINATION ARP INCOME INVOLEMENT

CS DISRD AMT	DECIMAL	8	Y	2

The calculated amount of child support disregarded. Child support income received by an AABD child is disregar ded by one-third.

PH HIGH AMT	DECIMAL	8	Y	2
ALO OUT ED CNT NBI	SMALLINT	2	Y	0

Stores the number of EDs to which income has been allocated.

ALO OUT PER ED AM	DECIMAL	9	Y	2

Stores the amount allocat ed out as divided by the count of the EDs allocated out to.

Parents of **ED_AABD**

N2452401 **Child** ED_AABD **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEP	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEI	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_AABD**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

ED_ADC_RRP

A statement/determination of eligibility for benefits for an ADC or RRP PROGRAM CASE for a defined period of time.

Priority 3 Dups N Download Y Upload Y NFOTS255

Column	Type	Length	Nulls	Scale	Key
FK EDFK PGM CASEP	CHAR	2	N	0	1
FK EDFK PGM CASEI	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3
ALO IN AMT	DECIMAL	8	Y	2	

If ELIGIBILITY.Need Amount for an ADC or RRP PROGRAM CASE is a negative amount, this amount is stored as the A llocation Amount to possibly use in a related categorical case.

GIT EI AMT	DECIMAL	8	Y	2

The monthly case total of earn ed income amounts derived from totalling all the earned income classifications f rom ELIGIBILITY DETERMINATION ARP TOTAL INCOME.Adjusted Income Amounts. This am ount is used for the Gross Income Test.

GIT GR UNERN IAMT	DECIMAL	8	Y	2

The monthly case total unearned income amount derived from adding together all unearned classification s except the Income Type of Child Support from ELIGIBILITY DETERMINATION ARP INC OME INVOLVEMENT.Monthly Gross Amount or Adjusted Income Amount.

GIT ADJ GR IAMT	DECIMAL	8	Y	2

The monthly case total ad justed gross income amount derived from adding GIT Self Employment Income Amount , GIT Earned Income Amount, GIT Unearned Income Amount, Deemed Income Amount, an d GIT Child Support Amount minus Child Support Disregard Amount.

GIT CS AMT	DECIMAL	8	Y	2

The monthly case total of chil d support derived from adding ELIGIBILITY DETERMINATION ARP INCOME INVOLVEMENT.M onthly Gross Amount with a INCOME.Type Code of child support. This figure could be the court ordered child support amount.

CS AMT	DECIMAL	8	Y	2

A case total of child support deri ved from totalling all ELIGIBILITY DETERMINATION ARP INCOME INVOLVEMENT.Monthly Gross Amount of the INCOME.Type Code of Child Support.

CS DISRD AMT	DECIMAL	8	Y	2

An amount of $50.00 is subtr acted from GIT Child Support Amount or Child Support Amount.

DEP CARE DISRD AMT	DECIMAL	8	Y	2
LUMP SUM RMDR AM	DECIMAL	8	Y	2
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
WRK ALW DED AMT	DECIMAL	8	Y	2

The case total amount of the work allowance deduction amount.

S30 PLUS DISRD AMT	DECIMAL	8	Y	2

The case total for the $30 plus 1/3 disregard amount.

S30 DISRD AMT	DECIMAL	8	Y	2

The case total for the $30 disregard amount.

GIT NET UNERN IAMT	DECIMAL	8	Y	2

The total net unearned income amount for the gross income test.

GIT ADJ EI AMT	DECIMAL	8	Y	2

The total adjusted earned income amount for the gross income test.

LUMP SUM BEG DT	DATE	4	Y	0

The date the lump sum per iod began.

MONTHS0	SMALLINT	2	Y	0

The number of months that the pro gram case is ineligible due to the lump sum.

LUMP SUM RMDR TY	CHAR	1	Y	0
ALO OUT AMT	DECIMAL	8	Y	2
SON AMT	DECIMAL	8	Y	2

Stores the ADC Standard of Need.

SON NET EI AMT	DECIMAL	8	Y	2

Stores the difference betw een SON and Net Earned Income.

PMT STD AMT	DECIMAL	8	Y	2

Stores the ADC payment standa rd.

ALLOW PMT AMT	DECIMAL	8	Y	2

Stores the minimum of the p ayment standard, the SON_NET_EI_AMT.

ALO OUT ED CNT NB	SMALLINT	2	Y	0

Stores the number of E Ds to which income has been allocated.

ALO OUT PER ED AM	DECIMAL	9 Y	2

Stores the amount allo cated out as divided by the count of the EDs allocated out to.

TRN GRNT BEG DT	DATE	4 Y	0

Transitional Grant Assist ance begin date the first date of the transitional period of which this budget is a part.

INC LEV AMT	DECIMAL	9 Y	2

Used for Transitional grant b udgets only, this attribute will hold 185% of Federal Poverty level for the unit size.

Parents of **ED_ADC_RRP**

N2552401 **Child** ED_ADC_RRP **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEP	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEI	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_ADC_RRP**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_AR_INVLV

A true associative entity to resolve many-t o-many relationship between ELIGIBILITY_DETERMINATION and ACCOUNTS_RECEIVABLE.

Priority 3 Dups N Download Y Upload Y NFOTS290

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	5
Unique identifier.					
FK ARID NBR	INTEGER	4	N	0	4
FK EDFK PGM CASEP	CHAR	2	N	0	1
FK EDFK PGM CASEI	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **ED_AR_INVLV**

N2900351 **Child** ED_AR_INVLV **Parent** AR

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARID_NBR	ID_NBR	INTEGER	4	0		N	A

N2902401 **Child** ED_AR_INVLV **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEP	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEI	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_AR_INVLV**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_ARP_ELIG_DTL

Documents the status of ARP related eli gibilty requirements for a program case for a budget.

Priority 20 Dups N Download Y Upload Y NFOTS281

Column	Type	Length	Nulls	Scale	Key

FK_ARPID_NBR	INTEGER	4	N	0	1
FK_EDFK_PGM_CASEPG	CHAR	2	N	0	2
FK_EDFK_PGM_CASEID	INTEGER	4	N	0	3
FK_EDID_NBR	INTEGER	4	N	0	4
ID_NBR	INTEGER	4	N	0	5
A number used for unique iden tification.					
STAT_CD	CHAR	2	N	0	
Can be 'pass'?, 'fail', or 'exempt'.					
TYP_CD	CHAR	2	N	0	
The type of eligibility failu re.					
RSN_CD	CHAR	2	Y	0	
Reason Code. From CT1177.					
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	

Parents of **ED_ARP_ELIG_DTL**

N2810401 **Child** ED_ARP_ELIG_DTL **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N2812401 **Child** ED_ARP_ELIG_DTL **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_ARP_ELIG_DTL**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_ARP_ELIG_SUMM

A determination of eligibility for ben efits for the ARP. This is a point-in-time summary of other data.

Priority 3 Dups N Download N Upload N NFOTS252

Column	Type	Length	Nulls	Scale	Key
EMP_HR	SMALLINT	2	Y	0	
The number of hours the ARP works.					
GR_ERND_AMT	DECIMAL	8	Y	2	
The amount of the gross income for the ARP.					
ADJ_NET_ERND_AMT	DECIMAL	8	Y	2	
The amount of the adjusted net earned income for the ARP.					
NET_ERND_AMT	DECIMAL	8	Y	2	
The amount of the net earned for the ARP.					
SRC_NME	CHAR	98	Y	0	
The name of the source for the income or asset.					
ERND_UNERND_EXP_T	CHAR	1	Y	0	
DISRD_AMT	DECIMAL	8	Y	2	
The amount allowed for th e disregard.					
FREQ_CD	CHAR	2	Y	0	
The frequecy of payment/rec eipt of income or expenses.					
PROFIT_CALC_AMT	DECIMAL	8	Y	2	
An positive amount that the system has determined for use in the eligibility.					

ADLT CHLD CD	CHAR	2	Y	0	
MO CNT	SMALLINT	2	Y	0	
A count to keep track of how many months a disregard has been allowed.					
ELDERLY IND	CHAR	1	N	0	
An indicator to tell wh ether a person is or is not elderly by program guidelines.Valid values:YesNoDoes not apply					
ID NBR	INTEGER	4	N	0	5
PCPI STAT CD	CHAR	2	Y	0	
PCPI RLE CD	CHAR	2	Y	0	
CLSF CD	CHAR	2	N	0	
A code specifying how the d ata is being classified such as unearned income, self-employment, work allowance disregard.					
TYP CD	CHAR	2	N	0	
The type of classification c ode.					
BEG DT	DATE	4	Y	0	
The begin date for disregard .					
END DT	DATE	4	Y	0	
The end date for disregard.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK ARPID NBR	INTEGER	4	N	0	4
FK EDFK PGM CASEP	CHAR	2	N	0	1
FK EDFK PGM CASEI	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3
FK ED ARP ELIG FK	INTEGER	4	Y	0	
FK ED ARP ELIG FK0	INTEGER	4	Y	0	
FK ED ARP ELIG FK1	CHAR	2	Y	0	
FK ED ARP ELIG FK2	INTEGER	4	Y	0	
FK ED ARP ELIG ID	INTEGER	4	Y	0	
LOSS CALC AMT	DECIMAL	8	Y	2	
An income that has ex penses deducted may result in a negative amount such as self-employment income.					
EXPN CAT CD	CHAR	2	N	0	
The classification of w hether an expense is housing, utilities, medical, etc.					
DISAB IND	CHAR	1	N	0	
A person is identified as being disabled according to program regulations.Valid Values: Yes, No, Unknown					
VERF IND	CHAR	1	N	0	
An indicator that specifie s whether the data used in the budget has been verified.Vslid values: Yes, No, D oes Not Apply					
FIN RESP RSN CD	CHAR	2	Y	0	
A code specifying t he reason a person was determined Financially Responsible.					

OCCU CD	CHAR	2	Y	0
A code specifying thet type of occupation or work related to a person's employment.				
DEEMED INC IND	CHAR	1	N	0
This indicator is us ed to mark any income used in deeming the income of parents to children.				
BD	DATE	4	Y	0
The birthdate of the AGENCY_RELA TED_PERSON.				
PCPI CAT CD	CHAR	2	Y	0
The category code of th e participant.				
GI DISRD AMT	DECIMAL	8	Y	2
CS DISRD AMT	DECIMAL	8	Y	2
GR UNERN INC AMT	DECIMAL	8	Y	2
Unearned Income us ed in calculating Deemed income for financially responsible parents.				
WRK ALW DED AMT	DECIMAL	8	Y	2
DEEMED EXP AMT	DECIMAL	8	Y	2
Sum of tax dependent contribution deduction, child support deduction and spousal support deduction.				
DEEMED UNT SIZ	SMALLINT	2	Y	0
The size of the deem ing unit is used to calculate Standard of Need.				
SCHL ATTND PART CD	CHAR	2	Y	0
Indicates if the student is attending school full time or part time.				
SANCTIONED CD	CHAR	2	Y	0
Indicates if the AGEN CY_RELATED_PERSON has been sanctioned for JOBS, etc.				
AGE	SMALLINT	2	Y	0
ACT CC EXP AMT	DECIMAL	8	Y	2
MAX CC AMT	DECIMAL	8	Y	2
The maximum Child Care a mount allowed by DSS.				
ALW CC AMT	DECIMAL	8	Y	2
Allowed amount is the mi nimum of ACTUAL_CHILD_CARE_EXPENSE_AMT and MAXIMUM_CHILD_CARE_AMOUNT.				
CTBL VAL	DECIMAL	8	Y	2
The value of a resource th at is counted towards a Program Case's resource total.				
PROPORTIONAL VAL	DECIMAL	8	Y	2
The value of a res ource that is counted towards a Program Case before any disregards have been app lied.				
FRSP GR AMT	DECIMAL	8	Y	2
ENCUM AMT	DECIMAL	8	Y	2
LA CD	CHAR	2	Y	0
S30 PLUS DISRD AMT	DECIMAL	8	Y	2
The case total f or the $30 plus 1/3 disregard amount.				
S30 DISRD AMT	DECIMAL	8	Y	2
The case total for th e $30 disregard amount.				
UNT SIZ	SMALLINT	2	Y	0
PRO DT	DATE	4	Y	0
PRO RTD DT	DATE	4	Y	0
The date was individual was prorated into the program case benefit amount.				
OVRD SYS RLE CD	CHAR	2	Y	0
This attribute is t he role code set by the system that was manually changed by the worker.				

OVRD SYS STAT CD CHAR 2 Y 0
This attribute is the status code set by the system that was manually changed by the worker.
OVRD SYS CAT CD CHAR 2 Y 0
This attribute is t he category (assistance) code set by the system that was manually changed by th e worker.
OVRD SYS FR RSN CD CHAR 2 Y 0
This attribute i s the financially responsible reason code set by the system that was manually ch anged by the worker.
OVRD WRKR ID CHAR 8 Y 0
This attribute is the worker identification of the worker who manually changed the system determined c ase configuration values.
OVRD WRKR RSN CD CHAR 2 Y 0
This attribute is the code of the reason why the worker manually changed the system determined cas e configuration values.

Parents of **ED_ARP_ELIG_SUMM**

N2520401 **Child** ED_ARP_ELIG_SUMM **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N2522401 **Child** ED_ARP_ELIG_SUMM **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEP	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEI	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_ARP_ELIG_SUMM**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_ARP_EXPN

Used to store the ARP_EXPN instances used f or the budget.

Priority 20 Dups N Download Y Upload Y NFOTS260

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
FK EDFK PGM CASEPC	CHAR	2	N	0	2
FK EDFK PGM CASEID	INTEGER	4	N	0	3
FK EDID NBR	INTEGER	4	N	0	4
ID NBR	INTEGER	4	N	0	5

A number used for unique identifi cation.

TYP CD CHAR 2 N 0
A code specifying the type of exp ense.
DSC CHAR 50 Y 0
A free text entry field used to desc ribe an expense.
CLOSE DT DATE 4 Y 0
Implies that the Expense is clo sed as of this date. It does not imply that the Expense was always active prior to this date.
CLSF CD CHAR 2 Y 0
A code specifiying how this expe nse type was used for this specific program case and budget. Set by Budgeting, this classification code is used by Benefit Summary for building displays. I.e . Shelter of Cost, Medical Disregards, Child Support, etc.
MO AMT DECIMAL 9 Y 2
Total expense amount for the bene fit month as determined by budgeting.

CALC_MTHD_TYP_CD	CHAR	2	Y	0
Stores the method that was used to determine the monthly amount.				
ED_ARP_EXPN_ID_NBR	INTEGER	4	N	0
This is the ARP_EXPEN SE.IDENTIFICATION_NUMBER that this instance was copied from. This is for produc tion support purposes. Since financial data collection data can be updated and d eleted, it is possible that this id number may no longer exist.				
UPD_TS	TIMESTMP	10	N	0
Update time stamp.				
UPD_USRID	CHAR	8	N	0
Update user id.				
GR_AMT	DECIMAL	9	Y	2
This attribute stores the total g ross amount for the expense, for the person prior to any averaging or conversion . This amount will be populated by Expert System budgeting modules when calcula ting expenses.				
NET_MO_AMT	DECIMAL	9	Y	2
This attribute stores the Gro ss Amount minus the Monthly Amount. This is the net monthly amount that is used to calculate expenses for a budget.				

Parents of **ED_ARP_EXPN**

N2600401 **Child** ED_ARP_EXPN **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N2602401 **Child** ED_ARP_EXPN **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_ARP_EXPN**

N2622601 **Parent** ED_ARP_EXPN **Child** ED_ARP_EXPN_AMT

COLNAME		TYPE	LEN	SC	D	N
FK_ARPID_NBR	FK_ED_ARP_EXPNFK_A	INTEGER	4	0		N
FK_EDFK_PGM_CASEPG	FK_ED_ARP_EXPNFK_E	CHARACTER	2	0		N
FK_EDFK_PGM_CASEID	FK0ED_ARP_EXPNFK_E	INTEGER	4	0		N
FK_EDID_NBR	FK1ED_ARP_EXPNFK_E	INTEGER	4	0		N
ID_NBR	FK_ED_ARP_EXPNID_N	INTEGER	4	0		N

ED_ARP_EXPN_AMT

Used to store the ARP_EXPENSE_AMOUNT in stances used for the budget.

Priority 25 Dups N Download Y Upload Y NFOTS262

Column	Type	Length	Nulls	Scale	Key
FK_ED_ARP_EXPNFK_A	INTEGER	4	N	0	1
FK_ED_ARP_EXPNFK_E	CHAR	2	N	0	2
FK0ED_ARP_EXPNFK_E	INTEGER	4	N	0	3
FK1ED_ARP_EXPNFK_E	INTEGER	4	N	0	4
FK_ED_ARP_EXPNID_N	INTEGER	4	N	0	5
BEG_DT	DATE	4	N	0	6
The date the service associat ed with an Expense Amount began.					
END_DT	DATE	4	Y	0	
The date the service associat ed with an Expense Amount ended.					
FREQ_CD	CHAR	2	N	0	
A code that shows how often the expense occurs, e.g. monthly or weekly.					

AMT	DECIMAL	9	Y	2

The actual amount of the expense payment for a particular expense.

CTBL AMT	DECIMAL	9	Y	2

The calculated amount of th e expense for the specific time period. For example, you have a $20 expense tha t occurs weekly from 8/14 - 8/23. Budgeting would calculate the countable amoun t as being $20 * 2 occurances = $40.

TRANSP MILES	INTEGER	4	Y	0

For a transportation ex pense, this is the number of miles driven. Miles reimbursement rate is code tab le driven.

MEAL DAYS NBR	INTEGER	4	Y	0

For "Meals to Obtain M edical Care" expense types, this is the number of days for which meals will be r eimbursed. Meals will be reimbursed on a per diem rate that is code table drive n.

VERF SRC CD	CHAR	2	Y	0

This will identify the s ource that was used to verify the AMOUNT.(I.e. receipts, tax return, etc.)

VERF DT	DATE	4	Y	0

This will provide the date t hat the AMOUNT was verified.

UPD TS	TIMESTMP	10	N	0

Update time stamp.

UPD USRID	CHAR	8	N	0

Update user id.

Parents of **ED_ARP_EXPN_AMT**

N2622601 **Child** ED_ARP_EXPN_AMT **Parent** ED_ARP_EXPN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_ARP_EXPNFK_A	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_ED_ARP_EXPNFK_E	FK_EDFK_PGM_CASEPG	CHARACTER	2	0		N	A
FK0ED_ARP_EXPNFK_E	FK_EDFK_PGM_CASEID	INTEGER	4	0		N	A
FK1ED_ARP_EXPNFK_E	FK_EDID_NBR	INTEGER	4	0		N	A
FK_ED_ARP_EXPNID_N	ID_NBR	INTEGER	4	0		N	A

Children of **ED_ARP_EXPN_AMT**

N2642621 **Parent** ED_ARP_EXPN_AMT **Child** ED_EXPN_EST_OCC_DT

COLNAME		TYPE	LEN	SC	D	N
FK_ED_ARP_EXPNFK_A	FK0ED_ARP_EXPN_FK	INTEGER	4	0		N
FK_ED_ARP_EXPNFK_E	FK_ED_ARP_EXPN_FK	CHARACTER	2	0		N
FK0ED_ARP_EXPNFK_E	FK_ED_ARP_EXPN_FK0	INTEGER	4	0		N
FK1ED_ARP_EXPNFK_E	FK_ED_ARP_EXPN_FK1	INTEGER	4	0		N
FK_ED_ARP_EXPNID_N	FK1ED_ARP_EXPN_FK	INTEGER	4	0		N
BEG_DT	FK_ED_ARP_EXPN_BEG	DATE	4	0		N

ED_CC

A statement/determination of eligibility for serv ices for a CC PROGRAM CASE for a defined period of time.

Priority 3 Dups N Download Y Upload Y NFOTS295

Column	Type	Length	Nulls	Scale	Key
FK EDFK PGM CASEP	CHAR	2	N	0	1
FK EDFK PGM CASEI	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3
CAT CD	CHAR	2	Y	0	

A code specifying the eligibility categ ory that the family qualified under. Valid Values:Low Income Family (LF)Low Inc ome Sliding Fee Schedule (LC)Without Regard to Income (WI)

UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0

FRST CHLD FEE AMT	DECIMAL	8	Y	2
ADD CHLD FEE AMT	DECIMAL	8	Y	2
FAM FEE AMT	DECIMAL	8	Y	2

Family Fee Amt is the toatl fee a case will pay for child care. This is a combination of first child fee amt plus number of addition children times Add Child Fee Amt.

NBR OF CHLD ELIG	SMALLINT	2	Y	0

THE NUMBER OF SLOTS IN THE FA CILITY THAT MAYBE AVAILABLE FOR PLACEMENT.

TRN CC BEG DT	DATE	4	Y	0
SVC ND RSN CD	CHAR	2	Y	0

Parents of **ED_CC**

N2952401 **Child** ED_CC **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEP	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEI	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_CC**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

ED_CFS

Used to store information about the eligibility determination of CFS cases. An ED_CFS is created for each program case in a mast er case.

Priority 3 Dups N Download Y Upload Y NFOTS876

Column	Type	Length	Nulls	Scale	Kev
FK EDID NBR	INTEGER	4	N	0	1
FK EDFK PGM CASEI	INTEGER	4	N	0	2
FK EDFK PGM CASEP	CHAR	2	N	0	3
WRK ALW DED AMT	DECIMAL	8	N	2	

Amount of a work allowance de duction that will be deducted from earned income in the CalcEdAmtsFU of the Budg etTestST on FW and IL cases.

EXPND AMT	DECIMAL	8	N	2

The total expense amount for the pr ogram case.

UPD TS	TIMESTMP	10	N	0
UPD USRID	CHAR	8	N	0
ADJ NEED AMT	DECIMAL	8	Y	2

This attribute will hold the chi ld's need amount after it has been adjusted for the maximum need amount and pro ration.

MAX ALLOWABLE AM	DECIMAL	9	Y	2

This attribute will store t he maximum allowable payment based on a code look-up of the 1313 code category. This amount will vary depending on various program case scenarios. This amount will be viewed on the main benefit summary window.

Parents of **ED_CFS**

N8762401	**Child**	ED_CFS	**Parent**	ED						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_EDFK_PGM_CASEP	FK_PGM_CASEPGM_CD		CHARACTER	2	0		N	A
		FK_EDFK_PGM_CASEI	FK_PGM_CASEID_NBR		INTEGER	4	0		N	A
		FK_EDID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **ED_CFS**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

ED_DTL

Priority 3 Dups N Download Y Upload Y NFOTS253

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	4
Randomly generated ID number.					
CLSF CD	CHAR	2	N	0	
This represents the kind of informati on being captured with this entity. It could be override information, comments r elating to the budget, etc.					
TYP CD	CHAR	2	Y	0	
This is a generic attribute that will vary based on the classification code. It could be used to capture the type code of whatever we are trying to store.					
BEG DT	DATE	4	Y	0	
This is a generic attribute that will vary based on the classification code. It could be used to capture the begin dat e of whatever we are trying to store.					
END DT	DATE	4	Y	0	
This is a generic attribute that will vary based on the classification code. It could be used to capture the end date of whatever we are trying to store.					
DT	DATE	4	Y	0	
This is a generic attribute that will vary based on the classification code. It could be used to capture the date of whate ver we are trying to store.					
SRC NME	CHAR	75	Y	0	
This is a generic attribute that will vary based on the classification code. It could be used to capture the source o f whatever we are trying to store.					
FREQ CD	CHAR	2	Y	0	
This is a generic attribute that will vary based on the classification code. It could be used to capture the frequenc y code of whatever we are trying to store.					
NBR	INTEGER	4	Y	0	
This is a generic attribute that will var y based on the classification code. It could be used to capture some number that relates to the information we are storing.					
IND	CHAR	1	Y	0	
This is a generic attribute that will var y based on the classification code. It could be used to capture some indicator t hat relates to the information we are storing.					
AMT	DECIMAL	8	Y	2	
This is a generic attribute that will var y based on the classification code. It could be used to capture some amount that relates to the information we are storing.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK EDFK PGM CASEP	CHAR	2	N	0	1
FK EDFK PGM CASEI	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3

STAT CD	CHAR	2	Y	0

Status code is a generic attribute th at will vary based on Classification code. It could be used to capture the statu s code of whatever we are trying store.

RSN CD	CHAR	2	Y	0

Reason code is a generic attribute tha t will vary based on Classification code. It could be used to capture the reason code of whatever we are trying store.

CAT CD	CHAR	2	Y	0

Category code is a generic attribute t hat will vary based on Classification code. It could be used to capture the cate gory code of whatever we are trying store.

GENERIC CD	CHAR	2	Y	0

Generic code is a generic attribut e that will vary based on Classification code. It could be used to capture the g eneric code of whatever we are trying store.

DSC	VARCHAR	254	Y	0

This is a generic attribute that will var y based on the classification code. It could be used to capture the description of whatever we are trying to store.

Parents of **ED_DTL**

N2532401 **Child** ED_DTL **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEP	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEI	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_DTL**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_EI_PMT_SCH

Used to store the EARNED_INCOME_PAYMENT_S CHEDULE instances used for the budget.

Priority 25 Dups N Download Y Upload Y NFOTS266

Column	Type	Length	Nulls	Scale	Key
FK ED INC ACTIVFK	INTEGER	4	N	0	1
FK0ED INC ACTIVFK	CHAR	2	N	0	2
FK1ED INC ACTIVFK	INTEGER	4	N	0	3
FK2ED INC ACTIVFK	INTEGER	4	N	0	4
FK ED INC ACTIVID	INTEGER	4	N	0	5
BEG DT	DATE	4	N	0	6

The date that the EARNED_INCOME _PAYMENT_SCHEDULE began or the associated Earned Income began.

END DT	DATE	4	N	0
PAY RTE FREQ CD	CHAR	2	Y	0

A code specifying the frequency of the pay rate. For example: Hourly, Daily.

PAY RCVD FREQ CD	CHAR	2	Y	0

A code specifying the frequency that pay or income is received. For example: Weekly, Monthly.

REG PAY RTE AMT	DECIMAL	9	Y	2

The amount that is ear ned per PAY_RATE_FREQUENCY_CODE for normal or regular time.

REG PAY HR	DECIMAL	5	Y	2

The number of regular hours that are normally worked during a week.

OVRTM PAY RTE AMT	DECIMAL	9	Y	2

The amount that is e arned per PAY_RATE_FREQUENCY_CODE for overtime.

OVRTM PAY HR	DECIMAL	5	Y	2

The number of overtime ho urs that are normally worked during the week.

SHIFT_PAY_RTE_AMT	DECIMAL	9	Y	2
The amount that is e arned per PAY_RATE_FREQUENCY_CODE for working shift time.				
SHIFT_PAY_HR	DECIMAL	5	Y	2
The number of shift hours that are normally worked during a week.				
EST_MO_AMT	DECIMAL	9	Y	2
EST_MO_AMT_RCVD_D	DATE	4	Y	0
This will represent the month (stored as yyyymmdd) that will be associated with the ESTIMATED_MONTL Y_AMOUNT.				
FINAL_MONTHLY_AMT	DECIMAL	9	Y	2
The final amount to be used for this earned income, reflecting either a partial month's pay due to the end of the income stream.				
FNL_MO_AMT_RCVD_D	DATE	4	Y	0
The final month in which the earned income payment was/will be received.				
TIPS_BNS_CMSN_AMT	DECIMAL	9	Y	2
The amount of Tips, Bonus and Commissions that were earned during the pay period.				
VERF_SRC_CD	CHAR	2	Y	0
This will identify the sou rce that was used to verify the EARNED_INCOME_PAYMENT_SCHEDULE.				
VERF_DT	DATE	4	Y	0
This will provide the date tha t the EARNED_INCOME_PAYMENT_SCHEDULE was verified.				
UPD_TS	TIMESTMP	10	N	0
Update time stamp.				
UPD_USRID	CHAR	8	N	0
Update user id.				
INCLUDE_IND	CHAR	1	Y	0
This attribute stores whet her the pay schedule in question was included or excluded from the budget.				
CONV_FACTOR	CHAR	2	Y	0
Stores the conversion fact or that is used to determine what amount would be on a weekly basis. This will be a code category look-up.				

Parents of **ED_EI_PMT_SCH**

N2662651 **Child** ED_EI_PMT_SCH **Parent** ED_INC_ACTIVITY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_INC_ACTIVFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK0ED_INC_ACTIVFK	FK_EDFK_PGM_CASEPG	CHARACTER	2	0		N	A
FK1ED_INC_ACTIVFK	FK_EDFK_PGM_CASEID	INTEGER	4	0		N	A
FK2ED_INC_ACTIVFK	FK_EDID_NBR	INTEGER	4	0		N	A
FK_ED_INC_ACTIVID	ID_NBR	INTEGER	4	0		N	A

Children of **ED_EI_PMT_SCH**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_EI_PMT_STUB

Used to store the EARNED_INCOME_PAYMENT_ STUB instances used for the budget.

Priority 25 Dups N Download Y Upload Y NFOTS267

Column	Type	Length	Nulls	Scale	Key
FK_ED_INC_ACTIVFK	INTEGER	4	N	0	1
FK0ED_INC_ACTIVFK	CHAR	2	N	0	2
FK1ED_INC_ACTIVFK	INTEGER	4	N	0	3
FK2ED_INC_ACTIVFK	INTEGER	4	N	0	4

FK_ED_INC_ACTIVID	INTEGER	4	N	0	5
AMT_RCVD_DT	DATE	4	N	0	6

This is the date a pay ch eck was received.

REG_PAY_AMT	DECIMAL	9	Y	2	

This represents the dolla r amount from the pay stub that applies to regular/normal pay.

REG_PAY_HR	DECIMAL	5	Y	2	

This represents the number of regular hours worked that are associated with this pay stub.

OVRTM_PAY_AMT	DECIMAL	9	Y	2	

This represents the dol lar amount from the pay stub that applies to overtime pay.

OVRTM_PAY_HR	DECIMAL	5	Y	2	

This represents the numb er of overtime hours worked that are associated with this pay stub.

SHIFT_PAY_AMT	DECIMAL	9	Y	2	

This represents the dol lar amount from the pay stub that applies to shift pay.

SHIFT_PAY_HR	DECIMAL	5	Y	2	

This represents the numb er of shift hours worked that are associated with this pay stub.

TIPS_BNS_AMT	DECIMAL	9	Y	2	

This represents the doll ar amount from the pay stub that applies to Tips and bonuses.

VERF_SRC_CD	CHAR	2	Y	0	

This will identify the so urce that was used to verify the EARNED_INCOME_PMT_STUB.

VERF_DT	DATE	4	Y	0	

This will provide the date th at the EARNED_INCOME_PMT_STUB was verified.

INCLUDE_CD	CHAR	2	N	0	

Used to indicate if the pa y stub is included or excluded from the budget calculation.

UPD_TS	TIMESTMP	10	N	0	

Update time stamp.

UPD_USRID	CHAR	8	N	0	

Update user id.

GROSS_AMT	DECIMAL	9	Y	2	

Stores the total of Regular , Overtime, Shift and Tips Bonus amounts for a single Pay Stub instance.

Parents of **ED_EI_PMT_STUB**

N2672651 **Child** ED_EI_PMT_STUB **Parent** ED_INC_ACTIVITY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_INC_ACTIVFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK0ED_INC_ACTIVFK	FK_EDFK_PGM_CASEPG	CHARACTER	2	0		N	A
FK1ED_INC_ACTIVFK	FK_EDFK_PGM_CASEID	INTEGER	4	0		N	A
FK2ED_INC_ACTIVFK	FK_EDID_NBR	INTEGER	4	0		N	A
FK_ED_INC_ACTIVID	ID_NBR	INTEGER	4	0		N	A

Children of **ED_EI_PMT_STUB**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_EXPN_EST_OCC_DT

Stores the date that budgeting estim ates the expense occured upon. Populated when the expense calculation method is actual and the frequency is less than monthly.

Priority 30 Dups N Download Y Upload Y NFOTS264

Column	Type	Length	Nulls	Scale	Key
FK0ED_ARP_EXPN_FK	INTEGER	4	N	0	1
FK_ED_ARP_EXPN_FK	CHAR	2	N	0	2
FK_ED_ARP_EXPN_FK0	INTEGER	4	N	0	3
FK_ED_ARP_EXPN_FK1	INTEGER	4	N	0	4

FK1ED_ARP_EXPN_FK	INTEGER	4	N	0	5
FK_ED_ARP_EXPN_BEG	DATE	4	N	0	6
DT	DATE	4	N	0	7
Date that budgeting estimates the expense occurred on.					
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	

Parents of **ED_EXPN_EST_OCC_DT**

N2642621 **Child** ED_EXPN_EST_OCC_DT **Parent** ED_ARP_EXPN_AMT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK0ED_ARP_EXPN_FK	FK_ED_ARP_EXPNFK_A	INTEGER	4	0		N	A
FK_ED_ARP_EXPN_FK	FK_ED_ARP_EXPNFK_E	CHARACTER	2	0		N	A
FK_ED_ARP_EXPN_FK0	FK0ED_ARP_EXPNFK_E	INTEGER	4	0		N	A
FK_ED_ARP_EXPN_FK1	FK1ED_ARP_EXPNFK_E	INTEGER	4	0		N	A
FK1ED_ARP_EXPN_FK	FK_ED_ARP_EXPNID_N	INTEGER	4	0		N	A
FK_ED_ARP_EXPN_BEG	BEG_DT	DATE	4	0		N	A

Children of **ED_EXPN_EST_OCC_DT**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_EXPND

An amount determined as potential payment, bef ore offsets or recoupments, for a specified ELIGIBILITY DETERMINATION period.

Priority 3 Dups N Download Y Upload N NFOTS320

Column	Type	Length	Nulls	Scale	Key
FK_EDFK_PGM_CASEP	CHAR	2	N	0	1
FK_EDFK_PGM_CASEI	INTEGER	4	N	0	2
FK_EDID_NBR	INTEGER	4	N	0	3
ID_NBR	INTEGER	4	N	0	4

********** *******This attribute will be used on report(s) ACF-231, ACF-108, FNS-250, FNS-2 59, FNS-388, FNS-46, FSA-3645, SF-269H, ACF-115.********** ***********A number used for unique identification.

TYP_CD	CHAR	2	N	0	

********** ********THIS ATTRIBUTE IS USED BY REPORT(S): ACF-231.********** **********A code specifying the type of ELIGIBILITY BUDGET EXPENDITURE.Va lid Values:MajorSupplementInitial

PMT_PRD_BEG_DT	DATE	4	N	0	

********** **********This attribute will be used on report(s) ACF-231, SF-269A.******* **********The begin date of the period of time of an E LIGIBILITY BUDGET which is included in a specific PAYMENT.

PMT_PRD_END_DT	DATE	4	N	0	

********** **********This attribute will be used on report(s) ACF-231, SF-269A.******* **********The end date of the period of time of an ELI GIBILITY BUDGET which is included in a specific PAYMENT.

AMT	DECIMAL	9	N	2	

********** ******This attribute is used on interfaces DAS.********** **********The dollar amount of the ELIGIBILITY BUDGET EXPENDITURE.

UPD_USRID	CHAR	8	N	0
FK_VOCHRNBR	INTEGER	4	Y	0
FK_PMTWRNT_NBR	INTEGER	4	Y	0
UPD_TS	TIMESTMP	10	N	0
FK_VOCHRCRET_DT	DATE	4	Y	0
FK_PMTISS_DT	DATE	4	Y	0
FUND_CD	CHAR	2	Y	0

A CODE SPECIFYING HOW BENEFITS ARE FUNDED

Parents of **ED_EXPND**

N3202401 **Child** ED_EXPND **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEP	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEI	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

N3206401 **Child** ED_EXPND **Parent** PMT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PMTWRNT_NBR	WRNT_NBR	INTEGER	4	0		N	A
FK_PMTISS_DT	ISS_DT	DATE	4	0		N	A

N3207551 **Child** ED_EXPND **Parent** VOCHR

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_VOCHRNBR	NBR	INTEGER	4	0		N	A
FK_VOCHRCRET_DT	CRET_DT	DATE	4	0		N	A

Children of **ED_EXPND**

N0753201 **Parent** ED_EXPND **Child** AR_TRN

COLNAME		TYPE	LEN	SC	D	N
FK_EDFK_PGM_CASEP	FK_ED_EXPNDFK_EDF0	CHARACTER	2	0		N
FK_EDFK_PGM_CASEI	FK_ED_EXPNDFK_EDFK	INTEGER	4	0		N
FK_EDID_NBR	FK_ED_EXPNDFK_EDID	INTEGER	4	0		N
ID_NBR	FK_ED_EXPNDID_NBR	INTEGER	4	0		N

N3753201 **Parent** ED_EXPND **Child** FS_ISSU

COLNAME		TYPE	LEN	SC	D	N
FK_EDFK_PGM_CASEP	FK_ED_EXPNDFK_EDF0	CHARACTER	2	0		N
FK_EDFK_PGM_CASEI	FK_ED_EXPNDFK_EDFK	INTEGER	4	0		N
FK_EDID_NBR	FK_ED_EXPNDFK_EDID	INTEGER	4	0		N
ID_NBR	FK_ED_EXPNDID_NBR	INTEGER	4	0		N

ED_FIN_ARP_INVLV

This table identifies the ARP's that the totals on ED_ARP_FINANCIAL belong to. Most of the time there will be one AR P. However, for Med Budgeting there may be one or more ARPs.

Priority 4 Dups N Download Y Upload Y NFOTS292

Column	Type	Length	Nulls	Scale	Key
FK_ED_FINANCIALFK	CHAR	2	N	0	1
FK0ED_FINANCIALFK	INTEGER	4	N	0	2
FK1ED_FINANCIALFK	INTEGER	4	N	0	3
FK_ED_FINANCIALID	INTEGER	4	N	0	4

FK ARPID NBR	INTEGER	4	N	0	5
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **ED_FIN_ARP_INVLV**

N2920401 **Child** ED_FIN_ARP_INVLV **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N2922911 **Child** ED_FIN_ARP_INVLV **Parent** ED_FINANCIAL

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_FINANCIALFK	FK_EDFK_PGM_CASEPG	CHARACTER	2	0		N	A
FK0ED_FINANCIALFK	FK_EDFK_PGM_CASEID	INTEGER	4	0		N	A
FK1ED_FINANCIALFK	FK_EDID_NBR	INTEGER	4	0		N	A
FK_ED_FINANCIALID	ID_NBR	INTEGER	4	0		N	A

Children of **ED_FIN_ARP_INVLV**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_FINANCIAL

This table stores individual totals for th e ARP and/or MED sub unit as determined by budgeting modules. These totals are identified by their classification codes.

Priority 3 Dups N Download Y Upload Y NFOTS291

Column	Type	Length	Nulls	Scale	Key
FK EDFK PGM CASEPC	CHAR	2	N	0	1
FK EDFK PGM CASEID	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3
ID NBR	INTEGER	4	N	0	4

UNIQUE IDENTIFIER FOR ED_FINANCI AL.

CLSF CD	CHAR	2	N	0

This attribute stores the type of income that the Total Amount represents. (I.e., Earned, Unearned, CWIS Fundin g Detail, SE Tax, SE Ledger, SE Total, Expense).

MED UNIT CAT CD	CHAR	2	Y	0

When the total amount i s representative of a Medicaid budget unit, this attribute will store the Med bu dget unit category code.

POS AMT	DECIMAL	9	Y	2

This attribute stores the total positive amount of the type of income designated by the classification code.

NEG AMT	DECIMAL	9	Y	2

This attribute stores the total negative amount of the type of income designated by the classification code.

UPD TS	TIMESTMP	10	N	0
UPD USRID	CHAR	8	N	0

Parents of **ED_FINANCIAL**

N2912401 **Child** ED_FINANCIAL **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_FINANCIAL**

N2922911 **Parent** ED_FINANCIAL **Child** ED_FIN_ARP_INVLV

COLNAME		TYPE	LEN	SC	D	N
FK_EDFK_PGM_CASEPG	FK_ED_FINANCIALFK	CHARACTER	2	0		N
FK_EDFK_PGM_CASEID	FK0ED_FINANCIALFK	INTEGER	4	0		N
FK_EDID_NBR	FK1ED_FINANCIALFK	INTEGER	4	0		N
ID_NBR	FK_ED_FINANCIALID	INTEGER	4	0		N

ED_FSP

A statement/determination of eligibility for ben efits for a FSP PROGRAM CASE for a defined period of time.

Priority 3 Dups N Download Y Upload Y NFOTS325

Column	Type	Length	Nulls	Scale	Key
FK EDFK PGM CASEP	CHAR	2	N	0	1
FK EDFK PGM CASEI	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3
CTBL RSRC AMT	DECIMAL	8	Y	2	

The total dollar value of all r esources considered in Resource Eligibility Testing. It is the sum of all ELIGI BILITY DETERMINATION ASSET INVOLVEMENT. Countable value minus any individual AS SET disregards.

RSRC DEEM RDTN AM	DECIMAL	8	Y	2	

The dollar amount of spons or's deemed resources that can be disregarded for resource eligibility.

FRSP GR IAMT	DECIMAL	8	Y	2	

The INCOME AMOUNT that has been determined countable from Financially Responsible Individual.

SHL CAMT	DECIMAL	8	Y	2	

The total housing (rent, house payme nt, etc.) costs that someone in the household pays or is responsible to pay.

DEP CARE DISRD AMT	DECIMAL	8	Y	2	

When the household qualifi es for a dependent care deduction, the amount to be deducted from the budget is determined by the allowable standard based on the age of the dependent(s). This is per dependent not per case.

UTIL EXAMT	DECIMAL	8	Y	2	

The amount of utilities that a hou sehold has paid or is billed for.

LIQ RSRC AMT	DECIMAL	8	Y	2	

A case total of identified liqui d resources. This total is derived from adding all ELIGIBILITY DETERMINATION AR P ASSET INVOLVEMENTs that have an ASSET.Type Code of Liquid Asset. This amount is used in the expedited case processing test.

ADJ GR IAMT	DECIMAL	8	Y	2	

The INCOME AMOUNT that has been d etermined after deduction(s).

FARM SLF EMP IAMT	DECIMAL	8	Y	2	

The INCOME AMOUNT that is f rom Farm Self-Employment.

UNERN SLF EMP IAM	DECIMAL	8	Y	2	

The INCOME AMOUNT that is from Self-Employment and has been classified as unearned.

XPD CASE PROC IND	CHAR	1	N	0	

An indicator that documents the result of expedited Food Stamp screening test. Valid Values: Yes, No, Doe s Not ApplyDefault Value: NO

XPD RSN CD	CHAR	2	Y	0
The reason why the Food Stamp case was eligible for expedited case processing.Valid Values: Homeless Shelter Exceeds Income Resources Income Resources Destitute				
AGGR IND	CHAR	1	N	0
An indicator documents the result of the aggregate test if the ELIGIBILITY DETERMINATION FOOD STAMP was eligible for expedited case processing.Valid Values: Yes, No, Does Not ApplyDefault Value: NO				
MED DED AMT	DECIMAL	8	Y	2
GRP HME SHL CAMT	DECIMAL	8	Y	2
The amount of payment to a g roup home minus the sundry and clothing allowances, if any.				
TOT SHL AMT	DECIMAL	8	Y	2
The total shelter costs to be all owed in the budget. This is a combination of the housing and utility costs.				
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
CS DED AMT	DECIMAL	8	Y	2
INC DED AMT	DECIMAL	8	Y	2
CRT BEG DT	DATE	4	Y	0
CRT END DT	DATE	4	Y	0
PUB ASTNC IND	CHAR	1	N	0
The determination of whether ev ery person participating in a Food Stamp Program Case is on ADC.				
SHL DED AMT	DECIMAL	8	Y	2
The calculated shelter deduction to be subtracted from the adjusted gross income.				
GR INC LIMIT AMT	DECIMAL	8	Y	2
Holds the value as indicated by the attribute name.				
NET INC LIMIT AMT	DECIMAL	8	Y	2
Holds the value as indicate d by the attribute name.				
STD DED AMT	DECIMAL	8	Y	2
Holds the value as indicated by t he attribute name.				
CATGRCLY ELIG IND	CHAR	1	Y	0
Indicates the FSP program i s categorically eligible				
RPT CAT CD	CHAR	2	Y	0
For FSP purposes, this attribute w ill store the Reporting category that applies for this budget.				
NI BEFORE EXP AMT	DECIMAL	9	Y	2

Parents of **ED_FSP**

N3252401 **Child** ED_FSP **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEP	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEI	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_FSP**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_INC_ACTIVITY *Used to store the INCOME_ACTIVITY insta nces used for the budget.*

Priority 20 Dups N Download Y Upload Y NFOTS265

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
FK EDFK PGM CASEPC	CHAR	2	N	0	2
FK EDFK PGM CASEID	INTEGER	4	N	0	3
FK EDID NBR	INTEGER	4	N	0	4
ID NBR	INTEGER	4	N	0	5

A number used for unique iden tification.

TYP CD	CHAR	2	N	0

A code specifying the type of income. For example: Earned Income, Types of Unearned Income, Types of Other I ncome or Types of Self-Employment Income.

FREQ CD	CHAR	2	Y	0

The frequency at which a typ e of unearned income payment is received. For example: weekly, monthly, etc.

CLM ACCT NBR	CHAR	20	Y	0

A number associated wit h a type of INCOME_ACTIVITY.

DSC	CHAR	50	Y	0

This describes the type of busin ess the income originated from or the actual business name.

CLOSE DT	DATE	4	Y	0

Implies that the Income is closed as of this date. It does not imply that the Income was always active pri or to this date.

CLSF CD	CHAR	2	Y	0

A code specifiying how this income type was used for this specific program case and budget. Set by Budgetin g, this classification code is used by Benefit Summary for building displays. I.e. Deemed Income, Community Spouse Income, Child Support, etc.

CALC MTHD TYP CD	CHAR	2	Y	0

Method used to calc ulate the worker selected instances of income. Both the calculation method and i ncome instances are chosen by the worker on the Calculation window.

ASSIGN SPRT IND	CHAR	1	Y	0

Indicator for whethe r or not to assign the selected income to child/spousal support. This is selecte d by the worker on the Calculation window.

EXCL IND	CHAR	1	Y	0

Used to indicated whether t he income type was fully excluded for this budget.

MO AMT	DECIMAL	9	Y	2

Total of all applicable insta nces of income amounts for this job, converted to a monthly amount. This is the countable income amount for the benefit month.

INC ACTY ID NBR	INTEGER	4	N	0

This is the INCOME_A CTIVITY.IDENTIFICATION_NUMBER that this instance was copied from. This is for p roduction support purposes. Since financial data collection data can be updated and deleted, it is possible that this id number may no longer exist.

UPD TS	TIMESTMP	10	N	0

Update time stamp.

UPD USRID	CHAR	8	N	0

Update user id.

DISRD AMT	DECIMAL	9	Y	2

This attribute stores the disregard amount as calculated by the budgeting rules for the income, for the pe rson.

TOT ADJ GR AMT	DECIMAL	9	Y	2

This attribute stores the total adjusted gross amount for the income, for the person.

NET MO POS AMT	DECIMAL	9	Y	2

This attribute stores the Gross Monthly Amount minus the Disregard Amount when the result of this cal culation is positive.

NET MO NEG AMT	DECIMAL	9	Y	2

This attribute stores the Gross Monthly Amount minus the Disregard Amount when the result of this cal culation is negative.

CALC BEG DT	DATE	4	Y	0

This attribute stores th e begin date as selected by the user on the budgeting calculate window. This da te represents the beginning of the time period used to display, store and calcul ate unearned fluctuating income and self employment ledger income.

CALC END DT	DATE	4	Y	0

This attribute stores th e end date as selected by the user on the budgeting calculate window. This date represents the beginning of the time period used to display, store and calculat e unearned fluctuating income and self employment ledger income.

MO NEG AMT	DECIMAL	9	Y	2

Total of all applicable i nstances of income amounts for this job, converted to a monthly amount. This is the negative countable income amount for the benefit month.

EXCL RSN CD	CHAR	2	Y	0

This attribute stores th e reason this income was excluded. This attribute is only set when the EXCLUDED _INDICATOR is set to yes.

TOT ADJ GR LS AMT	DECIMAL	9	Y	2

This attribute sto res the total adjusted gross loss amount for the income, for the person. This a mount will be populated by Expert System budgeting modules when calculating self employment income.

WRK AMT	DECIMAL	9	Y	2
ITM CNT NBR	SMALLINT	2	Y	0

Stores the number of ite ms used to calculate the income when the method of calculation is 'average' or 'average and convert'. This is done for unearned, earned and self employment income.

ADJ POS AMT	DECIMAL	9	Y	2

Stores the positive mont hly income total prior to application of sanction related adjustments.

ADJ NEG AMT	DECIMAL	9	Y	2

Stores the negative mont hly income total prior to application of sanction related adjustments.

Parents of **ED_INC_ACTIVITY**

N2650401 **Child** ED_INC_ACTIVITY **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N2652401 **Child** ED_INC_ACTIVITY **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_INC_ACTIVITY**

N2582651	**Parent**	ED_INC_ACTIVITY	**Child**	ED_INC_ACTY_TOT					
	COLNAME				TYPE	LEN	SC	D	N
	FK_ARPID_NBR		FK_ED_INC_ACTIVFK		INTEGER	4	0		N
	FK_EDFK_PGM_CASEPG		FK0ED_INC_ACTIVFK		CHARACTER	2	0		N
	FK_EDFK_PGM_CASEID		FK1ED_INC_ACTIVFK		INTEGER	4	0		N
	FK_EDID_NBR		FK2ED_INC_ACTIVFK		INTEGER	4	0		N
	ID_NBR		FK_ED_INC_ACTIVID		INTEGER	4	0		N
N2662651	**Parent**	ED_INC_ACTIVITY	**Child**	ED_EI_PMT_SCH					
	COLNAME				TYPE	LEN	SC	D	N
	FK_ARPID_NBR		FK_ED_INC_ACTIVFK		INTEGER	4	0		N
	FK_EDFK_PGM_CASEPG		FK0ED_INC_ACTIVFK		CHARACTER	2	0		N
	FK_EDFK_PGM_CASEID		FK1ED_INC_ACTIVFK		INTEGER	4	0		N
	FK_EDID_NBR		FK2ED_INC_ACTIVFK		INTEGER	4	0		N
	ID_NBR		FK_ED_INC_ACTIVID		INTEGER	4	0		N
N2672651	**Parent**	ED_INC_ACTIVITY	**Child**	ED_EI_PMT_STUB					
	COLNAME				TYPE	LEN	SC	D	N
	FK_ARPID_NBR		FK_ED_INC_ACTIVFK		INTEGER	4	0		N
	FK_EDFK_PGM_CASEPG		FK0ED_INC_ACTIVFK		CHARACTER	2	0		N
	FK_EDFK_PGM_CASEID		FK1ED_INC_ACTIVFK		INTEGER	4	0		N
	FK_EDID_NBR		FK2ED_INC_ACTIVFK		INTEGER	4	0		N
	ID_NBR		FK_ED_INC_ACTIVID		INTEGER	4	0		N
N2682651	**Parent**	ED_INC_ACTIVITY	**Child**	ED_UI_AMT					
	COLNAME				TYPE	LEN	SC	D	N
	FK_ARPID_NBR		FK_ED_INC_ACTIVFK		INTEGER	4	0		N
	FK_EDFK_PGM_CASEPG		FK0ED_INC_ACTIVFK		CHARACTER	2	0		N
	FK_EDFK_PGM_CASEID		FK1ED_INC_ACTIVFK		INTEGER	4	0		N
	FK_EDID_NBR		FK2ED_INC_ACTIVFK		INTEGER	4	0		N
	ID_NBR		FK_ED_INC_ACTIVID		INTEGER	4	0		N
N2692651	**Parent**	ED_INC_ACTIVITY	**Child**	ED_SLF_EMP_LDG					
	COLNAME				TYPE	LEN	SC	D	N
	FK_ARPID_NBR		FK_ED_INC_ACTIVFK		INTEGER	4	0		N
	FK_EDFK_PGM_CASEPG		FK0ED_INC_ACTIVFK		CHARACTER	2	0		N
	FK_EDFK_PGM_CASEID		FK1ED_INC_ACTIVFK		INTEGER	4	0		N
	FK_EDID_NBR		FK2ED_INC_ACTIVFK		INTEGER	4	0		N
	ID_NBR		FK_ED_INC_ACTIVID		INTEGER	4	0		N
N2702651	**Parent**	ED_INC_ACTIVITY	**Child**	ED_SLF_EMP_FTX_RET					
	COLNAME				TYPE	LEN	SC	D	N
	FK_ARPID_NBR		FK_ED_INC_ACTIVFK		INTEGER	4	0		N
	FK_EDFK_PGM_CASEPG		FK0ED_INC_ACTIVFK		CHARACTER	2	0		N
	FK_EDFK_PGM_CASEID		FK1ED_INC_ACTIVFK		INTEGER	4	0		N
	FK_EDID_NBR		FK2ED_INC_ACTIVFK		INTEGER	4	0		N
	ID_NBR		FK_ED_INC_ACTIVID		INTEGER	4	0		N

ED_INC_ACTY_TOT

This table stores intermediate totals a s determined by budgeting modules. These totals are identified by their classif ication codes.

Priority 25 Dups N Download Y Upload Y NFOTS258

Column	Type	Length	Nulls	Scale	Key
FK ED INC ACTIVFK	INTEGER	4	N	0	1
FK0ED INC ACTIVFK	CHAR	2	N	0	2
FK1ED INC ACTIVFK	INTEGER	4	N	0	3
FK2ED INC ACTIVFK	INTEGER	4	N	0	4
FK ED INC ACTIVID	INTEGER	4	N	0	5

CLSF CD	CHAR	2	N	0	6
This attribute stores the ty pe of intermediate income that POSITIVE_AMOUNT or NEGATIVE_AMOUNT represents. (I .e., Total Regular Hours, Average Regular Hours, Total Shift Hours, Total Tips a nd Bonuses)					
POS AMT	DECIMAL	9	Y	2	
This attribute stores the to tal positive amount of the type of income designated by the classification code.					
NEG AMT	DECIMAL	9	Y	2	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **ED_INC_ACTY_TOT**

N2582651 **Child** ED_INC_ACTY_TOT **Parent** ED_INC_ACTIVITY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_INC_ACTIVFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK0ED_INC_ACTIVFK	FK_EDFK_PGM_CASEPG	CHARACTER	2	0		N	A
FK1ED_INC_ACTIVFK	FK_EDFK_PGM_CASEID	INTEGER	4	0		N	A
FK2ED_INC_ACTIVFK	FK_EDID_NBR	INTEGER	4	0		N	A
FK_ED_INC_ACTIVID	ID_NBR	INTEGER	4	0		N	A

Children of **ED_INC_ACTY_TOT**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_MED

Priority 3 Dups N Download Y Upload Y NFOTS327

Column	Type	Length	Nulls	Scale	Key
LUMP SUM BEG DT	DATE	4	Y	0	
The date the lump sum period began.					
LUMP SUM RMDR TY	CHAR	1	Y	0	
MONTHS0	SMALLINT	2	Y	0	
The number of months that the program case is ineligible due to the lump sum.					
WRK ALW DED AMT	DECIMAL	8	Y	2	
The case total amount of the work allowance deduction amount.					
S30 PLUS DISRD AMT	DECIMAL	8	Y	2	
The case total for the $30 plus 1/3 disregard amount.					
S30 DISRD AMT	DECIMAL	8	Y	2	
The case total for the $30 disr egard amount.					
ALO AMT	DECIMAL	8	Y	2	
If ELIGIBILITY.Need Amount for an ADC or RRP PROGRAM CASE is a negative amount, this amount is stored as the Allocati on Amount to possibly use in a related categorical case.					
LUMP SUM RMDR AN	DECIMAL	8	Y	2	
FRSP GR IAMT	DECIMAL	8	Y	2	
The total amount of gross INCOME for all financially responsible persons in the PROGRAM CASE.					
FRSP FTX RET IAMT	DECIMAL	8	Y	2	
The adjusted gross amount o f self-employment income calculated from the Federal Tax Return for all financia lly responsible persons in the PROGRAM CASE.					
FRSP ALO AMT	DECIMAL	8	Y	2	
The amount of the financially re sponsible parents INCOME which will be allocated for their needs.					

GI DISRD AMT DECIMAL 8 Y 2

The amount of general income dis regard which is first applied to the total unearned income in the budget.

GI DISRD RMDR AMT DECIMAL 8 Y 2

The remainder of the genera l disregard which was not applied to the unearned income.

SHL CAMT DECIMAL 8 Y 2

The amount of shelter which will be used when calculating the budget. This will be the actual amount of the EXPENSE not to exceed the allowable maximum according to program regulation.

CSPO FTX RET IAMT DECIMAL 8 Y 2

The adjusted gross amount o f Self-Employment INCOME calculated from the Federal Tax Return for the Communit y Spouse.

CSPO ADJ GR IAMT DECIMAL 8 Y 2

The total adjusted gross INC OME for the Community Spouse.

DEP FAM MBR ND AI DECIMAL 8 Y 2

The amount of the dependen t family members need calculated by deducting his/her own INCOME from the allowa ble percent of the federal poverty level and dividing the remainder by three.

NET ADJ IAMT DECIMAL 8 Y 2

The total amount of the income f or the participant and financially responsible spouse, remaining after the deduc tion of allowable expenses, health insurance premiums, guardian/conservator fees , shelter cost.

GRDN CSVTR FEE AM DECIMAL 8 Y 2

The amount of the allowabl e fees for guardian/conservator which can be deducted from income for nursing ho me residents.

CSPO SHL CAMT DECIMAL 8 Y 2

The actual amount of shelter pa id by the community spouse plus an amount added for a utility standard.

CSPO SHL MAX AMT DECIMAL 8 Y 2

The standard shelter amount used to calculate if the community spouse has excessive shelter costs.

CSPO EXC SHL CAMT DECIMAL 8 Y 2

The amount that the communi ty spouse shelter costs exceed the shelter maximum.

CSPO ND STD AMT DECIMAL 8 Y 2

The total need standard for t he community spouse which is a combination of a percent of the federal poverty l evel plus the excess shelter cost.

SPODEP MNT ALW AI DECIMAL 8 Y 2

The total of the Dependen t Family Member Need Standard and the Community Spouse Need Standard.

ADD EXC IAMT DECIMAL 8 Y 2

The amount of excess income whic h exceeds the Medicaid per diem rate for nursing home clients.

PRIV PAY DY NBR SMALLINT 2 Y 0

FRST MEDI NH DT DATE 4 Y 0

The first day in the eligibil ity budget period that the client is responsible for paying Medicaid rates at th e nursing home. This will be the first day after the Number Private Days have e lapsed.

INC LEV AMT DECIMAL 8 Y 2

The maximum income level amount f or a Medicaid PROGRAM CASE. There are many income levels depending on the Medic aid assistance type. For example:Program Code = MedicaidAssistance Code = SAM.T here is a maximum income level amount specific to SAM.

HI PRM AMT DECIMAL 8 Y 2

A case total of medical insurance premiums that an ARP in the PROGRAM CASE is reponsible for paying. This amount is derived from totalling all ELIGIBILITY DETERMINATION ARP EXPENSE INVOLVEMENTs and ELIGIBILITY DETERMINATION ARP INCOME INVOLVEMENTs that

CS AMT	DECIMAL	8	Y	2	

A case total of child support derived from totalling all ELIGIBILITY DETERMINATION ARP INCOME INVOLVEMENT.Monthly Gros s Amount of the INCOME.Type Code of Child Support.

CS DISRD AMT	DECIMAL	8	Y	2	

An amount of $50.00 is subtracte d from the ELIGIBILITY DETERMINATION CMAP.Child Support Amount.

DEP CARE DISRD AMT	DECIMAL	8	Y	2	
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
FK EDFK PGM CASEP	CHAR	2	N	0	1
FK EDFK PGM CASEI	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3
INELIG SIB ALO AMT	DECIMAL	8	Y	2	

The amount of the financia lly responsible parents INCOME which will be allocated to all ineligible sibling s in the PROGRAM CASE.

SPEND DOWN INC AM	DECIMAL	8	Y	2	

Total INCOME AMOUNT associ ated with this SPEND DOWN amount.

SPEND DOWN RSRC A	DECIMAL	8	Y	2	

Total resource amount asso ciated with this SPEND DOWN.

SPEND DOWN CURR B	DECIMAL	8	Y	2	

Current balance remaining before the SPEND DOWN amount is met.

MED DISRD AMT	DECIMAL	8	Y	2	

The case total of Medical Disre gards. This total includes health insurance premiums, guardian conservator fees , and shelter costs.

UNT SIZ AABD	SMALLINT	2	Y	0	

The total number of AGENCY RELAT ED PERSON's involved in the ELIGIBILITY DETERMINATION for the AABD program.

UNT SIZ ADC	SMALLINT	2	Y	0	

The total number of AGENCY RELATE D PERSON's involved in the ELIGIBILITY DETERMINATION for the ADC program.

UNT SIZ EMAC	SMALLINT	2	Y	0	

The total number of AGENCY RELAT ED PERSON's involved in the ELIGIBILITY DETERMINATION for the EMAC program.

UNT SIZ OMB	SMALLINT	2	Y	0	

The total number of AGENCY RELATE D PERSON's involved in the ELIGIBILITY DETERMINATION for the OMB program.

UNT SIZ MAC	SMALLINT	2	Y	0	

The total number of AGENCY RELATE D PERSON's involved in the ELIGIBILITY DETERMINATION for the MAC program.

UNT SIZ RIB	SMALLINT	2	Y	0	

The total number of AGENCY RELATE D PERSON's involved in the ELIGIBILITY DETERMINATION for the RIB program.

UNT SIZ RRP	SMALLINT	2	Y	0	

The total number of AGENCY RELATE D PERSON's involved in the ELIGIBILITY DETERMINATION for the RRP program.

UNT SIZ SAM	SMALLINT	2	Y	0	

The total number of AGENCY RELATE D PERSON's involved in the ELIGIBILITY DETERMINATION for the SAM program.

UNT SIZ TMA	SMALLINT	2	Y	0	

The total number of AGENCY RELATE D PERSON's involved in the ELIGIBILITY DETERMINATION for the TMA program.

UNT SIZ MN	SMALLINT	2	Y	0

The total number of AGENCY RELATED PERSON's involved in the ELIGIBILITY DETERMINATION for the RRP program.

TMA BEG DT	DATE	4	Y	0

The date the MED case first had a valid TMA participant and will be used to track when TMA needs to have a budget determination or needs to be closed.

CS BEG DT	DATE	4	Y	0
UNT SIZ QMB	SMALLINT	2	Y	0
UNT SIZ 1619B	SMALLINT	2	Y	0
UNT SIZ ST 1619B	SMALLINT	2	Y	0
UNT SIZ SIMP	SMALLINT	2	Y	0
UNT SIZ CHLD SPRT	SMALLINT	2	Y	0
PREM AMT	DECIMAL	8	Y	2

Stores the premium that the client i s obligated to pay for a Medicaid case.

BUD CAT CD	CHAR	2	Y	0
TESTA GR UI AMT	DECIMAL	9	Y	2

This attribute stores the gro ss unearned income amount of a MIWD budget unit for Test A as determined by Med icaid budgeting.

TESTA GR EI AMT	DECIMAL	9	Y	2

This attribute stores the gro ss earned income amount of a MIWD budget unit for unit for Test A as determined by Medicaid budgeting.

TESTA EI DED AMT	DECIMAL	9	Y	2

This attribute stores the ea rned income deduction amount of a MIWD budget unit for unit for Test A as deter mined by Medicaid budgeting.

TESTA NET EI AMT	DECIMAL	9	Y	2

This attribute stores the ne t earned income amount of a MIWD budget unit for test a.

TESTA NET INC AMT	DECIMAL	9	Y	2

This attribute stores the n et income amount of a MIWD budget unit for test a as determined by Medicaid budg eting.

TESTA INC LEV AMT	DECIMAL	9	Y	2

This attribute stores the m edical income level amount of a MIWD budget unit for unit for Test A as determi ned by Medicaid budgeting.

CMTY SPO TOT INC A	DECIMAL	9	Y	2

This attribute stores tota l income amount for the community spouse in a SIMP budget unit as determined by Medicaid budgeting.

SPO DEP TOT ND AM	DECIMAL	9	Y	2

This attribute stores the total need amount for the community spouse and dependent family members of a SIM P budget unit as determined by Medicaid budgeting.

TMA PRMADJ NCI AM	DECIMAL	9	Y	2

This is the income as dete rmined by MED Budgeting that was used to determine the premium amount.

Parents of **ED_MED**

N3272401 **Child** ED_MED **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEP	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEI	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_MED**

Parent	Child							
	COLNAME	TYPE	LEN	SC	D	N		

ED_NON_FINANCIAL

Documents ARP PCPI_HIST related data t hat was used in determining a budget for a program case. Data is displayed on B enefit Summary non-financial window.

Priority 20 Dups N Download Y Upload Y NFOTS280

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
FK EDFK PGM CASEPC	CHAR	2	N	0	2
FK EDFK PGM CASEID	INTEGER	4	N	0	3
FK EDID NBR	INTEGER	4	N	0	4
CAT CD	CHAR	2	Y	0	
Category Code from PCPI_HIST					
FUND CD	CHAR	2	Y	0	
Fund Code from PCPI_HIST					
ROLE CD	CHAR	2	Y	0	
Role Code from PCPI_HIST					
STAT CD	CHAR	2	Y	0	
Status Code from PCPI_HIST					
STAT RSN CD	CHAR	2	Y	0	
Status Reason Code from PCPI_HIST					
SANC DTL CD	CHAR	2	Y	0	
Arp sanction code from PCPI_HIST.					
DISAB IND	CHAR	1	Y	0	
Disability indicator as d etermined by budgeting.					
FRSP RSN CD	CHAR	2	Y	0	
Financially Responsible Reason Code from PCPI_HIST.					
ELDERLY IND	CHAR	1	Y	0	
Elderly Indicator as de termined by budgeting.					
LIV PLACE CD	CHAR	2	Y	0	
Living Arrangement Cod e from LIV_PLACE.					
BD	DATE	4	Y	0	
Birth Date from ARP					
OSYS CAT CD	CHAR	2	Y	0	
Override Category Code from PCPI_HIST					
OSYS FRSP RSN CD	CHAR	2	Y	0	
Override Financial ly Responsible Code from PCPI_HIST					
OSYS ROLE CD	CHAR	2	Y	0	
Override Role Code fro m PCPI_HIST					
OSYS STAT CD	CHAR	2	Y	0	
Override Status Code f rom PCPI_HIST					
OVERRD WRKR ID	CHAR	8	Y	0	
The worker ID of the person the overrode the pcpi_hist					
OVERRD WRKR RSN C	CHAR	2	Y	0	
The reason the w orker overrode the pcpi_hist					
UPD TS	TIMESTMP	10	N	0	
Update time stamp.					
UPD USRID	CHAR	8	N	0	
Update user id.					
MED BUD RLE CD	CHAR	2	Y	0	
FK0ARPID NBR	INTEGER	4	Y	0	

UNBORN FETAL NBR SMALLINT 2 Y 0
This attribute wil l store the fetal number of the unborn as copied from the unborn's instance of PREG. This fetal number is used in determining unit size, which is then used in the determination of a persons budget. The fetal number can be viewed on t
PRO DT DATE 4 Y 0
The date from which to count this participant in the unit size during the initial month of involvement. Sna pshot of what the PCPI_HIST value was at the time a budget was run. This is use d to support the benefit summary detail display.
ADLT CHLD CD CHAR 2 Y 0

Parents of **ED_NON_FINANCIAL**

N2800401	**Child**	ED_NON_FINANCIAL	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N2800402	**Child**	ED_NON_FINANCIAL	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK0ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N2802401	**Child**	ED_NON_FINANCIAL	**Parent**	ED						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD		CHARACTER	2	0		N	A
		FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR		INTEGER	4	0		N	A
		FK_EDID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **ED_NON_FINANCIAL**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

ED_OP

A record which constitutes an overage paid to an ARP based on an ELIGIBILITY DETERMINATION.

Priority 3 Dups N Download Y Upload Y NFOTS330

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
CRET DT	DATE	4	N	0	
The date the entity was created.					
PD TO DT AMT	DECIMAL	8	Y	2	
The amount of the overpayment tha t has beem collected to this date.					
ID NBR	INTEGER	4	N	0	1
This attribute is used by report SSA-49 72, ACF-231, FSA-3645, FSA-4110, FNS-209.********** ****A number used for unique identification.**********Comments********** *******					
TYP CD	CHAR	2	N	0	
********** ******THIS ATTRIBUTE USED BY REPORT(S): FNS-209********** **********A code specifying the type of ELIGIBILITY BUDGET OVERPAYMENT.Valid Values: Technical Administrative Household error					
TYP CD CHG DT	DATE	4	Y	0	
The date the type code changed.					
STAT CD	CHAR	2	N	0	
A code specifying the type of status f or an ELIGIBILITY BUDGET OVERPAYMENT.**********Comments********** THIS ATTTRIBUTE IS NEEDED FOR REPORT(S):FNS-209, FNS-366B, FSA-4110, ACF-231.Va lid Values:PendingActive Inactive Closed					
STAT CHG DT	DATE	4	N	0	
********** *********This attribute is used on report(s) FNS-366B, FSA-4110, ACF-231, FNS-20 9.**********The date the status for the ELIGIBI LITY DETERMINATION BUDGET OVERPAYMENT changes.					

ELIG MO	DATE	4	N	0
AMT	DECIMAL	7	N	2

********** ***This attribute is used by report(s): SSA-4972, ACF-231, FNS-209.********** **********The dollar amount of the ELIGIBILITY BUDGET OVER PAYMENT.

STAT RSN CD	CHAR	2	Y	0
OP RSN CD	CHAR	2	N	0
FRD TYP CD	CHAR	2	Y	0

A code specifying how the ELIGIBILI TY BUDGET OVERPAYMENT was determined to be fraudulent.Valid Values:Court determi nedLegal hearingSigned waiver

FRD CD	CHAR	2	Y	0
FRD AMT	DECIMAL	7	Y	2

********** ******This attribute is used on report(s) FNS-366B.********** **********The dollar amount the ELIGIBILITY BUDGET OVERPAYMENT is found to be fraudulent.

FRD REF DT	DATE	4	Y	0
FRD DETRMN DT	DATE	4	Y	0

********** **********This attribute is used on report(s) FNS-366B, FNS-209.********** **********The date the Fraud Investigation Unit determined the ELIGIBILITY BUDGET OVERPAYMENT to be fraudulent.

ID SRC CD	CHAR	2	N	0
UPD TS	TIMESTMP	10	N	0

********** *****This attribute is used on report(s) ACF-231.********** **********

UPD USRID	CHAR	8	N	0
FK ARID NBR	INTEGER	4	Y	0
FK EDFK PGM CASEP	CHAR	2	Y	0
FK EDFK PGM CASEI	INTEGER	4	Y	0
FK EDID NBR	INTEGER	4	Y	0
FK ARPID NBR	INTEGER	4	Y	0
DISCOVERY DT	DATE	4	Y	0

Date of discovery. Real date tha t the worker discovered the overpayment.

Parents of **ED_OP**

N3300351	**Child**	ED_OP	**Parent**	AR					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARID_NBR	ID_NBR		INTEGER	4	0		N A
N3300401	**Child**	ED_OP	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N A
N3302401	**Child**	ED_OP	**Parent**	ED					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_EDFK_PGM_CASEP	FK_PGM_CASEPGM_CD		CHARACTER	2	0		N A
		FK_EDFK_PGM_CASEI	FK_PGM_CASEID_NBR		INTEGER	4	0		N A
		FK_EDID_NBR	ID_NBR		INTEGER	4	0		N A

Children of **ED_OP**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

ED_OTH_GRANT_AMT

A statement/determination of eligibili ty for benefits for an FSP PA GRANT for a defined period of time.

Priority 3 Dups N Download Y Upload Y NFOTS326

Column	Type	Length	Nulls	Scale	Key
FK EDFK PGM CASEPG	CHAR	2	N	0	1
FK EDFK PGM CASEID	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3
ID NBR	INTEGER	4	N	0	4
PA PGM CASEID NBR	INTEGER	4	Y	0	
The Program Case ID of the Program Case associated with the PA Grant.					
PA PGM CASEPGM CD	CHAR	2	Y	0	
The Program Case Code of the Program Case associated with the PA Grant.					
AUTH AMT	DECIMAL	9	Y	2	
The AUTH_AMT from the PA B udget.					
FRAUD AMT	DECIMAL	9	Y	2	
Overpayments are subtract ed in ADC/AABD budgeting, if type fraud is found, it is added back into the PA G rant amount.					
SPCL RQMTS AMT	DECIMAL	9	Y	2	
Subtract Special Req uirements (if the rule dictates) from the most recent recalculated AABD budget					
NET AMT	DECIMAL	9	Y	2	
Authorized Amount + Fraud A mount - Special Requirements Amount = Net Amount.					
PA NME	CHAR	46	Y	0	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **ED_OTH_GRANT_AMT**

N3262401 **Child** ED_OTH_GRANT_AMT **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_OTH_GRANT_AMT**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

ED_OVERRD_DTL

Documents the original type of amount and original dollar amount that was overriden for this program case for this budget .

Priority 20 Dups N Download Y Upload Y NFOTS284

Column	Type	Length	Nulls	Scale	Key
FK EDFK PGM CASEPG	CHAR	2	N	0	1
FK EDFK PGM CASEID	INTEGER	4	N	0	2

FK_EDID_NBR	INTEGER	4	N	0	3
TYP_CD	CHAR	2	N	0	4
Type code indicates what amount was overriden.					
RSN_CD	CHAR	2	Y	0	
Reason code stores why the amou nt was overriden.					
ORIG_AMT	DECIMAL	9	Y	2	
Original amount that was over ridden.12/07 Change this mandatory attribute to optional. This is mutually excl usive with original code					
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	
ORIG_CD	CHAR	2	Y	0	

Parents of **ED_OVERRD_DTL**

N2842401 **Child** ED_OVERRD_DTL **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_OVERRD_DTL**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_PGM_ELIG_DTL

Documents the status of program related eligibilty requirements for a program case for a budget.

Priority 20 Dups N Download Y Upload Y NFOTS282

Column	Type	Length	Nulls	Scale	Key
FK_EDFK_PGM_CASEPG	CHAR	2	N	0	1
FK_EDFK_PGM_CASEID	INTEGER	4	N	0	2
FK_EDID_NBR	INTEGER	4	N	0	3
ID_NBR	INTEGER	4	N	0	4
A number used for unique iden tification.					
STAT_CD	CHAR	2	N	0	
Can be 'pass'?, 'fail', or 'exempt'.					
TYP_CD	CHAR	2	N	0	
The type of eligibility failu re.					
RSN_CD	CHAR	2	Y	0	
Reason Code. From CT1177.					
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	

Parents of **ED_PGM_ELIG_DTL**

N2822401 **Child** ED_PGM_ELIG_DTL **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_PGM_ELIG_DTL**

Parent COLNAME	Child TYPE	LEN	SC	D	N

ED_REL

This table stores the relationship between a bud get that allocates income out and a budget that receives this income as allocate d in. It will also be used to store the relationship between a failing ADC budg et and a passed or failed TMA-G budget.

Priority 3 Dups N Download Y Upload Y NFOTS242

Column	Type	Length	Nulls	Scale	Key
FK EDFK PGM CASEPG	CHAR	2	N	0	1
FK EDFK PGM CASEID	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3
CLSF CD	CHAR	2	N	0	4
This attribute stores the type of rel ationship between two budgets.					
FK0EDFK PGM CASEPG	CHAR	2	Y	0	
FK0EDFK PGM CASEID	INTEGER	4	Y	0	
FK0EDID NBR	INTEGER	4	Y	0	
UPD TS	TIMESTMP	10	N	0	
********** *******This attribute is used on report(s) ACF-231.********** **********					
UPD USRID	CHAR	8	N	0	

Parents of **ED_REL**

N2422401 **Child** ED_REL **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

N2422402 **Child** ED_REL **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK0EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK0EDFK_PGM_CASEID	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK0EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_REL**

Parent COLNAME	Child TYPE	LEN	SC	D	N

ED_RSRC

Used to store the RESOURCE instances used for t he budget.

Priority 20 Dups N Download Y Upload Y NFOTS275

Column	Type	Length	Nulls	Scale	Key
FK EDFK PGM CASEPG	CHAR	2	N	0	1
FK EDFK PGM CASEID	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3

ID_NBR	INTEGER	4	N	0	4
A number used for unique identificati on.					
TYP_CD	CHAR	2	N	0	
Code used to specify the resource typ e. (I.e. automobile, land, savings account)					
CLOSE_DT	DATE	4	Y	0	
Implies that the Resource is closed as of this date. It does not imply that the Resource was always active prior t o this date.					
ACCT_LOCT	CHAR	25	Y	0	
User entered text field that store s the location of the resource. (I.e. Name of the bank, etc.)					
ACCT_NBR	CHAR	15	Y	0	
User entered number to identify the resource. (I.e. checking account number, bond number)					
DSC	VARCHAR	100	Y	0	
User entered description to further desc ribe the resource. May contain automobile information (make, year, model), comm ents about the resource, etc.					
EXCL_IND	CHAR	1	N	0	
Used to indicated whether the resou rce was fully excluded for this budget.					
RSRC_ID_NBR	INTEGER	4	N	0	
This is the RESOURCE.IDENTIFICAT ION_NUMBER that this instance was copied from. This is for production support p urposes. Since financial data collection data can be updated and deleted, it is possible that this id number may no longer exist.					
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	

Parents of **ED_RSRC**

N2752401 **Child** ED_RSRC **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_RSRC**

N2762751 **Parent** ED_RSRC **Child** ED_RSRC_OWNER

COLNAME		TYPE	LEN	SC	D	N
FK_EDFK_PGM_CASEPG	FK_ED_RSRCFK_EDFK	CHARACTER	2	0		N
FK_EDFK_PGM_CASEID	FK0ED_RSRCFK_EDFK	INTEGER	4	0		N
FK_EDID_NBR	FK_ED_RSRCFK_EDID	INTEGER	4	0		N
ID_NBR	FK_ED_RSRCID_NBR	INTEGER	4	0		N

N2772751 **Parent** ED_RSRC **Child** ED_RSRC_VALUATION

COLNAME		TYPE	LEN	SC	D	N
FK_EDFK_PGM_CASEPG	FK_ED_RSRCFK_EDFK	CHARACTER	2	0		N
FK_EDFK_PGM_CASEID	FK0ED_RSRCFK_EDFK	INTEGER	4	0		N
FK_EDID_NBR	FK_ED_RSRCFK_EDID	INTEGER	4	0		N
ID_NBR	FK_ED_RSRCID_NBR	INTEGER	4	0		N

N2782751 **Parent** ED_RSRC **Child** ED_RSRC_EXCLSN_DIS

COLNAME		TYPE	LEN	SC	D	N
FK_EDFK_PGM_CASEPG	FK_ED_RSRCFK_EDFK	CHARACTER	2	0		N
FK_EDFK_PGM_CASEID	FK0ED_RSRCFK_EDFK	INTEGER	4	0		N
FK_EDID_NBR	FK_ED_RSRCFK_EDID	INTEGER	4	0		N
ID_NBR	FK_ED_RSRCID_NBR	INTEGER	4	0		N

ED_RSRC_EXCLSN_DIS

Used to store the RESOURCE_EXCLUSION _DISREGARD instances used for the budget.

Priority 25 Dups N Download Y Upload Y NFOTS278

Column	Type	Length	Nulls	Scale	Key
FK_ED_RSRCFK_EDFK	CHAR	2	N	0	1

FK0ED_RSRCFK_EDFK	INTEGER	4	N		0	2
FK_ED_RSRCFK_EDID	INTEGER	4	N		0	3
FK_ED_RSRCID_NBR	INTEGER	4	N		0	4
TYP_CD	CHAR	2	N		0	6
Code used to specify the e xclusion / disregard type.						
BEG_DT	DATE	4	N		0	5
The date the exclusion / d isregard began.						
END_DT	DATE	4	N		0	
The date the exclusion / d isregard ended.						
UPD_TS	TIMESTMP	10	N		0	
UPD_USRID	CHAR	8	N		0	

Parents of **ED_RSRC_EXCLSN_DIS**

N2782751 **Child** ED_RSRC_EXCLSN_DIS **Parent** ED_RSRC

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_RSRCFK_EDFK	FK_EDFK_PGM_CASEPG	CHARACTER	2	0		N	A
FK0ED_RSRCFK_EDFK	FK_EDFK_PGM_CASEID	INTEGER	4	0		N	A
FK_ED_RSRCFK_EDID	FK_EDID_NBR	INTEGER	4	0		N	A
FK_ED_RSRCID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_RSRC_EXCLSN_DIS**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_RSRC_OWNER

Used to store the RESOURCE_OWNER instance s used for the budget.

Priority 25 Dups N Download Y Upload Y NFOTS276

Column	Type	Length	Nulls	Scale	Key
FK_ARPID_NBR	INTEGER	4	N	0	1
FK_ED_RSRCFK_EDFK	CHAR	2	N	0	2
FK0ED_RSRCFK_EDFK	INTEGER	4	N	0	3
FK_ED_RSRCFK_EDID	INTEGER	4	N	0	4
FK_ED_RSRCID_NBR	INTEGER	4	N	0	5
BEG_DT	DATE	4	N	0	6
The date the ownership began.					
END_DT	DATE	4	N	0	
The date the ownership ended.					
OWN_PCT	DECIMAL	4	N	3	
Percentage of the resource own ed by this RESOURCE_OWNER for this time period.					
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	
NET_VALUE_AMT	DECIMAL	9	Y	2	
The calculated Net Value of a resource for an owner (Net_Value of the resource times the owner's owners hip percentage). This is displayed on Benefit Summary.					

DISRD AMT	DECIMAL	9	Y	2

The calculated Disregard amo unt of a resource for an owner (Disregard_Amount of the resource times the owner 's ownership percentage). This is displayed on Benefit Summary.

CTBL AMT	DECIMAL	9	Y	2

The calculated Countable Amou nt of a resource for an owner (Net_Value_Amount minus Disregard_Amount). This i s displayed on Benefit Summary.

Parents of **ED_RSRC_OWNER**

N2760401 **Child** ED_RSRC_OWNER **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N2762751 **Child** ED_RSRC_OWNER **Parent** ED_RSRC

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_RSRCFK_EDFK	FK_EDFK_PGM_CASEPG	CHARACTER	2	0		N	A
FK0ED_RSRCFK_EDFK	FK_EDFK_PGM_CASEID	INTEGER	4	0		N	A
FK_ED_RSRCFK_EDID	FK_EDID_NBR	INTEGER	4	0		N	A
FK_ED_RSRCID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_RSRC_OWNER**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_RSRC_VALUATION

Used to store the RESOURCE_VALUATION instances used for the budget.

Priority 25 Dups N Download Y Upload Y NFOTS277

Column	Type	Length	Nulls	Scale	Key
FK ED RSRCFK EDFK	CHAR	2	N	0	1
FK0ED RSRCFK EDFK	INTEGER	4	N	0	2
FK ED RSRCFK EDID	INTEGER	4	N	0	3
FK ED RSRCID NBR	INTEGER	4	N	0	4
BEG DT	DATE	4	N	0	5

The date the value began.

END DT	DATE	4	N	0

The date the value ended.

VALUE AMT	DECIMAL	9	Y	2

Dollar amount representi ng the value of the resource.

CASH VALUE AMT	DECIMAL	9	Y	2

Dollar amount repre senting the cash value of the resource. Collected for bonds, life insurance, et c.

FACE VALUE AMT	DECIMAL	9	Y	2

Dollar amount repre senting the face value of the resource. Collected for bonds, life insurance, et c.

ENCUM AMT	DECIMAL	9	Y	2

Dollar amount that is he ld against the resource.

LICD IND	CHAR	1	Y	0

Yes / No indicator used t o demonstrate if the vehicle is licensed.

EQUITY AMT	DECIMAL	9	Y	2

Dollar amount represent ing the difference between the VALUE_AMT and the ENCUM_AMT. For Benefit Summary, this amount is referred to as 'Net Value'.

DISRD AMT	DECIMAL	9	Y	2

Dollar amount to disrega rd from the EQUITY_AMT. This is based upon budgeting rules. For Benefit Summary, this amount is referred to as 'Disregard Amount'.

RSRC VALUE AMT	DECIMAL	9	Y	2
Dollar amount repre senting EQUITY_AMOUNT - DISREGARD_AMOUNT. For Benefit Summary, this amount is re ferred to as 'Resource Value'.				
OWN AMT	DECIMAL	9	Y	2
Dollar amount representing total amount of all owners OWNERSHIP_AMOUNT. For Benefit Summary this amount i s also referred to as 'Proportional Share'.				
PGM CTBL AMT	DECIMAL	9	Y	2
Dollar amount represe nting total amount of all owners PROGRAM_COUNTABLE_AMOUNT. For Benefit Summary, this amount is referred to as 'Countable Amount'.				
VERF SRC CD	CHAR	2	Y	0
This will identify the source that was used to verify the RESOURCE_VALUATION. (I.e. receipts, tax ret urn, birth certificate, etc.)				
VERF DT	DATE	4	Y	0
This will provide the date that the RESOURCE_VALUATION was verified.				
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0

Parents of **ED_RSRC_VALUATION**

N2772751 **Child** ED_RSRC_VALUATION **Parent** ED_RSRC

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_RSRCFK_EDFK	FK_EDFK_PGM_CASEPG	CHARACTER	2	0		N	A
FK0ED_RSRCFK_EDFK	FK_EDFK_PGM_CASEID	INTEGER	4	0		N	A
FK_ED_RSRCFK_EDID	FK_EDID_NBR	INTEGER	4	0		N	A
FK_ED_RSRCID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_RSRC_VALUATION**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_SANCTION_DTL

Documents the budget sanctions that wer e applied against this program case for this budget.

Priority 20 Dups N Download Y Upload Y NFOTS287

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
FK EDFK PGM CASEPG	CHAR	2	N	0	2
FK EDFK PGM CASEID	INTEGER	4	N	0	3
FK EDID NBR	INTEGER	4	N	0	4
TYP CD	CHAR	2	N	0	5
Code specifying the type of s anction that is being applied.					
BEN RDTN PCT	DECIMAL	4	Y	3	
Percentage that was use d to reduce the original benefit amount. Would be populated only if the type co de is 'Failure to comply (FSP) or 'CSE' (ADC).					
BEN RDTN AMT	DECIMAL	9	Y	2	
Amount that was subtrac ted from the original benefit amount. Would be populated only if the type code is 'Failure to comply (FSP)', 'CSE' (ADC) or 'Failure to comply (CWIS)'.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	

Parents of **ED_SANCTION_DTL**

N2870401	**Child**	ED_SANCTION_DTL	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N2872401	**Child**	ED_SANCTION_DTL	**Parent**	ED						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD		CHARACTER	2	0		N	A
		FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR		INTEGER	4	0		N	A
		FK_EDID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **ED_SANCTION_DTL**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

ED_SHL_EXPN_DTL

Documents the shelter expenses and asso ciated calculations that were applied for this program case for this budget.

Priority 20 Dups N Download Y Upload Y NFOTS286

Column	Type	Length	Nulls	Scale	Key
FK EDFK PGM CASEPC	CHAR	2	N	0	1
FK EDFK PGM CASEID	INTEGER	4	N	0	2
FK EDID NBR	INTEGER	4	N	0	3
SHL NET INC AMT	DECIMAL	9	Y	2	
Net Income less dedu ctions other than shelter					
EXC SHL AMT	DECIMAL	9	Y	2	
Half the Net Income less deductions other than shelter. Used by FSP.					
SHL EXPN AMT	DECIMAL	9	Y	2	
Monthly shelter amount.					
TOT ROLES NBR	SMALLINT	2	Y	0	
Number of all roles in the program case. Used by AABD.					
SHL PER PRS AMT	DECIMAL	9	Y	2	
Amount allotted per person.					
SHL AMT	DECIMAL	9	Y	2	
Total Shelter Costs less Exc ess Shelter Amount before comparison to the maximum shelter allowance amount. U sed by AABD and FSP.					
MAX SHL ALW AMT	DECIMAL	9	Y	2	
Maximum allowance am ount for the program type. Used by AABD and FSP.					
SHL DED AMT	DECIMAL	9	Y	2	
Final amount that is all owed for shelter deduction as determined by budgeting. Used by AABD and FSP.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
UTIL EXPN AMT	DECIMAL	9	Y	2	
Stores the total month ly utility expenses for an AABD budget.					
TOT SHL UTIL AMT	DECIMAL	9	Y	2	
Stores the total pr orated shelter expenses and utility expenses for an AABD budget.					

Parents of **ED_SHL_EXPN_DTL**

N2862401 **Child** ED_SHL_EXPN_DTL **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_SHL_EXPN_DTL**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ED_SLF_EMP_FTX_RET

Used to store the SELF_EMPLOYMENT_FE D_TAX_RETURN instances used for the budget.

Priority 25 Dups N Download Y Upload Y NFOTS270

Column	Type	Length	Nulls	Scale	Key
FK ED INC ACTIVFK	INTEGER	4	N	0	1
FK0ED INC ACTIVFK	CHAR	2	N	0	2
FK1ED INC ACTIVFK	INTEGER	4	N	0	3
FK2ED INC ACTIVFK	INTEGER	4	N	0	4
FK ED INC ACTIVID	INTEGER	4	N	0	5
TX YR	CHAR	4	N	0	6
The calendar or fiscal year for which the Federal Tax Return was filed.					
BEG DT	DATE	4	N	0	
The start date that this F ederal Tax Return can be used for budgeting.					
END DT	DATE	4	N	0	
The last date that this Fe deral Tax Return can be used for budgeting.					
MO RET REFL NBR	SMALLINT	2	N	0	
This will indicat e the number of months this Federal Tax Return represents. This normally will b e 12.					
RET CTBL PCT	DECIMAL	4	N	3	
This indicates the p ercentage of ownership that should be applied to the Federal Tax Return amounts.					
VERF SRC CD	CHAR	2	Y	0	
This will identify th e source that was used to verify the SELF_EMPLOYMENT_FED_TAX_RETURN.					
VERF DT	DATE	4	Y	0	
This will provide the dat e that the SELF_EMPLOYMENT_FED_TAX_RETURN was verified.					
UPD TS	TIMESTMP	10	N	0	
Update time stamp.					
UPD USRID	CHAR	8	N	0	
Update user id.					

Parents of **ED_SLF_EMP_FTX_RET**

N2702651 **Child** ED_SLF_EMP_FTX_RET **Parent** ED_INC_ACTIVITY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_INC_ACTIVFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK0ED_INC_ACTIVFK	FK_EDFK_PGM_CASEPG	CHARACTER	2	0		N	A
FK1ED_INC_ACTIVFK	FK_EDFK_PGM_CASEID	INTEGER	4	0		N	A
FK2ED_INC_ACTIVFK	FK_EDID_NBR	INTEGER	4	0		N	A
FK_ED_INC_ACTIVID	ID_NBR	INTEGER	4	0		N	A

Children of **ED_SLF_EMP_FTX_RET**

N2712701 **Parent** ED_SLF_EMP_FTX_RET **Child** ED_SLF_EMP_FTX_SCH

COLNAME		TYPE	LEN	SC	D	N
FK_ED_INC_ACTIVFK	FK_ED_SLF_EMP_FFK	INTEGER	4	0		N
FK0ED_INC_ACTIVFK	FK_ED_SLF_EMP_FFK0	CHARACTER	2	0		N
FK1ED_INC_ACTIVFK	FK_ED_SLF_EMP_FFK1	INTEGER	4	0		N
FK2ED_INC_ACTIVFK	FK_ED_SLF_EMP_FFK2	INTEGER	4	0		N
FK_ED_INC_ACTIVID	FK0ED_SLF_EMP_FFK	INTEGER	4	0		N
TX_YR	FK_ED_SLF_EMP_FTX	CHARACTER	4	0		N

ED_SLF_EMP_FTX_SCH

Used to store the SELF_EMPLOYMENT_FE D_TAX_SCH instances used for the budget.

Priority 30 Dups N Download Y Upload Y NFOTS271

Column	Type	Length	Nulls	Scale	Key
FK ED SLF EMP FFK	INTEGER	4	N	0	1
FK ED SLF EMP FFK0	CHAR	2	N	0	2
FK ED SLF EMP FFK1	INTEGER	4	N	0	3
FK ED SLF EMP FFK2	INTEGER	4	N	0	4
FK0ED SLF EMP FFK	INTEGER	4	N	0	5
FK ED SLF EMP FTX	CHAR	4	N	0	6
SCH TYP LNE NBR CD	CHAR	2	N	0	7
The code that denotes the Federal Tax Schedule from which the amounts were taken from.					
NEG LNE AMT	DECIMAL	9	Y	2	
The negative line amo unt taken from the tax schedule.					
POS LNE AMT	DECIMAL	9	Y	2	
The positive line amo unt taken from the tax schedule. Specific line numbers for each tax schedule ar e stored in a code table.					
UPD TS	TIMESTMP	10	N	0	
Update time stamp.					
UPD USRID	CHAR	8	N	0	
Update user id.					

Parents of **ED_SLF_EMP_FTX_SCH**

N2712701 **Child** ED_SLF_EMP_FTX_SCH **Parent** ED_SLF_EMP_FTX_RET

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_SLF_EMP_FFK	FK_ED_INC_ACTIVFK	INTEGER	4	0		N	A
FK_ED_SLF_EMP_FFK0	FK0ED_INC_ACTIVFK	CHARACTER	2	0		N	A
FK_ED_SLF_EMP_FFK1	FK1ED_INC_ACTIVFK	INTEGER	4	0		N	A
FK_ED_SLF_EMP_FFK2	FK2ED_INC_ACTIVFK	INTEGER	4	0		N	A
FK0ED_SLF_EMP_FFK	FK_ED_INC_ACTIVID	INTEGER	4	0		N	A
FK_ED_SLF_EMP_FTX	TX_YR	CHARACTER	4	0		N	A

Children of **ED_SLF_EMP_FTX_SCH**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

ED_SLF_EMP_LDG

Used to store the SELF_EMPLOYMENT_LEDGER instances used for the budget.

Priority 25 Dups N Download Y Upload Y NFOTS269

Column	Type	Length	Nulls	Scale	Key
FK ED INC ACTIVFK	INTEGER	4	N	0	1

FK0ED_INC_ACTIVFK	CHAR	2	N	0	2
FK1ED_INC_ACTIVFK	INTEGER	4	N	0	3
FK2ED_INC_ACTIVFK	INTEGER	4	N	0	4
FK_ED_INC_ACTIVID	INTEGER	4	N	0	5
EST_ACTL_AMT_CD	CHAR	2	N	0	7

A code that indicates whether the received and expense amounts entered in the SELF_EMPLOYMENT_LEDGER are actual amounts or estimated amounts.

MO_REC_DT	DATE	4	N	0	6

This represents the first m onth (in yyyymmdd format) that this ledger can be used in budgeting. It also re presents the month that the RECEIVED_AMOUNT and EXPENSE_AMOUNT were incurred.

SLF_EMP_RCVD_AMT	DECIMAL	9	N	2	

The total amount rec eived for the month that this SELF_EMPLOYMENT_LEDGER represents.

SLF_EMP_EXPN_AMT	DECIMAL	9	N	2	

The total expense am ount for the month that this SELF_EMPLOYMENT_LEDGER represents.

VERF_SRC_CD	CHAR	2	Y	0	

This will identify the so urce that was used to verify the SELF_EMPLOYMENT_LEDGER.

VERF_DT	DATE	4	Y	0	

This will provide the date th at the SELF_EMPLOYMENT_LEDGER was verified.

UPD_TS	TIMESTMP	10	N	0	

Update time stamp.

UPD_USRID	CHAR	8	N	0	

Update user id.

TOT_POS_AMT	DECIMAL	9	Y	2	

"This will store the Tota l Amount Received minus the Total Expenses when the result of this calculation i s positive."

TOT_NEG_AMT	DECIMAL	9	Y	2	

"This will store the Tota l Amount Received minus the Total Expenses when the result of this calculation i s negative."

Parents of **ED_SLF_EMP_LDG**

N2692651 **Child** ED_SLF_EMP_LDG **Parent** ED_INC_ACTIVITY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_INC_ACTIVFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK0ED_INC_ACTIVFK	FK_EDFK_PGM_CASEPG	CHARACTER	2	0		N	A
FK1ED_INC_ACTIVFK	FK_EDFK_PGM_CASEID	INTEGER	4	0		N	A
FK2ED_INC_ACTIVFK	FK_EDID_NBR	INTEGER	4	0		N	A
FK_ED_INC_ACTIVID	ID_NBR	INTEGER	4	0		N	A

Children of **ED_SLF_EMP_LDG**

Parent **Child**

COLNAME		TYPE	LEN	SC	D	N

ED_TOTAL

This table stores individual totals for the bu dget as determined by budgeting modules. These totals are identified by their c lassification codes.

Priority 3 Dups N Download Y Upload Y NFOTS293

Column	Type	Length	Nulls	Scale	Key
FK_EDFK_PGM_CASEPG	CHAR	2	N	0	1
FK_EDFK_PGM_CASEID	INTEGER	4	N	0	2
FK_EDID_NBR	INTEGER	4	N	0	3

CLSF CD	CHAR	2	N	0	4
This attribute stores the type of i ncome that the Total Amount represents. (I.e., Earned, Unearned, CWIS Funding De tail, SE Tax, SE Ledger, SE Total, Expense).					
POS AMT	DECIMAL	9	Y	2	
This attribute stores the total amo unt of the type of income designated by the classification code if the amount is a positive amount.					
NEG AMT	DECIMAL	9	Y	2	
This attribute stores the total amo unt of the type of income designated by the classification code if the amount is a negative amount..					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	

Parents of **ED_TOTAL**

N2932401 **Child** ED_TOTAL **Parent** ED

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_EDFK_PGM_CASEPG	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_EDFK_PGM_CASEID	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_EDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ED_TOTAL**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

ED_UI_AMT

Used to store the UNEARNED_INCOME_AMOUNT inst ances used for the budget.

Priority 25 Dups N Download Y Upload Y NFOTS268

Column	Type	Length	Nulls	Scale	Key
FK ED INC ACTIVFK	INTEGER	4	N	0	1
FK0ED INC ACTIVFK	CHAR	2	N	0	2
FK1ED INC ACTIVFK	INTEGER	4	N	0	3
FK2ED INC ACTIVFK	INTEGER	4	N	0	4
FK ED INC ACTIVID	INTEGER	4	N	0	5
ID NBR	INTEGER	4	N	0	6
A number used for unique identifica tion.					
STABLE INC BEG DT	DATE	4	Y	0	
The date that the Stable Income Amount began.					
STABLE INC END DT	DATE	4	Y	0	
The date that the Stable Income Amount ended or was closed.					
FLCTG INC REC DT	DATE	4	Y	0	
The date that the Fluctua ting Income Amount was received.					
GROSS AMT	DECIMAL	9	N	2	
The gross amount of the income f or the specified time of the UNEARNED_INCOME_AMOUNT.					
ADJ RSN CD	CHAR	2	Y	0	
A business policy allowed reaso n for the adjustment amount taken against an unearned income amount.					
ADJ AMT	DECIMAL	9	Y	2	
The amount associated with the adj ustment reason.					
NET AMT	DECIMAL	9	Y	2	
GROSS_AMT - ADJ_AMT. Displayed on the Calculate window for Fluctuating Unearned Income.					
SSI FED BEN CD	CHAR	2	Y	0	

VERF SRC CD	CHAR	2	Y	0
This will identify the source that was used to verify the UNEARNED_INCOME_AMOUNT.				
VERF DT	DATE	4	Y	0
This will provide the date that th e UNEARNED_INCOME_AMOUNT was verified.				
UPD TS	TIMESTMP	10	N	0
Update time stamp.				
UPD USRID	CHAR	8	N	0
Update user id.				

Parents of **ED_UI_AMT**

N2682651 **Child** ED_UI_AMT **Parent** ED_INC_ACTIVITY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ED_INC_ACTIVFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK0ED_INC_ACTIVFK	FK_EDFK_PGM_CASEPG	CHARACTER	2	0		N	A
FK1ED_INC_ACTIVFK	FK_EDFK_PGM_CASEID	INTEGER	4	0		N	A
FK2ED_INC_ACTIVFK	FK_EDID_NBR	INTEGER	4	0		N	A
FK_ED_INC_ACTIVID	ID_NBR	INTEGER	4	0		N	A

Children of **ED_UI_AMT**

Parent **Child**

COLNAME		TYPE	LEN	SC	D	N

EI_PMT_SCH

A record of the various pay rates and hours that apply for a specified time period so that the amount paid to an individual for that period may be calculated.

Priority 20 Dups N Download Y Upload Y NFOTS665

Column	Type	Length	Nulls	Scale	Key
FK INC ACTIVITYFK	INTEGER	4	N	0	1
FK INC ACTIVITYID	INTEGER	4	N	0	2
BEG DT	DATE	4	N	0	3
The date that the EARNED_INCOME_PA YMENT_SCHEDULE began or the associated Earned Income began.					
END DT	DATE	4	N	0	
PAY RTE FREQ CD	CHAR	2	Y	0	
A code specifying the fre quency of the pay rate. For example: hourly, daily. This code is stored on th e 1834 Code Table.					
PAY RCVD FREQ CD	CHAR	2	Y	0	
A code specifying the fr equency that pay or income is received. For example: weekly, monthly. This co de is stored on the 1831 Code Table.					
REG PAY RTE AMT	DECIMAL	9	Y	2	
The amount that is earned per PAY_RATE_FREQUENCY_CODE for a normal or regular time.					
REG PAY HR	DECIMAL	5	Y	2	
The number of regular hours th at are normally worked during the week.					
OVRTM PAY RTE AMT	DECIMAL	9	Y	2	
The amount that is earn ed per PAY_RATE_FREQUENCY_CODE for overtime.					
OVRTM PAY HR	DECIMAL	5	Y	2	
The number of overtime hours that are normally worked during the week.					
SHIFT PAY RTE AMT	DECIMAL	9	Y	2	
The amount that is earn ed per PAY_RATE_FREQUENCY_CODE for working shift time.					
SHIFT PAY HR	DECIMAL	5	Y	2	
The number of shift pay hour s that are normally worked during a week.					
EST MO AMT	DECIMAL	9	Y	2	

EST MO AMT RCVD D	DATE	4	Y	0
This will represent th e month (stored as yyyymmdd) that will be associated with the ESTIMATED_MONTHLY_ AMOUNT.				
TIPS BNS CMSN AMT	DECIMAL	9	Y	2
The amount of tips, bon us and commission that were earned during the pay period.				
VERF SRC CD	CHAR	2	Y	0
This will identify the source that was used to verify the EARNED_INCOME_PAYMENT_SCHEDULE.				
VERF DT	DATE	4	Y	0
This will provide the date that t he EARNED_INCOME_PAYMENT_SCHEDULE was verified.				
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
FINAL MONTHLY AMT	DECIMAL	9	Y	2
The final amount to be used for this earned income, reflecting either a partial month's pay due to the end of the income stream.				
FNL MO AMT RCVD D	DATE	4	Y	0
The final month in whi ch the earned income payment was/will be received.				

Parents of **EI_PMT_SCH**

N6656601 **Child** EI_PMT_SCH **Parent** INC_ACTIVITY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_INC_ACTIVITYFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_INC_ACTIVITYID	ID_NBR	INTEGER	4	0		N	A

Children of **EI_PMT_SCH**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

EI_PMT_STUB

Priority 20 Dups N Download Y Upload Y NFOTS670

Column	Type	Length	Nulls	Scale	Key
FK INC ACTIVITYFK	INTEGER	4	N	0	1
FK INC ACTIVITYID	INTEGER	4	N	0	2
AMT RCVD DT	DATE	4	N	0	3
This is the date a paycheck was received.					
REG PAY AMT	DECIMAL	9	Y	2	
This represents the dollar a mount from the pay stub that applies to regular/normal pay.					
REG PAY HR	DECIMAL	5	Y	2	
This represents the number of regular hours worked that are associated with this pay stub.					
OVRTM PAY AMT	DECIMAL	9	Y	2	
This represents the dollar amount from the pay stub that applies to overtime pay.					
OVRTM PAY HR	DECIMAL	5	Y	2	
This represents the number of overtime hours worked that are associated with this pay stub.					
SHIFT PAY AMT	DECIMAL	9	Y	2	
This represents the dollar amount from the pay stub that applies to shift pay.					
SHIFT PAY HR	DECIMAL	5	Y	2	
This represents the number of shift hours worked that are associated with this pay stub.					
TIPS BNS AMT	DECIMAL	9	Y	2	
This represents the dollar amount from the pay stub that applies to Tips and bonuses.					
VERF SRC CD	CHAR	2	Y	0	
This will identify the sourc e that was used to verify the EARNED_INCOME_PAYMENT_STUB.					
VERF DT	DATE	4	Y	0	
This will provide the date that the EARNED_INCOME_PAYMENT_STUB was verified.					

UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0

Parents of **EI_PMT_STUB**

N6706601 **Child** EI_PMT_STUB **Parent** INC_ACTIVITY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_INC_ACTIVITYFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_INC_ACTIVITYID	ID_NBR	INTEGER	4	0		N	A

Children of **EI_PMT_STUB**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

ELEC_APP

An application for benefits entered by the cli ent through the online web application tool.

Priority 20 Dups N Download N Upload Y NFOTS126

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Unique Identifier randomly generated					
APP FRST NME	CHAR	20	N	0	
First name of applicant					
APP LST NME	CHAR	25	N	0	
Last name of applicant					
APP MIDL NME	CHAR	20	Y	0	
Middle name of applicant					
APP NME EXTN CD	CHAR	3	Y	0	
Name Extension Code of appl icant					
APP PHON LST NME	CHAR	8	N	0	
The soundex key for Last N ame. Used for phonetic name searches.					
RCVD DT	DATE	4	N	0	
Received date is the business day t he application is electronically signed. If the electronic signature is signed during non-business hours, the receive date is the next business day.					
CLI CRET DT	DATE	4	N	0	
Date the application was first created and saved by the client in the web application tool.					
CLI CRET TME	TIME	3	N	0	
Time the application was creat ed and saved by the client in the web application tool					
REQ DT	DATE	4	N	0	
LNG TYP CD	CHAR	2	Y	0	
Language for interpreter					
ELEC SGN NME	CHAR	75	N	0	
Name of person signing applica tion This could be guardian, POA, etc.					
ELEC SGN DT	DATE	4	N	0	
Date when application was signe d the application in the web application tool.					
ELEC SGN TME	TIME	3	N	0	
Time when application was sign ed the application in the web application tool.					
ELEC SGN HASH VALU	CHAR	32	N	0	
Code created for electro nic signature when application was signed in the web application tool					
CURR STAT CD	CHAR	2	N	0	
Current Status of the applicat ion. This status is also stored on the status history table. Pending, submitte d, working, registered, energy only.					
CURR STAT BEG DT	DATE	4	N	0	
Begin date of Current Stat us					
CURR STAT BEG TME	TIME	3	N	0	
Begin time of Current Sta tus					

CLI APP ID NBR	INTEGER	4	N	0
Application ID created when the client created the application in the web application tool.				
MOD USRID	CHAR	8	N	0
Logon ID of the last person to up date the record.				
MOD TS	TIMESTMP	10	N	0
Date and Time the last update was ap plied to the record.				
UPD USRID	CHAR	8	N	0
Logon ID of the last person to up date the record. For technical purposes. This information may be updated by pro grams (primarily batch and expert system) and should use CURRENT SQLID.				
UPD TS	TIMESTMP	10	N	0
Date and Time the last update was ap plied to the record. For technical purposes. This information may be updated b y programs (primarily batch and expert system) and should CURRENT TIMESTAMP				

Parents of **ELEC_APP**

Children of **ELEC_APP**

N1281261	**Parent**	ELEC_APP	**Child**	ELEC_APP_PSTN_ASGN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ELEC_APPID_NBR		INTEGER	4	0		N	
N1291261	**Parent**	ELEC_APP	**Child**	ELEC_APP_STAT_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ELEC_APPID_NBR		INTEGER	4	0		N	
N1381261	**Parent**	ELEC_APP	**Child**	ELEC_APP_PGM						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ELEC_APPID_NBR		INTEGER	4	0		N	
N1391261	**Parent**	ELEC_APP	**Child**	ELEC_APP_PC_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ELEC_APPID_NBR		INTEGER	4	0		N	
N1411261	**Parent**	ELEC_APP	**Child**	ELEC_APP_CMNT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ELEC_APPID_NBR		INTEGER	4	0		N	

ELEC_APP_CMNT

This contains comments of the questions o n the application.

Priority 21 Dups N Download N Upload Y NFOTS141

Column	Type	Length	Nulls	Scale	Key
FK ELEC APPID NBR	INTEGER	4	N	0	1
TYP CD	CHAR	2	N	0	2
Type will track which questions the comment belongs to					
SEQ NBR	INTEGER	4	N	0	3
Sequence of the comment. To b e used if the comment area is more than 1900 characters.					
CRET TS	TIMESTMP	10	N	0	4
Timestamp of comment creation					
CRET USRID	CHAR	8	N	0	
User ID of comment creation					
TEXT	VARCHAR	1,900	N	0	
COMMENT					
MOD USRID	CHAR	8	N	0	
Logon ID of the last person to update the record.					
MOD TS	TIMESTMP	10	N	0	
Date and Time the last update w as applied to the record.					
UPD USRID	CHAR	8	N	0	
Logon ID of the last person to update the record. For technical purposes. This information may be updated b y programs (primarily batch and expert system) and should use CURRENT SQLID.					

UPD TS	TIMESTMP	10	N	0

Date and Time the last update w as applied to the record. For technical purposes. This information may be upda ted by programs (primarily batch and expert system) and should CURRENT TIMESTAMP

Parents of **ELEC_APP_CMNT**

N1411261 **Child** ELEC_APP_CMNT **Parent** ELEC_APP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ELEC_APPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ELEC_APP_CMNT**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

ELEC_APP_PC_INVLV

Ties the electronic application with the appropriate program case used by the application.

Priority 21 Dups N Download N Upload Y NFOTS139

Column	Type	Length	Nulls	Scale	Key
FK PGM CASEPGM CD	CHAR	2	N	0	1
FK PGM CASEID NBR	INTEGER	4	N	0	2
FK ELEC APPID NBR	INTEGER	4	N	0	3
BEG DT	DATE	4	N	0	4

Begin date of Involvement

END DT	DATE	4	N	0

End date of Involvement

RSN CD	CHAR	2	N	0

Code indicates what the pur pose of the application is as it relates to a specific program case. Purpose ma y be initial, review, recertification or duplicate. Purpose is set by the worke r.

CRET USRID	CHAR	8	N	0

Logon ID of the person to create the record

CRET TS	TIMESTMP	10	N	0

Date and Time the record w as created.

MOD USRID	CHAR	8	N	0

Logon ID of the last per son to update the record.

MOD TS	TIMESTMP	10	N	0

Date and Time the last upda te was applied to the record.

UPD USRID	CHAR	8	N	0

Logon ID of the last per son to update the record. For technical purposes. This information may be updat ed by programs (primarily batch and expert system) and should use CURRENT SQLID.

UPD TS	TIMESTMP	10	N	0

Date and Time the last upda te was applied to the record. For technical purposes. This information may be updated by programs (primarily batch and expert system) and should CURRENT TIMES TAMP

Parents of **ELEC_APP_PC_INVLV**

N1391261 **Child** ELEC_APP_PC_INVLV **Parent** ELEC_APP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ELEC_APPID_NBR	ID_NBR	INTEGER	4	0		N	A

N1395951 **Child** ELEC_APP_PC_INVLV **Parent** PGM_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PGM_CASEPGM_CD	PGM_CD	CHARACTER	2	0		N	A
FK_PGM_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ELEC_APP_PC_INVLV**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

ELEC_APP_PGM

Program(s) applied for on the application

Priority 21 Dups N Download N Upload N NFOTS138

Column	Type	Length	Nulls	Scale	Key
FK ELEC APPID NBR	INTEGER	4	N	0	1
PGM CD	CHAR	2	N	0	2
The Program Code for the program s that were applied for on the ELECTRONIC application.					
UPD USRID	CHAR	8	N	0	
Logon ID of the last person t o update the record. For technical purposes. This information may be updated by programs (primarily batch and expert system) and should use CURRENT SQLID.					
UPD TS	TIMESTMP	10	N	0	
Date and Time the last update wa s applied to the record. For technical purposes. This information may be updat ed by programs (primarily batch and expert system) and should CURRENT TIMESTAMP					

Parents of **ELEC_APP_PGM**

N1381261	Child	ELEC_APP_PGM	Parent	ELEC_APP				
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ELEC_APPID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **ELEC_APP_PGM**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

ELEC_APP_PSTN_ASGN

Assignment of application to an offi ce

Priority 21 Dups N Download N Upload N NFOTS128

Column	Type	Length	Nulls	Scale	Key
FK DSS OFC POSTFK	CHAR	3	N	0	1
FK DSS OFC POSTID	INTEGER	4	N	0	2
FK ELEC APPID NBR	INTEGER	4	N	0	3
BEG DT	DATE	4	N	0	4
Begin date of the Assignme nt					
BEG TME	TIME	3	N	0	5
Begin time of the Assignm ent					
END DT	DATE	4	N	0	
End date of the Assignment					
END TME	TIME	3	N	0	
End time of the Assignmen t					
CLI REQ IND	CHAR	1	Y	0	
Client requested a di fferent office assignment in web application other than their default office.					
CRET USRID	CHAR	8	N	0	
User that created this assignment.					
CRET TS	TIMESTMP	10	N	0	
Date and Time the record was created.					
MOD USRID	CHAR	8	N	0	
Logon ID of the last pe rson to update the record.					
MOD TS	TIMESTMP	10	N	0	
Date and Time the last upd ate was applied to the record.					

UPD USRID	CHAR	8	N	0

Logon ID of the last pe rson to update the record. For technical purposes. This information may be upda ted by programs (primarily batch and expert system) and should use CURRENT SQLID .

UPD TS	TIMESTMP	10	N	0

Date and Time the last upd ate was applied to the record. For technical purposes. This information may be updated by programs (primarily batch and expert system) and should CURRENT TIME STAMP

Parents of **ELEC_APP_PSTN_ASGN**

N1281261 **Child** ELEC_APP_PSTN_ASGN **Parent** ELEC_APP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ELEC_APPID_NBR	ID_NBR	INTEGER	4	0		N	A

N1282301 **Child** ELEC_APP_PSTN_ASGN **Parent** DSS_OFC_POSTN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR	CHARACTER	3	0		N	A
FK_DSS_OFC_POSTID	ID_NBR	INTEGER	4	0		N	A

Children of **ELEC_APP_PSTN_ASGN**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

ELEC_APP_STAT_HIST

This contains the history for the St atus of the application.

Priority 21 Dups N Download N Upload Y NFOTS129

Column	Type	Length	Nulls	Scale	Key
FK ELEC APPID NBR	INTEGER	4	N	0	1
STAT CD	CHAR	2	N	0	2

Tracks application status Pending, submitted, working, registered, energy only

STAT BEG DT	DATE	4	N	0	3

Begin date of the sta tus

STAT BEG TME	TIME	3	N	0	4

Begin time of the st atus

STAT END DT	DATE	4	N	0	

End date of the statu s

STAT END TME	TIME	3	N	0	

End time of the stat us

CRET USRID	CHAR	8	N	0	

User that created this status

CRET TS	TIMESTMP	10	N	0	

Date and Time the record was created

MOD USRID	CHAR	8	N	0	

Logon ID of the last pe rson to update the record.

MOD TS	TIMESTMP	10	N	0	

Date and Time the last upd ate was applied to the record.

UPD USRID	CHAR	8	N	0	

Logon ID of the last pe rson to update the record. For technical purposes. This information may be upda ted by programs (primarily batch and expert system) and should use CURRENT SQLID .

UPD TS	TIMESTMP	10	N	0	

Date and Time the last upd ate was applied to the record. For technical purposes. This information may be updated by programs (primarily batch and expert system) and should CURRENT TIME STAMP

Parents of **ELEC_APP_STAT_HIST**

N1291261 **Child** ELEC_APP_STAT_HIST **Parent** ELEC_APP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ELEC_APPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ELEC_APP_STAT_HIST**

Parent COLNAME	Child TYPE	LEN	SC	D	N

ELIG_RQMT

A factor or set of circumstances which must b e met for PROGRAM CASE eligibility.

Priority 3 Dups N Download Y Upload Y NFOTS350

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A number assigned to uniquely ident ify the ELIGIBILITY REQUIREMENT.					
TYP CD	CHAR	2	N	0	
BEG DT	DATE	4	N	0	
The date the ELIGIBILITY_REQUIREMEN T is effective.					
FK PCPIFK PGM CASE	CHAR	2	Y	0	
FK PCPIFK PGM CAS0	INTEGER	4	Y	0	
FK PCPIFK ARPID NB	INTEGER	4	Y	0	
FK PGM CASEID NBR	INTEGER	4	Y	0	
FK PGM CASEPGM CD	CHAR	2	Y	0	
STAT CD	CHAR	2	N	0	
A code specifying if a PROGRAM CAS E or a PROGRAMCASE PERSON INVOLVEMENT meets the program requirements for the eli gibility factor identified in the instance of ELIGIBILITY REQUIREMENT.Valid Valu es:PassFailExempt					
STAT RSN CD	CHAR	2	Y	0	
END DT	DATE	4	N	0	
The date the ELIGIBILITY_REQUIREMEN T is no longer effective.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **ELIG_RQMT**

N3505851 **Child** ELIG_RQMT **Parent** PCPI

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_PCPIFK_PGM_CAS0	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_PCPIFK_ARPID_NB	FK_ARPID_NBR	INTEGER	4	0		N	A

N3505951 **Child** ELIG_RQMT **Parent** PGM_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PGM_CASEPGM_CD	PGM_CD	CHARACTER	2	0		N	A
FK_PGM_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ELIG_RQMT**

Parent COLNAME	Child TYPE	LEN	SC	D	N

ES_CASE_STAT

Stores timestamps and attributes for use i n deriving application performance statistics for Expert System case processing.

Priority 10 Dups N Download N Upload N NFOTS110

Column	Type	Length	Nulls	Scale	Key

FK MST CASEID NBR	INTEGER	4	N	0	1
CHK OUT INIT TS	TIMESTMP	10	N	0	2

Timestamp Case Check-ou t initiated, as determined by the invocation of Case Check-out by the user.

RQSTR ID	CHAR	8	Y	0	

Workstation identifier derived from the MS-Windows ComputerName environment variable. If the application is e xecuting on Citrix, MESA server, etc., this will identify the name of the respec tive server.

VERS NBR	INTEGER	4	Y	0	

This is the N-FOCUS database v ersion number when the instance is created, as determined by Case Check-in.

CASE CHKOUT CMP T:	TIMESTMP	10	Y	0	

Timestamp Case Check -out completed. The point at which the download process is completed and the da ta ready for Expert System processing.

CASE DNLD SIZ NBR	INTEGER	4	Y	0	

Size of downloaded wo rkstation case file in bytes, as determined by the LCM file.

ES PROC INIT TS	TIMESTMP	10	Y	0	

Timestamp Expert System processing initiated, as determined by the first invocation of the Expert Syste m.

ES PROC COMP TS	TIMESTMP	10	Y	0	

Timestamp Expert System processing completed, as determined by the last exit of the Expert System.

CHK IN INIT TS	TIMESTMP	10	Y	0	

Timestamp Case Check-in initiated, as determined by invocation of Case Check-in by the user and successf ul completion thereof.

CHK IN CMP TS	TIMESTMP	10	Y	0	

Timestamp Case Check-in c ompleted. The point at which all data has been successfully uploaded, but prior to this record being uploaded.

USER ID	CHAR	8	N	0	

User id of the person logged on or an 8-character identifier for MESA processing.

UPD USRID	CHAR	8	N	0	

Userid of the person who last updated the record

UPD TS	TIMESTMP	10	N	0	

Date/Time the record was last up dated.

Parents of **ES_CASE_STAT**

N1105151	**Child**	ES_CASE_STAT	**Parent**	MST_CASE
	COLNAME		TYPE	LEN SC D N UPD
	FK_MST_CASEID_NBR	ID_NBR	INTEGER	4 0 N A

Children of **ES_CASE_STAT**

Parent	**Child**				
COLNAME		TYPE	LEN	SC D	N

ES_TRIG

ES_TRIG is used as a placeholder to store Notic e Actions as they are created throughout the Expert System. This acts as a tran saction log for us to read when the user chooses to create a Notices for all of his/her changes.

Priority 3 Dups N Download Y Upload Y NFOTS547

Column	Type	Length	Nulls	Scale	Key
FK MST CASEID NBR	INTEGER	4	N	0	1

This will be used to link the record to a Master Case.

ID NBR	INTEGER	4	N	0	2

Randomly generated ID number.

AT TYP CD	CHAR	2	N	0	

This represents the Action being g enerated throughout the Expert System. It could be an approval, closure, denial , etc.

BEN_MO_BEG_DT	DATE	4	Y	0
This is used to record the Ben efit Month for which the user is processing.				
BEG_DT	DATE	4	Y	0
This is used to record the begin date of the data being stored.				
END_DT	DATE	4	Y	0
This is used to record the end date o f the data being stored.				
TYP_CD	CHAR	2	Y	0
This is a generic attribute that will vary based on the classification code. It could be used to capture the type co de of whatever we are trying to store.				
STAT_CD	CHAR	2	Y	0
This is a generic attribute that wil l vary based on the classification code. It could be used to capture the status code of whatever we are trying to store.				
RSN_CD	CHAR	2	Y	0
This is a generic attribute that will vary based on the Action type. It could be used to store the status reason cod e of the Program Case or PCPI History that has changed.				
CAT_CD	CHAR	2	Y	0
This attribute will capture the categ ory code of the Program or PCPI for which the trigger applies.				
AMT	DECIMAL	8	Y	2
This will be used to record the amount p rior to updating the amount in the budget authorization KB.				
FK_ARPID_NBR	INTEGER	4	Y	0
This will be used to record the ARP ID if the trigger needs to track the ARP.				
FK_PGM_CASEID_NBR	INTEGER	4	Y	0
This will be used to recor d the Program Case ID if the trigger needs to track the Program Case or PCPI.				
FK_PGM_CASEPGM_CD	CHAR	2	Y	0
This will be used to recor d the Program Code if the trigger needs to track the Program Case or PCPI.				
FK_EDID_NBR	INTEGER	4	Y	0
This will be used to record the ED ID if the trigger needs to track the Budget being referenced.				
KB_TS	CHAR	11	Y	0
This field is used to store the CPU or KB timestamp at the time the trigger was created in the Expert System. This di ffers from the UPD_TS field because this field is populated by upload.				
UPD_USRID	CHAR	8	N	0
UPD_TS	TIMESTMP	10	N	0

Parents of **ES_TRIG**

Children of **ES_TRIG**

Parent	Child					
COLNAME	TYPE	LEN	SC	D	N	

EXT_OP

An overpayment that is outside of the N-FOCUS sc ope. For example a claim from another state that Nebraska collects on.

Priority 2 Dups N Download Y Upload N NFOTS365

Column	Type	Length	Nulls	Scale	Key
CRET_DT	DATE	4	N	0	
The date the entity was created.					
PGM_CD	CHAR	2	N	0	
The program for the EXTERNAL_OVERPAYME NT.					

PD TO DT AMT	DECIMAL	8	Y	2	
The amount of the overpayment th at has beem collected to this date.					
TYP CD	CHAR	2	N	0	
TYP CD CHG DT	DATE	4	Y	0	
The date the type code changed.					
ELIG MO	INTEGER	4	N	0	
AMT	DECIMAL	7	N	2	
OP RSN CD	CHAR	2	N	0	
A code specifying the reason for a type of EXTERNAL OVERPAYMENT.Valid Values:Retention of Child Support by ClientOu t-of-State Food Stamp OverpaymentOther					
FRD CD	CHAR	2	Y	0	
FRD AMT	DECIMAL	7	Y	2	
********** ********This attribute is used by interface CSE.********** **********The dollar amount the EXTERNAL OVERPAYMENT is found to be fraudulen t.					
FRD TYP CD	CHAR	2	Y	0	
FRD REF DT	DATE	4	Y	0	
The date the EXTERNAL OVERPAYMENT was referred to the Fraud Unit for fraud investigation.**********Comments **********					
FRD DET DT	DATE	4	Y	0	
ID SRC CD	CHAR	2	N	0	
STAT CD	CHAR	2	N	0	
STAT CHG DT	DATE	4	N	0	
STAT RSN CD	CHAR	2	Y	0	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
ID NBR	INTEGER	4	N	0	1
FK ARID NBR	INTEGER	4	Y	0	
FK ARPID NBR	INTEGER	4	Y	0	
FK ORGID NBR	INTEGER	4	Y	0	
ORIG OP DT	DATE	4	Y	0	
Date on which the overpayment was originally made on the legacy system.					
DSCV DT	DATE	4	Y	0	
The actual date a worker discovered t he EXTERNAL OVERPAYMENT.					

Parents of **EXT_OP**

N3650351	**Child**	EXT_OP	**Parent**	AR							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ARID_NBR	ID_NBR		INTEGER	4	0		N	A	
N3650401	**Child**	EXT_OP	**Parent**	ARP							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A	
N3655501	**Child**	EXT_OP	**Parent**	ORG							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A	

Children of **EXT_OP**

Parent	**Child**					
COLNAME	TYPE	LEN	SC	D	N	

EXT_PRSNL

Priority 20 Dups N Download N Upload N NFOTS088

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
FK_CRT_RPT_INFOFK	INTEGER	4	N	0	1
FK_CRT_RPT_INFOID	INTEGER	4	N	0	2
ID_NBR	INTEGER	4	N	0	3
AN ARTIFICIAL ID NUMBER ASSIGNED TO IDENTIFY THE EXTERNAL PERSONNEL RECORD.					
CNTCT_NME	CHAR	52	N	0	
FREE-FORMAT NAME OF THE PERSON W HO IS PERFORMING THE ROLE IN THE CONTEXT OF THIS PARTICULAR COURT REPORT.					
CNTCT_TITL_NME	CHAR	30	Y	0	
FREE FORM TITLE OF THE PERS ON PERFORMING A ROLE IN THIS CASE.					
CNTCT_OFC_NME	CHAR	30	Y	0	
FREE FORM LOCATION OF THE PE RSON OR NAME OF THE FIRM WHERE THIS PERSON MAY BE REACHED.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **EXT_PRSNL**

N0880861	**Child**	EXT_PRSNL	**Parent**	CRT_RPT_INFO							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_CRT_RPT_INFOFK	FK_LEGAL_ATID_NBR		INTEGER	4	0		N	A	
		FK_CRT_RPT_INFOID	ID_NBR		INTEGER	4	0		N	A	

Children of **EXT_PRSNL**

Parent	**Child**					
COLNAME	TYPE	LEN	SC	D	N	

FAM_STRENGTH

Documents the family's strengths at the t ime of the assessment.

Priority 5 Dups N Download N Upload N NFOTS816

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
FAM_STRENGTH_CD	CHAR	2	N	0	2
Documents a specific fa mily strength type.					
FK_ASSMNTID_NBR	INTEGER	4	N	0	1

SEL FLG	CHAR	1	N	0	
The selection flag determines w hether the family service has been selected or de-selected.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **FAM_STRENGTH**

N8168051	**Child**	FAM_STRENGTH	**Parent**	ASSMNT					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ASSMNTID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **FAM_STRENGTH**

Parent		**Child**				
	COLNAME		TYPE	LEN	SC	D	N

FAMILY_DTL

Priority 20 Dups N Download Y Upload Y NFOTS880

Column	Type	Length	Nulls	Scale	Kev
BEG DT	DATE	4	N	0	2
Begin date of family detail inform ation for fundng detail instance.					
END DT	DATE	4	N	0	
End date of family detail informat ion for fundng detail instance.					
GR ERND INC AMT	DECIMAL	8	N	2	
Gross amount of earned in come earned by the Family.					
GR UNERN INC AMT	DECIMAL	8	N	2	
Gross amount of unearned income earned by the Family.					
FAMILY SIZ	SMALLINT	2	N	0	
Number of people in the Family .					
DEP CD	CHAR	2	N	0	
Type of Deprivation that one or mo re children in the family have from the 1168 codes table.					
NBR EMPLED PEOPLE	SMALLINT	2	N	0	
The number of people in the family who are employed.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK ARPID NBR	INTEGER	4	N	0	1
UNERN INC VERF CD	CHAR	2	Y	0	
The verfication source of the funding detail unearned income. (1800 code table)					
UNERN INC VERF DT	DATE	4	Y	0	
The date the funding de tail unearned income data was verified.					
ERND INC VERF CD	CHAR	2	Y	0	
The verification source of the funding detail earned income. (1800 code table)					
ERND INC VERF DT	DATE	4	Y	0	
The date the funding det ail earned income data was verified.					
VERF SRC CD	CHAR	2	Y	0	
The verification source of th e funding detail earned income. (1800 code table)					
VERF DT	DATE	4	Y	0	
The date the funding detail earne d income data was verified.					
PERM HRNG IND	CHAR	1	Y	0	
Stores a Y/N value to indic ate if Permanency Hearing Review is required or not.					

Parents of **FAMILY_DTL**

N8800401	**Child**	FAMILY_DTL	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **FAMILY_DTL**

Parent			**Child**				
	COLNAME			TYPE	LEN	SC	D	N

FCLTY_TYPE

This entity tracks the different child welfa re facility types that an organization may have.

Priority 1 Dups N Download N Upload N NFOTS815

Column	Type	Length	Nulls	Scale	Key
TYP CD	CHAR	2	N	0	2
The codified type of facility type .					
FK ORGID NBR	INTEGER	4	N	0	1
STAT CD	CHAR	2	N	0	
A unique code identifying the cur rent status of the FACILITY_TYPE.					
STAT BEG DT	DATE	4	N	0	
Begin Date of when a Status c hange occurred.					
STAT END DT	DATE	4	N	0	
End Date of when a status cha nge occurred.					
IVE IND	CHAR	1	N	0	
This indicator displays the IV-E funding eligibility for the facility type.					
IVE DT	DATE	4	N	0	
This is the date the IV-E indicato r was set to eligible or non-eligible.					
STAT RSN CD	CHAR	2	Y	0	
A unique code identifying the reason the STATUS CODE has changed.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
WAIVE TRNG IND	CHAR	1	Y	0	
Flag that determines wheth er training is required for the Facility Type.					

Parents of **FCLTY_TYPE**

N8155501	**Child**	FCLTY_TYPE	**Parent**	ORG					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ORGID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **FCLTY_TYPE**

N8438151	**Parent**	FCLTY_TYPE	**Child**	PLMNT					
		COLNAME			TYPE	LEN	SC	D	N
	FK_ORGID_NBR		FK_FCLTY_TYPEFK_OR		INTEGER	4	0		N
	TYP_CD		FK_FCLTY_TYPETYP_C		CHARACTER	2	0		N
N8628151	**Parent**	FCLTY_TYPE	**Child**	LICENSE_FCLTY_INVL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_ORGID_NBR		FK_FCLTY_TYPEFK_OR		INTEGER	4	0		N
	TYP_CD		FK_FCLTY_TYPETYP_C		CHARACTER	2	0		N
N8648151	**Parent**	FCLTY_TYPE	**Child**	FCLTY_TYPE_HIST					
		COLNAME			TYPE	LEN	SC	D	N
	FK_ORGID_NBR		FK_FCLTY_TYPEFK_OR		INTEGER	4	0		N
	TYP_CD		FK_FCLTY_TYPETYP_C		CHARACTER	2	0		N

FCLTY_TYPE_HIST

Priority 2 Dups N Download N Upload N NFOTS864

Column	Type	Length	Nulls	Scale	Key

ID NBR	INTEGER	4	N	0	3
FK FCLTY TYPEFK OR	INTEGER	4	N	0	1
FK FCLTY TYPETYP C	CHAR	2	N	0	2
STAT CD	CHAR	2	N	0	
A unique code identifying th e current status of the FACILITY_TYPE_HISTORY.					
STAT BEG DT	DATE	4	N	0	
Begin Date of when a Sta tus change occurred.					
STAT END DT	DATE	4	N	0	
End Date of when a statu s change occurred.					
IVE IND	CHAR	1	N	0	
This indicator displays the IV-E funding eligibility for the facility type.					
IVE DT	DATE	4	N	0	
This is the date the IV-E ind icator was set to eligible or non-eligible.					
STAT RSN CD	CHAR	2	Y	0	
A unique code identifyin g the reason the STATUS CODE has changed.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	

Parents of **FCLTY_TYPE_HIST**

N8648151 **Child** FCLTY_TYPE_HIST **Parent** FCLTY_TYPE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_FCLTY_TYPEFK_OR	FK_ORGID_NBR	INTEGER	4	0		N	A
FK_FCLTY_TYPETYP_C	TYP_CD	CHARACTER	2	0		N	A

Children of **FCLTY_TYPE_HIST**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

FCRB_LEGAL_AT

Legal proceedings related to the child's adjudication.

Priority 20 Dups N Download N Upload N NFOTS793

Column	Type	Length	Nulls	Scale	Key
FK PRS TRKNGID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2
ARTIFICIAL ID NUMBER ASSIGNED T O IDENIFY THE FCRB_LEGAL_ACTION RECORD					
DOCKET NBR	CHAR	15	Y	0	
The number the court assign s for each filed petition					
ACT IND	CHAR	1	Y	0	
Indicates whether the Legal Ac tion is active or not.Values: Yes, No					
ADJU TYP CD	CHAR	2	Y	0	
A code specifying the type of adjudication.Values: 3A, 3B, 3C					
UPD USRID	CHAR	8	N	0	
Last Update User ID.					
UPD TS	TIMESTMP	10	N	0	
Last Update Timestamp.					

Parents of **FCRB_LEGAL_AT**

N7937861 **Child** FCRB_LEGAL_AT **Parent** PRS_TRKNG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PRS_TRKNGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **FCRB_LEGAL_AT**

Parent COLNAME	Child TYPE	LEN	SC	D	N

FCRB_PLMNT

Information about the out-of-home placement(s) and return placement with a parent.

Priority 20 Dups N Download N Upload N NFOTS796

Column	Type	Length	Nulls	Scale	Key
FK_PRS_TRKNGID_NBR	INTEGER	4	N	0	1
ID_NBR	INTEGER	4	N	0	2
ARTIFICIAL ID NUMBER ASSIGNED TO T HE FCRB_PLACEMENT RECORD.					
TYP_CD	CHAR	2	N	0	
Code indicating type of placement. Values: Parent, Emergency Shelter, Relative, Unknown, Agency Based Foster Home					
BEG_DT	DATE	4	N	0	
Date of child's placement in new out-of-home care living situation or return to parental home.					
END_DT	DATE	4	Y	0	
End Date of child's placement.					
PRXMTY_TO_HME_CD	CHAR	2	Y	0	
Code indicating proximit y of placement from child's home. Values: Same County., Neighbor County...					
ST_CD	CHAR	2	Y	0	
State of placement. Used when full placement address is unknownValues: SD, ND, MN					
CNTY_CD	CHAR	3	Y	0	
County of placement. Used when fu ll placement address is unknownValues: Lancaster, Douglas, Sarpy					
TXT	CHAR	48	Y	0	
Text to record placement information where detail is insufficient to use ORG or ARP or full ADDRESS etc.					
FK_ORGID_NBR	INTEGER	4	Y	0	
FK_ARPID_NBR	INTEGER	4	Y	0	
UPD_USRID	CHAR	8	N	0	
Last Update User ID.					
UPD_TS	TIMESTMP	10	N	0	
Last Update Timestamp.					

Parents of **FCRB_PLMNT**

N7960401	**Child**	FCRB_PLMNT	**Parent**	ARP							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A	
N7965502	**Child**	FCRB_PLMNT	**Parent**	ORG							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A	
N7967861	**Child**	FCRB_PLMNT	**Parent**	PRS_TRKNG							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_PRS_TRKNGID_NBR	ID_NBR		INTEGER	4	0		N	A	

Children of **FCRB_PLMNT**

Parent COLNAME	Child TYPE	LEN	SC	D	N

FCRB_REL

Information about the relationship between the child in care, family members, and others (siblings, bio parents, adoptive/lega l parents, step-parents, and legal agents [Judge, GAL etc]).

Priority 20 Dups N Download N Upload N NFOTS798

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
FK0ARPID NBR	INTEGER	4	N	0	2
TYP CD	CHAR	2	N	0	
Code specifying the type of relation shipValues: Mom, Dad, Siblings, Step Mom, Step Dad, Judge, Tribal Judge, GAL, CA SA, Child's Attorney, Other Adults					
CNTY CD	CHAR	3	Y	0	
CODE FOR MOM OR DAD'S COUNTY					
UPD USRID	CHAR	8	N	0	
Last Update User ID.					
UPD TS	TIMESTMP	10	N	0	
Last Update Timestamp.					

Parents of **FCRB_REL**

N7980401 **Child** FCRB_REL **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK0ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N7980402 **Child** FCRB_REL **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **FCRB_REL**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

FCRHISTORY

Priority 20 Dups N Download N Upload N NFOTS914

Column	Type	Length	Nulls	Scale	Key
PLCMNT TYPE	SMALLINT	2	Y	0	
IN PLCMNT DT	DATE	4	N	0	
OUT PLCMNT DT	DATE	4	Y	0	
FIRST NM	CHAR	16	N	0	2
LAST NM	CHAR	16	N	0	1
PROVIDER NM	CHAR	30	N	0	
PROVIDER ADDRESS	CHAR	30	Y	0	
PROVIDER CITY	CHAR	16	Y	0	
PROVIDER STATE	CHAR	2	Y	0	
PROVIDER ZIP	CHAR	5	Y	0	

Parents of **FCRHISTORY**

Children of **FCRHISTORY**

Parent	Child						
COLNAME		TYPE	LEN	SC	D	N	

FCRMASTER1

Priority 20 Dups N Download N Upload N NFOTS912

Column	Type	Length	Nulls	Scale	Key
ADJ PAST OTH	CHAR	1	Y	0	
ADJ PAST VOL	CHAR	1	Y	0	
ADJ PAST 1	CHAR	1	Y	0	
ADJ PAST 2	CHAR	1	Y	0	
ADJ PAST 3A	CHAR	1	Y	0	
ADJ PAST 3B	CHAR	1	Y	0	
ADJ PAST 3C	CHAR	1	Y	0	
ADJUD HRNG DT	INTEGER	4	Y	0	
ADJUD OTHER	CHAR	1	Y	0	
ADJUD VOL	CHAR	1	Y	0	
ADJUD 1	CHAR	1	Y	0	
ADJUD 2	CHAR	1	Y	0	
ADJUD 3A	CHAR	1	Y	0	
ADJUD 3B	CHAR	1	Y	0	
ADJUD 3C	CHAR	1	Y	0	
AGE IN MOS	CHAR	3	Y	0	
AGENCY BASED	CHAR	1	Y	0	
AGY ID	CHAR	5	Y	0	
AGY NM	CHAR	9	N	0	
AKA	CHAR	14	Y	0	
APP ADULT DEV DIS	CHAR	1	Y	0	
ASSIGNMENT CODE	INTEGER	4	Y	0	
AT COURT REVIEW	CHAR	1	Y	0	
AT RISK	SMALLINT	2	Y	0	

ATTEND VISIT	SMALLINT	2	Y	0
BIRACIAL	SMALLINT	2	Y	0
CASE PLAN DATE	INTEGER	4	Y	0
CASEMANAGER	CHAR	21	Y	0
CHILD IN CARE	SMALLINT	2	Y	0
CHILD MGR CONTACT	SMALLINT	2	Y	0
CHILD PERP	CHAR	1	Y	0
CHILD RESTRAINT	SMALLINT	2	Y	0
CHILD SUPT WHO	SMALLINT	2	Y	0
CLS TO HOME	CHAR	2	N	0
CNTY PLCMNT	CHAR	12	N	0
CONTACT GAL	CHAR	1	Y	0
CONTACT SIBS	SMALLINT	2	Y	0
CRT ORDER VISIT	CHAR	1	Y	0
CRT REV DT	INTEGER	4	Y	0
CTY OF CRT COMM	CHAR	12	N	0
CUR PLN	SMALLINT	2	Y	0
DAD CNTY	CHAR	12	Y	0
DAD DECD	SMALLINT	2	Y	0
DAD FIRST NAME	CHAR	16	Y	0
DAD LAST NAME	CHAR	16	Y	0
DATE VERIFIED	INTEGER	4	Y	0
DETENT HRNG DT	INTEGER	4	Y	0
DISABILITIES DIAG	SMALLINT	2	Y	0
DISP HRNG DT	INTEGER	4	Y	0
DOB	INTEGER	4	N	0
DOCKET NO ACTIVE	CHAR	45	Y	0
DOCKET NO INACTIVE	CHAR	45	Y	0
DT ALT IVE REV	INTEGER	4	Y	0

DT AT PROVIDER	INTEGER	4	Y	0
DT CM UPDATED	INTEGER	4	Y	0
DT CURRENT AGY UP	INTEGER	4	Y	0
DT CURRENT 3DAY UI	INTEGER	4	Y	0
DT INV ABUSE	INTEGER	4	Y	0
DT NEXT CRT HRNG	INTEGER	4	Y	0
DT NEXT FCRB	INTEGER	4	Y	0
DT PREV FCRB	INTEGER	4	Y	0
DT 1ST AGY INFO	INTEGER	4	Y	0
DT 1ST 3DAY INFO	INTEGER	4	Y	0
DT 1ST CRT INFO	INTEGER	4	Y	0
EDUCATION RECORDS	SMALLINT	2	Y	0
EMOTIONAL DIS	CHAR	1	Y	0
ENROLLED TRIBE	SMALLINT	2	Y	0
FCRB NO	CHAR	4	Y	0
FILED UNDER	CHAR	16	Y	0
FIRST NM	CHAR	16	Y	0
FIRST PLN	SMALLINT	2	Y	0
GOALS	SMALLINT	2	Y	0
HHS NOTICE	SMALLINT	2	Y	0
HISPANIC	SMALLINT	2	Y	0
HOMESTUDY AVAIL	CHAR	1	Y	0
IN CARE DATE 2	INTEGER	4	Y	0
IN CARE DATE 3	INTEGER	4	Y	0
IN CARE DATE 4	INTEGER	4	Y	0
IN CARE DATE 5	INTEGER	4	Y	0
IN CARE DATE 6	INTEGER	4	Y	0
IN CARE DATE 7	INTEGER	4	Y	0
IN CARE DATE 8	INTEGER	4	Y	0

IN CARE DATE 9	INTEGER	4	Y	0
IN CARE DATE 10	INTEGER	4	Y	0
IN CARE DATE 11	INTEGER	4	Y	0
IN CARE DATE 12	INTEGER	4	Y	0
IN CARE DATE 13	INTEGER	4	Y	0
IN CARE DATE 14	INTEGER	4	Y	0
IN CARE DATE 15	INTEGER	4	Y	0
IN CARE DT OVER15	INTEGER	4	Y	0
IN CARE THISTIME	INTEGER	4	Y	0
INJURY LAST6MOS	SMALLINT	2	Y	0
INJURY OTHERS	CHAR	1	Y	0
INJURY PLCMNT	SMALLINT	2	Y	0
INJURY SINCE CARE	CHAR	1	Y	0
INJURY TO SELF	CHAR	1	Y	0
INJURY VISIT	SMALLINT	2	Y	0
INTL PLCMNT DT	INTEGER	4	N	0
INV ABUSE RESULT	SMALLINT	2	Y	0
INV FOR ABUSE	CHAR	1	Y	0
LAST NM	CHAR	16	Y	0
LATER ID PROBS1	SMALLINT	2	Y	0
LATER ID PROBS2	SMALLINT	2	Y	0
LATER ID PROBS3	SMALLINT	2	Y	0
LATER ID PROBS4	SMALLINT	2	Y	0
LATER ID PROBS5	SMALLINT	2	Y	0
LATER ID PROBS6	SMALLINT	2	Y	0
LATER ID PROBS7	SMALLINT	2	Y	0
LATER ID PROBS8	SMALLINT	2	Y	0
LATER ID PROBS9	SMALLINT	2	Y	0
LATER ID PROBS10	SMALLINT	2	Y	0

LATER ID PROBS11	SMALLINT	2	Y	0
LATER ID PROBS12	SMALLINT	2	Y	0
LEFT CARE DATE 1	INTEGER	4	Y	0
LEFT CARE DATE 2	INTEGER	4	Y	0
LEFT CARE DATE 3	INTEGER	4	Y	0
LEFT CARE DATE 4	INTEGER	4	Y	0
LEFT CARE DATE 5	INTEGER	4	Y	0
LEFT CARE DATE 6	INTEGER	4	Y	0
LEFT CARE DATE 7	INTEGER	4	Y	0
LEFT CARE DATE 8	INTEGER	4	Y	0
LEFT CARE DATE 9	INTEGER	4	Y	0
LEFT CARE DATE 10	INTEGER	4	Y	0
LEFT CARE DATE 11	INTEGER	4	Y	0
LEFT CARE DATE 12	INTEGER	4	Y	0
LEFT CARE DATE 13	INTEGER	4	Y	0
LEFT CARE DATE 14	INTEGER	4	Y	0
LEFT CARE DATE 15	INTEGER	4	Y	0
LEFT CARE OVER 15	INTEGER	4	Y	0
MASTER CASE NO	INTEGER	4	Y	0
MANNER REMOVAL	SMALLINT	2	Y	0
MEDICAL RECORDS	SMALLINT	2	Y	0
MEETING DT	INTEGER	4	Y	0
MENTAL R	CHAR	1	Y	0
MO TO ADJUD	SMALLINT	2	Y	0
MOM CNTY	CHAR	12	Y	0
MOM DECD	SMALLINT	2	Y	0
MOM FIRST NAME	CHAR	16	Y	0
MOM LAST NAME	CHAR	16	Y	0
MOS IN CARE	CHAR	3	Y	0

NAME PREV CM	CHAR	20	Y	0
NATIVE AM	SMALLINT	2	Y	0
NO MGRS	SMALLINT	2	Y	0
NO OF REVIEWS	SMALLINT	2	Y	0
NO PLCMNTS	SMALLINT	2	Y	0
NO PLNS	SMALLINT	2	Y	0
NO TIMES IN FC	SMALLINT	2	Y	0
NO VICTIM	CHAR	3	Y	0
NOTES	CHAR	231	Y	0
OTHER ADULT NM	CHAR	32	Y	0
OTHER ADULTS	CHAR	1	Y	0
OTHER CRT HRNG DT	INTEGER	4	Y	0
OTHER DISABILITIES	CHAR	1	Y	0
OUT OF STATE	SMALLINT	2	Y	0
PATERNITY EST	SMALLINT	2	Y	0
PCT LIFE IN CARE	SMALLINT	2	Y	0
PET FILED DT	INTEGER	4	Y	0
PHYS DISABLED	CHAR	1	Y	0
PHYS EXAM DT	INTEGER	4	Y	0
PLACED WITH SIBS	SMALLINT	2	Y	0
PLCMNT TYPE	SMALLINT	2	Y	0
PLCMNT I TYPE	SMALLINT	2	Y	0
PLCMNTS THIS TIME	SMALLINT	2	Y	0
PRIOR PREV SVS	SMALLINT	2	Y	0
PROG ELIG	SMALLINT	2	Y	0
PROVIDER NM	CHAR	30	Y	0
PROVIDER ADDRESS	CHAR	30	Y	0
PROVIDER CITY	CHAR	16	Y	0
PROVIDER STATE	CHAR	2	Y	0

PROVIDER ZIP	CHAR	5	Y	0
RACE	CHAR	1	Y	0
REAS ENTRD 1	SMALLINT	2	Y	0
REAS ENTRD 2	SMALLINT	2	Y	0
REAS ENTRD 3	SMALLINT	2	Y	0
REAS ENTRD 4	SMALLINT	2	Y	0
REAS ENTRD 5	SMALLINT	2	Y	0
REAS ENTRD 6	SMALLINT	2	Y	0
REAS ENTRD 7	SMALLINT	2	Y	0
REAS ENTRD 8	SMALLINT	2	Y	0
REAS ENTRD 9	SMALLINT	2	Y	0
REAS ENTRD 10	SMALLINT	2	Y	0
REAS ENTRD 11	SMALLINT	2	Y	0
REAS ENTRD 12	SMALLINT	2	Y	0
REAS LEFT 1	SMALLINT	2	Y	0
REAS LEFT 2	SMALLINT	2	Y	0
REAS LEFT 3	SMALLINT	2	Y	0
REAS LEFT 4	SMALLINT	2	Y	0
REAS LEFT 5	SMALLINT	2	Y	0
REAS LEFT 6	SMALLINT	2	Y	0
REAS LEFT 7	SMALLINT	2	Y	0
REAS LEFT 8	SMALLINT	2	Y	0
REAS LEFT 9	SMALLINT	2	Y	0
REAS LEFT 10	SMALLINT	2	Y	0
REAS LEFT 11	SMALLINT	2	Y	0
REAS LEFT 12	SMALLINT	2	Y	0
REAS LEFT 13	SMALLINT	2	Y	0
REAS LEFT 14	SMALLINT	2	Y	0
REAS LEFT 15	SMALLINT	2	Y	0

REAS OVER 15	SMALLINT	2	Y	0
REAS LEFT LAST	SMALLINT	2	Y	0
RECENT DISCHARGE	INTEGER	4	Y	0
RECORD REV DATE	INTEGER	4	Y	0
REV SPEC NAME	CHAR	16	Y	0
SO PRIOR VICTIM	SMALLINT	2	Y	0
SEX	CHAR	1	Y	0
SEXUAL ACT OUT	CHAR	1	Y	0
SIBS NM 1	CHAR	70	Y	0
SIBS NM 2	CHAR	70	Y	0
SITE OF INJURY	CHAR	26	Y	0
SOURCE REV DT	CHAR	1	Y	0
SOURCE NEXT REV	CHAR	1	Y	0
SSN	INTEGER	4	N	0
STEPM FIRST NAME	CHAR	16	Y	0
STEPM LAST NAME	CHAR	16	Y	0
STEPD FIRST NAME	CHAR	16	Y	0
STEPD LAST NAME	CHAR	16	Y	0
STILL IN USE	SMALLINT	2	Y	0
SUPERVISE VISIT	SMALLINT	2	Y	0
SUPPL PET DATE	INTEGER	4	Y	0
SVS TO FOS AD FAM1	CHAR	1	Y	0
SVS TO FOS AD FAM2	CHAR	1	Y	0
SVS TO FOS AD FAM3	CHAR	1	Y	0
SVS TO FOS AD FAM4	CHAR	1	Y	0
TARGET DATE IDENT	CHAR	1	Y	0
TARGET DATE IS	INTEGER	4	Y	0
THREE DAY	SMALLINT	2	Y	0
TIMEFRAMES	SMALLINT	2	Y	0

TOTAL CHILDREN	SMALLINT	2	Y	0	
VISIT INJURE TYPE	SMALLINT	2	Y	0	
VISUAL HEARING	CHAR	1	Y	0	
WTHN 2 WKS	SMALLINT	2	Y	0	
YRS IN CARE	SMALLINT	2	Y	0	
HEARING 30 DAY	CHAR	1	Y	0	
DATE 30 DAY	INTEGER	4	Y	0	
HRG OCCUR 15 MO	CHAR	1	Y	0	
DATE 15 MO	INTEGER	4	Y	0	
RESULTS 15 MO	CHAR	1	Y	0	
SEQ NBR	INTEGER	4	N	0	1
UPD USRID Last Update User ID.	CHAR	8	Y	0	
UPD TS Last Update Timestamp.	TIMESTMP	10	Y	0	

Parents of **FCRMASTER1**

Children of **FCRMASTER1**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

FCRMASTER2

Priority 20 Dups N Download N Upload N NFOTS913

Column	Type	Length	Nulls	Scale	Key
ADOPT AGE	SMALLINT	2	Y	0	
ADOPT FINAL DT	INTEGER	4	Y	0	
ADOPT FREE DT	INTEGER	4	Y	0	
ADOPT HOMESTUDY	CHAR	1	Y	0	
ADOPT PLN CURRENT	CHAR	1	Y	0	
ADOPT PREVIOUSLY	SMALLINT	2	Y	0	
ADOPT RELATIVE	SMALLINT	2	Y	0	
AGENCY1	CHAR	1	Y	0	
AGENCY2	CHAR	1	Y	0	

AGENCY3	CHAR	1	Y	0
AGENCY4	CHAR	1	Y	0
AGENCY5	CHAR	1	Y	0
BARRIER 1	CHAR	2	Y	0
BARRIER 2	CHAR	2	Y	0
BARRIER 3	CHAR	2	Y	0
BARRIER 4	CHAR	2	Y	0
BARRIER 5	CHAR	2	Y	0
BARRIER 6	CHAR	2	Y	0
BARRIER 7	CHAR	2	Y	0
BARRIER 8	CHAR	2	Y	0
BARRIER 9	CHAR	2	Y	0
BARRIER 10	CHAR	2	Y	0
BOARD ENTERED	CHAR	5	Y	0
CAR DT	INTEGER	4	Y	0
CASA NAME	CHAR	16	Y	0
CASA1	CHAR	1	Y	0
CASA2	CHAR	1	Y	0
CASA3	CHAR	1	Y	0
CASA4	CHAR	1	Y	0
CASA5	CHAR	1	Y	0
CASE ACT THIS YR	SMALLINT	2	Y	0
CH ATTY	CHAR	16	Y	0
CHILD ATTY1	CHAR	1	Y	0
CHILD ATTY2	CHAR	1	Y	0
CHILD ATTY3	CHAR	1	Y	0
CHILD ATTY4	CHAR	1	Y	0
CHILD ATTY5	CHAR	1	Y	0
CO ATTY1	CHAR	1	Y	0

CO ATTY2	CHAR	1	Y	0
CO ATTY3	CHAR	1	Y	0
CO ATTY4	CHAR	1	Y	0
CO ATTY5	CHAR	1	Y	0
CONDITION1	SMALLINT	2	Y	0
CONDITION2	SMALLINT	2	Y	0
CONDITION3	SMALLINT	2	Y	0
CONDITION4	SMALLINT	2	Y	0
CONDITION5	SMALLINT	2	Y	0
CONDITION6	SMALLINT	2	Y	0
CONDITION7	SMALLINT	2	Y	0
CONDITION8	SMALLINT	2	Y	0
CONDITION9	SMALLINT	2	Y	0
CONDITION10	SMALLINT	2	Y	0
CONDITION11	SMALLINT	2	Y	0
CONDITION12	SMALLINT	2	Y	0
CONDITION13	SMALLINT	2	Y	0
CONDITION14	SMALLINT	2	Y	0
CONDITION15	SMALLINT	2	Y	0
CONTRACT WITH	CHAR	16	Y	0
CRT AND JUDGE1	CHAR	1	Y	0
CRT AND JUDGE2	CHAR	1	Y	0
CRT AND JUDGE3	CHAR	1	Y	0
CRT AND JUDGE4	CHAR	1	Y	0
CRT AND JUDGE5	CHAR	1	Y	0
DAD GAL1	CHAR	1	Y	0
DAD GAL2	CHAR	1	Y	0
DAD GAL3	CHAR	1	Y	0
DAD GAL4	CHAR	1	Y	0

DAD_GAL5	CHAR	1	Y	0	
DAD_RGTS	SMALLINT	2	Y	0	
DAD_STRS_FCTR1	SMALLINT	2	Y	0	
DAD_STRS_FCTR2	SMALLINT	2	Y	0	
DAD_STRS_FCTR3	SMALLINT	2	Y	0	
DAD_TERM_DT	INTEGER	4	Y	0	
EDUC_IN_FILE	SMALLINT	2	Y	0	
FATHER1	CHAR	1	Y	0	
FATHER2	CHAR	1	Y	0	
FATHER3	CHAR	1	Y	0	
FATHER4	CHAR	1	Y	0	
FATHER5	CHAR	1	Y	0	
FINDING1	CHAR	1	Y	0	
FINDING2	CHAR	1	Y	0	
FINDING3	CHAR	1	Y	0	
FINDING4	CHAR	1	Y	0	
FINDING5	CHAR	1	Y	0	
FINDING6	CHAR	1	Y	0	
FINDING7	CHAR	1	Y	0	
FINDING8	CHAR	1	Y	0	
FINDING9	CHAR	1	Y	0	
FINDING10	CHAR	1	Y	0	
FINDING11	CHAR	1	Y	0	
FINDING12	CHAR	1	Y	0	
FINDING13	CHAR	1	Y	0	
FIRST_NM	CHAR	16	N	0	2
FIRST_OTHER_LP1	CHAR	1	Y	0	
FIRST_OTHER_LP2	CHAR	1	Y	0	
FIRST_OTHER_LP3	CHAR	1	Y	0	

FIRST OTHER LP4	CHAR	1	Y	0	
FIRST OTHER LP5	CHAR	1	Y	0	
FOSTER CHILD1	CHAR	1	Y	0	
FOSTER CHILD2	CHAR	1	Y	0	
FOSTER CHILD3	CHAR	1	Y	0	
FOSTER CHILD4	CHAR	1	Y	0	
FOSTER CHILD5	CHAR	1	Y	0	
FOSTER PARENT1	CHAR	1	Y	0	
FOSTER PARENT2	CHAR	1	Y	0	
FOSTER PARENT3	CHAR	1	Y	0	
FOSTER PARENT4	CHAR	1	Y	0	
FOSTER PARENT5	CHAR	1	Y	0	
GAL	CHAR	16	Y	0	
GUARDIAN AD LIT1	CHAR	1	Y	0	
GUARDIAN AD LIT2	CHAR	1	Y	0	
GUARDIAN AD LIT3	CHAR	1	Y	0	
GUARDIAN AD LIT4	CHAR	1	Y	0	
GUARDIAN AD LIT5	CHAR	1	Y	0	
HEALTH IN FILE	SMALLINT	2	Y	0	
IN ADOPT PLCMNT	CHAR	1	Y	0	
JUDGE	CHAR	16	Y	0	
LAST NM	CHAR	16	N	0	1
LS REFERED	CHAR	1	Y	0	
LS RESULTS	CHAR	1	Y	0	
LS WITH COURT	CHAR	1	Y	0	
MOM GAL1	CHAR	1	Y	0	
MOM GAL2	CHAR	1	Y	0	
MOM GAL3	CHAR	1	Y	0	
MOM GAL4	CHAR	1	Y	0	

MOM GAL5	CHAR	1	Y	0
MOM RGTS	SMALLINT	2	Y	0
MOM STRS FCTR1	SMALLINT	2	Y	0
MOM STRS FCTR2	SMALLINT	2	Y	0
MOM STRS FCTR3	SMALLINT	2	Y	0
MOM TERM DT	INTEGER	4	Y	0
MOS ADOPT UNIT	CHAR	2	Y	0
MOS WAIT TRANSFER	CHAR	2	Y	0
MOTHER1	CHAR	1	Y	0
MOTHER2	CHAR	1	Y	0
MOTHER3	CHAR	1	Y	0
MOTHER4	CHAR	1	Y	0
MOTHER5	CHAR	1	Y	0
MTG DT ENTERED	INTEGER	4	Y	0
NEXT MTG ENTERED	INTEGER	4	Y	0
NO PARTICIPANTS	SMALLINT	2	Y	0
NO INVITED	SMALLINT	2	Y	0
PARENTS ATTY1	CHAR	1	Y	0
PARENTS ATTY2	CHAR	1	Y	0
PARENTS ATTY3	CHAR	1	Y	0
PARENTS ATTY4	CHAR	1	Y	0
PARENTS ATTY5	CHAR	1	Y	0
PAROLE PROB OFF1	CHAR	1	Y	0
PAROLE PROB OFF2	CHAR	1	Y	0
PAROLE PROB OFF3	CHAR	1	Y	0
PAROLE PROB OFF4	CHAR	1	Y	0
PAROLE PROB OFF5	CHAR	1	Y	0
PREV AGY	VARCHAR	70	Y	0
REVIEWS THIS YEAR	SMALLINT	2	Y	0

RIGHTS GONE	SMALLINT	2	Y	0
SCND OTHER LP1	CHAR	1	Y	0
SCND OTHER LP2	CHAR	1	Y	0
SCND OTHER LP3	CHAR	1	Y	0
SCND OTHER LP4	CHAR	5	Y	0
SCND OTHER LP5	CHAR	1	Y	0
SCND PARENT ATTY1	CHAR	1	Y	0
SCND PARENT ATTY2	CHAR	1	Y	0
SCND PARENT ATTY3	CHAR	1	Y	0
SCND PARENT ATTY4	CHAR	1	Y	0
SCND PARENT ATTY5	CHAR	1	Y	0
SPEC ED	SMALLINT	2	Y	0
STUDY 1	CHAR	1	Y	0
STUDY 2	CHAR	1	Y	0
STUDY 3	CHAR	1	Y	0
STUDY 4	CHAR	2	Y	0
STUDY 5	CHAR	2	Y	0
STUDY 6	CHAR	3	Y	0
STUDY 7	CHAR	3	Y	0
STUDY 8	CHAR	4	Y	0
STUDY 9	CHAR	4	Y	0
STUDY 10	CHAR	5	Y	0
STUDY 11	CHAR	8	Y	0
STUDY 12	CHAR	8	Y	0
STUDY 13	CHAR	8	Y	0
STUDY 14	CHAR	8	Y	0
STUDY 15	INTEGER	4	Y	0
STUDY 16	INTEGER	4	Y	0
STUDY 17	INTEGER	4	Y	0

STUDY 18	INTEGER	4	Y	0
STUDY 19	INTEGER	4	Y	0
STUDY 20	INTEGER	4	Y	0
STUDY 21	INTEGER	4	Y	0
STUDY 22	INTEGER	4	Y	0
STUDY 23	CHAR	8	Y	0
STUDY 24	CHAR	8	Y	0
STUDY 25	CHAR	4	Y	0
STUDY 26	CHAR	4	Y	0
STUDY 27	CHAR	2	Y	0
STUDY 28	CHAR	2	Y	0
STUDY 29	CHAR	1	Y	0
STUDY 30	CHAR	1	Y	0
SVS TO CHILD1	CHAR	1	Y	0
SVS TO CHILD2	CHAR	1	Y	0
SVS TO CHILD3	CHAR	1	Y	0
SVS TO CHILD4	CHAR	1	Y	0
SVS TO CHILD5	CHAR	1	Y	0
SVS TO PARENT1	CHAR	2	Y	0
SVS TO PARENT2	CHAR	2	Y	0
SVS TO PARENT3	CHAR	2	Y	0
SVS TO PARENT4	CHAR	2	Y	0
SVS TO PARENT5	CHAR	2	Y	0
SVS TO PARENT6	CHAR	2	Y	0
TERM APPEALED	SMALLINT	2	Y	0
TERM UPHELD	SMALLINT	2	Y	0
TRIBAL JUDGE	CHAR	16	Y	0

Parents of **FCRMASTER2**

Children of **FCRMASTER2**

Parent	Child					
	COLNAME	TYPE	LEN	SC	D	N

FS_ISSU

The total amount of food stamp coupons issued t o an ARP for a specified entitlement period.

Priority 4 Dups N Download Y Upload N NFOTS375

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	5
A number used for unique identificati on.**********Comments********** SOURCE:Designed********** **********This attribute is used by report(s) FNS-388, FNS-259, F NS-250, FNS-46.					
ISSU MODE	CHAR	2	N	0	
AMT	DECIMAL	8	N	2	
The amount for this specific instance of food stamp issuance.**********This attribute is used by report(s) FNS-388, FNS-46, FNS-259, FNS-250.********** **********					
FK ED EXPNDFK EDID	INTEGER	4	N	0	4
FK ED EXPNDFK EDFK	INTEGER	4	N	0	3
FK ED EXPNDFK EDF0	CHAR	2	N	0	2
FK ED EXPNDID NBR	INTEGER	4	N	0	1
FK DSS OFCID NBR	CHAR	3	Y	0	
FK DSS OFC POSTFK	CHAR	3	Y	0	
FK DSS OFC POSTID	INTEGER	4	Y	0	
FK DSS OFC POSTFK0	CHAR	3	Y	0	
FK DSS OFC POSTID0	INTEGER	4	Y	0	
FK ARPID NBR	INTEGER	4	Y	0	
ISS DT	DATE	4	Y	0	
The date that the food stamps are iss ued.					
STAT H	CHAR	2	N	0	
STAT RSN CD	CHAR	2	N	0	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **FS_ISSU**

N3750401	**Child**	FS_ISSU	**Parent**	ARP							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A	
N3752251	**Child**	FS_ISSU	**Parent**	DSS_OFC							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_DSS_OFCID_NBR	ID_NBR		CHARACTER	3	0		N	A	
N3752301	**Child**	FS_ISSU	**Parent**	DSS_OFC_POSTN							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_DSS_OFC_POSTFK0	FK_DSS_OFCID_NBR		CHARACTER	3	0		N	A	
		FK_DSS_OFC_POSTID0	ID_NBR		INTEGER	4	0		N	A	
N3752302	**Child**	FS_ISSU	**Parent**	DSS_OFC_POSTN							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR		CHARACTER	3	0		N	A	
		FK_DSS_OFC_POSTID	ID_NBR		INTEGER	4	0		N	A	
N3753201	**Child**	FS_ISSU	**Parent**	ED_EXPND							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ED_EXPNDFK_EDF0	FK_EDFK_PGM_CASEP		CHARACTER	2	0		N	A	
		FK_ED_EXPNDFK_EDFK	FK_EDFK_PGM_CASEI		INTEGER	4	0		N	A	
		FK_ED_EXPNDFK_EDID	FK_EDID_NBR		INTEGER	4	0		N	A	
		FK_ED_EXPNDID_NBR	ID_NBR		INTEGER	4	0		N	A	

Children of **FS_ISSU**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

FSP_CERT_PRD

Used to store the FSP certification period as it relates to a specific FSP case.

Priority 20 Dups N Download Y Upload Y NFOTS283

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
FK_PGM_CASEPGM_CD	CHAR	2	N	0	1
FK_PGM_CASEID_NBR	INTEGER	4	N	0	2
BEG_DT	DATE	4	N	0	3
Date the certification period st arts.					
END_DT	DATE	4	N	0	
Date the certification period en ds.					
UPD_TS	TIMESTMP	10	N	0	
Update time stamp.					
UPD_USRID	CHAR	8	N	0	
Update user id.					

Parents of **FSP_CERT_PRD**

N2835951	**Child**	FSP_CERT_PRD	**Parent**	PGM_CASE							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_PGM_CASEPGM_CD	PGM_CD		CHARACTER	2	0		N	A	
		FK_PGM_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A	

Children of **FSP_CERT_PRD**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

GENR_ALRT

Priority 1 Dups N Download N Upload N NFOTS872

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
An identifier which will cause a pa rticular GENERIC_ALERT to be unique.					
ALRT NBR	INTEGER	4	N	0	
A specific ALERT number retrieved from the master ALERT decode table.					
TYP CD	CHAR	2	N	0	
A means of organizing ALERTs within pre-defined groupings for viewing, processing and work-organization purposes.					
DSP DT	DATE	4	N	0	
Date an ALERT is displayed to a wor ker.					
DUE DT	DATE	4	Y	0	
The date any action required by an action-required ALERT is due to complete.					
SHRT DSC	CHAR	20	N	0	
Allows users to better identify A lerts from the Alert Display Window.					
DSC	CHAR	174	Y	0	
The English text detailing specific in formation regarding the ALERT.Free-form for worker-generated pre-set text for sy stem-generated.					
SRC ID	CHAR	8	N	0	
Identification of the source of the ALERT whether system or worker (userid) generated.Worker generated will show us er id or sign-on id, etc.					
STAT CD	CHAR	1	N	0	
Code identifying the open or close d status of an action-required ALERT.					
CLOS DT	DATE	4	Y	0	
The date any action required by an ALERT (with a due date) is completed.					
FK ORGID NBR	INTEGER	4	Y	0	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **GENR_ALRT**

N8725501	**Child**	GENR_ALRT	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR		ID_NBR	INTEGER	4	0		N	A

Children of **GENR_ALRT**

N8738721	**Parent**	GENR_ALRT	**Child**	GENR_POSTN_ALRT_DS					
		COLNAME			TYPE	LEN	SC	D	N
		ID_NBR		FK_GENR_ALRTID_NBR	INTEGER	4	0		N

GENR_POSTN_ALRT_DS

Priority 2 Dups N Download N Upload N NFOTS873

Column	Type	Length	Nulls	Scale	Key
FK DSS OFC POSTFK	CHAR	3	N	0	3
FK DSS OFC POSTID	INTEGER	4	N	0	2
FK GENR ALRTID NBR	INTEGER	4	N	0	1
CLEARED DT	DATE	4	N	0	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **GENR_POSTN_ALRT_DS**

N8732301 **Child** GENR_POSTN_ALRT_DS **Parent** DSS_OFC_POSTN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR	CHARACTER	3	0		N	A
FK_DSS_OFC_POSTID	ID_NBR	INTEGER	4	0		N	A

N8738721 **Child** GENR_POSTN_ALRT_DS **Parent** GENR_ALRT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_GENR_ALRTID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **GENR_POSTN_ALRT_DS**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

GOA_TSK

Priority 4 Dups N Download N Upload N NFOTS385

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	3
********** *******This attribute is used on report(s) ACF-103.********** **********DEFINITION:A unique number used for identification.					
ASGN_DT	DATE	4	N	0	
GOA_TSK_CD	CHAR	2	N	0	
AT_CD	CHAR	2	Y	0	
TYP_CD	CHAR	2	Y	0	
JOBS_CMPNT_CD	CHAR	2	Y	0	
TMS_PER_PRD_NBR	SMALLINT	2	Y	0	
The number of times per iden tified period the GOAL TASK occurs.Example: Times per Period = 3 Perio d Covered Code = WeeklyA customers task is to call for employment opportunities 3 times a week.					
PRD_COVRD_CD	CHAR	2	Y	0	
EXPT_CMP_DT	DATE	4	Y	0	
DEFINITION:THE EXPECTED COMPLETI ON DATE OF A GOAL/TASK.					
OTCM_CD	CHAR	2	Y	0	
END_DT	DATE	4	Y	0	
INCMP_RSN_CD	CHAR	2	Y	0	
The reason a goal or task was n ot complete.INT: If GOAL_TASK.OUTCOME_CODE = "Incomplete", there must be a value in this attribute.					
FK_PGM_CASEID_NBR	INTEGER	4	N	0	2
FK_PGM_CASEPGM_CD	CHAR	2	N	0	1
FK_ORGID_NBR	INTEGER	4	Y	0	
FK0ORGID_NBR	INTEGER	4	Y	0	
FK_ORG_PRS_INVLFK	INTEGER	4	Y	0	

FK ORG PRS INVLFK0	INTEGER	4	Y	0
FK ORG PRS INVLTYP	CHAR	2	Y	0
FK PCPIFK PGM CASE	CHAR	2	Y	0
FK PCPIFK PGM CAS0	INTEGER	4	Y	0
FK PCPIFK ARPID NB	INTEGER	4	Y	0
FK DSS OFC POSTFK	CHAR	3	Y	0
FK DSS OFC POSTID	INTEGER	4	Y	0
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
ACTY DSC	VARCHAR	200	Y	0

Unstructured text describing the Go al/Task.

BARR DSC	VARCHAR	200	Y	0

DEFINITION:A DESCRIPTION OF THE PRO GRAM CASE PERSON INVOLVEMENT'S OBSTACLES TO GOAL ACHIEVEMENT. ALSO, A DESCRIPT ION OF THE OBSTACLES THAT THE TASK IS INTENDED TO ALLEVIATE.

Parents of **GOA_TSK**

N3852301 **Child** GOA_TSK **Parent** DSS_OFC_POSTN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR	CHARACTER	3	0		N	A
FK_DSS_OFC_POSTID	ID_NBR	INTEGER	4	0		N	A

N3855501 **Child** GOA_TSK **Parent** ORG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK0ORGID_NBR	ID_NBR	INTEGER	4	0		N	A

N3855502 **Child** GOA_TSK **Parent** ORG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ORGID_NBR	ID_NBR	INTEGER	4	0		N	A

N3855701 **Child** GOA_TSK **Parent** ORG_PRS_INVLV

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ORG_PRS_INVLFK	FK_ORGID_NBR	INTEGER	4	0		N	A
FK_ORG_PRS_INVLFK0	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_ORG_PRS_INVLTYP	TYP_CD	CHARACTER	2	0		N	A

N3855851 **Child** GOA_TSK **Parent** PCPI

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_PCPIFK_PGM_CAS0	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_PCPIFK_ARPID_NB	FK_ARPID_NBR	INTEGER	4	0		N	A

N3855951 **Child** GOA_TSK **Parent** PGM_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PGM_CASEPGM_CD	PGM_CD	CHARACTER	2	0		N	A
FK_PGM_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **GOA_TSK**

N3953851	Parent	GOA_TSK	Child	GOA_TSK_MOPLHRS				
	COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_GOA_TSKFK_PGM_C	CHARACTER	2	0		N
	FK_PGM_CASEID_NBR		FK_GOA_TSKFK_PGM_0	INTEGER	4	0		N
	ID_NBR		FK_GOA_TSKID_NBR	INTEGER	4	0		N

GOA_TSK_MOPLHRS

The monthly planned hours necessary to achieve the Goal Task.

Priority 13 Dups N Download N Upload N NFOTS395

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	
********** **********This attribute is used on report(s) ACF-103.********** ********** **********DEFINITION:A unique number used for identification.					
MOPLHRS	DECIMAL	5	N	2	
BEG DT	DATE	4	N	0	4
The date the customers monthl y planned hours begin.INT: If GOAL TASK.Monthly Planned Hours has a value, then this attribute must have a value.					
CUST STRT DT	DATE	4	N	0	
DEFINITION:THE DATE THA T THE Customer BEGAN OR INTENDS TO BEGIN THE ASSIGNED TASK OR GOAL.********** **********THIS ATTRIBUTE IS USED ON REPORT(S) ACF-108.					
FK GOA TSKFK PGM (	CHAR	2	N	0	1
FK GOA TSKFK PGM (	INTEGER	4	N	0	2
FK GOA TSKID NBR	INTEGER	4	N	0	3
END DT	DATE	4	N	0	
The date the customer's mont hly planned hours ended.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
MO EXCSD ABS HRS	DECIMAL	5	Y	2	
The number of hours per month that the client has received an excused absence.					
MO HOL HRS	DECIMAL	5	Y	2	
The number of hours per m onth that the client will be absent due to Holidays.					
MO DEEMED HRS	DECIMAL	5	Y	2	

Parents of **GOA_TSK_MOPLHRS**

N3953851	Child	GOA_TSK_MOPLHRS	Parent	GOA_TSK				
	COLNAME			TYPE	LEN	SC	D	N UPD
	FK_GOA_TSKFK_PGM_C		FK_PGM_CASEPGM_CD	CHARACTER	2	0		N A
	FK_GOA_TSKFK_PGM_0		FK_PGM_CASEID_NBR	INTEGER	4	0		N A
	FK_GOA_TSKID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **GOA_TSK_MOPLHRS**

Parent		Child					
COLNAME			TYPE	LEN	SC	D	N

HHS_ALIEN_DTLS

This table is to store the Alien details .

Priority 99 Dups N Download N Upload N NFOTS960

Column	Type	Length	Nulls	Scale	Key
CLMNT ID	INTEGER	4	N	0	1
Claimant ID from ESPT_CLMNT					

ALIEN VRSN NUM	SMALLINT	2	N		0	2
Alien Version number						
ALIEN NUM	CHAR	11	N		0	
Alien Number						
CRTD TS	TIMESTMP	10	N		0	
Created Timestamp						
UPDT TS	TIMESTMP	10	N		0	3
Update Timestamp						
CHNG CD	CHAR	1	N		0	
Change Code						

Parents of **HHS_ALIEN_DTLS**

Children of **HHS_ALIEN_DTLS**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

HHS_CHLD_SUPP

Priority 99 Dups N Download N Upload N NFOTS961

Column	Type	Length	Nulls	Scale	Key
CLMNT ID	INTEGER	4	N	0	1
Claimant ID from ESPT_CLMNT					
CHLD SUPP SEQ NUM	SMALLINT	2	N	0	2
Sequence Number for versioning purpose					
DEDN WKLY AMT	DECIMAL	9	N	2	
Weekly Child Support Amo unt($)					
CRTD TS	TIMESTMP	10	N	0	
Created Timestamp					
UPDT TS	TIMESTMP	10	N	0	3
Update Timestamp					
CHNG CD	CHAR	1	N	0	
Change code					

Parents of **HHS_CHLD_SUPP**

Children of **HHS_CHLD_SUPP**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

HHS_CLM_BAL_INFO

THIS TABLE CONTAINS THE ACCOUNT INFORM ATION LIKE BENEFIT BALANCES ETC PERTAINING TO A CLAIM.

Priority 99 Dups N Download N Upload N NFOTS962

Column	Type	Length	Nulls	Scale	Key
CLM CASE ID	INTEGER	4	N	0	1
Claim case id from ESPT _CLM_VRSN					
PRFX PGM CD	SMALLINT	2	N	0	2
Program code prefix. Pr ovided as Domain Values					
PRG VRSN NUM	SMALLINT	2	N	0	3
A running sequence num ber from ESPT_CLM_BEN_DTLS table.					

BEN BAL SEQ NUM	SMALLINT	2	N	0	4
A running sequence number incremented each time charges are made per claim under a particular progr am and program version number.					
TOT AMT PD	DECIMAL	9	N	2	
Total of amount paid to the claimant					
HIGH BEN BAL	DECIMAL	9	N	2	
Balance left under hig h monetary to be charged.					
LOW BEN BAL	DECIMAL	9	N	2	
Balance left under low monetary to be charged					
FK HHS CLM BEN CLN	INTEGER	4	Y	0	
FK HHS CLM BEN PRF	SMALLINT	2	Y	0	
FK HHS CLM BEN PRC	SMALLINT	2	Y	0	
FK HHS CLM BEN UPI	TIMESTMP	10	Y	0	
CRTD TS	TIMESTMP	10	N	0	
Time when the record was cr eated.					
UPDT TS	TIMESTMP	10	N	0	5
Update Timestamp					
CHNG CD	CHAR	1	N	0	

Parents of **HHS_CLM_BAL_INFO**

N6926931 **Child** HHS_CLM_BAL_INFO **Parent** HHS_CLM_BEN_DTLS

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_HHS_CLM_BEN_CLM	CLM_CASE_ID	INTEGER	4	0		N	A
FK_HHS_CLM_BEN_PRF	PRFX_PGM_CD	SMALLINT	2	0		N	A
FK_HHS_CLM_BEN_PRG	PRG_VRSN_NUM	SMALLINT	2	0		N	A
FK_HHS_CLM_BEN_UPD	UPDT_TS	TIMESTAMP	10	0		N	A

Children of **HHS_CLM_BAL_INFO**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

HHS_CLM_BEN_DTLS

This table contains all the claim bene fit details and the reason for how the benefit details have been arrived at (ie. , whether the claim benefit detail was due to depermination or due to recon).

Priority 99 Dups N Download N Upload N NFOTS963

Column	Type	Length	Nulls	Scale	Key
CLM CASE ID	INTEGER	4	N	0	1
CLM_CASE_ID from ESPT_M ON_RQST table					
PRFX PGM CD	SMALLINT	2	N	0	2
Program code prefix. Pr ovided Domain Values					
PRG VRSN NUM	SMALLINT	2	N	0	3
MON DT	DATE	4	N	0	
Date on which monetary reque st is processed.					
HIGH WBA	DECIMAL	9	N	2	
High WBA					
HIGH MBA	DECIMAL	9	N	2	
Latest MBA.					
CRTD TS	TIMESTMP	10	N	0	
Updated Timestamp					
UPDT TS	TIMESTMP	10	N	0	4
Updated Timestamp					

CHNG CD	CHAR	1	N	0

Parents of **HHS_CLM_BEN_DTLS**

Children of **HHS_CLM_BEN_DTLS**

N6926931	**Parent**	HHS_CLM_BEN_DTLS	**Child**	HHS_CLM_BAL_INFO				
	COLNAME			TYPE	LEN	SC	D	N
	CLM_CASE_ID		FK_HHS_CLM_BEN_CLM	INTEGER	4	0		N
	PRFX_PGM_CD		FK_HHS_CLM_BEN_PRF	SMALLINT	2	0		N
	PRG_VRSN_NUM		FK_HHS_CLM_BEN_PRG	SMALLINT	2	0		N
	UPDT_TS		FK_HHS_CLM_BEN_UPD	TIMESTAMP	10	0		N

HHS_CLM_ISS

This table contains issue details pertainin g to both monetary and non-monetary

Priority 99 Dups N Download N Upload N NFOTS964

Column	Type	Length	Nulls	Scale	Key
FCT FNDG ID	INTEGER	4	N	0	1
Unique fact finding ID for e very issue detected					
CLM CASE ID	INTEGER	4	N	0	
CLM_CASE_ID from ESPT_CLM_VR SN					
CLM VRSN NUM	SMALLINT	2	N	0	
Version number from ESPT_CL M_VRSN					
ISS SRCE CD	SMALLINT	2	N	0	
Source from where the issue has been detected. Provided as Domain values					
ISS STAT CD	SMALLINT	2	N	0	
Domain values to specify the status of a given issue.					
EMPLR ID	INTEGER	4	N	0	
Employer associated with the Is sue					
EMPLM SEQ NUM	SMALLINT	2	N	0	
Employment sequence Number					
ACTN ID	SMALLINT	2	N	0	
Default action code.					
WK ENDG DT	DATE	4	N	0	
Week ending date for which th e issue is detected. Not a mandatory field.					
ISS DETCN CD	SMALLINT	2	N	0	
The mode by which the issue was detected. Domain values					
CRTD TS	TIMESTMP	10	N	0	
Create Timestamp					
UPDT TS	TIMESTMP	10	N	0	2
Update Timestamp					
CHNG CD	CHAR	1	N	0	

Parents of **HHS_CLM_ISS**

Children of **HHS_CLM_ISS**

Parent		**Child**				
COLNAME			TYPE	LEN	SC	D	N

HHS_CLM_VRSN

This table holds the claim details version s

Priority 99 Dups N Download N Upload N NFOTS965

Column	Type	Length	Nulls	Scale	Key

CLM CASE ID	INTEGER	4	N	0	1
System generated Case Id					
CLM VRSN NUM	SMALLINT	2	N	0	2
Version of the claim.					
CLMNT ID	INTEGER	4	N	0	
CLMNT ID from ESPT_CLMNT perta ining to Claimants Social Security Number.					
BYE DT	DATE	4	N	0	
Benefit year ending date					
CLM FILE DT	DATE	4	N	0	
Date on which the claim was filed. Should be MM/DD/CCYY.					
CLM EFTV DT	DATE	4	N	0	
The effective date for the claim. This will be the Sunday of the week in which the claim is filed.					
WTNG WK ENDG DT	DATE	4	N	0	
This date indicates tha t the week ending date on which waiting week has been set up.					
LIABLE ST CD	CHAR	2	N	0	
Indicates the Liable State Code					
CRTD TS	TIMESTMP	10	N	0	
Created Timestamp					
UPDT TS	TIMESTMP	10	N	0	3
Update Timestamp					
CHNG CD	CHAR	1	N	0	

Parents of **HHS_CLM_VRSN**

Children of **HHS_CLM_VRSN**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

HHS_CLMNT_CNTCT

This table is to store the claimant con tact details

Priority 99 Dups N Download N Upload N NFOTS966

Column	Type	Length	Nulls	Scale	Key
CLMNT ID	INTEGER	4	N	0	1
Claimant ID from ESPT_CLMNT					
ADDR SEQ NUM	SMALLINT	2	N	0	2
The version number pert aining to the claimants contact details. Possible those at each point of time th e claimants contact details could change.					
CLMT ADDR TYP CD	SMALLINT	2	N	0	3
Address type. Provi ded as Domain values					
ADDR START DT	DATE	4	N	0	
Effective start date w hen the address is going to be active and in use.					
ADDR END DT	DATE	4	N	0	
End date when the addres s is going to be inactive and out of use.					
PO BOX	CHAR	40	N	0	
STRT1	CHAR	40	N	0	
Street 1					
CTY	CHAR	25	N	0	
City					
PROVINCE CD	CHAR	2	N	0	
Province. Domain values from PROV_MAST					
ST CD	CHAR	2	N	0	
State. Domain value from ESP_S T_MAST.					

US ZIP CD	CHAR	10	N	0	
US Zip code. The format is XXXXX-XXXX					
CANADA ZIP CD	CHAR	7	N	0	
Canada Zip code. The f ormat is XXX XXX					
CNTRY CD	SMALLINT	2	N	0	
Country code of claimant. . Provided as domain values					
HOME PHN NUM	CHAR	10	N	0	
Telephone details					
CRTD TS	TIMESTMP	10	N	0	
Created Timestamp					
UPDT TS	TIMESTMP	10	N	0	4
Update Timestamp					
CHNG CD	CHAR	1	N	0	

Parents of **HHS_CLMNT_CNTCT**

Children of **HHS_CLMNT_CNTCT**

Parent	Child
COLNAME	TYPE LEN SC D N

HHS_CLMNT_HIST

This table is to store the claimant deta ils history

Priority 99 Dups N Download N Upload N NFOTS967

Column	Type	Length	Nulls	Scale	Key
CLMNT ID	INTEGER	4	N	0	1
System generated unique numb er for each Claimant.					
CLMNT VRSN NUM	SMALLINT	2	N	0	2
Version of the claiman t record.					
SSN	CHAR	9	N	0	
Claimants Social Security Number which is unique. SSN is 9 digits.					
LST NM	CHAR	40	N	0	
Last name of the claimant.					
FRST NM	CHAR	40	N	0	
First name of the claimant.					
MID NM	CHAR	1	N	0	
Middle Initial of the claimant					
SUFFIX	CHAR	9	N	0	
Suffix of the claimant name or prisoner number					
DOB	DATE	4	N	0	
Date of birth of the claimant. Sh ould be in format MM/DD/CCYY.					
GENDER	CHAR	1	N	0	
Gender of the claimant. (M/F)					
MARTL STAT CD	SMALLINT	2	N	0	
Marital Status of the c laimant. Provided as per Domain values.					
NUM DPND	SMALLINT	2	N	0	
No. of dependents for the cl aimant.					
DISCHRG DT	DATE	4	N	0	
Date of Discharge from ser vice.					
US CITZN IND	CHAR	1	N	0	
US Citizen Indicator.					
CRTD TS	TIMESTMP	10	N	0	
Created Timestamp.					
UPDT TS	TIMESTMP	10	N	0	3
Updated Timestamp.					

CHNG CD	CHAR	1	N		0

Parents of **HHS_CLMNT_HIST**

Children of **HHS_CLMNT_HIST**

Parent COLNAME	Child TYPE	LEN	SC	D	N

HHS_EMPLM_VRSN

This table is to store the employment Ve rsion details. As the employment details are only required for a CLAIM and not e ssentially for a claimant, the reference is now with the claim (hence it is more of a Claim Employment as against normal employment

Priority 99 Dups N Download N Upload N NFOTS968

Column	Type	Length	Nulls	Scale	Key
EMPLR ID	INTEGER	4	N	0	1
Employer id from employer ta ble.					
CLM CASE ID	INTEGER	4	N	0	2
System generated unique n umber obtained from ESPT_CLM table.					
EMPLM SEQ NUM	SMALLINT	2	N	0	3
Different Periods of Em ployment.					
EMPLM VRSN NUM	SMALLINT	2	N	0	4
Employment version Num ber					
EMPLM BGIN DT	DATE	4	N	0	
Employment beginning da te					
EMPLM END DT	DATE	4	N	0	
Employment end date.					
FK HHS EMPLREMPLR	INTEGER	4	Y	0	
FK HHS EMPLRUPDT 1	TIMESTMP	10	Y	0	
CRTD TS	TIMESTMP	10	N	0	
Created Timestamp					
UPDT TS	TIMESTMP	10	N	0	5
Updated Timestamp					
CHNG CD	CHAR	1	N	0	

Parents of **HHS_EMPLM_VRSN**

N9689691	**Child**	HHS_EMPLM_VRSN	**Parent**	HHS_EMPLR					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_HHS_EMPLREMPLR	EMPLR_ID		INTEGER	4	0		N A
		FK_HHS_EMPLRUPDT_T	UPDT_TS		TIMESTAMP	10	0		N A

Children of **HHS_EMPLM_VRSN**

Parent COLNAME	Child TYPE	LEN	SC	D	N

HHS_EMPLR

This table is to store the employer details

Priority 99 Dups N Download N Upload N NFOTS969

Column	Type	Length	Nulls	Scale	Key
EMPLR ID	INTEGER	4	N	0	1
System generated unique number.					
EAN	CHAR	10	N	0	
Employer Account number which is uniqu e for an employer.					

CRTD TS	TIMESTMP	10	N	0		
Updated Timestamp						
UPDT TS	TIMESTMP	10	N	0		2
Updated Timestamp						
CHNG CD	CHAR	1	N	0		

Parents of **HHS_EMPLR**

Children of **HHS_EMPLR**

N9689691	**Parent**	HHS_EMPLR	**Child**	HHS_EMPLM_VRSN				
		COLNAME		TYPE	LEN	SC	D	N
	EMPLR_ID		FK_HHS_EMPLREMPLR	INTEGER	4	0		N
	UPDT_TS		FK_HHS_EMPLRUPDT_T	TIMESTAMP	10	0		N

HHS_ISS_DETRM

This table contains the Determinations of an Issue

Priority 99 Dups N Download N Upload N NFOTS970

Column	Type	Length	Nulls	Scale	Key
DETRM ID	INTEGER	4	N	0	1
System generated Determinatio n Id					
DETRM SEQ NUM	SMALLINT	2	N	0	2
Version number of the de termination. Value 1 denotes Determination and subsequent versions denote Re-Det erminations.					
FCT FNDG ID	INTEGER	4	N	0	
Fact finding Id of the Iss ue for which the determination has been given.					
EMPLR ID	INTEGER	4	N	0	
Denormalized field to maintai n in case if the employer and sequence number for determination is changed					
EMPLM SEQ NUM	SMALLINT	2	N	0	
Employment sequence numb er					
DETRM STAT CD	SMALLINT	2	N	0	
Determination Status den otes the determination given on the issue for the given version. Domain Table.					
DETRM CD	CHAR	6	N	0	
Determination code. It is in the format of XXXNNN, where XXX denotes the Resolved Issue and NNN denotes the S tatement number.					
DETRM DT	DATE	4	N	0	
Date of determination					
DT OF ACT	DATE	4	N	0	
Date on which the reason for disqualification(cause for the issue) has occurred. In case of misconduct, the wage earned prior to the date of act would be excluded from the monetary calcula tion					
DSQUL START DT	DATE	4	N	0	
Disqualification Start date. In case of Benefits Reduction only determination, high value 12/31/9999 wo uld be defaulted.					
DSQUL END DT	DATE	4	N	0	
Disqualification End date . In case of Benefits Reduction only determination or Open-ended time disqualifi cation, high value 12/31/9999 would be defaulted.					
CLM CASE ID	SMALLINT	2	N	0	
CRTD TS	TIMESTMP	10	N	0	
Created time stamp					
UPDT TS	TIMESTMP	10	N	0	3
Updated time stamp.					

CHNG CD	CHAR	1	N		0

Parents of **HHS_ISS_DETRM**

Children of **HHS_ISS_DETRM**

Parent COLNAME	Child TYPE	LEN	SC	D	N

HHS_OVPT

Priority 99 Dups N Download N Upload N NFOTS971

Column	Type	Length	Nulls	Scale	Key
CLMNT ID	INTEGER	4	N	0	1
System generated random number					
OVPT ID	SMALLINT	2	N	0	2
Sequence number for each overpaymen t occurrence					
OVPT VRSN NUM	SMALLINT	2	N	0	
Version number for the overpa yment occurrence					
CLM CASE ID	INTEGER	4	N	0	
System generated random number					
ESTBD DT	DATE	4	N	0	
Established date for the overpayme nt occurrence.					
OVPT CLS CD	SMALLINT	2	N	0	
The Class of the overpayment oc currence					
OVPT CAUS CD	SMALLINT	2	N	0	
The cause of the overpayment o ccurrence.					
OVPT AMT	DECIMAL	7	N	2	
The overpayment amount for the ove rpayment occurrence.					
OVPT OFST AMT	DECIMAL	7	N	2	
The offset amount for the ove rpayment occurrence.					
OVPT BAL	DECIMAL	7	N	2	
The overpayment balance for the ov erpayment occurrence					
OVPT STAT CD	SMALLINT	2	N	0	
Added for Overpayment removed indicator. Possible values are 1) Created, 2) Established, 3) Removed					
CRTD TS	TIMESTMP	10	N	0	
Created Timestamp					
UPDT TS	TIMESTMP	10	N	0	3
Update Timestamp					
CHNG CD	CHAR	1	N	0	

Parents of **HHS_OVPT**

Children of **HHS_OVPT**

Parent COLNAME	Child TYPE	LEN	SC	D	N

HHS_PMT_CHK_DTLS

This table holds the payment related d etails like status, type, etcand different kinds of deductions that has been app lied on top of the WBA.

Priority 99 Dups N Download N Upload N NFOTS972

Column	Type	Length	Nulls	Scale	Key
CHK NUM	INTEGER	4	N	0	1
Payment check number					
CHK DT	DATE	4	N	0	2
Payment check date					
CHK VRSN NUM	SMALLINT	2	N	0	3
It will be a running s equence number to indicate the different statuses of checks from the time of gen eration.					
CLM CASE ID	INTEGER	4	N	0	
System generated number					
CLMNT ID	INTEGER	4	N	0	
System generated number					
LAST BWE	DATE	4	N	0	
The last Benefit Week Endi ng Date of which the check has been generated for the total amount (total no of weeks)					
FRST BWE	DATE	4	N	0	
The first Benefit Week End ing Date of which the check has been generated for the total amount (total no of weeks)					
CHK AMT	DECIMAL	9	N	2	
Final payable amount that h as to be put in check after all the deductions					
UNRCVD FLAG CD	SMALLINT	2	N	0	
This is a un receive d flag code, provided by domain values. These are the codes that related to miss ing of the checks that has not been received by claimant.					
REISS CHK DT	DATE	4	N	0	
CRTD TS	TIMESTMP	10	N	0	
Created Timestamp					
UPDT TS	TIMESTMP	10	N	0	4
Update Timestamp					
CHNG CD	CHAR	1	N	0	

Parents of **HHS_PMT_CHK_DTLS**

Children of **HHS_PMT_CHK_DTLS**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

HHS_PMT_DEDN_DTLS

This table holds the payment related details like status, type, etcand different kinds of deductions that has been ap plied on top of the WBA.

Priority 99 Dups N Download N Upload N NFOTS973

Column	Type	Length	Nulls	Scale	Key
CLM CASE ID	INTEGER	4	N	0	1
System generated numbe r					
WK ENDG DT	DATE	4	N	0	2
Benefit Week Ending Dat e					
PMT SEQ NUM	SMALLINT	2	N	0	3
The number of times th e claimant has received payment for the same week ending date.					
PMT DT	DATE	4	N	0	
Payment Date, the day on wh ich the payment has been made.					
PAY AMT	DECIMAL	9	N	2	
Final payable amount					

PMT TYP CD	SMALLINT	2	N	0	
The type of payment tha t has been made. It will be provided as a domain value.					
CHLD SUPP DEDN AM	DECIMAL	9	N	2	
Child support a mount that has been deducted.					
FED TAX DEDN AMT	DECIMAL	9	N	2	
Federal tax amoun t that have been deducted.					
OP AMT	DECIMAL	9	N	2	
Overpayment amount that has been created for the week					
OVPT OFST AMT	DECIMAL	9	N	2	
The amount that has been deducted from the payable amount to reduce (collect) the overpayment.					
FNL CHK AMT	DECIMAL	9	N	2	
Final check amount tha t would be used to issue a check					
CRTD TS	TIMESTMP	10	N	0	
Created Timestamp					
UPDT TS	TIMESTMP	10	N	0	4
Update Timestamp					
CHNG CD	CHAR	1	N	0	
AGNT OP AMT	DECIMAL	9	N	2	

Parents of **HHS_PMT_DEDN_DTLS**

Children of **HHS_PMT_DEDN_DTLS**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

HHS_REOPN_CLM

This table is to store the Re open Claim details.

Priority 99 Dups N Download N Upload N NFOTS974

Column	Type	Length	Nulls	Scale	Key
CLM CASE ID	INTEGER	4	N	0	1
The Claim Case ID of the C laim					
CLM VRSN NUM	SMALLINT	2	N	0	2
Claim Version Number					
RQST DT	DATE	4	N	0	
Date on which Reopen claim was filed					
REOPN CLM DT	DATE	4	N	0	
Date from which the Reope n claim will be effective. This is the date of claim for reopen claim.					
CRTD TS	TIMESTMP	10	N	0	
Created Timestamp					
UPDT TS	TIMESTMP	10	N	0	3
Updated Timestamp					
CHNG CD	CHAR	1	N	0	

Parents of **HHS_REOPN_CLM**

Children of **HHS_REOPN_CLM**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

HHS_WKLY_ERNG

This table holds the weekly earnings and other compensation details

Priority 99 Dups N Download N Upload N NFOTS975

Column	Type	Length	Nulls	Scale	Key
CLM CASE ID	INTEGER	4	N	0	1
System generated number					
WK ENDG DT	DATE	4	N	0	2
Benefit Week Ending Date					
WCR VRSN NUM	SMALLINT	2	N	0	3
The version number for th e weekly earnings.					
RPTD ERNG AMT	DECIMAL	9	N	2	
Reported earnings that h as been captured as part of the application					
OTH ERNG TYP CD1	SMALLINT	2	N	0	
Other type of earning s that has been eared in the given week other than reported earnings					
OTH ERNG AMT1	DECIMAL	9	N	2	
Other type of earnings a mount for the given week					
OTH ERNG TYP CD2	SMALLINT	2	N	0	
Other type of earning s that has been eared in the given week other than reported earnings					
OTH ERNG AMT2	DECIMAL	9	N	2	
Other type of earnings a mount for the given week					
CRTD TS	TIMESTMP	10	N	0	
Created Timestamp					
UPDT TS	TIMESTMP	10	N	0	4
Update Timestamp					
CHNG CD	CHAR	1	N	0	

Parents of **HHS_WKLY_ERNG**

Children of **HHS_WKLY_ERNG**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

HLTH_CHK

Collection of information with regard to the o ffering of EPSDT for those ARPs which are eligible.

Priority 1 Dups N Download Y Upload Y NFOTS400

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
OFFER DT	DATE	4	N	0	2
********** ***********This attribute is used in interface MMIS.********** ********** *********Date when the Health Check opportunity (EPSDT) was offered to t he ARP.					
MED ACPTNC IND	CHAR	1	N	0	
********** ********** *********This attribute is used by interface MMIS.********** ********** *********Indicator capturing the information regarding whether the c lient accepted the medical portion of the EPSDT offering.					
MED REJ RSN CD	CHAR	2	N	0	
********** ********** *********This attribute is used by interface MMIS.********** ********** *********Code which describes the reason which the client rejected t he medical offering of EPSDT.					
DNTL ACPTNC IND	CHAR	1	N	0	
********** ********** *********This attribute is used by interface MMIS.********** ********** *********Indicator capturing the information regarding whether the client accepted the dental portion of the EPSDT offering.					

DNTL REJ RSN CD CHAR 2 N 0
********** **********This attribute is used by interface MMIS.********** **********Code which describes the reason which the client rejecte d the dental offering of EPSDT.
TRANSP NEEDED IND CHAR 1 N 0

APPT NEEDED IND CHAR 1 N 0
********** **********This attribute is used by interface MMIS.********** **********Indicator which captures the fact that the client required ass istance in setting an appointment for the accepted Health Check.
SVC PROVD BY CD CHAR 2 N 0
Code which identifies which workers provided assistance with the services for the client.IM workerSS worker Both IM and SS workers
UPD USRID CHAR 8 N 0

UPD TS TIMESTMP 10 N 0

APRV DT DATE 4 Y 0

Parents of **HLTH_CHK**

N4000401 **Child** HLTH_CHK **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **HLTH_CHK**

Parent COLNAME	Child TYPE	LEN	SC	D	N

HOME_DTL

Details specific to child welfare ORG which ar e used in matching ORG's with ARP's for placement.

Priority 1 Dups N Download N Upload N NFOTS817

Column	Type	Length	Nulls	Scale	Key
FK ORGID NBR	INTEGER	4	N	0	1
ST DT	DATE	4	Y	0	
The status date of the org on the sta te adoption exchange.					
ST STAT CD	CHAR	2	Y	0	
The status of the ORG on the Sta te adoption exchange.					
NATL DT	DATE	4	Y	0	
the status date of the org on the n ational adoption exchange.					
NATL STAT CD	CHAR	2	Y	0	
The status of the ORG on the N ational adoption exchange.					
NUM CHLD IN FAM	SMALLINT	2	Y	0	
The total number of childre n in the family. Both those currently in the home and those who may have alread y relocated.					
PRESVC DT	DATE	4	Y	0	
The date on which pre-service tra ining was completed.					
EDUC LEV 1	CHAR	2	Y	0	
This attribute tracks the highes t level of education attained by the Parent/Caretaker.					
EDUC LEV 2	CHAR	2	Y	0	
This attribute tracks the highes t level of education attained by the Parent/Caretaker.					
EMP FIELD 1	CHAR	2	Y	0	
The area of employment for one of the parent/caretakers in the organization.					
EMP FIELD 2	CHAR	2	Y	0	
The area of employment for one of the parent/caretakers in the organization.					

EMP POSTN 1	CHAR	2	Y	0
The position held at employment for one of the parent/caretakers in the organization.				
EMP POSTN 2	CHAR	2	Y	0
The position held at employment for one of the parent/caretakers in the organization.				
HR OUT HME1	CHAR	77	Y	0
The time and days that the pare nt/caretaker is expected to be out of the home.				
HR OUT HME2	CHAR	77	Y	0
The time and days that the pare nt/caretaker is expected to be out of the home.				
LNG CD	CHAR	2	Y	0
A unique code identifying a language other than English that the foster/adoptive family uses.				
RLGN CD	CHAR	2	Y	0
A unique code specifying an ARP's religious affiliation.				
ETN CD	CHAR	2	Y	0
A unique code identifying an ARP's ethnic group.				
ANN INCOME CD	CHAR	2	Y	0
A unique code identifying the total income for the foster/adoptive/relative home.				
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
FAM COMP CD	CHAR	2	Y	0
Marital status and structure of the family (Organization).				
CC LIC ID NBR	CHAR	8	Y	0
License number assigned by th e LIS system for new Child Care Licenses.				

Parents of **HOME_DTL**

N8175501 **Child** HOME_DTL **Parent** ORG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ORGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **HOME_DTL**

N8638171 **Parent** HOME_DTL **Child** HOME_INQUIRY

COLNAME		TYPE	LEN	SC	D	N
FK_ORGID_NBR	FK_HOME_DTLFK_ORGI	INTEGER	4	0		N

HOME_INQUIRY

This entity captures the information regar ding the reasons the family inquired about becoming an adoptive/foster family fo r DSS.

Priority 2 Dups N Download N Upload N NFOTS863

Column	Type	Length	Nulls	Scale	Key
FK HOME DTLFK ORG	INTEGER	4	N	0	1
TYP CD	CHAR	2	N	0	3
The codified value for the type of inquiry chosen.					
SRC INQUIRY IND	CHAR	1	N	0	2
This identifies the typ e code associated with a source of inquiry choice.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **HOME_INQUIRY**

N8638171 **Child** HOME_INQUIRY **Parent** HOME_DTL

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_HOME_DTLFK_ORGI	FK_ORGID_NBR	INTEGER	4	0		N	A

Children of **HOME_INQUIRY**

Parent **Child**

COLNAME		TYPE	LEN	SC	D	N

ICPC

This entity contains ICPC contract information as it relates to placements.

Priority 1 Dups N Download N Upload N NFOTS819

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A unique number identifying this ICPC.					
FK ARPID NBR	INTEGER	4	Y	0	
BEG DT	DATE	4	N	0	
The date the ICPC contract is to begin.					
END DT	DATE	4	Y	0	
The date the ICPC contract ends.					
DUE DT	DATE	4	Y	0	
This field records the due date for the home study and follow-up reports.					
RCVD DT	DATE	4	Y	0	
This field records the date the home st udy or follow-up reports were received.					
TRMN CD	CHAR	2	Y	0	
The termination code of the compact.					
STAT CD	CHAR	2	Y	0	
The status code of the compact.					
SENDING ST CD	CHAR	2	Y	0	
The state that is sending the chi ld.					
RCVG ST CD	CHAR	2	Y	0	
The state that is receiving the chil d.					
PLMNT DCSN CD	CHAR	2	Y	0	
A unique code identifying the cen tral office decision on the ICPC request					
SUPV SVC CD	CHAR	2	Y	0	
Who will provide supervision of the child during placement.					
IVE IND	CHAR	1	N	0	
This indicator is used to show whether the associated ARP is eligible for IVE training.					
RESP PARTY CD	CHAR	2	Y	0	
The sending or receiving state th at is responsible for the child.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
REM	VARCHAR	200	Y	0	
Free form text for the supervisor to record comments regarding an ICPC denial.					
CNTCT PRS	VARCHAR	200	Y	0	
Free form text to record the name, ad dress and telephone number of the out-of-state contact individual.					

Parents of ICPC

N8190401	**Child**	ICPC	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR		ID_NBR	INTEGER	4	0		N	A

Children of ICPC

N8438191	**Parent**	ICPC	**Child**	PLMNT				
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR			FK_ICPCID_NBR	INTEGER	4	0		N

IN_CARE

Information about the child's removal(s) from the parental home. Covers the time a child is in care without a break.

Priority 20 Dups N Download N Upload N NFOTS787

Column	Type	Length	Nulls	Scale	Key
FK PRS TRKNGID NBR	INTEGER	4	N	0	1

ID NBR	INTEGER	4	N	0	2

ARTIFICIAL ID NUMBER ASSIGNED TO IDEN TIFY THE FCRB_IN_CARE RECORD

BEG DT	DATE	4	N	0

Date the child was removed from paren tal home.

END DT	DATE	4	Y	0

Date the current removal episode ends .

END RSN CD	CHAR	2	Y	0

Code identifying reason child no longer in care.Values: Return to parents, Adoption finalized, Guardianship estab lished

HSS INTL DT	DATE	4	Y	0

Date of first notice from HHS t hat the child had been removed from the home

PRIV AGCY INTL DT	DATE	4	Y	0

Date of first notice from private agency that child was removed from the home

UPD USRID	CHAR	8	N	0

Last Update User ID.

UPD TS	TIMESTMP	10	N	0

Last Update Timestamp.

Parents of **IN_CARE**

N7877861	**Child**	IN_CARE	**Parent**	PRS_TRKNG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PRS_TRKNGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **IN_CARE**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

IN_CARE_RSN

Reason child was placed outside of the pare ntal home.

Priority 20 Dups N Download N Upload N NFOTS788

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
FK PRS TRKNGID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2

ARTIFICIAL ID NUMBER ASSIGNED TO UNIQUELY IDENTIFY THE RECORD

TYP CD	CHAR	2	N	0

Codes for reasons entered care ov er the child's lifetime as determined by the review specialist from the custodi al agency and court files. Values: Physical Abuse, Sexual Abuse, Neglect

ID LTR IND	CHAR	1	Y	0

Indicates that this in care r eason was identified during review.Values: Yes, No

UPD USRID	CHAR	8	N	0

Last Update User ID.

UPD TS	TIMESTMP	10	N	0

Last Update User ID.Last Update T imestamp.

Parents of **IN_CARE_RSN**

N7887861	**Child**	IN_CARE_RSN	**Parent**	PRS_TRKNG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PRS_TRKNGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **IN_CARE_RSN**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

INC_ACTIVITY

An income for an individual which may be e ither Earned, Unearned, Other or Self-Employment Income.

Priority 15 Dups N Download Y Upload Y NFOTS660

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**

FK_ARPID_NBR	INTEGER	4	N	0	1
ID_NBR	INTEGER	4	N	0	2

A number used for unique identif ication.

TYP_CD	CHAR	2	N	0

A code specifying the type of in come. For example: Earned Income, Types of Unearned Income, Types of Other Inco me or Types of Self-Employment Income. These code values are stored in Codetable 1830.

FREQ_CD	CHAR	2	Y	0

The frequency at which a type o f unearned income payment is received. For example: weekly, monthly, etc. This code is retrieved from codetable 1831.

CLM_ACCT_NBR	CHAR	20	Y	0

A number associated with a type of INCOME_ACTIVITY.

DSC	CHAR	50	Y	0

This describes the type of business the income originated from or the actual business name.

CLOSE_DT	DATE	4	Y	0
UPD_TS	TIMESTMP	10	N	0
UPD_USRID	CHAR	8	N	0

Parents of **INC_ACTIVITY**

N6600401 **Child** INC_ACTIVITY **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **INC_ACTIVITY**

N6656601 **Parent** INC_ACTIVITY **Child** EI_PMT_SCH

COLNAME		TYPE	LEN	SC	D	N
FK_ARPID_NBR	FK_INC_ACTIVITYFK	INTEGER	4	0		N
ID_NBR	FK_INC_ACTIVITYID	INTEGER	4	0		N

N6706601 **Parent** INC_ACTIVITY **Child** EI_PMT_STUB

COLNAME		TYPE	LEN	SC	D	N
FK_ARPID_NBR	FK_INC_ACTIVITYFK	INTEGER	4	0		N
ID_NBR	FK_INC_ACTIVITYID	INTEGER	4	0		N

N6756601 **Parent** INC_ACTIVITY **Child** SLF_EMP_FED_TX_RET

COLNAME		TYPE	LEN	SC	D	N
FK_ARPID_NBR	FK_INC_ACTIVITYFK	INTEGER	4	0		N
ID_NBR	FK_INC_ACTIVITYID	INTEGER	4	0		N

N6856601 **Parent** INC_ACTIVITY **Child** SLF_EMP_LDG

COLNAME		TYPE	LEN	SC	D	N
FK_ARPID_NBR	FK_INC_ACTIVITYFK	INTEGER	4	0		N
ID_NBR	FK_INC_ACTIVITYID	INTEGER	4	0		N

N6886601 **Parent** INC_ACTIVITY **Child** UI_AMT

COLNAME		TYPE	LEN	SC	D	N
FK_ARPID_NBR	FK_INC_ACTIVITYFK	INTEGER	4	0		N
ID_NBR	FK_INC_ACTIVITYID	INTEGER	4	0		N

INCLD_NARR_INVLV

Priority 20 Dups N Download N Upload N NFOTS092

Column	Type	Length	Nulls	Scale	Key
FK_NARR_HDRID_NBR	INTEGER	4	N	0	1
FK_CRT_RPT_INFOFK	INTEGER	4	N	0	2
FK_CRT_RPT_INFOID	INTEGER	4	N	0	3

UPD USRID	CHAR	8	N	0	
LAST UPDATE USER ID.					
UPD TS	TIMESTMP	10	N	0	
LAST UPDATE TIMESTAMP.					

Parents of **INCLD_NARR_INVLV**

N0920861 **Child** INCLD_NARR_INVLV **Parent** CRT_RPT_INFO

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CRT_RPT_INFOFK	FK_LEGAL_ATID_NBR	INTEGER	4	0		N	A
FK_CRT_RPT_INFOID	ID_NBR	INTEGER	4	0		N	A

N0928311 **Child** INCLD_NARR_INVLV **Parent** NARR_HDR

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_NARR_HDRID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **INCLD_NARR_INVLV**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

INF_AUD

Collection of audit trail data for the IUS, IRS , IWD, and SEW interfaces of those staff persons accessing these interfaces for a specific AGENCY RELATED PERSON.

Priority 0 Dups N Download N Upload N NFOTS425

Column	Type	Length	Nulls	Scale	Key
ACCESS TS	TIMESTMP	10	N	0	
Timestamp of the access of the int erface data.					
ACCESS USRID	CHAR	8	N	0	
Userid (ASP logonid) of the per son accessing the interface data.					
ARP SSN	CHAR	9	N	0	
Social security number of the AGENCY RELATED PERSON for whom the interface data is being accessed.					
ARP ID NBR	INTEGER	4	N	0	
Identification number of the AGEN CY RELATED PERSON for the interface data being accessed.					
TERM ADDR	CHAR	8	N	0	
Terminal address from which the ac cess to the interface data was made.					
INF CD	CHAR	3	N	0	
Code of the interface being tracked w ithin N-FOCUS.Valid values are : IUC, IRS, IWD, SEW					
ID NBR	INTEGER	4	N	0	1
The unique identification of the INTE RFACE AUDIT as defined by the N-FOCUS system.					

Parents of **INF_AUD**

Children of **INF_AUD**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

INF_FORTY_QTR

This new interface table will store an in dividual 40 quarter work history.

Priority 0 Dups N Download N Upload N NFOTS443

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Unique identifier for the inter face forty quarters table.					
VERIFIED SSN	CHAR	9	N	0	
Verified SSN returned fro m the SSA.					
STATE DATA	CHAR	22	N	0	
Contains arp-id for the ind ividual who the 40 quarter request was for.					

MIN NBR QUAL QTR	SMALLINT	2	N	0
Minimum number of qua lifying work quarters.				
MAX NBR QUAL QTR	SMALLINT	2	N	0
Maximum number of qua lifying work quarters.				
RR SVC MO	SMALLINT	2	N	0
Number of Railroad service m onths.				
UPD TS	TIMESTMP	10	N	0
UPD USRID	CHAR	8	N	0
INPUT SSN	CHAR	9	N	0
This is the SSN we sent to t he SSA on the original 40 Quarter request.				
LST NME	CHAR	25	N	0
Last name is returned on the F orty Quarter reply.				
FRST NME	CHAR	20	N	0
First name is returned on the Forty Quarter reply.				
MIDL INIT	CHAR	1	N	0
Middle initial is returned o n the Forty Quarter reply.				
BD	DATE	4	N	0
Birthdate is returned on the Forty Quarter reply.				
QUAL QTR PATTERN	VARCHAR	356	N	0
Pattern indicated if the individual was covered or not for each quarter from 1937 - 2025.				

Parents of **INF_FORTY_QTR**

Children of **INF_FORTY_QTR**

Parent	Child						
	COLNAME	TYPE	LEN	SC	D	N	

INF_IRS_1099

*An interface with the Internal Revenue Ser vice whichprovides leads to assets and unearned income of theAGENCY RELATED PERS ON.*****************Comments*****************

PYR_SSN	CHAR	9	N	0	
The social security number assi gned to the payer.					
PYR_NME	CHAR	40	N	0	
The name of the entity which pa id the income to the payee.					
PYR_ADDR	CHAR	40	N	0	
The address of the payer.					
PYR_CTY_ST_ZP	CHAR	40	N	0	
The city, state and zip c ode where the payer lives.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
FK_ARPID_NBR	INTEGER	4	N	0	2
ID_NBR	INTEGER	4	N	0	1
A number used for unique identif ication.**********Comments**********					
SOURCE:Basic					
INC_TYP_CD1	CHAR	2	Y	0	
INC_TYP_CD2	CHAR	2	Y	0	
INC_TYP_CD3	CHAR	2	Y	0	
INC_TYP_CD4	CHAR	2	Y	0	
INC_TYP_CD5	CHAR	2	Y	0	
INC_TYP_CD6	CHAR	2	Y	0	
INC_TYP_CD7	CHAR	2	Y	0	
INC_TYP_CD8	CHAR	2	Y	0	
INC_TYP_CD9	CHAR	2	Y	0	
INC_AMT1	DECIMAL	10	Y	0	
INC_AMT2	DECIMAL	10	Y	0	
INC_AMT3	DECIMAL	10	Y	0	
INC_AMT4	DECIMAL	10	Y	0	
INC_AMT5	DECIMAL	10	Y	0	
INC_AMT6	DECIMAL	10	Y	0	
INC_AMT7	DECIMAL	10	Y	0	
INC_AMT8	DECIMAL	10	Y	0	
INC_AMT9	DECIMAL	10	Y	0	

Parents of **INF_IRS_1099**

N4300401 **Child** INF_IRS_1099 **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **INF_IRS_1099**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

INF_IUC

*This interface is with the Department of Labor andprovides verification of an ARP's unemploymentbenefits. *****************Com ments******************Current IUC Interface. See current IUCCHIST COPYLIBrecord layout for Attribute Types.*

Priority 0 Dups N Download N Upload N NFOTS435

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A unique number used for identificati on.*****************Comments***************** SOURCE:Designed					
SSN	CHAR	9	N	0	
The social security number for which une mployment compensation information is being reported.					
DOL DEL IND	CHAR	1	N	0	
A switch indicating if the recor d was delete by the Department of Labor.Valid values: Y - deleted by the Departm ent of Labor (corresponding value received from the interface is 'D', the fiel d name is CDP_SSN_SEQ_IUC) N - Not delete by DOL					
REC PROC DT	DATE	4	Y	0	
The date the information was las t updated.					
CLMNT NME	CHAR	32	N	0	
The name associated with the Socia l Security Number.					
BD	DATE	4	Y	0	
The date of birth of the claimant (month, day and year).					
SEX CD	CHAR	1	N	0	
A code specifying the sex of the clai mant.CODEMEANINGM MaleF Female					
MIL DSCHRG DT	DATE	4	Y	0	
The date the claimant was disc harged from military service.					
MRTL STAT CD	CHAR	1	N	0	
A code specifying the marital s tatus declared by the claimant.CODEMEANINGSingleMarriedSeparatedDivorcedWidowed					
US CTZNSP IND	CHAR	1	N	0	
The citizenship status declare d by the claimant. Y = Yes, N = No.					
ALN NBR	CHAR	12	N	0	
MLNG ADDR	CHAR	35	N	0	
The street/post office box where b enefits and/or notices are mailed to the claimant.					
CTY	CHAR	15	N	0	
The mailing city where benefits and/or n otices are mailed to the claimant.					
ST CD	CHAR	2	N	0	
The two-digit code identifying the sta te where benefits and/or notices are mailed to the claimant.					
ZP5 CD	CHAR	5	N	0	
The five-digit zip code where benefit s and/or notices are mailed to the claimant.					
ZP4 CD	CHAR	4	N	0	
The four-digit code that follows the five-digit zip code where benefits and/or notices are mailed to the claimant.					
ADDR CHG DT	DATE	4	Y	0	
The date the last mailing addres s was changed.					
PHN NBR	CHAR	10	N	0	
The telephone number declared by the claimant. The telephone number includes the area code.					

CLM FIL DT	DATE	4	Y	0

The date the claimant filed for u nemployment compensation benefits.The date that the claimant files for benefits is used to determine what wages are used to establish the claimant's benefit am ount. DOL refers to this as the "Base Period".

REOPEN DT	DATE	4	Y	0

The date the claimant's unemploym ent compensation benefits were reopened.

WAIT WK BEG DT	DATE	4	Y	0
LIABLE ST CD	CHAR	2	N	0

The two-digit code identifying the state responsible for payment of the claim.

ENTLMT PRD BEG DT	DATE	4	Y	0

The date the entitlement f or unemployment compensation begins.

ENTLMT PRD END DT	DATE	4	Y	0

The date the entitlement f or unemployment compensation ends.

DSQUAL BEG DT	DATE	4	Y	0

The date the disqualification period begins.

DSQUAL END DT	DATE	4	Y	0

The date the disqualification period ends. If the end date has not been established, no date will be entered.

DSQUAL RSN CD	CHAR	2	N	0

If the claimant is disqualifie d, the reason for the disqualification (non-issuance of benefits) will be displa yed. There are two categories: Separation Issues (Job Related) and Non-Separat ion (Not Job Related).The field name is NMD-ISSUE-CODE-IUC

JOB REFUSED IND	CHAR	1	N	0

The code identifying if the claimant refused a job to which he/she was referred by Job Service. The employe r may have reported this to Job Service. Y = Yes, N = NoThe field name is NMD-I SSUE-STATUS-CODE-IUC

ISS EMP NBR	CHAR	10	N	0

The employer number, if availabl e, for the employer where the client refused a job.

OP BAL AMT	DECIMAL	7	N	2

The balance owed by the claimant on the unemployment compensation overpayment.

OP DT	DATE	4	Y	0

The date the overpayment of unemployme nt compensation occurred.

OP AMT	DECIMAL	7	N	2

The amount of the unemployment compen sation overpayment owed by the claimant.

OP RSN CD	CHAR	2	N	0

The reason for the unemployment co mpensation overpayment.

CS WITH AMT	DECIMAL	5	N	2

The benefit amount being withhel d from the claimant's weekly benefit amount because of child/spousal support wi thholding.

DEP NBR	CHAR	2	N	0

The number of dependents declared by the claimant. The claimant is included in this number.

REISS BEG DT	DATE	4	Y	0
REISS END DT	DATE	4	Y	0
REISS RSN CD	CHAR	1	N	0

The reason that the adjustment, duplicate, or reissued check was issued.The field name is REC-REASON-CODE-IUC

REISS AMT	DECIMAL	7	N	2

The amount of the adjustment, dupl icate, or reissued check.

REISS CHK DT	DATE	4	Y	0

The date that the adjustment, d uplicate, or reissued check was mailed to the claimant. **********Comment s**********Take into account mailing time to determine when the check must be considered for budgeting purposes.

UPD USRID	CHAR	8	N	0

UPD TS	TIMESTMP	10	N	0

Parents of **INF_IUC**

Children of **INF_IUC**

N4374351	**Parent**	INF_IUC	**Child**	IUC_CLM_BEN_BAL					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_INF_IUCID_NBR		INTEGER	4	0		N
N4704351	**Parent**	INF_IUC	**Child**	INTC_IUC_OTH_INC					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_INF_IUCID_NBR		INTEGER	4	0		N

INF_MDCR_RSPNS

Priority 5 Dups N Download N Upload N NFOTS493

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2
A randon number assigned by th e system to uniquely identify an INF_MDCR_RSPNS.					
HI CLM NBR	CHAR	12	N	0	
REC PROC DT	DATE	4	N	0	
TYP	CHAR	1	N	0	
Indicates Medicare Part A or Part .* This varies from the standard and is named type because it is on the MDCR ta ble and it is out of scope to change MDCR					
LST NME	CHAR	24	Y	0	
Clients last name - will matc h the surname on the EDB (Enrollment data base).					
FRST NME	CHAR	15	Y	0	
Clients First name will mat ch the given name on the EDB.					
MIDL ITL	CHAR	1	Y	0	
The middle name or initial b y which an AGENCY_RELATED_PERSON is currently known. A history of this attribut e is maintained in the NAME_HISTORY entity type.					
SEX CD	CHAR	1	Y	0	
Sex code of the client.					
BD	DATE	4	Y	0	
Date of birth of the client.					
SSN	CHAR	9	Y	0	
Clients Social Security Number - char(9) as it is on ARP.					
ELIG RSN CD	CHAR	2	Y	0	
Alphabetic code which des cribes the reason the beneficiary is eligible for buy-in or SSI benefits. CMS na me BUY-IN ELIGIBILITY CODE					
REC ID CD	CHAR	1	N	0	
Indicates the type of recor d sent from CMS commonly called the RIC code					
TRN CD	CHAR	4	N	0	
CMS Transaction code that iden tified the type of record.					
TRN SUB CD	CHAR	1	Y	0	
This further defines the T ransaction code.					
SSI STRT DT CCYYMM	CHAR	6	Y	0	
Indicates the begi nning date year and month of the most recent period of SSI entitlement - CCYYM M.					
SSI STP DT CCYYMM	CHAR	6	Y	0	
Contains the ending date year and month of the last period of SSI entitlement - non standard date from CMS that Claire does not want to change - CCYYMM.					

MED ENTL DT CCYYM CHAR 6 Y 0
Indicates the year and month the beneficiary attained age 65 or became entitled to Medicare Part A - non standard date from CMS that Claire does not want to change - CCYYMM.

ZP CD INTEGER 4 Y 0
Reflects the zip code of the cl ient. This is a non standard format for zip code but it is like this from CMS. Business does not ever see a need to join to ADDR using the Zip Code.

CNTY RSD CD CHAR 3 Y 0
County of residence devel oped from SSI record. SSA furnishes this code for the CMS record. (This code c omes in from CMS we dont know if it is going to match our FIPS code at this tim e because we havent seen the records yet.)

SSI LA CD CHAR 1 Y 0
Indicates if the beneficiar y is a resident of a title XIX institution.

SSI STAT CD CHAR 1 Y 0
Indicates if the benefici ary is a resident of a title XIX institution.

RDCD A IND CHAR 1 Y 0
Presence of a 1 indicates that the reduced Part A premium rate applies to the beneficiary. Otherwise it i s blank.

A PRM SRCHRG IND CHAR 1 Y 0
Indicates if a surch arge is applicable for late enrollment.

BP STRT DT CCYYMM CHAR 6 Y 0
Contains the beginn ing date (year and month) used in the calculation of the refund or premium amoun t due for this transaction - non standard date from CMS that Claire does not wan t to change - CCYYMM.

BP STP DT CCYYMM CHAR 6 Y 0
Contains the last da te (year and month) used in the calculation of the refund or premium amount due for this transaction - non standard date from CMS that Claire does not want to c hange - CCYYMM.

PRM AMT DECIMAL 9 Y 2

BILL MO CCYYMMM CHAR 6 Y 0
Designates the billin g file (year and month) on which the transaction appears - non standard date fro m CMS that Claire does not want to change - CCYYMM.

CURR MO PRM RTE A DECIMAL 7 Y 2
The current monthl y Part A Medicare premium rate

RDCD MO PRM AMT DECIMAL 7 Y 2
Indicates the premium reduction under provisions of BIPA 606. This is the amount of the reduction, n ot the new premium rate.

CRDT IND CHAR 1 Y 0

AGNCY CLI ID NBR INTEGER 4 Y 0
The states client id entification number sent from CMS. The batch process uses this with the SSN and HI CLAIM NUMBER to determine the correct FK_ARPID_NBR. No process should ever assume this is a valid ARP_ID.

ACT MDCR CLM NBR CHAR 12 Y 0
Claim number to whic h the record is being cross referenced. Will consist of the claim number or the pseudo claim number if the beneficiary is entitled under a RRB number.

REPLY DT DATE 4 Y 0
Date on which CMS created RI C record.

CMS LST NME CHAR 24 Y 0
Beneficiarys surname as i t appears on EDB.

CMS FRST NME CHAR 15 Y 0
Beneficiarys given name as it appears on EDB

CMS MIDL ITL CHAR 1 Y 0
Beneficiarys middle init ial as it appears on EDB.

CMS SEX CD CHAR 1 Y 0
Beneficiarys sex code as i t appears on EDB.

CMS DOB DATE 4 Y 0
Beneficiarys DOB as it appear s on EDB.

CMS SSN	CHAR	9	Y	0
Beneficiarys SSN as it appear s on EDB.				
ADD DT CCYYMM	CHAR	6	Y	0
Year and month furnishe d in certain records to provide comprehensive response to the - non standard dat e from CMS that Claire does not want to change - CCYYMM.				
UNCNVRTD CLM NBR	CHAR	12	Y	0
If the beneficiary i s entitled under a Rail Road Beneficiary number and a pseudo number is recorded in the CLAIM NUMBER, this will contain the unconverted or RIR claim number.				
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0

Parents of **INF_MDCR_RSPNS**

N4930401	**Child**	INF_MDCR_RSPNS	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **INF_MDCR_RSPNS**

Parent	**Child**				
COLNAME	TYPE	LEN	SC	D	N

INF_MMA

Priority 0 Dups N Download N Upload N NFOTS457

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
ID NBR	INTEGER	4	N	0	1
A number used for unique identificati on.**********Comments********** SOURCE:Basic					
REC PROC DT	DATE	4	Y	0	
The date the record was processe d.					
REC ID	CHAR	3	Y	0	
Identifies record transaction type. Code as "DET" for an enrollment detail record and "LIS" is for a low-income sub sidy determination.					
ELIG DT	DATE	4	Y	0	
Format :MMCCYY Calendar Month/Year Code for applicable Medicaid eligibility (e.g.012006). Valid Month Values: 01 - 12 (e.g. January=01, December=12.					
ELIG STAT	CHAR	1	Y	0	
Indicator of beneficiary's Medica id eligibility for that person-month - Valid values "Y" (yes) or "N" (no) or 9 f or a LIS record					
HIC NBR	CHAR	15	Y	0	
Health Insurance Claim Number (HIC) or Railroad Retirement Board Number (RRB)					
HIC RRB IND	CHAR	1	Y	0	
Indicator for HIC or RRB - Valid Values: "R" for RRB and "H" for HIC					
SSN	INTEGER	4	Y	0	
Beneficiary's own SSN					
ST MEDI AGNCY	CHAR	20	Y	0	
State Medicaid Agency Enrollee Identifier - For use by state in associating records on return file					
FRST NME	CHAR	12	Y	0	
First Name (First 12 letters)					
LST NME	CHAR	20	Y	0	
Last Name (First 20 letters)					
MIDL NME	CHAR	15	Y	0	
Middle Name (First 15 letters)					
NME EXTN CD	CHAR	4	Y	0	
A code representing an extension added to a person's name (usually abbreviated) to uniquely identify family mem ber's that have the same name. Examples: JR - Junior, SR - Senior, I - The Fi rst, II - The Second, III - The Third, IV - The Fourth, V - Th					

SEX CD CHAR 1 Y 0
Beneficiary Gender - Sex code values F=Female, M=Male, 9=Unknown
DOB DATE 4 Y 0
MMDDCCYY: Month, day, century and year o f Beneficiary Birth, (e.g. 05051935). If unknown = '99999999'
DUAL STAT CD SMALLINT 2 Y 0

FPL PCT IND SMALLINT 2 Y 0
Federal Poverty Level Indicator. Values: 1=at or below 100% FPL, 2=above 100% FPL. FPL is determined by the indi vidual state. If unknown = 9.
DRUG COV IND SMALLINT 2 Y 0
=no drug coverage by Medicaid 1 = Medicaid drug coverage.If unknown = 9.
INSTUT STAT IND CHAR 1 Y 0
Indicator of NURSING FACILIT Y, INTERMEDIATE CARE FACILITY/MENTALLY RETARDED or INPATIENT PSYCHIATRIC HOSPITA L: Values "Y" or "N".If unknown = "9".
D SUBS CD CHAR 1 Y 0
Identifies whether application was approved or not. Approved code values Y=yes, N=no , N/A=9
D SUBS DT DATE 4 Y 0
Approved date MMDDCCYY. N/A='9999 9999' if unknown.
D SUBS STRT DT DATE 4 Y 0
Subsidy Start Date MMDDCCYY. N/A= '99999999'. May not be earlier than 01/01/2006. Must be first day of t he month in which application received by state.
D SUBS END DT DATE 4 Y 0
Subsidy End Date MMDDCCYY for determinations through 2006, end date is 12/31/2006. Thereafter, end date is de termined by state, in manner and frequency state determines. N/A='99999999'.
D PCT FED POVERTY SMALLINT 2 Y 0

D SUBS LVL SMALLINT 2 Y 0

INC DETRMN CHAR 1 Y 0
Income Used Indicator 1=Individua l, 2=CoupleN/A='9'
RSRC LVL CHAR 1 Y 0
Resource Level 1=over limit, 2=unde r limitN/A='9'.
BASIS D SUBS DENL CHAR 1 Y 0
Applicable to RECORD TYPE - LISDenial codes:1 = Not enrolled in Medicare Part A or B 2 = (reserved coding) 3 = Does not reside in the USA4 = Failure to cooperate5 = Resources too high6 = Income too highN/A = 9
RSLT AEL CHAR 1 Y 0
Appeal Result Y=yes, N=no (Only po pulated if appeal is filed). N/A='9'.
CHG PREV DETRMN CHAR 1 Y 0

DETRMN CNCL CHAR 1 Y 0
Cancelled Indicator Y=yes, N=no. Default is N. Enter Y if this record cancels previous record sent. N/A='9'.
REC ID ERC CHAR 2 Y 0
Field returning a error return co de for the field that was sent from the state to the feds. See the MMA manual f or return code definitions
ELIG DT ERC CHAR 2 Y 0
Field returning a error return c ode for the field that was sent from the state to the feds. See the MMA manual for return code definitions
ELIG STAT ERC CHAR 2 Y 0
Field returning a error return code for the field that was sent from the state to the feds. See the MMA manua l for return code definitions
HIC ERC CHAR 2 Y 0
Field returning a error return code for the field that was sent from the state to the feds. See the MMA manual for return code definitions

HIC_RRB_IND_ERC CHAR 2 Y 0
Field returning a error retu rn code for the field that was sent from the state to the feds. See the MMA man ual for return code definitions

SSN_ERC CHAR 2 Y 0
Field returning a error return code for the field that was sent from the state to the feds. See the MMA manual for return code definitions

SEX_ERC CHAR 2 Y 0
Field returning a error return code for the field that was sent from the state to the feds. See the MMA manual for return code definitions

DOB_ERC CHAR 2 Y 0
Field returning a error return code for the field that was sent from the state to the feds. See the MMA manual for return code definitions

DUAL_STAT_CD_ERC CHAR 2 Y 0
Field returning a error ret urn code for the field that was sent from the state to the feds. See the MMA ma nual for return code definitions

FPL_PCT_IND_ERC CHAR 2 Y 0
Field returning a error retu rn code for the field that was sent from the state to the feds. See the MMA man ual for return code definitions

DRUG_COV_IND_ERC CHAR 2 Y 0
Field returning a error ret urn code for the field that was sent from the state to the feds. See the MMA ma nual for return code definitions

INST_STAT_IND_ERC CHAR 2 Y 0
Field returning a error re turn code for the field that was sent from the state to the feds. See the MMA m anual for return code definitions

D_SUBS_CD_ERC CHAR 2 Y 0
Field returning a error return code for the field that was sent from the state to the feds. See the MMA manua l for return code definitions

D_SUBS_DT_ERC CHAR 2 Y 0
Field returning a error return code for the field that was sent from the state to the feds. See the MMA manua l for return code definitions

D_SUBS_STRT_DT_ERC CHAR 2 Y 0
Field returning a error r eturn code for the field that was sent from the state to the feds. See the MMA manual for return code definitions

D_SUBS_END_DT_ERC CHAR 2 Y 0
Field returning a error re turn code for the field that was sent from the state to the feds. See the MMA m anual for return code definitions

D_PCT_FPL_ERC CHAR 2 Y 0
Field returning a error return code for the field that was sent from the state to the feds. See the MMA manua l for return code definitions

D_SUBSIDY_LVL_ERC CHAR 2 Y 0
Field returning a error re turn code for the field that was sent from the state to the feds. See the MMA m anual for return code definitions

INC_DETRMN_ERC CHAR 2 Y 0
Field returning a error retur n code for the field that was sent from the state to the feds. See the MMA manu al for return code definitions

RSRC_LVL_ERC CHAR 2 Y 0
Field returning a error return code for the field that was sent from the state to the feds. See the MMA manual for return code definitions

BS_D_SUBS_DENL_ERC CHAR 2 Y 0
Field returning a error r eturn code for the field that was sent from the state to the feds. See the MMA manual for return code definitions

RSLT_AEL_ERC CHAR 2 Y 0
Field returning a error return code for the field that was sent from the state to the feds. See the MMA manual for return code definitions

CHG_PREV_DTRMN_ER CHAR 2 Y 0
Field returning a error r eturn code for the field that was sent from the state to the feds. See the MMA manual for return code definitions

DETRMN CNCL ERC CHAR 2 Y 0

Field returning a error retu rn code for the field that was sent from the state to the feds. See the MMA man ual for return code definitions

REC RETURN CD CHAR 6 Y 0

This field is an assessment of the detail record.

MDCR A B FINDER CI CHAR 1 Y 0

MDCR D FINDER CD CHAR 1 Y 0

BENEF CAN CHAR 9 Y 0

The number identifying the primary Medicare Beneficiary under the SSA or RRB programs. This number along with the Beneficiary Identification Code uniquely identifies a Medicare Beneficiary.

BENEF ID CD CHAR 2 Y 0

BENEF BIRTH DT DATE 4 Y 0

The date of birth of the Medi care Beneficiary.MMDDCCYY: Month, day, century and year

BENEF DEATH DT DATE 4 Y 0

The date of death of the Medi care Beneficiary.MMDDCCYY: Month, day, century and year

BENEF SEX ID CD CHAR 1 Y 0

Represents the sex of the Me dicare Beneficiary. Examples include: Male and FemaleValid values: 0 = Unknown 1 = Male 2 = Female

BENEF GIVEN NM CHAR 30 Y 0

The first name of the benefic iary.

BENEF MIDL NME CHAR 1 Y 0

The middle initial of the Med icare Beneficiary middle name.

BENEF SURNAME CHAR 40 Y 0

The last name (surname) of the Medicare Beneficiary including any following titles.

XREF BENEF CAN1 INTEGER 4 Y 0

An additional beneficiary cl aim account number associated with the Medicare Beneficiary. The beneficiary's entitlement has been cross-referenced from this number to the beneficiary's ac tive claim account number.

XREF BENEF ID CD1 SMALLINT 2 Y 0

The beneficiary's identif ication code associated with the Medicare Beneficiary's cross-referred claim ac count number.

XREF BENEF CAN2 INTEGER 4 Y 0

An additional beneficiary cl aim account number associated with the Medicare Beneficiary. The beneficiary's entitlement has been cross-referenced from this number to the beneficiary's ac tive claim account number.

XREF BENEF ID CD2 SMALLINT 2 Y 0

The beneficiary's identif ication code associated with the Medicare Beneficiary's cross-referred claim ac count number.

XREF BENEF CAN3 INTEGER 4 Y 0

An additional beneficiary cl aim account number associated with the Medicare Beneficiary. The beneficiary's entitlement has been cross-referenced from this number to the beneficiary's ac tive claim account number.

XREF BENEF ID CD3 SMALLINT 2 Y 0

The beneficiary's identif ication code associated with the Medicare Beneficiary's cross-referred claim ac count number.

XREF BENEF CAN4 INTEGER 4 Y 0

An additional beneficiary cl aim account number associated with the Medicare Beneficiary. The beneficiary's entitlement has been cross-referenced from this number to the beneficiary's ac tive claim account number.

XREF BENEF ID CD4 SMALLINT 2 Y 0

The beneficiary's identif ication code associated with the Medicare Beneficiary's cross-referred claim ac count number.

XREF BENEF CAN5 INTEGER 4 Y 0
An additional beneficiary cl aim account number associated with the Medicare Beneficiary. The beneficiary's entitlement has been cross-referenced from this number to the beneficiary's ac tive claim account number.
XREF BENEF ID CD5 SMALLINT 2 Y 0
The beneficiary's identif ication code associated with the Medicare Beneficiary's cross-referred claim ac count number.
XREF BENEF CAN6 INTEGER 4 Y 0
An additional beneficiary cl aim account number associated with the Medicare Beneficiary. The beneficiary's entitlement has been cross-referenced from this number to the beneficiary's ac tive claim account number.
XREF BENEF ID CD6 SMALLINT 2 Y 0
The beneficiary's identif ication code associated with the Medicare Beneficiary's cross-referred claim ac count number.
XREF BENEF CAN7 INTEGER 4 Y 0
An additional beneficiary cl aim account number associated with the Medicare Beneficiary. The beneficiary's entitlement has been cross-referenced from this number to the beneficiary's ac tive claim account number.
XREF BENEF ID CD7 SMALLINT 2 Y 0
The beneficiary's identif ication code associated with the Medicare Beneficiary's cross-referred claim ac count number.
XREF BENEF CAN8 INTEGER 4 Y 0
An additional beneficiary cl aim account number associated with the Medicare Beneficiary. The beneficiary's entitlement has been cross-referenced from this number to the beneficiary's ac tive claim account number.
XREF BENEF ID CD8 SMALLINT 2 Y 0
The beneficiary's identif ication code associated with the Medicare Beneficiary's cross-referred claim ac count number.
XREF BENEF CAN9 INTEGER 4 Y 0
An additional beneficiary cl aim account number associated with the Medicare Beneficiary. The beneficiary's entitlement has been cross-referenced from this number to the beneficiary's ac tive claim account number.
XREF BENEF ID CD9 SMALLINT 2 Y 0
The beneficiary's identif ication code associated with the Medicare Beneficiary's cross-referred claim ac count number.
XREF BENEF CAN10 INTEGER 4 Y 0
An additional beneficiary c laim account number associated with the Medicare Beneficiary. The beneficiary' s entitlement has been cross-referenced from this number to the beneficiary's a ctive claim account number.
XREF BENEF ID CD10 SMALLINT 2 Y 0
The beneficiary's identi fication code associated with the Medicare Beneficiary's cross-referred claim a ccount number.
BENEF SSN 1 INTEGER 4 Y 0
The beneficiary's identificatio n number that was assigned by the Social Security Administration.
BENEF SSN 2 INTEGER 4 Y 0
The beneficiary's identificatio n number that was assigned by the Social Security Administration.
BENEF SSN 3 INTEGER 4 Y 0
The beneficiary's identificatio n number that was assigned by the Social Security Administration.
BENEF SSN 4 INTEGER 4 Y 0
The beneficiary's identificatio n number that was assigned by the Social Security Administration.
BENEF SSN 5 INTEGER 4 Y 0
The beneficiary's identificatio n number that was assigned by the Social Security Administration.
MLNG ADDR INE1 CHAR 40 Y 0
The first line of the address .
MLNG ADDR LNE2 CHAR 40 Y 0
The second line of the street address.
MLNG ADDR LNE3 CHAR 40 Y 0
The third line of the street address

MLNG ADDR LNE4 CHAR 40 Y 0
The fourth line of the mailin g address.
MLNG ADDR LNE5 CHAR 40 Y 0
The fifth line of the mailing address.
MLNG ADDR LNE6 CHAR 40 Y 0
The sixth line of the mailing address
MLNG ADDR CTY NMI CHAR 40 Y 0
The name of the city for t he Medicare Beneficiary's residence, or temporary residence and/or mailing addr ess.
MLNG ADDR ST CD CHAR 2 Y 0
The beneficiaries' postal s tate code.
MLNG ADDR ZIP CD CHAR 9 Y 0
The zip code associated wit h the address
MLNG ADDR CHG DT DATE 4 Y 0
The date a new or corrected address becomes effective for a Medicare Beneficiary.MMDDCCYY: Month, day, cent ury and year
RSD ADDR LNE1 CHAR 40 Y 0
The first line of the address.
RSD ADDR LNE2 CHAR 40 Y 0
The second line of the address .
RSD ADDR LNE3 CHAR 40 Y 0
The third line of the address.
RSD ADDR LNE4 CHAR 40 Y 0
The fourth line of the address .
RSD ADDR LNE5 CHAR 40 Y 0
The fifth line of the address.
RSD ADDR LNE6 CHAR 40 Y 0
The sixth line of the address.
RSD ADDR CTY NME CHAR 40 Y 0
The name of the city for th e Medicare Beneficiary's residence, or temporary residence and/or mailing addre ss.
RSD ADDR ST CD CHAR 2 Y 0
The beneficiaries' postal st ate code.
RSD ADDR ZIP CD CHAR 9 Y 0
The zip code associated with the address
RSD ADDR CHG DT DATE 4 Y 0
The date a new or corrected address becomes effective for a Medicare Beneficiary.MMDDCCYY: Month, day, centu ry and year
BENEF REP PYE SW CHAR 1 Y 0
A switch that indicates whe ther the beneficiary has a Representative Payee for social security cash benefit purposes.Values: Blank = Field is not applicable, no rep payee indicated Y = Be neficiary has designated a representative payee
A NON ENT STAT CD CHAR 1 Y 0

B NON ENT STAT CD CHAR 1 Y 0
The reason for a beneficia ry's current non-entitlement to Part B Medicare Benefits. Values:D = Coverage was denied N = No (Foreign/Puerto Rican beneficiary not entitled to SMI) Also, dually/technically, beneficiary is no
BET RSN CD CHG DT1 DATE 4 Y 0
The date that the reason for entitlement was changed for a beneficiary. This is not the effective date of entitlement.MMDDCCYY: Month, day, century and year
BET RSN CD1 CHAR 4 Y 0
This code identifies the reason for the beneficiary's entitlement to Medicare Benefits. Values are: 0 = Bene ficiary insured due to age (OASI) 1 = Beneficiary insured due to disability 2 = Beneficiary insured due to End Stage Renal Dis
BET RSN CD CHG DT2 DATE 4 Y 0
The date that the reason for entitlement was changed for a beneficiary. This is not the effective date of entitlement.MMDDCCYY: Month, day, century and year

BET RSN CD 2 CHAR 4 Y 0
This code identifies the reason for the beneficiary's entitlement to Medicare Benefits. Values are: 0 = Ben eficiary insured due to age (OASI) 1 = Beneficiary insured due to disability 2 = Beneficiary insured due to End Stage Renal Dis
BET RSN CD CHG DT3 DATE 4 Y 0
The date that the reason for entitlement was changed for a beneficiary. This is not the effective date of entitlement.MMDDCCYY: Month, day, century and year
BET RSN CD3 CHAR 4 Y 0
This code identifies the reason for the beneficiary's entitlement to Medicare Benefits. Values are: 0 = Bene ficiary insured due to age (OASI) 1 = Beneficiary insured due to disability 2 = Beneficiary insured due to End Stage Renal Dis
BET RSN CD CHG DT4 DATE 4 Y 0
The date that the reason for entitlement was changed for a beneficiary. This is not the effective date of entitlement.MMDDCCYY: Month, day, century and year
BET RSN CD 4 CHAR 4 Y 0
This code identifies the reason for the beneficiary's entitlement to Medicare Benefits. Values are: 0 = Ben eficiary insured due to age (OASI) 1 = Beneficiary insured due to disability 2 = Beneficiary insured due to End Stage Renal Dis
BET RSN CD CHG DT5 DATE 4 Y 0
The date that the reason for entitlement was changed for a beneficiary. This is not the effective date of entitlement.MMDDCCYY: Month, day, century and year
BET RSN CD5 CHAR 4 Y 0
This code identifies the reason for the beneficiary's entitlement to Medicare Benefits. Values are: 0 = Bene ficiary insured due to age (OASI) 1 = Beneficiary insured due to disability 2 = Beneficiary insured due to End Stage Renal Dis
BET A STRT DT 1 DATE 4 Y 0
The date a beneficiary becam e entitled to Medicare Benefits.MMDDCCYY: Month, day, century and year
BET A END DT 1 DATE 4 Y 0
The Medicare program entitlem ent termination date for a beneficiary. The last day that a beneficiary is entit led to benefits. After this day the benefits are terminated.MMDDCCYY: Month, da y, century and year
BER A RSN CD 1 CHAR 1 Y 0
This code is used by SSA to r eflect information about a specific Part A enrollment is based upon equitable re lief (and Medicare's usual business rules for Part B start Date may not be appr opriate)
BET A STAT CD 1 CHAR 1 Y 0
Represent the Medicare Part A entitlement status for a beneficiary. Values are: E = Free Part Entitlement G = Entitled due to good cause Y = Currently entitled, premium is payable
BET A STRT DT 2 DATE 4 Y 0
The date a beneficiary becam e entitled to Medicare Benefits.MMDDCCYY: Month, day, century and year
BET A END DT 2 DATE 4 Y 0
The Medicare program entitlem ent termination date for a beneficiary. The last day that a beneficiary is entit led to benefits. After this day the benefits are terminated.MMDDCCYY: Month, da y, century and year
BER A RSN CD 2 CHAR 1 Y 0
This code is used by SSA to r eflect information about a specific Part A enrollment is based upon equitable re lief (and Medicare's usual business rules for Part B start Date may not be appr opriate)
BET A STAT CD 2 CHAR 1 Y 0
Represent the Medicare Part A entitlement status for a beneficiary. Values are: E = Free Part Entitlement G = Entitled due to good cause Y = Currently entitled, premium is payable
BET A STRT DT 3 DATE 4 Y 0
The date a beneficiary becam e entitled to Medicare Benefits.MMDDCCYY: Month, day, century and year

BET A END DT 3 DATE 4 Y 0

The Medicare program entitlem ent termination date for a beneficiary. The last day that a beneficiary is entit led to benefits. After this day the benefits are terminated.MMDDCCYY: Month, da y, century and year

BER A RSN CD 3 CHAR 1 Y 0

This code is used by SSA to r eflect information about a specific Part A enrollment is based upon equitable re lief (and Medicare's usual business rules for Part B start Date may not be appr opriate)

BET A STAT CD 3 CHAR 1 Y 0

Represent the Medicare Part A entitlement status for a beneficiary. Values are: E = Free Part Entitlement G = Entitled due to good cause Y = Currently entitled, premium is payable

BET A STRT DT 4 DATE 4 Y 0

The date a beneficiary becam e entitled to Medicare Benefits.MMDDCCYY: Month, day, century and year

BET A END DT 4 DATE 4 Y 0

The Medicare program entitlem ent termination date for a beneficiary. The last day that a beneficiary is entit led to benefits. After this day the benefits are terminated.MMDDCCYY: Month, da y, century and year

BER A RSN CD 4 CHAR 1 Y 0

This code is used by SSA to r eflect information about a specific Part A enrollment is based upon equitable re lief (and Medicare's usual business rules for Part B start Date may not be appr opriate)

BET A STAT CD 4 CHAR 1 Y 0

Represent the Medicare Part A entitlement status for a beneficiary. Values are: E = Free Part Entitlement G = Entitled due to good cause Y = Currently entitled, premium is payable

BET A STRT DT 5 DATE 4 Y 0

The date a beneficiary becam e entitled to Medicare Benefits.MMDDCCYY: Month, day, century and year

BET A END DT 5 DATE 4 Y 0

The Medicare program entitlem ent termination date for a beneficiary. The last day that a beneficiary is entit led to benefits. After this day the benefits are terminated.MMDDCCYY: Month, da y, century and year

BER A RSN CD 5 CHAR 1 Y 0

This code is used by SSA to r eflect information about a specific Part A enrollment is based upon equitable re lief (and Medicare's usual business rules for Part B start Date may not be appr opriate)

BET A STAT CD 5 CHAR 1 Y 0

Represent the Medicare Part A entitlement status for a beneficiary. Values are: E = Free Part Entitlement G = Entitled due to good cause Y = Currently entitled, premium is payable

BET B STRT DT 1 DATE 4 Y 0

The date a beneficiary becam e entitled to Medicare Benefits.MMDDCCYY: Month, day, century and year

BET B END DT 1 DATE 4 Y 0

The Medicare program entitlem ent termination date for a beneficiary. The last day that a beneficiary is entit led to benefits. After this day the benefits are terminated.MMDDCCYY: Month, da y, century and year

BER B RSN CD 1 CHAR 1 Y 0

This code is used by SSA to r eflect information about a specific Part B enrollment is based upon equitable re lief (and Medicare's usual business rules for Part B start Date may not be appr opriate)

BET B STAT CD 1 CHAR 1 Y 0

BET B STRT DT 2 DATE 4 Y 0

The date a beneficiary becam e entitled to Medicare Benefits.MMDDCCYY: Month, day, century and year

BET B END DT 2 DATE 4 Y 0
The Medicare program entitlem ent termination date for a beneficiary. The last day that a beneficiary is entit led to benefits. After this day the benefits are terminated.MMDDCCYY: Month, da y, century and year
BER B RSN CD 2 CHAR 1 Y 0
This code is used by SSA to r eflect information about a specific Part B enrollment is based upon equitable re lief (and Medicare's usual business rules for Part B start Date may not be appr opriate)
BET B STAT CD 2 CHAR 1 Y 0

BET B STRT DT 3 DATE 4 Y 0
The date a beneficiary becam e entitled to Medicare Benefits.MMDDCCYY: Month, day, century and year
BET B END DT 3 DATE 4 Y 0
The Medicare program entitlem ent termination date for a beneficiary. The last day that a beneficiary is entit led to benefits. After this day the benefits are terminated.MMDDCCYY: Month, da y, century and year
BER B RSN CD 3 CHAR 1 Y 0
This code is used by SSA to r eflect information about a specific Part B enrollment is based upon equitable re lief (and Medicare's usual business rules for Part B start Date may not be appr opriate)
BET B STAT CD 3 CHAR 1 Y 0

BET B STRT DT 4 DATE 4 Y 0
The date a beneficiary becam e entitled to Medicare Benefits.MMDDCCYY: Month, day, century and year
BET B END DT 4 DATE 4 Y 0
The Medicare program entitlem ent termination date for a beneficiary. The last day that a beneficiary is entit led to benefits. After this day the benefits are terminated.MMDDCCYY: Month, da y, century and year
BER B RSN CD 4 CHAR 1 Y 0
This code is used by SSA to r eflect information about a specific Part B enrollment is based upon equitable re lief (and Medicare's usual business rules for Part B start Date may not be appr opriate)
BET B STAT CD 4 CHAR 1 Y 0

BET B STRT DT 5 DATE 4 Y 0
The date a beneficiary becam e entitled to Medicare Benefits.MMDDCCYY: Month, day, century and year
BET B END DT 5 DATE 4 Y 0
The Medicare program entitlem ent termination date for a beneficiary. The last day that a beneficiary is entit led to benefits. After this day the benefits are terminated.MMDDCCYY: Month, da y, century and year
BER B RSN CD 5 CHAR 1 Y 0
This code is used by SSA to r eflect information about a specific Part B enrollment is based upon equitable re lief (and Medicare's usual business rules for Part B start Date may not be appr opriate)
BET B STAT CD 5 CHAR 1 Y 0

BE HSPC CV ST DT1 DATE 4 Y 0
The elected start date of a beneficiary's period of Hospice Coverage.MMDDCCYY: Month, day, century and ye ar
BE HSPC CV END DT1 DATE 4 Y 0
The termination date of a beneficiary's period of Hospice Coverage.MMDDCCYY: Month, day, century and yea r
BE HSPC CV ST DT2 DATE 4 Y 0
The elected start date of a beneficiary's period of Hospice Coverage.MMDDCCYY: Month, day, century and ye ar

BE HSPC CV END DT2 DATE 4 Y 0
The termination date of a beneficiary's period of Hospice Coverage.MMDDCCYY: Month, day, century and yea r
BE HSPC CV ST DT3 DATE 4 Y 0
The elected start date of a beneficiary's period of Hospice Coverage.MMDDCCYY: Month, day, century and ye ar
BE HSPC CV END DT3 DATE 4 Y 0
The termination date of a beneficiary's period of Hospice Coverage.MMDDCCYY: Month, day, century and yea r
BE HSPC CV ST DT4 DATE 4 Y 0
The elected start date of a beneficiary's period of Hospice Coverage.MMDDCCYY: Month, day, century and ye ar
BE HSPC CV END DT4 DATE 4 Y 0
The termination date of a beneficiary's period of Hospice Coverage.MMDDCCYY: Month, day, century and yea r
BE HSPC CV ST DT5 DATE 4 Y 0
The elected start date of a beneficiary's period of Hospice Coverage.MMDDCCYY: Month, day, century and ye ar
BE HSPC CV END DT5 DATE 4 Y 0
The termination date of a beneficiary's period of Hospice Coverage.MMDDCCYY: Month, day, century and yea r
BET DIB STRT DT1 DATE 4 Y 0
The date that a beneficiary covered by the SSA disability program becomes entitled to Medicare benefits.MMD DCCYY: Month, day, century and year
BET DIB END DT1 DATE 4 Y 0
The date that Medicare benef its due to disability end for a beneficiary who was covered by the SSA disabilit y program.MMDDCCYY: Month, day, century and year
BET DIB DT JST CD1 CHAR 1 Y 0
The justification for a b eneficiary's Part A and/or Part B Medicare entitlement dates based upon his/her disability insurance benefits (DIB) status.
BET DIB STRT DT2 DATE 4 Y 0
The date that a beneficiary covered by the SSA disability program becomes entitled to Medicare benefits.MMD DCCYY: Month, day, century and year
BET DIB END DT2 DATE 4 Y 0
The date that Medicare benef its due to disability end for a beneficiary who was covered by the SSA disabilit y program.MMDDCCYY: Month, day, century and year
BET DIB DT JST CD2 CHAR 1 Y 0
The justification for a b eneficiary's Part A and/or Part B Medicare entitlement dates based upon his/her disability insurance benefits (DIB) status.
BET DIB STRT DT3 DATE 4 Y 0
The date that a beneficiary covered by the SSA disability program becomes entitled to Medicare benefits.MMD DCCYY: Month, day, century and year
BET DIB END DT3 DATE 4 Y 0
The date that Medicare benef its due to disability end for a beneficiary who was covered by the SSA disabilit y program.MMDDCCYY: Month, day, century and year
BET DIB DT JST CD3 CHAR 1 Y 0
The justification for a b eneficiary's Part A and/or Part B Medicare entitlement dates based upon his/her disability insurance benefits (DIB) status.
BER GHO STRT DT1 DATE 4 Y 0
The date that the beneficia ry enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BER GHO END DT1 DATE 4 Y 0
The date that the beneficiar y disenrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BE GHO CONT NBR1 CHAR 5 Y 0
Unique identification for a n agreement between HCFA and a Managed Care Organization (MCO) enabling the MCO to provide Medicare + choice coverage to eligible beneficiaries.

BER GHO STRT DT2 DATE 4 Y 0
The date that the beneficia ry enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BER GHO END DT2 DATE 4 Y 0
The date that the beneficiar y disenrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BE GHO CONT NBR2 CHAR 5 Y 0
Unique identification for a n agreement between HCFA and a Managed Care Organization (MCO) enabling the MCO to provide Medicare + choice coverage to eligible beneficiaries.
BER GHO STRT DT3 DATE 4 Y 0
The date that the beneficia ry enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BER GHO END DT3 DATE 4 Y 0
The date that the beneficiar y disenrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BE GHO CONT NBR3 CHAR 5 Y 0
Unique identification for a n agreement between HCFA and a Managed Care Organization (MCO) enabling the MCO to provide Medicare + choice coverage to eligible beneficiaries.
BER GHO STRT DT4 DATE 4 Y 0
The date that the beneficia ry enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BER GHO END DT4 DATE 4 Y 0
The date that the beneficiar y disenrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BE GHO CONT NBR4 CHAR 5 Y 0
Unique identification for a n agreement between HCFA and a Managed Care Organization (MCO) enabling the MCO to provide Medicare + choice coverage to eligible beneficiaries.
BER GHO STRT DT5 DATE 4 Y 0
The date that the beneficia ry enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BER GHO END DT5 DATE 4 Y 0
The date that the beneficiar y disenrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BE GHO CONT NBR5 CHAR 5 Y 0
Unique identification for a n agreement between HCFA and a Managed Care Organization (MCO) enabling the MCO to provide Medicare + choice coverage to eligible beneficiaries.
BER GHO STRT DT6 DATE 4 Y 0
The date that the beneficia ry enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BER GHO END DT6 DATE 4 Y 0
The date that the beneficiar y disenrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BE GHO CONT NBR6 CHAR 5 Y 0
Unique identification for a n agreement between HCFA and a Managed Care Organization (MCO) enabling the MCO to provide Medicare + choice coverage to eligible beneficiaries.
BER GHO STRT DT7 DATE 4 Y 0
The date that the beneficia ry enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BER GHO END DT7 DATE 4 Y 0
The date that the beneficiar y disenrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BE GHO CONT NBR7 CHAR 5 Y 0
Unique identification for a n agreement between HCFA and a Managed Care Organization (MCO) enabling the MCO to provide Medicare + choice coverage to eligible beneficiaries.
BER GHO STRT DT8 DATE 4 Y 0
The date that the beneficia ry enrolled in the Service Elections.MMDDCCYY: Month, day, century and year

BER GHO END DT8 DATE 4 Y 0
The date that the beneficiar y disenrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BE GHO CONT NBR8 CHAR 5 Y 0
Unique identification for a n agreement between HCFA and a Managed Care Organization (MCO) enabling the MCO to provide Medicare + choice coverage to eligible beneficiaries.
BER GHO STRT DT9 DATE 4 Y 0
The date that the beneficia ry enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BER GHO END DT9 DATE 4 Y 0
The date that the beneficiar y disenrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BE GHO CONT NBR9 CHAR 5 Y 0
Unique identification for a n agreement between HCFA and a Managed Care Organization (MCO) enabling the MCO to provide Medicare + choice coverage to eligible beneficiaries.
BER GHO STRT DT10 DATE 4 Y 0
The date that the benefici ary enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BER GHO END DT10 DATE 4 Y 0
The date that the beneficia ry disenrolled in the Service Elections.MMDDCCYY: Month, day, century and year
BE GHO CONT NBR10 CHAR 5 Y 0
Unique identification for an agreement between HCFA and a Managed Care Organization (MCO) enabling the MCO to provide Medicare + choice coverage to eligible beneficiaries.
MBD GHP ENRL EFDT DATE 4 Y 0
The date that the benefic iary enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
MBD PBP STRT DT1 DATE 4 Y 0
Date the PBP election start ed.MMDDCCYY: Month, day, century and year
MBD PBP END DT1 DATE 4 Y 0
Date the PBP election ended. MMDDCCYY: Month, day, century and year
MBD PBP NBR1 CHAR 3 Y 0
A unique identifier for the man aged care benefit package.
MBD PBP CV TYP CD1 CHAR 2 Y 0
Identifies the type of ma naged care enrollment or FFS period.
MBD GHP ENRL EFDT DATE 4 Y 0
The date that the benefic iary enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
MBD PBP STRT DT2 DATE 4 Y 0
Date the PBP election start ed.MMDDCCYY: Month, day, century and year
MBP PBP END DT2 DATE 4 Y 0
Date the PBP election ended. MMDDCCYY: Month, day, century and year
MBD PBP NBR2 CHAR 3 Y 0
A unique identifier for the man aged care benefit package.
MBD PBP CV TYP CD2 CHAR 2 Y 0
Identifies the type of ma naged care enrollment or FFS period.
MBD GHP ENRL EFDT DATE 4 Y 0
The date that the benefic iary enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
MBD PBP STRT DT3 DATE 4 Y 0
Date the PBP election start ed.MMDDCCYY: Month, day, century and year
MBP PBP END DT3 DATE 4 Y 0
Date the PBP election ended. MMDDCCYY: Month, day, century and year
MBD PBP NBR3 CHAR 3 Y 0
A unique identifier for the man aged care benefit package.
MBD PBP CV TYP CD3 CHAR 2 Y 0
Identifies the type of ma naged care enrollment or FFS period.

MBD GHP ENRL EFDT4 DATE 4 Y 0
The date that the benefic iary enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
MBD PBP STRT DT4 DATE 4 Y 0
Date the PBP election start ed.MMDDCCYY: Month, day, century and year
MBP PBP END DT4 DATE 4 Y 0
Date the PBP election ended. MMDDCCYY: Month, day, century and year
MBD PBP NBR4 CHAR 3 Y 0
A unique identifier for the man aged care benefit package.
MBD PBP CV TYP CD4 CHAR 2 Y 0
Identifies the type of ma naged care enrollment or FFS period.
MBD GHP ENRL EFDT5 DATE 4 Y 0
The date that the benefic iary enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
MBD PBP STRT DT5 DATE 4 Y 0
Date the PBP election start ed.MMDDCCYY: Month, day, century and year
MBP PBP END DT5 DATE 4 Y 0
Date the PBP election ended. MMDDCCYY: Month, day, century and year
MBD PBP NBR5 CHAR 3 Y 0
A unique identifier for the man aged care benefit package.
MBD PBP CV TYP CD5 CHAR 2 Y 0
Identifies the type of ma naged care enrollment or FFS period.
MBD GHP ENRL EFDT6 DATE 4 Y 0
The date that the benefic iary enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
MBD PBP STRT DT6 DATE 4 Y 0
Date the PBP election start ed.MMDDCCYY: Month, day, century and year
MBP PBP END DT6 DATE 4 Y 0
Date the PBP election ended. MMDDCCYY: Month, day, century and year
MBD PBP NBR6 CHAR 3 Y 0
A unique identifier for the man aged care benefit package.
MBD PBP CV TYP CD6 CHAR 2 Y 0
Identifies the type of ma naged care enrollment or FFS period.
MBD GHP ENRL EFDT7 DATE 4 Y 0
The date that the benefic iary enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
MBD PBP STRT DT7 DATE 4 Y 0
Date the PBP election start ed.MMDDCCYY: Month, day, century and year
MBP PBP END DT7 DATE 4 Y 0
Date the PBP election ended. MMDDCCYY: Month, day, century and year
MBD PBP NBR7 CHAR 3 Y 0
A unique identifier for the man aged care benefit package.
MBD PBP CV TYP CD7 CHAR 2 Y 0
Identifies the type of ma naged care enrollment or FFS period.
MBD GHP ENRL EFDT8 DATE 4 Y 0
The date that the benefic iary enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
MBD PBP STRT DT8 DATE 4 Y 0
Date the PBP election start ed.MMDDCCYY: Month, day, century and year
MBP PBP END DT8 DATE 4 Y 0
Date the PBP election ended. MMDDCCYY: Month, day, century and year
MBD PBP NBR8 CHAR 3 Y 0
A unique identifier for the man aged care benefit package.
MBD PBP CV TYP CD8 CHAR 2 Y 0
Identifies the type of ma naged care enrollment or FFS period.
MBD GHP ENRL EFDT9 DATE 4 Y 0
The date that the benefic iary enrolled in the Service Elections.MMDDCCYY: Month, day, century and year

MBD PBP STRT DT9 DATE 4 Y 0
Date the PBP election start ed.MMDDCCYY: Month, day, century and year
MBP PBP END DT9 DATE 4 Y 0
Date the PBP election ended. MMDDCCYY: Month, day, century and year
MBD PBP NBR9 CHAR 3 Y 0
A unique identifier for the man aged care benefit package.
MBD PBP CV TYP CD9 CHAR 2 Y 0
Identifies the type of ma naged care enrollment or FFS period.
MBD GHP ENR EFDT1 DATE 4 Y 0
The date that the benefic iary enrolled in the Service Elections.MMDDCCYY: Month, day, century and year
MBD PBP STRT DT10 DATE 4 Y 0
Date the PBP election star ted.MMDDCCYY: Month, day, century and year
MBP PBP END DT10 DATE 4 Y 0
Date the PBP election ended .MMDDCCYY: Month, day, century and year
MBD PBP NBR10 CHAR 3 Y 0
A unique identifier for the ma naged care benefit package.
MBD PBP CV TYPCD10 CHAR 2 Y 0
Identifies the type of ma naged care enrollment or FFS period.
BE ESRD CV STRT DT DATE 4 Y 0
The date on which the ben eficiary is entitled to Medicare in some part because of a diagnosis of End Stag e Renal Disease.MMDDCCYY: Month, day, century and year
BE ESRD CV END DT DATE 4 Y 0
The date on which the bene ficiary is no longer entitled to Medicare under ESRD Provisions.MMDDCCYY: Month, day, century and year
BE ESRD TRM RSN CD CHAR 1 Y 0

BE ESRD DLYS ST DT DATE 4 Y 0

BE ESRD DLYS ENDDT DATE 4 Y 0

BE ESRD TRNS ST DT DATE 4 Y 0

BE ESRD TRNS ENDDT DATE 4 Y 0

BE A TP STRT DT1 DATE 4 Y 0
The start date of a private third party group's or state's liability for a beneficiary's Part A premium. MMDDCCYY: Month, day, century and year
BE A TP PRMPYR CD1 CHAR 3 Y 0
Part A - The identifier f or a third party agency (either a private group's, state buy-in agency) respon sible for paying a beneficiary's Medicare Part A premium.
BE A TP END DT1 DATE 4 Y 0
The termination date of a pr ivate third party group's or state's liability for a beneficiary's Part A pre mium.MMDDCCYY: Month, day, century and year
BE A TP BYN ELGCD1 CHAR 1 Y 0

BE A TP STRT DT2 DATE 4 Y 0
The start date of a private third party group's or state's liability for a beneficiary's Part A premium. MMDDCCYY: Month, day, century and year
BE A TP PRMPYR CD2 CHAR 3 Y 0
Part A - The identifier f or a third party agency (either a private group's, state buy-in agency) respon sible for paying a beneficiary's Medicare Part A premium.
BE A TP END DT2 DATE 4 Y 0
The termination date of a pr ivate third party group's or state's liability for a beneficiary's Part A pre mium.MMDDCCYY: Month, day, century and year
BE A TP BYN ELGCD2 CHAR 1 Y 0

BE A TP STRT DT3 DATE 4 Y 0
The start date of a private third party group's or state's liability for a beneficiary's Part A premium. MMDDCCYY: Month, day, century and year
BE A TP PRMPYR CD3 CHAR 3 Y 0
Part A - The identifier f or a third party agency (either a private group's, state buy-in agency) respon sible for paying a beneficiary's Medicare Part A premium.
BE A TP END DT3 DATE 4 Y 0
The termination date of a pr ivate third party group's or state's liability for a beneficiary's Part A pre mium.MMDDCCYY: Month, day, century and year
BE A TP BYN ELGCD3 CHAR 1 Y 0

BE A TP STRT DT4 DATE 4 Y 0
The start date of a private third party group's or state's liability for a beneficiary's Part A premium. MMDDCCYY: Month, day, century and year
BE A TP PRMPYR CD4 CHAR 3 Y 0
Part A - The identifier f or a third party agency (either a private group's, state buy-in agency) respon sible for paying a beneficiary's Medicare Part A premium.
BE A TP END DT4 DATE 4 Y 0
The termination date of a pr ivate third party group's or state's liability for a beneficiary's Part A pre mium.MMDDCCYY: Month, day, century and year
BE A TP BYN ELGCD4 CHAR 1 Y 0

BE A TP STRT DT5 DATE 4 Y 0
The start date of a private third party group's or state's liability for a beneficiary's Part A premium. MMDDCCYY: Month, day, century and year
BE A TP PRMPYR CD5 CHAR 3 Y 0
Part A - The identifier f or a third party agency (either a private group's, state buy-in agency) respon sible for paying a beneficiary's Medicare Part A premium.
BE A TP END DT5 DATE 4 Y 0
The termination date of a pr ivate third party group's or state's liability for a beneficiary's Part A pre mium.MMDDCCYY: Month, day, century and year
BE A TP BYN ELGCD5 CHAR 1 Y 0

BE B TP STRT DT1 DATE 4 Y 0
The start date of a private third party group's or state's liability for a Part B premium.MMDDCCYY: Month , day, century and year
BE B TP PRMPYR CD1 CHAR 3 Y 0
Part B - The identifier f or a third party agency (either a private group, state buy-in agency or the Off ice of Personnel Management (OPM) responsible for paying a beneficiary's Medica re Part B premium.
BE B TP TRMN DT1 DATE 4 Y 0
The termination date of a p rivate third party group's or state's liability for a beneficiary's Part B pr emium.MMDDCCYY: Month, day, century and year
BE B TP BYN ELGCD1 CHAR 1 Y 0
A code that indicates the reason for Part B state buy-in eligibility.
BE B TP STRT DT2 DATE 4 Y 0
The start date of a private third party group's or state's liability for a Part B premium.MMDDCCYY: Month , day, century and year
BE B TP PRMPYR CD2 CHAR 3 Y 0
Part B - The identifier f or a third party agency (either a private group, state buy-in agency or the Off ice of Personnel Management (OPM) responsible for paying a beneficiary's Medica re Part B premium.
BE B TP TRMN DT2 DATE 4 Y 0
The termination date of a p rivate third party group's or state's liability for a beneficiary's Part B pr emium.MMDDCCYY: Month, day, century and year
BE B TP BYN ELGCD2 CHAR 1 Y 0
A code that indicates the reason for Part B state buy-in eligibility.

BE B TP STRT DT3 DATE 4 Y 0
The start date of a private third party group's or state's liability for a Part B premium.MMDDCCYY: Month , day, century and year
BE B TP PRMPYR CD3 CHAR 3 Y 0
Part B - The identifier f or a third party agency (either a private group, state buy-in agency or the Off ice of Personnel Management (OPM) responsible for paying a beneficiary's Medica re Part B premium.
BE B TP TRMN DT3 DATE 4 Y 0
The termination date of a p rivate third party group's or state's liability for a beneficiary's Part B pr emium.MMDDCCYY: Month, day, century and year
BE B TP BYN ELGCD3 CHAR 1 Y 0
A code that indicates the reason for Part B state buy-in eligibility.
BE B TP STRT DT4 DATE 4 Y 0
The start date of a private third party group's or state's liability for a Part B premium.MMDDCCYY: Month , day, century and year
BE B TP PRMPYR CD4 CHAR 3 Y 0
Part B - The identifier f or a third party agency (either a private group, state buy-in agency or the Off ice of Personnel Management (OPM) responsible for paying a beneficiary's Medica re Part B premium.
BE B TP TRMN DT4 DATE 4 Y 0
The termination date of a p rivate third party group's or state's liability for a beneficiary's Part B pr emium.MMDDCCYY: Month, day, century and year
BE B TP BYN ELGCD4 CHAR 1 Y 0
A code that indicates the reason for Part B state buy-in eligibility.
BE B TP STRT DT5 DATE 4 Y 0
The start date of a private third party group's or state's liability for a Part B premium.MMDDCCYY: Month , day, century and year
BE B TP PRMPYR CD5 CHAR 3 Y 0
Part B - The identifier f or a third party agency (either a private group, state buy-in agency or the Off ice of Personnel Management (OPM) responsible for paying a beneficiary's Medica re Part B premium.
BE B TP TRMN DT5 DATE 4 Y 0
The termination date of a p rivate third party group's or state's liability for a beneficiary's Part B pr emium.MMDDCCYY: Month, day, century and year
BE B TP BYN ELGCD5 CHAR 1 Y 0
A code that indicates the reason for Part B state buy-in eligibility.
BE FRST ELIG D DT1 DATE 4 Y 0
The first date on which a beneficiary had become eligible for Medicare Part D, whether or not enrolled on a Medicare Part D plan.
BE AFRM DECL IND CHAR 1 Y 0
An indicator providing whet her or not a beneficiary had chosen not to be auto-enrolled by CMS in a Medicare Part D plan.Values:Y = YESN = NO
BE LIS TYP1 CHAR 1 Y 0
A code indicating whether the be neficiary was determined eligible for Low-Income Subsidy or Deemed eligible.
BE COPAY LVL 1 CHAR 1 Y 0
An indicator providing the le vel of copay granted to the beneficiary.Values:
BE COPAY STRT DT 1 DATE 4 Y 0
The effective date of the copay period.Format: MMDDCCYY
BE COPAY END DT 1 DATE 4 Y 0
The end date of the copay period.Format: MMDDCCYY
BE LIS TYP2 CHAR 1 Y 0
A code indicating whether the be neficiary was determined eligible for Low-Income Subsidy or Deemed eligible.
BE COPAY LVL2 CHAR 1 Y 0
An indicator providing the lev el of copay granted to the beneficiary.Values:
BE COPAY STRT DT2 DATE 4 Y 0
The effective date of the copay period.Format: MMDDCCYY

BE_COPAY_END_DT2 DATE 4 Y 0
The end date of the copay p eriod.Format: MMDDCCYY
BE_LIS_TYP3 CHAR 1 Y 0
A code indicating whether the be neficiary was determined eligible for Low-Income Subsidy or Deemed eligible.
BE_COPAY_LVL3 CHAR 1 Y 0
An indicator providing the lev el of copay granted to the beneficiary.Values:
BE_COPAY_STRT_DT3 DATE 4 Y 0
The effective date of the copay period.Format: MMDDCCYY
BE_COPAY_END_DT3 DATE 4 Y 0
The end date of the copay p eriod.Format: MMDDCCYY
BE_LIS_TYP4 CHAR 1 Y 0
A code indicating whether the be neficiary was determined eligible for Low-Income Subsidy or Deemed eligible.
BE_COPAY_LVL4 CHAR 1 Y 0
An indicator providing the lev el of copay granted to the beneficiary.Values:
BE_COPAY_STRT_DT4 DATE 4 Y 0
The effective date of the copay period.Format: MMDDCCYY
BE_COPAY_END_DT4 DATE 4 Y 0
The end date of the copay p eriod.Format: MMDDCCYY
BE_LIS_TYP5 CHAR 1 Y 0
A code indicating whether the be neficiary was determined eligible for Low-Income Subsidy or Deemed eligible.
BE_COPAY_LVL5 CHAR 1 Y 0
An indicator providing the lev el of copay granted to the beneficiary.Values:
BE_COPAY_STRT_DT5 DATE 4 Y 0
The effective date of the copay period.Format: MMDDCCYY
BE_COPAY_END_DT5 DATE 4 Y 0
The end date of the copay p eriod.Format: MMDDCCYY
BE_LIS_TYP6 CHAR 1 Y 0
A code indicating whether the be neficiary was determined eligible for Low-Income Subsidy or Deemed eligible.
BE_COPAY_LVL6 CHAR 1 Y 0
An indicator providing the lev el of copay granted to the beneficiary.Values:
BE_COPAY_STRT_DT6 DATE 4 Y 0
The effective date of the copay period.Format: MMDDCCYY
BE_COPAY_END_DT6 DATE 4 Y 0
The end date of the copay p eriod.Format: MMDDCCYY
BE_LIS_TYP7 CHAR 1 Y 0
A code indicating whether the be neficiary was determined eligible for Low-Income Subsidy or Deemed eligible.
BE_COPAY_LVL7 CHAR 1 Y 0
An indicator providing the lev el of copay granted to the beneficiary.Values:
BE_COPAY_STRT_DT7 DATE 4 Y 0
The effective date of the copay period.Format: MMDDCCYY
BE_COPAY_END_DT7 DATE 4 Y 0
The end date of the copay p eriod.Format: MMDDCCYY
BE_LIS_TYP8 CHAR 1 Y 0
A code indicating whether the be neficiary was determined eligible for Low-Income Subsidy or Deemed eligible.
BE_COPAY_LVL8 CHAR 1 Y 0
An indicator providing the lev el of copay granted to the beneficiary.Values:
BE_COPAY_STRT_DT8 DATE 4 Y 0
The effective date of the copay period.Format: MMDDCCYY
BE_COPAY_END_DT8 DATE 4 Y 0
The end date of the copay p eriod.Format: MMDDCCYY

BE_LIS_TYP9 CHAR 1 Y 0
A code indicating whether the be neficiary was determined eligible for Low-Income Subsidy or Deemed eligible.
BE_COPAY_LVL9 CHAR 1 Y 0
An indicator providing the lev el of copay granted to the beneficiary.Values:
BE_COPAY_STRT_DT9 DATE 4 Y 0
The effective date of the copay period.Format: MMDDCCYY
BE_COPAY_END_DT9 DATE 4 Y 0
The end date of the copay p eriod.Format: MMDDCCYY
BE_LIS_TYP10 CHAR 1 Y 0
A code indicating whether the b eneficiary was determined eligible for Low-Income Subsidy or Deemed eligible.
BE_COPAY_LVL10 CHAR 1 Y 0
An indicator providing the le vel of copay granted to the beneficiary.Values:
BE_COPAY_STRT_DT10 DATE 4 Y 0
The effective date of the copay period.Format: MMDDCCYY
BE_COPAY_END_DT10 DATE 4 Y 0
The end date of the copay period.Format: MMDDCCYY
BE_CONT_NBR1 CHAR 5 Y 0
Unique identifications for an a greement between CMS and a managed care organization or PDP sponsor enabling the plan to provide Medicare Part D prescription drug coverage.
BER_D_PBP_STRT_DT1 DATE 4 Y 0
The effective date that t he beneficiary was enrolled in the Service Elections (PBP).Format: MMDDCCYY
BER_D_PBP_END_DT1 DATE 4 Y 0
The end date of the benefi ciary's enrollment in the Service Elections (PBP
BE_D_PBP_PLAN_ID1 CHAR 3 Y 0

BER_TYP_IND1 CHAR 1 Y 0

BE_CONT_NBR2 CHAR 5 Y 0
Unique identifications for an a greement between CMS and a managed care organization or PDP sponsor enabling the plan to provide Medicare Part D prescription drug coverage.
BER_D_PBP_STRT_DT2 DATE 4 Y 0
The effective date that t he beneficiary was enrolled in the Service Elections (PBP).Format: MMDDCCYY
BER_D_PBP_END_DT2 DATE 4 Y 0
The end date of the benefi ciary's enrollment in the Service Elections (PBP
BE_D_PBP_PLAN_ID2 CHAR 3 Y 0

BER_TYP_IND2 CHAR 1 Y 0

BE_CONT_NBR3 CHAR 5 Y 0
Unique identifications for an a greement between CMS and a managed care organization or PDP sponsor enabling the plan to provide Medicare Part D prescription drug coverage.
BER_D_PBP_STRT_DT3 DATE 4 Y 0
The effective date that t he beneficiary was enrolled in the Service Elections (PBP).Format: MMDDCCYY
BER_D_PBP_END_DT3 DATE 4 Y 0
The end date of the benefi ciary's enrollment in the Service Elections (PBP
BE_D_PBP_PLAN_ID3 CHAR 3 Y 0

BER_TYP_IND3 CHAR 1 Y 0

BE_CONT_NBR4 CHAR 5 Y 0
Unique identifications for an a greement between CMS and a managed care organization or PDP sponsor enabling the plan to provide Medicare Part D prescription drug coverage.

BER D PBP STRT DT4 DATE 4 Y 0
The effective date that t he beneficiary was enrolled in the Service Elections (PBP).Format: MMDDCCYY
BER D PBP END DT4 DATE 4 Y 0
The end date of the benefi ciary's enrollment in the Service Elections (PBP
BE D PBP PLAN ID4 CHAR 3 Y 0

BER TYP IND4 CHAR 1 Y 0

BE CONT NBR5 CHAR 5 Y 0
Unique identifications for an a greement between CMS and a managed care organization or PDP sponsor enabling the plan to provide Medicare Part D prescription drug coverage.
BER D PBP STRT DT5 DATE 4 Y 0
The effective date that t he beneficiary was enrolled in the Service Elections (PBP).Format: MMDDCCYY
BER D PBP END DT5 DATE 4 Y 0
The end date of the benefi ciary's enrollment in the Service Elections (PBP
BE D PBP PLAN ID5 CHAR 3 Y 0

BER TYP IND5 CHAR 1 Y 0

BE CONT NBR6 CHAR 5 Y 0
Unique identifications for an a greement between CMS and a managed care organization or PDP sponsor enabling the plan to provide Medicare Part D prescription drug coverage.
BER D PBP STRT DT6 DATE 4 Y 0
The effective date that t he beneficiary was enrolled in the Service Elections (PBP).Format: MMDDCCYY
BER D PBP END DT6 DATE 4 Y 0
The end date of the benefi ciary's enrollment in the Service Elections (PBP
BE D PBP PLAN ID6 CHAR 3 Y 0

BER TYP IND6 CHAR 1 Y 0

BE CONT NBR7 CHAR 5 Y 0
Unique identifications for an a greement between CMS and a managed care organization or PDP sponsor enabling the plan to provide Medicare Part D prescription drug coverage.
BER D PBP STRT DT7 DATE 4 Y 0
The effective date that t he beneficiary was enrolled in the Service Elections (PBP).Format: MMDDCCYY
BER D PBP END DT7 DATE 4 Y 0
The end date of the benefi ciary's enrollment in the Service Elections (PBP
BE D PBP PLAN ID7 CHAR 3 Y 0

BER TYP IND7 CHAR 1 Y 0

BE CONT NBR8 CHAR 5 Y 0
Unique identifications for an a greement between CMS and a managed care organization or PDP sponsor enabling the plan to provide Medicare Part D prescription drug coverage.
BER D PBP STRT DT8 DATE 4 Y 0
The effective date that t he beneficiary was enrolled in the Service Elections (PBP).Format: MMDDCCYY
BER D PBP END DT8 DATE 4 Y 0
The end date of the benefi ciary's enrollment in the Service Elections (PBP
BE D PBP PLAN ID8 CHAR 3 Y 0

BER TYP IND8 CHAR 1 Y 0

BE_CONT_NBR9 CHAR 5 Y 0
Unique identifications for an a greement between CMS and a managed care organization or PDP sponsor enabling the plan to provide Medicare Part D prescription drug coverage.
BER_D_PBP_STRT_DT9 DATE 4 Y 0
The effective date that t he beneficiary was enrolled in the Service Elections (PBP).Format: MMDDCCYY
BER_D_PBP_END_DT9 DATE 4 Y 0
The end date of the benefi ciary's enrollment in the Service Elections (PBP
BE_D_PBP_PLAN_ID9 CHAR 3 Y 0

BER_TYP_IND9 CHAR 1 Y 0

BE_CONT_NBR10 CHAR 5 Y 0
Unique identifications for an agreement between CMS and a managed care organization or PDP sponsor enabling th e plan to provide Medicare Part D prescription drug coverage.
BER_D_PBP_ST_DT10 DATE 4 Y 0
The effective date that th e beneficiary was enrolled in the Service Elections (PBP).Format: MMDDCCYY
BER_D_PBP_END_DT10 DATE 4 Y 0
The end date of the benef iciary's enrollment in the Service Elections (PBP
BE_D_PBP_PLAN_ID10 CHAR 3 Y 0

BER_TYP_IND10 CHAR 1 Y 0

UPD_USRID CHAR 8 N 0

UPD_TS TIMESTMP 10 N 0

SCNDRY_MATCH_IND CHAR 1 Y 0
This field indicates if a m atched detail record was matched under the Secondary Match algorithm determined by CMS/MMA. We will receive this data through Person Detail Record portion of t he MMA Response record.
SPD_CALC_IND CHAR 1 Y 0
This field indicates the dispos ition of the detail record with respect to the State Phase-Down Calculations. We will receive this data through Person Detail Record portion of the MMA Response record.
PRTC_ORG_NME CHAR 55 Y 0
Relates to the first occurrence of the Beneficiarys Group Health Organization Contract Number, i.e. name of Par t C organization with contract number
PRTC_PLN_NME CHAR 50 Y 0
Same as above, i.e. name of pla n with Part C plan benefit package number in positions 1697-1699.
PRTD_ORG_NME CHAR 55 Y 0
Relates to the first occurrence of the Beneficiarys Contract Number in Part D Plan Benefit Package, i.e. name o f Part D organization with contract number in positions 2401-2405.
PRTD_ORG_PLN_NME CHAR 50 Y 0
Same as above, i.e. name of Part D plan benefit package number in positions 2422-2424.
PRTD_ORGPLN_BEN_CI CHAR 1 Y 0
Four types of benefit pac kage values exist. Valid Values:1=Defined Standard 2=Actuarial Equivalent3=Basi c Alternative4=Enhanced AlternativeSpace = not applicable. This corresponds to the Part D plan benefit package in positions 2422-2424.
BEN_LNG_CD CHAR 1 Y 0

SNP_IND1 CHAR 1 Y 0
Relates to the Beneficiarys Group H ealth Organization Contract Number, e.g. first occurrence corresponds to first G HO (Part C) occurrence in positions 1697-1699.Valid Values:Y = SNPN = Not a SNP Space = not applicable

SNP IND2 CHAR 1 Y 0

Relates to the Beneficiarys Group H ealth Organization Contract Number, e.g. first occurrence corresponds to first G HO (Part C) occurrence in positions 1697-1699.Valid Values:Y = SNPN = Not a SNP Space = not applicable

SNP IND3 CHAR 1 Y 0

Relates to the Beneficiarys Group H ealth Organization Contract Number, e.g. first occurrence corresponds to first G HO (Part C) occurrence in positions 1697-1699.Valid Values:Y = SNPN = Not a SNP Space = not applicable

SNP IND4 CHAR 1 Y 0

Relates to the Beneficiarys Group H ealth Organization Contract Number, e.g. first occurrence corresponds to first G HO (Part C) occurrence in positions 1697-1699.Valid Values:Y = SNPN = Not a SNP Space = not applicable

SNP IND5 CHAR 1 Y 0

Relates to the Beneficiarys Group H ealth Organization Contract Number, e.g. first occurrence corresponds to first G HO (Part C) occurrence in positions 1697-1699.Valid Values:Y = SNPN = Not a SNP Space = not applicable

SNP IND6 CHAR 1 Y 0

Relates to the Beneficiarys Group H ealth Organization Contract Number, e.g. first occurrence corresponds to first G HO (Part C) occurrence in positions 1697-1699.Valid Values:Y = SNPN = Not a SNP Space = not applicable

SNP IND7 CHAR 1 Y 0

Relates to the Beneficiarys Group H ealth Organization Contract Number, e.g. first occurrence corresponds to first G HO (Part C) occurrence in positions 1697-1699.Valid Values:Y = SNPN = Not a SNP Space = not applicable

SNP IND8 CHAR 1 Y 0

Relates to the Beneficiarys Group H ealth Organization Contract Number, e.g. first occurrence corresponds to first G HO (Part C) occurrence in positions 1697-1699.Valid Values:Y = SNPN = Not a SNP Space = not applicable

SNP IND9 CHAR 1 Y 0

Relates to the Beneficiarys Group H ealth Organization Contract Number, e.g. first occurrence corresponds to first G HO (Part C) occurrence in positions 1697-1699.Valid Values:Y = SNPN = Not a SNP Space = not applicable

SNP IND10 CHAR 1 Y 0

Relates to the Beneficiarys Group Health Organization Contract Number, e.g. first occurrence corresponds to first GHO (Part C) occurrence in positions 1697-1699.Valid Values:Y = SNPN = Not a SNP Space = not applicable

INCRTN STRT DT DATE 4 Y 0

The start date that a benefic iary became incarcerated. Provided solely to inform why a dual eligible is not auto-enrolled. If there is no incarceration start-date, this field will be popu lated with all zeroes.

INCRTN TRMN DT DATE 4 Y 0

PRV MO SPD CALC CI CHAR 1 Y 0

RDS STRT DT1 DATE 4 Y 0

The start date of the employer plan period for the beneficiary.

RDS TRMN DT1 DATE 4 Y 0

The end date of the employer pl an period for the beneficiary

RDS STRT DT2 DATE 4 Y 0

The start date of the employer plan period for the beneficiary.Plan coverage dates when a beneficiary has multi ple retiree coverage plans. NOTE: These dates may be the same as another occur rence if present, the beneficiary has multiple retiree plans.

RDS TRMN DT2 DATE 4 Y 0

The end date of the employer pl an period for the beneficiary.Plan coverage dates when a beneficiary has multipl e retiree coverage plans. NOTE: These dates may be the same as another occurre nce if present, the beneficiary has multiple retiree plans.

RDS STRT DT3 DATE 4 Y 0
The start date of the employer plan period for the beneficiary.Plan coverage dates when a beneficiary has multi ple retiree coverage plans. NOTE: These dates may be the same as another occur rence if present, the beneficiary has multiple retiree plans.
RDS TRMN DT3 DATE 4 Y 0
The end date of the employer pl an period for the beneficiary. Plan coverage dates when a beneficiary has multip le retiree coverage plans. NOTE: These dates may be the same as another occurr ence if present, the beneficiary has multiple retiree plans.
RDS STRT DT4 DATE 4 Y 0
The start date of the employer plan period for the beneficiary.Plan coverage dates when a beneficiary has multi ple retiree coverage plans. NOTE: These dates may be the same as another occur rence if present, the beneficiary has multiple retiree plans.
RDS TRMN DT4 DATE 4 Y 0
The end date of the employer pl an period for the beneficiary.Plan coverage dates when a beneficiary has multipl e retiree coverage plans. NOTE: These dates may be the same as another occurre nce if present, the beneficiary has multiple retiree plans.
RDS STRT DT5 DATE 4 Y 0
The start date of the employer plan period for the beneficiary.Plan coverage dates when a beneficiary has multi ple retiree coverage plans. NOTE: These dates may be the same as another occur rence if present, the beneficiary has multiple retiree plans.
RDS TRMN DT5 DATE 4 Y 0
The end date of the employer pl an period for the beneficiary. Plan coverage dates when a beneficiary has multip le retiree coverage plans. NOTE: These dates may be the same as another occurr ence if present, the beneficiary has multiple retiree plans.
PRTD ELIG STRT DT1 DATE 4 Y 0
Indicates the start date for the most recent Part D eligibility span
PRTD ELIG TRMN DT1 DATE 4 Y 0
Indicates the end date fo r the most recent Part D eligibility span.
PRTD ELIG STRT DT2 DATE 4 Y 0
Indicates the start date for the most recent Part D eligibility span. Historical dates of beneficiarys el igibility for Part D.
PRTD ELIG TRMN DT2 DATE 4 Y 0
Indicates the end date fo r the most recent Part D eligibility span. Historical dates of beneficiarys elig ibility for Part D.
PRTD ELIG STRT DT3 DATE 4 Y 0
Indicates the start date for the most recent Part D eligibility span. Historical dates of beneficiarys el igibility for Part D.
PRTD ELIG TRMN DT3 DATE 4 Y 0
Indicates the end date fo r the most recent Part D eligibility span. Historical dates of beneficiarys elig ibility for Part D.
PRTD ELIG STRT DT4 DATE 4 Y 0
Indicates the start date for the most recent Part D eligibility span. Historical dates of beneficiarys el igibility for Part D.
PRTD ELIG TRMN DT4 DATE 4 Y 0
Indicates the end date fo r the most recent Part D eligibility span. Historical dates of beneficiarys elig ibility for Part D.
PRTD ELIG STRT DT5 DATE 4 Y 0
Indicates the start date for the most recent Part D eligibility span. Historical dates of beneficiarys el igibility for Part D.
PRTD ELIG TRMN DT5 DATE 4 Y 0
Indicates the end date fo r the most recent Part D eligibility span. Historical dates of beneficiarys elig ibility for Part D.
SUBS LEV PCT1 SMALLINT 2 Y 0
Value for the LIS premium subs idy percent. Relates to the Beneficiarys Co-payment History. If the informatio n in the Co-payment History is DEEMed info, the default for subsidy is 100%.VALI D VALUES:100075050025
LIS DEEM SRC CD1 CHAR 2 Y 0

SUBS LEV PCT2 SMALLINT 2 Y 0
Value for the LIS premium subs idy percent. Relates to the Beneficiarys Co-payment History. If the informatio n in the Co-payment History is DEEMed info, the default for subsidy is 100%.VALI D VALUES:100075050025
LIS DEEM SRC CD2 CHAR 2 Y 0

SUBS LEV PCT3 SMALLINT 2 Y 0
Value for the LIS premium subs idy percent. Relates to the Beneficiarys Co-payment History. If the informatio n in the Co-payment History is DEEMed info, the default for subsidy is 100%.VALI D VALUES:100075050025
LIS DEEM SRC CD3 CHAR 2 Y 0

SUBS LEV PCT4 SMALLINT 2 Y 0
Value for the LIS premium subs idy percent. Relates to the Beneficiarys Co-payment History. If the informatio n in the Co-payment History is DEEMed info, the default for subsidy is 100%.VALI D VALUES:100075050025
LIS DEEM SRC CD4 CHAR 2 Y 0

SUBS LEV PCT5 SMALLINT 2 Y 0
Value for the LIS premium subs idy percent. Relates to the Beneficiarys Co-payment History. If the informatio n in the Co-payment History is DEEMed info, the default for subsidy is 100%.VALI D VALUES:100075050025
LIS DEEM SRC CD5 CHAR 2 Y 0

SUBS LEV PCT6 SMALLINT 2 Y 0

LIS DEEM SRC CD6 CHAR 2 Y 0

SUBS LEV PCT7 SMALLINT 2 Y 0

LIS DEEM SRC CD7 CHAR 2 Y 0

SUBS LEV PCT8 SMALLINT 2 Y 0

LIS DEEM SRC CD8 CHAR 2 Y 0

SUBS LEV PCT9 SMALLINT 2 Y 0

LIS DEEM SRC CD9 CHAR 2 Y 0

SUBS LEV PCT10 SMALLINT 2 Y 0

LIS DEEM SRC CD10 CHAR 2 Y 0

Parents of **INF_MMA**

Children of **INF_MMA**

Parent	**Child**					
COLNAME	TYPE	LEN	SC	D	N	

INF_SDX

Priority 0 Dups N Download N Upload N NFOTS440

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**

ID NBR	INTEGER	4	N	0	1

A number used for unique identificati on.**********Comments**********
SOURCE:Basic

REC ID CD	CHAR	1	N	0

REC LGTH NBR	SMALLINT	2	N	0

This reflects the length of the SDX record.

TRN CD	CHAR	2	Y	0

REC ESTBMT DT	DATE	4	N	0

This reflects the date of esta blishment of the SSI master record of the recipient. For a reaccreted T30 recor d the date will be the date of the reestablishment.

REC PROC DT	DATE	4	N	0

This reflects the date the curre nt transaction was processed by the SSI system.

REDET DT	DATE	4	N	0

This reflects the completion date o f the last redetermination. Redetermination form has been received and all requ ired actions are completed.This is converted from relative date format to MMYY f ormat.

RECREATE IND	CHAR	1	Y	0

This reflects future action to be taken on a T30 record.Code - ValueT - Record being terminated, will not be re createdX - Record being terminated, will be recreated" " - Not applicable

CURR REC IND	SMALLINT	2	Y	0

LST TRN TYP	CHAR	2	Y	0

This reflects only one reported event, although more than one reportable event may have occurred simultaneously. The event reflected is based on an established priority. The Last Transaction Type and the Last Transaction Date are not always updated on

LST TRN DT	DATE	4	Y	0

This is the date the transaction identified as Last Transaction Type was applied to the SSR.

REC SRC CD	CHAR	1	Y	0

This reflects the source of the r ecord.CodeValueCInitial State conversion caseDConversion case which may or may n ot have been properly identified as State deletion (may currently be eligible)ND O new claimPDO pipe-line case" "DO new claim

SSN	INTEGER	4	Y	0

This reflects the SSN of the recipient.

CLM NBR	CHAR	12	Y	0

This is the Title II record on which the recipient is potentially entitled or insured.

RECIP TYP CD	CHAR	2	Y	0

LST NME	CHAR	20	Y	0

This is the last name of the person for whom the SDX record applies.

FRST NME	CHAR	15	Y	0

The first name of the person for wh om the SDX record applies.

MIDL ITL	CHAR	1	Y	0

The middle initial of the person fo r whom the SDX record applies.

OTH NME	CHAR	6	Y	0

This reflects another last name used by the recipient.

BD	DATE	4	Y	0

This is the date of the birth of the reci pient, in month, day, century and year format. (MMDDCCYY)

SEX CD	CHAR	1	Y	0

This code indicates the sex of the re cipient.CodeValueMMaleFFemaleUUnknown

ETN CD	CHAR	1	Y	0

This indicates the race, if applicabl e, of the recipient.CodeValueAAsianBBlackHHispanicINorth American IndianNNegroOO therUNot determinedWWhite

ZEBLEY IND	CHAR	1	Y	0

This reflects the status of the Z ebley claim.CodeValueZThe individual has been identified by SSA FO as a potentia l Zebley case.DThe case has been denied for any Zebley payments.FThe final Zeble y payment has been made to the individual.

MRTL STAT	SMALLINT	2	Y	0
PYE ADR FRST LN CD	SMALLINT	2	Y	0

The reflects the line on which, within the payee name and address data, the address begins. If a blank i s reflected the address is questionable.

PYE NM ADR LN NBR	SMALLINT	2	Y	0

This reflects the total nu mber of lines needed to show the full payee name and mailing address, the number can not exceed six. (Each line of address may contain up to thirty-five charac ters.)

PYE ADDR LNE1	CHAR	35	Y	0

This reflects the mailing addr ess which will appear on the SSI check and other systems generated correspondenc e to the individual or his/her representative payee.

PYE ADDR LNE2	CHAR	35	Y	0

This reflects the mailing addr ess which will appear on the SSI check and other systems generated correspondenc e to the individual or his/her representative payee.

PYE ADDR LNE3	CHAR	35	Y	0

This reflects the mailing addr ess which will appear on the SSI check and other systems generated correspondenc e to the individual or his/her representative payee.

PYE ADDR LNE4	CHAR	35	Y	0

This reflects the mailing addr ess which will appear on the SSI check and other systems generated correspondenc e to the individual or his/her representative payee.

PYE ADDR LNE5	CHAR	35	Y	0

This reflects the mailing addr ess which will appear on the SSI check and other systems generated correspondenc e to the individual or his/her representative payee.

PYE ADDR LNE6	CHAR	35	Y	0

This reflects the mailing addr ess which will appear on the SSI check and other systems generated correspondenc e to the individual or his/her representative payee.

PYE ZP5 CD	CHAR	5	Y	0

This reflects the five digit code for the payee's address which is required for the postal service handling.

PYE ZP4 CD	CHAR	4	Y	0

This reflects, if present on the SSR master file, the Zip code plus 4 portion of the payee's address.

FRST LNE NME	CHAR	1	Y	0
RSD LNE NBR	CHAR	1	Y	0

This indicates the number of lin es used for the address at which the applicant lives. The number of lines canno t exceed five. (Each line is up to thirty-five characters long.)

RSD ADDR LNE1	CHAR	35	Y	0

This reflects the address wher e the recipient lives if the address is different from the recipient's mailing address. Otherwise this data element will be blank.

RSD ADDR LNE2	CHAR	35	Y	0

This reflects the address wher e the recipient lives if the address is different from the recipient's mailing address. Otherwise this data element will be blank.

RSD ADDR LNE3	CHAR	35	Y	0

This reflects the address wher e the recipient lives if the address is different from the recipient's mailing address. Otherwise this data element will be blank.

RSD ADDR LNE4	CHAR	35	Y	0

This reflects the address wher e the recipient lives if the address is different from the recipient's mailing address. Otherwise this data element will be blank.

RSD ADDR LNE5	CHAR	35	Y	0

This reflects the address wher e the recipient lives if the address is different from the recipient's mailing address. Otherwise this data element will be blank.

RSD ZP5 CD	CHAR	5	Y	0

This reflects the zip code of the recipient's address if the residence address is different from the mailing add ress. Otherwise this data element will be blank.

RSD ZP4 CD	CHAR	4	Y	0

This reflects the zip code plus 4 , if present on the SSI master file, for the residence address of the individual .

DIST OFC CD	CHAR	3	Y	0

This identifies the servicing Di strict Office.

PHN NBR	DECIMAL	10	Y	0

This reflects the recipient's telep hone number.

APP DT	DATE	4	Y	0
APP FIL DT	DATE	4	Y	0
DENL CD	CHAR	3	Y	0
DENL DT	DATE	4	Y	0

The date the claimant was denied SSI benefits and/or State supplementation. This date may precede the Record Proces sing Date, the Last Transaction Date, and the Record Establishment Date because SSA's system applies it as soon as it is transmitted.

DTH DT	DATE	4	Y	0

The date of death of the recipient. Actual death date will be shown when it is available. However, if the date of d eath is posted from a returned check, the day will be shown as "01" or the date the returned check was processed. Changes to death date

DTH DT SRC CD	CHAR	1	Y	0
ELIG DT	DATE	4	Y	0
ALN IND	CHAR	1	Y	0
ALN DT	DATE	4	Y	0
ALN ORIG CD	CHAR	2	Y	0

This is the Country of Origin fo r the recipient as listed in the Federal Information Processing Standards (FIPS) publication 10-2.

RSRC HSE CD	CHAR	1	Y	0

This indicates whether or not th e recipient owns a house.CodeValueAPossession of a home - principal place of res idenceSEquity in a non-excludable property is expected to increase in valueTHome and equity in non-excludable propertyZNone" "Not determined

RSRC VEH CD	CHAR	1	Y	0

This indicates whether or not th e recipient owns a vehicle. If so, the code indicates whether or not the indivi dual must dispose of the vehicle.

RSRC INS CD	CHAR	1	Y	0
RSRC PROP CD	CHAR	1	Y	0
RSRC OTH CD	CHAR	1	Y	0
TP INS IND	CHAR	1	Y	0
RETRO MED EXPN INI	CHAR	1	Y	0
TP LIAB EVENT DT	DATE	4	Y	0

This reflects the effective date of the recipient's third party liability insurance election (see Third Pa rty Insurance Indicator codes).This is a (MMYY) four position numeric display. It is converted from relative date format to MMYY format.

FS INP DT	DATE	4	Y	0

This reflects the month and the ye ar of the initial Food Stamp data input.This is a (MMYY) four position numeric d isplay. It is converted from relative date format to MMYY format.

FS IND	CHAR	1	Y	0
FS APP CD	CHAR	1	Y	0

This indicates whether or not SSA personnel took an application for food stamps.Code ValueYYes, application taken by SSA personnelNNo, no application taken by SSA personnelZInvalid character(s) transmitted" " No input

ESSN PRS IND	CHAR	1	Y	0
ESSN PRS SSN	INTEGER	4	Y	0

FULL NAME: Essential Person So cial Security NumberThis reflects the SSN of the essential person in the record of an eligible individual, or the SSN of the eligible individual in the record o f an essential person.

ESSN PRS ID	CHAR	22	Y	0

This is the identifier for the e ssential person in the record of an eligible individual or the WIN (Welfare Iden tification Number) of the eligible individual in the record of the essential per son.

SPO PRT SSN	INTEGER	4	Y	0

FULL NAME: Spouse Parent Social Security NumberThis reflects the SSN of the eligible spouse, parent, or eligibl e individual in the spouse's data element.

ELIG SPO IND	CHAR	22	Y	0

This is the identifier for the eligible spouse in the record of an eligible individual or the WIN (Welfare Iden tification Number) of the eligible individual in the record of the eligible spou se.

INELIG PRT IND1	CHAR	1	Y	0

This is used to determine wh ose data are presented on the record.CodeValueEEligible spouse or eligible indiv idual in the spouse's recordIIneligible spousePParent

INELIG PRT IND2	CHAR	1	Y	0

This is used to determine wh ose data are presented on the record.CodeValueEEligible spouse or eligible indiv idual in the spouse's recordIIneligible spousePParent

INELIG PRT NME1	CHAR	30	Y	0

This reflects the name of th e ineligible spouse or parent.This data item may appear multiple times on the SD X record.

INELIG PRT NME2	CHAR	30	Y	0

This reflects the name of th e ineligible spouse or parent.This data item may appear multiple times on the SD X record.

INELIG PRT SSN1	INTEGER	4	Y	0

FULL NAME: Ineligible Paren t Social Security Number This reflects the SSN of the ineligible spouse or paren t.This data item may appear multiple times on the SDX record.

INELIG PRT SSN2	INTEGER	4	Y	0

FULL NAME: Ineligible Paren t Social Security Number This reflects the SSN of the ineligible spouse or paren t.This data item may appear multiple times on the SDX record.

INELIG PRT CLM N1	CHAR	12	Y	0
INELIG PRT CLM N2	CHAR	12	Y	0
INELG PRT WLFR N1	CHAR	22	Y	0

This is the identifier for the ineligible spouse or parent.

INELG PRT WLFR N2	CHAR	22	Y	0

This is the identifier for the ineligible spouse or parent.

INELIG EI WGE1	DECIMAL	7	Y	2

This is the gross amount of w ages for the month which the ineligible spouse or parent expects to earn in the month reflected in the Earned Income Period.

INELIG EI WGE2	DECIMAL	7	Y	2

This is the gross amount of w ages for the month which the ineligible spouse or parent expects to earn in the month reflected in the Earned Income Period.

INELIG SE WGE1	DECIMAL	7	Y	2

This reflects the estimated n et amount of self-employment income for the ineligible spouse or parent for the period shown in Earned Income Period.

INELIG SE WGE2	DECIMAL	7	Y	2

This reflects the estimated n et amount of self-employment income for the ineligible spouse or parent for the period shown in Earned Income Period.

INELIG UEI TYP1	CHAR	1	Y	0

This indicates the particula r kind of unearned income the ineligible spouse or parent is, or was, receiving. The last three occurrences of type "A" (Social Security) income will appear. The most recent payment will be displayed first, followed by the e

INELIG UEI TYP2	CHAR	1	Y	0

This indicates the particula r kind of unearned income the ineligible spouse or parent is, or was, receiving. The last three occurrences of type "A" (Social Security) income will appear. The most recent payment will be displayed first, followed by the e

INELIG UEI TYP3	CHAR	1	Y	0

This indicates the particula r kind of unearned income the ineligible spouse or parent is, or was, receiving. The last three occurrences of type "A" (Social Security) income will appear. The most recent payment will be displayed first, followed by the e

INELIG UEI TYP4	CHAR	1	Y	0

This indicates the particula r kind of unearned income the ineligible spouse or parent is, or was, receiving. The last three occurrences of type "A" (Social Security) income will appear. The most recent payment will be displayed first, followed by the e

INELIG UEI TYP5	CHAR	1	Y	0

This indicates the particula r kind of unearned income the ineligible spouse or parent is, or was, receiving. The last three occurrences of type "A" (Social Security) income will appear. The most recent payment will be displayed first, followed by the e

INELIG UEI TYP6	CHAR	1	Y	0

This indicates the particula r kind of unearned income the ineligible spouse or parent is, or was, receiving. The last three occurrences of type "A" (Social Security) income will appear. The most recent payment will be displayed first, followed by the e

INELIG UEI AMT1	DECIMAL	7	Y	2
INELIG UEI AMT2	DECIMAL	7	Y	2
INELIG UEI AMT3	DECIMAL	7	Y	2
INELIG UEI AMT4	DECIMAL	7	Y	2
INELIG UEI AMT5	DECIMAL	7	Y	2
INELIG UEI AMT6	DECIMAL	7	Y	2
INELIG UEI FREQ1	CHAR	1	Y	0
INELIG UEI FREQ2	CHAR	1	Y	0
INELIG UEI FREQ3	CHAR	1	Y	0
INELIG UEI FREQ4	CHAR	1	Y	0
INELIG UEI FREQ5	CHAR	1	Y	0
INELIG UEI FREQ6	CHAR	1	Y	0
REP PYE DT	DATE	4	Y	0

This reflects the date (MMDDYY) t he current representative payee was selected for the individual and/or spouse.Th is is converted from Julian format to calendar format.

CUST CD	CHAR	3	Y	0
COMP CD	CHAR	1	Y	0
PYE TYP CD	CHAR	3	Y	0
DISAB PMT CD	CHAR	1	Y	0
ONST DISAB BLD DT	DATE	4	Y	0

This reflects the date of disability onset as alleged by the claimant (during the period in which the case is awaiting a medical determination, or if the case has been medically denied). After a final disability/blindness determination has been made, th

DRUG ALC CD	CHAR	1	Y	0
ROLLBACK CD	CHAR	1	Y	0
FED CTBL INC CD	CHAR	1	Y	0
FED CTBL INC AMT	DECIMAL	7	Y	2
FED LA CD	CHAR	1	Y	0

This indicates the type of Federal living arrangement (for the current month) of the recipient for Title XVI purpo ses.CodeValueAOwn householdBAnother's householdCParent's household (for child cases only)DTitle XIX institution" "Individual is in a non-T

ST CONV CD	CHAR	2	Y	0

This reflects the State from whic h the individual was converted to the Federal program.

OFC CD	CHAR	4	Y	0

This identifies the local welfare off ice from which the claim originated.This applies to conversion cases only.

DIR DEP IND	CHAR	1	Y	0

This identifies the type of dire ct deposit account.Code ValueCChecking accountSSavings account

AEL FLG	CHAR	1	Y	0
AEL CD	CHAR	1	Y	0
AEL DT	DATE	4	Y	0

This is the date (MMDDYY) of the most recent appeal action.This is converted from Julian format to calendar format.

CRSS RFR IND	SMALLINT	2	Y	0
MULT SSN IND	CHAR	1	Y	0
INDV SSN1	INTEGER	4	Y	0

FULL NAME: Individual Social Secu rity NumberThis reflects the additional SSNs used by the individual. Space is a vailable to record up to five multiple SSNs for an individual.

INDV SSN2	INTEGER	4	Y	0

FULL NAME: Individual Social Secu rity NumberThis reflects the additional SSNs used by the individual. Space is a vailable to record up to five multiple SSNs for an individual.

INDV SSN3	INTEGER	4	Y	0

FULL NAME: Individual Social Secu rity NumberThis reflects the additional SSNs used by the individual. Space is a vailable to record up to five multiple SSNs for an individual.

INDV SSN4	INTEGER	4	Y	0

FULL NAME: Individual Social Secu rity NumberThis reflects the additional SSNs used by the individual. Space is a vailable to record up to five multiple SSNs for an individual.

INDV SSN5	INTEGER	4	Y	0

FULL NAME: Individual Social Secu rity NumberThis reflects the additional SSNs used by the individual. Space is a vailable to record up to five multiple SSNs for an individual.

VERF CD1	CHAR	1	Y	0
VERF CD2	CHAR	1	Y	0
VERF CD3	CHAR	1	Y	0
VERF CD4	CHAR	1	Y	0
VERF CD5	CHAR	1	Y	0
SSN CORR IND	CHAR	1	Y	0
HH IND	CHAR	1	Y	0
STDT IND	CHAR	1	Y	0

This shows whether or not the indiv idual is a student.CodeValueYThe individual is a student.NThe individual is not a student.

EI DT	CHAR	2	Y	0
EI EST AMT	DECIMAL	7	Y	2

This is the gross amount of wages for the month which the recipient expects to earn in the month reflected in the Earned Income Period.

EI EXCLSN AMT	DECIMAL	7	Y	2

This is the monthly amount of earned (Although PASS is coded under earned income, the amount can be excluded f rom unearned income also.) income for blind or disabled recipients which may be excluded under an approved plan for achieving self-support.

SLF EMP AMT	DECIMAL	7	Y	2

This is the estimated net amount of self-employment income for the period shown in the Earned Income Period. Th is is the estimated net amount of self-employment income for the period shown in the Earned Income Period.

BLIND WRK EXAMT	DECIMAL	7	Y	2

This is the amount of work e xpenses of a blind recipient for the month in the Earned Income Period which may be excluded from the earned income amount.

UNERN INC ENT NBR	CHAR	1	Y	0
UNERN INC OFLW INI	CHAR	1	Y	0
INSTUT DETRMN CD	CHAR	1	Y	0
ACTL SSI M AST AMT	DECIMAL	7	Y	2
SSI GR PYBL AMT	DECIMAL	7	Y	2

FULL NAME: Supplemental Sec urity Income Gross Payable AmountThis reflects the Federal amount the recipient is entitled to receive before any adjustments for overpayments.

CURR ST SPLMT AMT	DECIMAL	7	Y	2
ST SPL GR PYBL AMT	DECIMAL	7	Y	2

FULL NAME: State Supplem ent Gross Payable AmountThis reflects the amount of Federally administered, supp lementation the recipient is entitled to receive before adjustment for overpayme nts.

PMT DT1	DATE	4	Y	0

This reflects the date of payment of the SSI Monthly Assistance Amount and the State Supplement Amounts.

PMT DT2	DATE	4	Y	0

This reflects the date of payment of the SSI Monthly Assistance Amount and the State Supplement Amounts.

PMT DT3	DATE	4	Y	0

This reflects the date of payment of the SSI Monthly Assistance Amount and the State Supplement Amounts.

SSI MO ASTNC AMT1	DECIMAL	7	Y	2
SSI MO ASTNC AMT2	DECIMAL	7	Y	2
SSI MO ASTNC AMT3	DECIMAL	7	Y	2
ST SPLMT AMT1	DECIMAL	7	Y	2

This reflects the cumulative S tate supplementation payment(s) actually paid to the receipient.On SDX treasury files, this is the amount of the regular monthly check issued to the recipient. This will usually equal the amount shown in the State Supplemen

ST SPLMT AMT2	DECIMAL	7	Y	2

This reflects the cumulative S tate supplementation payment(s) actually paid to the receipient.On SDX treasury files, this is the amount of the regular monthly check issued to the recipient. This will usually equal the amount shown in the State Supplemen

ST SPLMT AMT3	DECIMAL	7	Y	2

This reflects the cumulative S tate supplementation payment(s) actually paid to the receipient.On SDX treasury files, this is the amount of the regular monthly check issued to the recipient. This will usually equal the amount shown in the State Supplemen

ADV PMT AMT	DECIMAL	7	Y	2

This is the amount of the emerge ncy payment to the recipient. This amount is subtracted from the first payment(s). These data are not removed from the record.

COND PMT IND	CHAR	1	Y	0

This indicates whether or not a payment is, or was, subject to disposition of excess resources. When a payment is no longer conditional, the code "C" will remain in this data element.CodeValueCConditionalNNot conditional" "Not applicable

CNCR CAT IND	CHAR	1	Y	0
SPCL ND CD	CHAR	1	Y	0

This indicates whether or not the State grant amount included an allowance for special needs.CodeValueYSpecial ne eds included in State benefit amountNSpecials needs not included in State benefi t amount

CNCR ST PMT CD	CHAR	1	Y	0
PMT STAT CD	CHAR	3	Y	0
MEDI ENTLMT CD	CHAR	1	Y	0
MEDI TST IND	CHAR	1	Y	0
MEDI EFCTV DT	DATE	4	Y	0
DT RSD BEG	DATE	4	Y	0
FED ELIG CD	CHAR	1	Y	0

This identifies eligibility for SSI payment in the current month.CodeValueEEligibleNNot eligible" "Not applicabl e

OPT ST ELIG CD	CHAR	1	Y	0

This identifies eligibility f or State optional supplement payment in the current month.CodeValueEEligibleNNot eligible" "Not applicable

MAND ELIG CD	CHAR	1	Y	0

This identifies eligibility for mandatory State supplementation payment in a current month.CodeValueEEligible f or mandatory State supplementationNNot eligible for mandatory State supplementat ion" "Not applicable

BUD MO FLG	SMALLINT	2	Y	0

This is the budget month used for computation purposes.CodeValue0Payment is based on factors in the computation m onth.1Payment is based on factors one month before the computation month2Payment is based on factors two months before the computation month

BUD MO FED LA CD	CHAR	1	Y	0

FULL NAME: Budget Month Fe deral Living Arrangement CodeThis indicates the Federal living arrangment in the budget month.CodeValueAOwn householdBAnother's householdCParent's household (for child cases only)DTitle XIX institution" "Individual is in a no

RETRO UNR INC AMT	DECIMAL	7	Y	2
RETRO EI AMT	DECIMAL	7	Y	2

This is the amount of earned in come used in computing the payment if the Budget Month Flag is not equal to zero or blank. This will always equal zeros if the Budget Month Flag is equal to ze ro or blank.

RETRO DINC AMT	DECIMAL	7	Y	2

This is the monthly amount of income deemed to the eligible individual used in computing the payment if the B udget Month Flag is equal to other than zero or blank. This will always equal z eros if the Budget Month flag is equal to zero or blank.

NET CTBL EI AMT	DECIMAL	7	Y	2

FULL NAME: Net Countable Ea rned Income AmountThis is the current month's amount of earned income, after al l exclusions are applied, used in determining eligibility and, if the Budget Mon th Flag is equal to zero, compiling the payment.

NET CT UNR INC AMT	DECIMAL	7	Y	2
DINC AMT	DECIMAL	7	Y	2

This is the current month's amount of income deemed to the eligible individual used in determining eligibility and , if the Budget Month Flag is equal to zero, computing the SSI payment.

ST BEN AMT	DECIMAL	7	Y	2

This reflects the amount of the S tate grant for December 1973, including special needs, if applicable. This appl ies to conversion cases only.

AST REIMB STAT CD	SMALLINT	2	Y	0
REIMB CD	CHAR	5	Y	0
UND OVR PMT IND	CHAR	1	Y	0

This shows whether or not ov erpayments and/or underpayments exist, and if the balance is reflected in the SS I Monthly Assistance Amount.CodeValueOOverpayment existsUUnderpayment existsBBot h overpayment and underpayment exist

OP BAL AMT	DECIMAL	7	Y	2

This reflects the remainder after subtracting the overpayment amount collected from the overpayment amount outsta nding.

RECOV AMT	DECIMAL	7	Y	2

This is the amount of advanced pay ment or overpayment recovered from the payment month's check. (the last treasu ry run)

OP DT	DATE	4	Y	0

This reflects the date (MMDDYY) the Ov erpayment Waiver Amount was actually waived.

OP WAVR AMT	DECIMAL	7	Y	2

This reflects the amount of the overpayment which has been waived from recovery efforts.

CONV RR BRD NBR	CHAR	12	Y	0

This is the RRB number conve rted from the SSA version.

WIRE TRFR CHAR	CHAR	1	Y	0

This is a one position alpha/ numeric display.

UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0

WLFR ID NBR	CHAR	22	Y	0
MO EFTV DT	DATE	4	Y	0

This attribute will be used to st ore the date the SDX record is valid for.

AEL DCSN CD	CHAR	2	Y	0

New field Appeal Decision Code

AEL DCSN DT	DATE	4	Y	0

New field Appeal Decision Date. The date the appeal decision was filed.

AEL RSN CD	CHAR	2	Y	0

New field Appeal Reason. The rea son the appeal was filed, e.g. citizenship, initial disability, living arrangeme nt, etc.

MN DIARY CD	CHAR	2	Y	0

New field MN Diary. The reason the SSI case was scheduled for a diary action (review).

MN DIARY DT	DATE	4	Y	0

New field MN Diary Date. The da te the SSI case is scheduled for a diary action (review).

REP PYE FRST NME	CHAR	15	Y	0

This is the first name of t he person who or agency who has been selected as the representative payee for th e individual.

REP PYE MIDL NME	CHAR	15	Y	0

This is the middle name of the person who or agency who has been selected as the representative payee for t he individual.

REP PYE LST NME	CHAR	20	Y	0

This is the last name of the person who or agency who has been selected as the representative payee for the individual.

REP PYE SFX NME	CHAR	4	Y	0

This is the suffix name of t he person who or agency who has been selected as the representative payee for th e individual.

REP PYE AGNCY NME	CHAR	40	Y	0

This is the name of the ag ency selected as the Representative payee.

REP PYE ADDR LNE1	CHAR	35	Y	0

Address line 1 of the repr esentative payee

REP PYE ADDR LNE2	CHAR	35	Y	0

Address line 2 of the repr esentative payee

REP PYE ADDR LNE3	CHAR	35	Y	0

Address line 3 of the repr esentative payee

REP PYE ADDR LNE4	CHAR	35	Y	0

Address line 4 of the repr esentative payee

REP PYE CTY	CHAR	22	Y	0

This is the city for the domesti c mailing address of the representative payee.

REP PYE ST NME	CHAR	2	Y	0

This is the state for the dom estic mailing address of the representative payee.

REP PYE ZP5	CHAR	5	Y	0

This is the representative payee five position ZIP code.

REP PYE ZP4	CHAR	4	Y	0

This is the representative payee four position ZIP code.

MIDL NME	CHAR	15	Y	0

The middle name of the person for w hom the SDX record applies.

SFX NME	CHAR	4	Y	0

This is the suffix name of the perso n for whom the SDX record applies.

REP PYE FRGN CNTRY	CHAR	35	Y	0

This is the country for t he mailing address of the representative payee if it is to be transferred to a f oreign country.

Parents of **INF_SDX**

Children of **INF_SDX**

N7034401	**Parent**	INF_SDX		**Child**	SDX_MEDI						
		COLNAME					TYPE	LEN	SC	D	N
	ID_NBR			FK_INF_SDXID_NBR			INTEGER	4	0		N
N7074401	**Parent**	INF_SDX		**Child**	SDX_UEI						
		COLNAME					TYPE	LEN	SC	D	N
	ID_NBR			FK_INF_SDXID_NBR			INTEGER	4	0		N

INF_SEW_EMP

Priority 0 Dups N Download N Upload N NFOTS445

Column	Type	Length	Nulls	Scale	Key
EMP_ACCT_NBR	DECIMAL	10	N	0	1
A number assigned to the em ployer by DOL.					
EMP_NME	CHAR	35	N	0	
EMP_FED_ID_NBR	INTEGER	4	N	0	
A unique number assigned to an employer forFederal Tax purposes.					
EMP_ADDR1	CHAR	30	N	0	
The street address of the firs t address given for the employer.					
EMP_CTY1	CHAR	20	N	0	
The city of the first address g iven for the employer.					
EMP_ST1	CHAR	2	N	0	
The two-digit code identifying t he state of the first address given for the employer.					
EMP_ZP5_CD1	CHAR	5	N	0	
The five-digit zip code of t he first address given for the employer.					
EMP_ZP4_CD1	CHAR	4	N	0	
The four-digit-plus zip code for the first address given for the employer.					
EMP_PHN_NBR1	CHAR	10	N	0	
The first telephone number of the employer.					
EMP_ADDR2	CHAR	30	N	0	
The street address of the seco nd employer address.					
EMP_CTY2	CHAR	20	N	0	
The city of the second employer address.					
EMP_ST2	CHAR	2	N	0	
The two-digit code identifying t he state of the second employer address.					
EMP_ZP5_CD2	CHAR	5	N	0	
The five-digit zip code of t he second employer address.					
EMP_ZP4_CD2	CHAR	4	N	0	
The four-digit-plus zip code for the second employer address.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **INF_SEW_EMP**

Children of **INF_SEW_EMP**

N4504451	**Parent**	INF_SEW_EMP		**Child**	INF_SEW_QTR						
		COLNAME					TYPE	LEN	SC	D	N
	EMP_ACCT_NBR			FK_INF_SEW_EMPEMP			DECIMAL	10	0		N

INF_SEW_QTR

Priority 1 Dups N Download N Upload N NFOTS450

Column	Type	Length	Nulls	Scale	Key

ID NBR	INTEGER	4	N	0	2
A number used for unique identifi cation.					
SSN	INTEGER	4	N	0	
The Social Security Number used by t he employee.					
KEY TYP CD	CHAR	3	N	0	
The code specifying the type of record for this interface.**********Comments**********This is always "SEW".					
IMAGE CD	CHAR	1	N	0	
A code specifying the type of i mage.**********Comments**********This is always a "C".					
LBR DEL CD	CHAR	1	N	0	
A code identifying whether or not labor deleted this record.					
EMPLOYEE NME	CHAR	30	N	0	
This is the name of the emp loyee that the State Employer Wage Information is about.					
YR QTR ERNGS AMT	DECIMAL	9	N	2	
QTR BEG DT	DATE	4	N	0	
The begin date for the quarte r. For example, "01/01/95".					
QTR END DT	DATE	4	N	0	
The end date for the quarter. For example, "03/31/95".					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK INF SEW EMPEMP	DECIMAL	10	N	0	1

Parents of **INF_SEW_QTR**

N4504451	**Child**	INF_SEW_QTR	**Parent**	INF_SEW_EMP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_INF_SEW_EMPEMP		EMP_ACCT_NBR	DECIMAL	10	0		N A

Children of **INF_SEW_QTR**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

INF_SSA_BENDEX

Priority	0	Dups	N	Download	N	Upload	N	NFOTS455

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
ID NBR	INTEGER	4	N	0	1
A number used for unique ident ification.					
CLM ACCT NBR	CHAR	9	N	0	
The identification numbe r assigned to the unearned income account by the social security administration. The format is a nine digit SSN of the insuredindividual followed by a two positi on beneficiary identification code (BIC).					
CLM ACCT NBR SFX	CHAR	2	N	0	
The Beneficiary Iden tification Code (BIC)associated with the Claim Account Number identifying the t ype of benefit received.					
BENEF LST NME	CHAR	20	N	0	
Last name of the AGENCY RELATED PERSON receiving benefits.					
BENEF FRST NME	CHAR	15	N	0	
First name of the AGEN CY RELATED PERSON receiving benefits.					
BENEF MIDL NME	CHAR	15	N	0	
Middle initial of the AGENCY RELATED PERSON receiving benefits.					
SEX CD	CHAR	1	N	0	
Sex code of the AGENCY RELATED PERSON receiving benefits.SOURCE: Code - DesignedMeaning - BasicCODEMEANINGFFe maleMMale					

BD	DATE	4	N	0

The date of birth for the AGENCY R ELATED PERSON receiving benefits.

BD PRF CD	CHAR	1	Y	0

An indicator identifying th e proof for a date of birth.CODE MEANING P Date of birth is documented by SS Ablank Date of birth is not documented by SSA

AGNCY CD	SMALLINT	2	N	0

A code identifying the state agency for this record. See SM 10801.265 of the BENDEX handbook.

REC SRC CD	CHAR	1	Y	0
CAT ASTNC CD	CHAR	1	Y	0
DIR WIRE INP IND	CHAR	1	Y	0

A code identifying t hat this record is a direct wire input record.

EFCTV DT	DATE	4	Y	0

The date of entitlement to t he gross amount payable.

ST SSN	INTEGER	4	Y	0

State identification number or welfare case number entered on the Bendata record.

IEVS AGNCY SUBCD	CHAR	4	Y	0

A code specifying th e requesting agency to which data is to be released.

OLD BENEF ID CD	CHAR	2	Y	0

The Beneficiary Ident ication Code input by the state.FULL NAME: Old Beneficiary Identification Code

INDV SSN	CHAR	9	Y	0

The Social Security Number f urnished on the State's Bendata record or the Beneficiary's own Social Securit y Number. If blank, the record was not processable or the SSN is not available. NOTE: The SSN may be unverified.FULL NAME: Individual Social S

PMT STAT CD	CHAR	2	Y	0

The status of the AGENCY RELATED PERSON's entitlement to benefits.SOURCE:Code - Designed Meaning - Basic The meanings will come from PROGRAM OPERATIONS MANUAL SYSTEM Part 08 Systemsand SM 10801.220B, field #19

MO BEN AMT	DECIMAL	6	Y	2

The net amount due the AGE NCY RELATED PERSON receiving benefits on the third of the next month after the B ENDEX record is produced.

ITL ENTLMT DT	DATE	4	Y	0

The date of initial ent itlement.

COMM CD	CHAR	8	N	0

A code derived from the BENDE X SYSTEM to help the state interpret the data received.See SM 101801.220B, field 23

GR PYBL AMT	DECIMAL	6	Y	2

The monthly SSA benefit d ue before collection of SMI premium, overpayment, attorney fees, garnishment or unpaid maritime tax is dedected.

CURR ENTLMT DT	DATE	4	Y	0

The date that entitlem ent to benefits under a specific claim number began.

NET MO PYBL AMT	DECIMAL	6	Y	2

The actual money amou nt payable before SMI deductions after dollar rounding.

SSI ENTLMT TRMN DT	DATE	4	Y	0

The month of the f irst payment or the month following the month of last payment.FULL NAME: Supple mental Security Income Entitlement Termination Date

SSI STAT CD	CHAR	1	Y	0
RR CLM NBR	CHAR	11	Y	0

RRB has not provided an ex planation for these codes. This number is not valid for entering in BENDATA rec ords.

RR STAT CD	CHAR	1	Y	0

A code specifying the stat us of railroad benefits.CODEMEANINGACurrent paymentTRailroad benefit terminated

MO OP DED AMT DECIMAL 5 Y 2
The monthly amount with held from a benefit because of an overpayment.FULL NAME: Monthly Overpayment De duction Amount
A TP PRM PYR CD CHAR 3 Y 0

OP DED END DT DATE 4 Y 0
The month and year the recovery will cease. Benefits will be resumed at the full rate the following mo nth.
SMI OPT CD CHAR 1 Y 0

SMI ENTLMT DT DATE 4 Y 0
The date the AGENCY REL ATED PERSON became entitled to Supplemental Medical Insurance benefits.FULL NAME : Supplemental Medical InsuranceEntitlement Date
SMI PRM CLBL AMT DECIMAL 5 Y 2
The full premium amo unt collectible which includes the regular Part B premium, the catastrophic add- on and prescription add-on.FULL NAME: Supplemental Medical Insurance Collectibl e Amount
SMI PRM PYR CD CHAR 5 Y 0

SMI TRMN DT DATE 4 Y 0
The date the AGENCY RELAT ED PERSON's entitlement to Supplemental Medical Insurance benefits terminated.F ULL NAME: Supplemental Medical InsuranceTermination Date
HOSP INS OPT CD CHAR 1 Y 0

HOSP INS ENTLMT DT DATE 4 Y 0
The date the AGENC Y RELATED PERSON became entitled to Hospital Insurance benefits.FULL NAME: Hosp ital Insurance Entitlement Date
HSP INS PRM CL AMT DECIMAL 5 Y 2
The amount collect ed for the hospital insurance premium.FULL NAME: Hospital Insurance Premium Col lectible Amount
HOSP INS TRMN DT DATE 4 Y 0
The date the AGENCY RELATED PERSON's entitlement to Hospital Insurance benefits terminated.FULL NAM E: Hospital Insurance Termination Date
SMI TP ENTLMT DT DATE 4 Y 0
The date for which a third party accepted liability or first paid Part B premiums.FULL NAME: Supple mental Medical Insurance Third Party Entitlement Date
SMI TP TRMN DT DATE 4 Y 0
The last month for whi ch a thrid party accepted liability. The thrid party has paid Part B premiums d ue for the month indicated.FULL NAME: Supplemntal Medical Insurance Third party Termination Date
ST CD SMALLINT 2 Y 0
A code specifying the state res idence of the AGENCY RELATED PERSON receiving benefits.
CNTY CD SMALLINT 2 Y 0
A code specifying the county of residence of the AGENCY RELATED PERSON receiving benefits.
VAL BOSSN INTEGER 4 Y 0
The AGENCY RELATED PERSON' s own validated Social Security Number.FULL NAME: Validated Beneficiary's Own Social Security Number
DUAL ENTLMT SSN INTEGER 4 Y 0
The other Claim Accou nt Number under which the AGENCY RELATED PERSON receiving benefits is entitled t o title II benefits.FULL NAME: Dual Entitlement Social Security Number
DUAL ENTLMT BIC CHAR 2 Y 0
A code identifying th e type of benefit an AGENCY RELATED PERSON receiving benefits is dually entitled or has technical entitlement.FULL NAME: Dual Entitlement Beneficiary Identific ation Code
DUAL ENTLMT CD CHAR 1 Y 0
A code indicating the beneficiary is entitled on more than one Claim Accunt Number.SOURCE:Code - Desig nedMeaning - BasicCODEMEANINGDDual EntitlementTTriple EntitlementBlankNo other e ntitlement

TRI ENTLMT SSN	INTEGER	4	Y	0

The Claim Account Numb er on which the other entitlement exists for title II benefits.FULL NAME: Tripl e Entitlement Social Security Number

TRI ENTLMT BIC	CHAR	2	Y	0

A code indicating the type of other benefit to which the AGENCY RELATED PERSON receiving benefits is e ntitled.FULL NAME: Triple Entitlement Beneficiary Identification Code

DISAB ONST DT	DATE	4	Y	0

The date of onset of an AGENCY RELATED PERSON's disability.NOTE: This attribute is added for the use o f the ENV/MED team. The field in CDP's copybook(BDEDATA-011) is Date-Disability -Onset-018.

ERNGS REQ CD	CHAR	1	Y	0

A code indicating that e arnings information was requested for the beneficiary. Data will be released on the BEER file.SOURCE:Code - DesignedMeaning - BasicCODEMEANINGEEarnings informa tion requestedBlankNo earnings information requested

CRSS RFR SSN	INTEGER	4	Y	0

The Social Security Numb er on which actual or potential entitlement exists.FULL NAME: Cross Reference S ocial Security Number

CRSS RFR BIC	CHAR	2	Y	0

A code indicating the ty pe of other title II benefit.FULL NAME: Cross Reference Beneficiary Identificat ion Code

DIR DEP CD	CHAR	1	Y	0

A code identifying the typ e of account to which payment is being deposited.SOURCE:Code - DesignedMeaning - BasicCODE MEANINGCChecking AccountSSavings AccountBlankNo data

REC PROC DT	DATE	4	Y	0

The date the record was p rocessed.

A TP END DT	DATE	4	Y	0

The end date for the hosp ital part a third party payer.

TRN DT	DATE	4	N	0

The date of the transaction.

PMT CHG IND	CHAR	1	Y	0
RETRO PMT AMT	DECIMAL	7	Y	2
A TP ENT DT	DATE	4	Y	0
GARNSHMT AMT	DECIMAL	5	Y	2
SCH CUR PMT AMT	DECIMAL	6	Y	2

Total amount to be pa id by a current month accrual.

SCH PMT CMB CK INI	CHAR	1	Y	0

Indicates the type of schedule payment and how the payment was handled.Valid Values:P - Prior Mont h Accrual Amount paid by daily update.R - Current Month Accrual paid by monthly merge.B - prior month accrual only.

SCH PRI PMT AMT	DECIMAL	7	Y	2

Total amount paid by scheduled check.

SCH PMT DT	DATE	4	Y	0

Reflects current operation month when the prior monthly accrual is made.

MBC TYP CD	CHAR	1	Y	0

A code indicating if the b enefit were paid or not paid.Valid values:1 - Benefits paid2 - Benefits not paid or not due.

UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
DCSD DT	DATE	4	Y	0

This is the death date receiv ed through the SVES interface.

BENEF SFX NME	CHAR	4	Y	0

Beneficiary Suffix Name

PYE LNE1	CHAR	22	Y	0
Payee Name and Address LINE 1				
PYE LNE2	CHAR	22	Y	0
Payee Name and Address LINE 2				
PYE LNE3	CHAR	22	Y	0
Payee Name and Address LINE 3				
PYE LNE4	CHAR	22	Y	0
Payee Name and Address LINE 4				
PYE LNE5	CHAR	22	Y	0
Payee Name and Address LINE 5				
PYE LNE6	CHAR	22	Y	0
Payee Name and Address LINE 6				
ZIP CD	CHAR	5	Y	0
Zip code for payee address				
PRF DTH CD	CHAR	1	Y	0
Proof of Death Code				
MED STAT CD	CHAR	1	Y	0
Indicates the account fro m which Medicare premiums are being deducted. A or blank indicates that premiums are deducted from this account.I-premiums not deducted from this account.				
RRB JURIS STRT DT	DATE	4	Y	0
Shows the date the number holders Railroad Annuitant claim was effective.				
RRB JURIS STP DT	DATE	4	Y	0
Shows the date the n umber holders Railroad Annuitants benefits stopped.				
SSI OP WITH AMT	DECIMAL	5	Y	2
HI CONT PRD DT	DATE	4	Y	0
Earliest continuous da te of entitlement to Hospital Insurance				
HI OCC NBR	SMALLINT	2	Y	0
Number of periods the numb er holder has had Hospital Insurance. Valid entries are 2 and 3				
FRST HI STRT DT	DATE	4	Y	0
Start date for the ba sis type				
FRST HI TRM DT	DATE	4	Y	0
Effective date for the first month of non-coverage of the previous period of HI. An example: A date o f 052001 means that the last day of HI coverage was 04/30/01.				
FRST HI BASIS CD	CHAR	1	Y	0
Valid entries- A for Age D for Disabled E for End Stage Renal and W for Working Disabled.				
FR HI NCVRD RSN CD	CHAR	1	Y	0
FRST HI TYP CD	CHAR	1	Y	0
F- Free, P- Premium HI				
FRST HI PRD CD	CHAR	1	Y	0
SEC HI STRT DT	DATE	4	Y	0
Second HI Start Date f or this Basis type.				
SEC HI TRM DT	DATE	4	Y	0
The second period when HI was terminated for this Basis type.				
SEC HI BASIS CD	CHAR	1	Y	0
Valid entries- A for Age D for Disabled E for End Stage Renal and W for Working Disabled.				
SEC HI NCVR RSN CD	CHAR	1	Y	0
TRD HI STRT DT	DATE	4	Y	0
Third HI Start Date fo r this Basis type.				
TRD HI TRM DT	DATE	4	Y	0
The third period when H ospital Insurance was terminated for this Basis type.				
TRD HI BASIS CD	CHAR	1	Y	0
Valid entries- A for Age D for Disabled E for End Stage Renal and W for Working Disabled.				
TRD HI NCVR RSN CD	CHAR	1	Y	0

TP HI STRT DT DATE 4 Y 0
The effective date of t he Hospital Insurance third party premium payer
TP HI STP DT DATE 4 Y 0
The date the Hospital In surance third party premium payment stopped.
TP HI CAT CD CHAR 1 Y 0
S- state, P- Private, Q- QMB Conditional
SPMT MI CNT PRD D DATE 4 Y 0
Supplemental Medic al Insurance earliest continuous date.
SPMT MI OCC NBR SMALLINT 2 Y 0
The amount of separat e periods of Supplemental Medical Insurance entitlement. NOTE: We are limiting the information that we pass to the BENDEX to three occurrences.
FRS SPMT MI STR DT DATE 4 Y 0
The effective date of the first period of Supplemental Medical Insurance for the current Basis typ e.
FRS SPMT MI TRM D DATE 4 Y 0
The effective date for which a previous period of Part B coverage was terminated, that is, the fir st month of non-coverage. EXAMPLE: A date of 02/01 means the last covered month was 01/01, specifically 1/31/2001.
FRS SPMT MI BS CD CHAR 1 Y 0
Valid entries- A fo r Age D for Disabled E for End Stage Renal and W for Working Disabled.
FRS SP MI NCRSN CD CHAR 1 Y 0

FRS SPMT MI PRD CD CHAR 1 Y 0
A-AEP, D -IEP base d on same or related DIB impairment, G GEP, I IEP, N -Not within any enrollment period, Q- QMB enrollment, R -Reinstated following appeal, S SEP, U Unknown, X-Enrollment based on EBO provisional, W - No Medicare waiting period
SEC SPMT MI STR DT DATE 4 Y 0
The effective date of the second period of Supplemental Medical Insurance for the current Basis ty pe.
SEC SPMT MI TRM D DATE 4 Y 0
The date the numbe r holder's second period of Supplemental Medical Insurance ended.
SEC SPMT MI BS CD CHAR 1 Y 0
Valid entries- A fo r Age D for Disabled E for End Stage Renal and W for Working Disabled.
SEC SP MI NCRSN CD CHAR 1 Y 0

TRD SPMT MI STR DT DATE 4 Y 0
The effective date of the third period of Supplemental Medical Insurance for the current Basis typ e.
TRD SPMT MI TRM D DATE 4 Y 0
The date the numbe r holder's third period of Supplemental Medical Insurance ended.
TRD SPMT MI BS CD CHAR 1 Y 0
Valid entries- A fo r Age D for Disabled E for End Stage Renal and W for Working Disabled.
TRD SP MI NCRSN CD CHAR 1 Y 0

SPMT MI TP CAT CD CHAR 1 Y 0
C- Civil, P- Privat e, S- State
VAR SPMT MI PR AM DECIMAL 4 Y 1
An amount lower th an the regular amount of Supplemental Medical Insurance premium
VAR SPMT MI STR DT DATE 4 Y 0
Variable Supplemen tal Medical Insurance start date.
VAR SPMT MI TRM D DATE 4 Y 0
Variable Supplemen tal Medical Insurance term date.
FRST CTZNSP STR DT DATE 4 Y 0
The first month, d ay and year of a clients citizenship began to a particular country. FIRST OCCURR ENCE
FRST CTZNSP STP DT DATE 4 Y 0
The last month, da y and year of a clients citizenship ended to a particular country. FIRST OCCURRE NCE

FRST CTZNSP CNT CD CHAR 2 Y 0
2 Position country of citizenship FIRST OCCURRENCE
FRST CTZ US PVN CD CHAR 1 Y 0
This position is c onditional, based on the country of citizenship being the United States (US). F IRST OCCURRENCE
SEC CTZNSP STR DT DATE 4 Y 0
The first month, da y and year of a clients citizenship began to a particular country. SECOND OCCUR ENCE
SEC CTZNSP STP DT DATE 4 Y 0
The last month, day and year of a clients citizenship ended to a particular country. SECOND OCCURE NCE
SEC CTZNSP CNT CD CHAR 2 Y 0
2 Position country of citizenship SECOND OCCURENCE
SEC CTZ US PVN CD CHAR 1 Y 0
This position is co nditional, based on the country of citizenship being the United States (US). SE COND OCCURRENCE
TRD CTZNSP STR DT DATE 4 Y 0
The first month, da y and year of a clients citizenship began to a particular country. THIRD OCCU RENCE
TRD CTZNSP STP DT DATE 4 Y 0
The last month, day and year of a clients citizenship ended to a particular country. THIRD OCCUREN CE
TRD CTZNSP CNT CD CHAR 2 Y 0
2 Position country of citizenship THIRD OCCURENCE
TRD CTZ US PVN CD CHAR 1 Y 0
This position is co nditional, based on the country of citizenship being the United States (US). TH IRD OCCURENCE

Parents of **INF_SSA_BENDEX**

Children of **INF_SSA_BENDEX**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

INF_SSA_WA

Priority 0 Dups N Download N Upload N NFOTS460

Column	Type	Length	Nulls	Scale	Key
REPLY SSN	INTEGER	4	N	0	1
The validated Social Security N umber a multiple Social Security Number located or the input Social Security Num ber, when no record be found.					
LST NME	CHAR	12	N	0	
The Social Security Administratio n last name or the last name as submitted by the state if the record is not matc hed.					
FRST NME	CHAR	7	N	0	
The Social Security Administrati on first name or the first name as submitted by the state if the record does not match.					
MIDL ITL	CHAR	1	N	0	
The Social Security Administrati on middle initial or the middle initial as submitted by the state if the record does not match.					
SEX CD	CHAR	1	N	0	
The Social Security Administration sex code or the sex code as submitted by the state if the record does not match .					

BD DATE 4 N 0
The Social Security Administration dat e of birth or the date of birth as submitted by the state if the record does not match.
AGNCY CD CHAR 3 N 0
A code assigned by the Social Se curity Administration to identify each state agency.See reference: State Agen cy Codes SM 10801.250.
REC SRC CD CHAR 1 N 0
A code specifying to the State the source which resulted in producing the record. CODES MEANINGS C Response generated by the Social Security Administration to report a change for a previously su
ELIG CD CHAR 1 N 0

ST CONT ID NBR CHAR 12 N 0
FULL NAME: STATE CONTROL IDENTIFICATION NUMBERState identification number or welfare case num ber as submitted on the BENDATA input record or from the direct input previously annotated to the MBR.
IEVS AGNCY SUBCD CHAR 4 N 0
A code assigned by the c oordinating State agency to identify the requesting State agency.
ST INP BIC CD CHAR 2 N 0
FULL NAME: STATE INPUT BENE FICIARY IDENTIFICATION CODEThe beneficiary identification code submitt ed on the BENDATA input record.
ST INP SSN INTEGER 4 N 0
FULL NAME: STATE INPUT SOCIAL SECURITY NUMBERThe Social Security Number or Claim Account Number a s submitted on the BENDATA input record.
SSA REM CHAR 8 N 0

SSA SCND NME CHAR 6 N 0
FULL NAME: SOCIAL SECURITY ADMINISTRATION SECOND NAMEThe second last name reported by the indivi dual or by the employer.
EMP ID NBR CHAR 9 Y 0
The identification number assi gned to an employer by IRS. The first two positions represent the IRS district code, normally indicative of the State in which the employee worked.
SSA RPT TYP CD CHAR 2 N 0

SSA RPT YR CHAR 4 N 0
FULL NAME: SOCIAL SECURITY AD MINISTRATION REPORTING YEARThe last calendar year posted.See SM 1080 1.330
SSA COMPNSTN AMT DECIMAL 9 N 2

SSA CRDT CD CHAR 2 N 0
FULL NAME: SOCIAL SECURITY A DMINISTRATION CREDIT CODEA code specifying the SSA COMPENSATION AMOUN T is a negative.
EMP NME CHAR 30 N 0
The name of the employer as displ ayed on the Master Earnings File.
ADDR LNE NBR SMALLINT 2 N 0
The number of address lines displayed.
ADDR LNE 1 CHAR 30 N 0
The first line of the employer address.
ADDR LNE 2 CHAR 30 Y 0
The second line of the employe r address.
ADDR LNE 3 CHAR 30 Y 0
The third line of the employer address.
ADDR LNE 4 CHAR 30 Y 0
The fourth line of the employe r address.
ADDR LNE 5 CHAR 30 Y 0
The fifth line of the employer address.
DOB PRF RCVD IND CHAR 1 N 0

DIR WIRE INP IND	CHAR	1	N	0	
REC PRC DT	DATE	4	N	0	
The date when BENDEX operation s processed.					
CRET TS	TIMESTMP	10	N	0	
Exact time entity occurence was c reated.					
ID NBR	INTEGER	4	N	0	2
********** **********THIS ATTRIBUTE USED BY REPORT(S): FNS-209.********** **********A number used for unique identification.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **INF_SSA_WA**

Children of **INF_SSA_WA**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

INF_VIT_BIRTH

This Database will contain the Birth Cert ificate records that have been extracted form the Department of Healths server. When a Childs SSN is received fro the Department of health, the SSN will be add ed to this database.

Priority 30 Dups N Download N Upload N NFOTS405

Column	Type	Length	Nulls	Scale	Key
BIRTH CERT NBR	INTEGER	4	N	0	1
BIRTH YR	CHAR	4	N	0	2
Because the Vital Records are a reuses Birth Certificate numbers, the BIRTH YEAR is used to make the row uniqu e.					
BEG DT	DATE	4	N	0	3
Date this row was added by upda te user id (TECHNICAL USE ONLY)					
FILING DT	DATE	4	Y	0	
This is the date that the ho spital entered the Birth Certificate					
CHLD SSN	CHAR	9	Y	0	
The childs SSN will be blank when the birth record is added. The childs SSN will be added when an SSN record is processed that corresponds to this birth row.					
CHLD SSN UPD DT	DATE	4	Y	0	
Date the child SSN was added to this birth row					
CHLD LST NME	CHAR	50	Y	0	
Childs last name					
CHLD FRST NME	CHAR	50	Y	0	
Childs first name					
CHLD MIDL NME	CHAR	50	Y	0	
Childs middle name					
CHLD NME EXTN CD	CHAR	4	Y	0	
Childs suffix					
CHLD PHNTC LST NMI	CHAR	8	Y	0	
Child phonetic last name					
CHLD BD	DATE	4	Y	0	
Child date of birth					
CHLD GENDER CD	CHAR	2	Y	0	
Child gender					

CHLD BIRTH CTY	CHAR	30	Y	0
City where child was bo rn				
CHLD BIRTH CNTY	CHAR	13	Y	0
County where child was born				
CHLD BIRTH ST CD	CHAR	2	Y	0
MOM SSN	CHAR	9	Y	0
Mothers SSN				
MOM LST NME	CHAR	50	Y	0
Mothers last name				
MOM FRST NME	CHAR	50	Y	0
Mothers first name				
MOM MIDL NME	CHAR	50	Y	0
Mothers middle name				
MOM NME EXTN CD	CHAR	4	Y	0
Mothers suffix				
MOM PHNTC LST NM	CHAR	8	Y	0
Soundex of mothers l ast name maiden				
MOM BD	DATE	4	Y	0
Mothers date of birth				
MOM RES ADDR 1	CHAR	30	Y	0
Mothers resident addres s line 1				
MOM RES ADDR 2	CHAR	30	Y	0
Mothers resident addres s line 2				
MOM RES CTY	CHAR	30	Y	0
Mothers resident city				
MOM RES ST CD	CHAR	2	Y	0
Mothers resident state				
MOM RES ZIP CD 5	CHAR	5	Y	0
Mothers resident zip code				
MOM RES ZIP CD 4	CHAR	4	Y	0
Mothers resident zip code				
MOM MAIL ADDR 1	CHAR	30	Y	0
Mothers mailing addres s line 1				
MOM MAIL ADDR 2	CHAR	30	Y	0
Mothers mailing addres s line 2				
MOM MAIL CTY	CHAR	30	Y	0
Mothers mailing address c ity				
MOM MAIL ST CD	CHAR	2	Y	0
Mothers mailing address state				
MOM MAIL ZIP CD 5	CHAR	5	Y	0
Mothers mailing addr ess zip code				
MOM MAIL ZIP CD 4	CHAR	4	Y	0
Mothers mailing addr ess zip code				
CHLD SSN REQ IND	CHAR	1	Y	0
FCLTY TYP CD	CHAR	2	Y	0
Facility type where the c hild was born				
FCLTY CD	CHAR	4	Y	0
Facility code where the child was born				
MRTL STAT CD	CHAR	2	Y	0
Mothers marital status at the time of the birth				
PAT AKNWLDG SIG D	DATE	4	Y	0
Date that paternity was acknowledged				
DAD SSN	CHAR	9	Y	0
Fathers SSN				
DAD LST NME	CHAR	50	Y	0
Fathers last name				

DAD FRST NME	CHAR	50	Y	0
Fathers first name				
DAD MIDL NME	CHAR	50	Y	0
Fathers middle name				
DAD NME EXTN CD	CHAR	4	Y	0
Fathers suffix				
DAD PHNTC LST NME	CHAR	8	Y	0
Soundex of the fathe rs last name				
DAD BD	DATE	4	Y	0
Fathers date of birth				
END DT	DATE	4	N	0
Date this row was replaced by a n update record (TECHNICAL USE ONLY)				
UPD USRID	CHAR	8	N	0
Last module that added or up dated this row. (TECHNICAL USE ONLY)				
UPD TS	TIMESTMP	10	N	0
last time Update Used Id added or updated this row (TECHNICAL USE ONLY)				

Parents of **INF_VIT_BIRTH**

Children of **INF_VIT_BIRTH**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

INF_VIT_DEATH

This Database will contain the Death Cert ificate records that have been extracted form the Department of Healths server.

Priority 30 Dups N Download N Upload N NFOTS406

Column	Type	Length	Nulls	Scale	Kev
DEATH CERT NBR	INTEGER	4	N	0	1
Death certificate numbe r					
DCSD YR	CHAR	4	N	0	2
Year of death					
BEG DT	DATE	4	N	0	3
Date this row was added by upda te user id (TECHNICAL USE ONLY)					
SSN	CHAR	9	Y	0	
SSN of person that died					
LST NME	CHAR	50	Y	0	
Last name of person that died					
FRST NME	CHAR	50	Y	0	
First name of person that die d					
MIDL NME	CHAR	50	Y	0	
Middle name of person that di es					
NME EXTN CD	CHAR	4	Y	0	
Suffix of persons name tha t died					
PHNTC LST NME	CHAR	8	Y	0	
Soundex of last name					
DCSD DT	DATE	4	Y	0	
Date of death					
BD	DATE	4	Y	0	
Data of birth					
GENDER CD	CHAR	2	Y	0	
Sex of person that died					
DSCD CTY	CHAR	30	Y	0	
City of death					
DCSD CNTY	CHAR	30	Y	0	
County of death					

DCSD MRTL STAT CD	CHAR	2	Y	0
Marital status at ti me of death				
SPO LST NME	CHAR	50	Y	0
spouse last name				
SPO FRST NME	CHAR	50	Y	0
spouse first name				
SPO MIDL NME	CHAR	50	Y	0
spouse middle name				
SPO NME EXTN CD	CHAR	4	Y	0
spouse suffix				
SPO PHNTC LST NME	CHAR	8	Y	0
Soundex of spouse la st name				
DTH MANNER CD	CHAR	2	Y	0
Manner of death				
DTH CAUSE TXT	CHAR	120	Y	0
Cause of death				
FUNERAL HME NME	CHAR	50	Y	0
Funeral home name				
FUNERAL HME ADDR	CHAR	30	Y	0
Funeral home addres s line 1				
FUNERAL HME ADDR	CHAR	30	Y	0
Funeral home addres s line 2				
FUNERAL HME CTY	CHAR	30	Y	0
Funeral home city				
FUNERAL HME ST CD	CHAR	2	Y	0
Funeral home state				
FUNERAL HME ZIP CD	CHAR	5	Y	0
Funeral home zip				
FUNERAL HME ZIP C0	CHAR	4	Y	0
Funeral home zip				
AUTOPSY PERF IND	CHAR	1	Y	0
Autopsy performed				
WRK REL INJURY IND	CHAR	1	Y	0
Was death caused by work relegated injury				
DISPOSTN METHOD CI	CHAR	2	Y	0
Method of dispositi on				
INFRMNT LST NME	CHAR	50	Y	0
Informant last name				
INFRMNT FRST NME	CHAR	50	Y	0
Informant first name				
INFRMNT MIDL NME	CHAR	50	Y	0
Informant middle name				
INFRMNT NME EXT CI	CHAR	4	Y	0
Informant suffix				
INFRMNT PHNTC LST	CHAR	8	Y	0
Soundex of informant s last name				
END DT	DATE	4	N	0
Date this row was replaced by a n update record (TECHNICAL USE ONLY)				
UPD USRID	CHAR	8	N	0
Last module that added or up dated this row. (TECHNICAL USE ONLY)				
UPD TS	TIMESTMP	10	N	0
last time Update Used Id added or updated this row (TECHNICAL USE ONLY)				

Parents of **INF_VIT_DEATH**

Children of **INF_VIT_DEATH**

Parent COLNAME	Child TYPE	LEN	SC	D	N

INF_VIT_DIVORCE

This Database will contain the Divorce Certificate records that have been extracted form the Department of Healths serv er.

Priority 30 Dups N Download N Upload N NFOTS408

Column	Type	Length	Nulls	Scale	Key
DSLTN CERT NBR	INTEGER	4	N	0	1
Dissolution certifica te number					
DSLTN YR	CHAR	4	N	0	2
Year of the dissolution					
BEG DT	DATE	4	N	0	3
Date this row was added by up date user id (TECHNICAL USE ONLY)					
DSLTN ANLMNT IND	CHAR	1	Y	0	
Dissolution or annu lment indicator					
DVRC SET ASIDE IND	CHAR	1	Y	0	
Divorce set aside indicator					
CNTY REC NBR	CHAR	14	Y	0	
county record number.					
DSLTN DT	DATE	4	Y	0	
Dissolution date					
FILING CNTY	CHAR	35	Y	0	
County where dissolution was filed					
HSBND SSN	INTEGER	4	Y	0	
Husbands SSN					
HSBND LST NME	CHAR	50	Y	0	
Husbands last name					
HSBND FRST NME	CHAR	50	Y	0	
husband first name					
HSBND MIDL NME	CHAR	50	Y	0	
husband middle name					
HSBND PHNTC LST NM	CHAR	8	Y	0	
husband phonetic last name					
HSBND BD	DATE	4	Y	0	
hsuband date of birth					
HSBND ADDR	CHAR	70	Y	0	
Husbands address					
HSBND CTY	CHAR	30	Y	0	
Husbands city					
HSBND ZIP CD 5	CHAR	5	Y	0	
Husbands zip code					
HSBND ZIP CD 4	CHAR	4	Y	0	
Husbands zip code					
HSBND CNTY	CHAR	35	Y	0	
Husbands county					
HSBND ST	CHAR	40	Y	0	
husband state					
HSBND CNTRY	CHAR	40	Y	0	
Husbands country					
WIFE SSN	INTEGER	4	Y	0	
wife SSN					
WIFE LST NME	CHAR	50	Y	0	
wife last name					
WIFE FRST NME	CHAR	50	Y	0	
wife first name					

WIFE MIDL NME	CHAR	50	Y	0
wife middle name				
WIFE MDN NME	CHAR	50	Y	0
Wifes maiden last name				
WIFE PHNTC LST NME	CHAR	8	Y	0
Soundex of wifes last name				
WIFE PHNTC MDN NM	CHAR	8	Y	0
Soundex of wifes last name maiden				
WIFE BD	DATE	4	Y	0
wife date of birth				
WIFE ADDR	CHAR	70	Y	0
wife address				
WIFE CTY	CHAR	35	Y	0
wife city				
WIFE ZIP CD 5	CHAR	5	Y	0
wife zip code				
WIFE ZIP CD 4	CHAR	4	Y	0
wife zip code				
WIFE CNTY	CHAR	35	Y	0
wife county				
WIFE ST	CHAR	40	Y	0
wife state.				
WIFE CNTRY	CHAR	40	Y	0
wife country.				
MARRIAGE DT	DATE	4	Y	0
Date of the marriage				
MARRIAGE CTY	CHAR	35	Y	0
City where the marriage was performed				
MARRIAGE CNTY	CHAR	35	Y	0
Country where the marr iage was performed				
MARRIAGE ST	CHAR	40	Y	0
State of marriage				
CHLD UNDER 18 NBR	SMALLINT	2	Y	0
Children under the age of 18				
HSBND CUST NBR	SMALLINT	2	Y	0
Number of children of which husband has custody				
WIFE CUST NBR	SMALLINT	2	Y	0
Number of children of which wife had custody				
JOINT CUST NBR	SMALLINT	2	Y	0
Number of children he ld in joint custody				
OTHER CUST NBR	SMALLINT	2	Y	0
Number of children in custody other than husband, wife or joint				
END DT	DATE	4	N	0
Date this row was replaced by an update record (TECHNICAL USE ONLY)				
UPD USRID	CHAR	8	N	0
Last module that added or updated this row. (TECHNICAL USE ONLY)				
UPD TS	TIMESTMP	10	N	0
last time Update Used Id adde d or updated this row (TECHNICAL USE ONLY)				

Parents of **INF_VIT_DIVORCE**

Children of **INF_VIT_DIVORCE**

Parent	**Child**				
COLNAME	TYPE	LEN	SC	D	N

INF_VIT_MARRIAGE

This Database will contain the Marriag e Certificate records that have been extracted form the Department of Healths se rver.

Priority 30 Dups N Download N Upload N NFOTS407

Column	Type	Length	Nulls	Scale	Kev
MARRIAGE CERT NBR	INTEGER	4	N	0	1
Marriage certific ate number					
MARRIAGE YR	CHAR	4	N	0	2
Year of the marriage					
BEG DT	DATE	4	N	0	3
Date this row was added by u pdate user id (TECHNICAL USE ONLY)					
MARRIAGE DT	DATE	4	Y	0	
Date of the marriage					
MARRIAGE CNTY	CHAR	35	Y	0	
Country where the mar riage was performed					
MARRIAGE CTY	CHAR	35	Y	0	
City where the marriag e was performed					
FILING CNTY	CHAR	35	Y	0	
County where the marria ge certificate was filed					
MARRIAGE LIC NBR	CHAR	10	Y	0	
Marriage license n umber					
GRM SSN	INTEGER	4	Y	0	
Grooms SSN					
GRM LST NME	CHAR	50	Y	0	
Grooms last name					
GRM FRST NME	CHAR	50	Y	0	
Grooms first name					
GRM MIDL NME	CHAR	50	Y	0	
Grooms middle name					
GRM PHNTC LST NM	CHAR	8	Y	0	
GROOM PHONETIC LAS T NAME					
GRM BD	DATE	4	Y	0	
Grooms date of birth					
GRM ADDR	CHAR	40	Y	0	
Grooms address					
GRM CTY	CHAR	35	Y	0	
Grooms city					
GRM ZIP CD 5	CHAR	5	Y	0	
Grooms zip code					
GRM ZIP CD 4	CHAR	4	Y	0	
Grooms zip code					
GRM CNTY	CHAR	35	Y	0	
Grooms county					
GRM ST	CHAR	40	Y	0	
Grooms state					
GRM CNTRY	CHAR	40	Y	0	
Grooms country					
GRM RACE WTE IND	CHAR	1	Y	0	
Grooms race indica ted as white or causation					
GRM RACE BLK IND	CHAR	1	Y	0	
Grooms race indica ted as black					
GRM RACE AI AN INC	CHAR	1	Y	0	
Grooms race indi cated as American Indian or Alaska Native					
GRM RACE ASN IND	CHAR	1	Y	0	
Grooms race indica ted as Asian					
GRM RACE NH OT IN	CHAR	1	Y	0	
Grooms race indi cated as Native Hawaiian or other Pacific Islander					

GRM RACE UNK IND	CHAR	1	Y	0
Groom race unknown				
GRM RACE RFS IND	CHAR	1	Y	0
Groom refused to g ive race				
GRM HSPNC CD	CHAR	1	Y	0
Groom Hispanic (Yes, N o, Refused, Unknown)				
BRD SSN	INTEGER	4	Y	0
Bride SSN				
BRD LST NME	CHAR	50	Y	0
Bride last name				
BRD FRST NME	CHAR	50	Y	0
Bride first name				
BRD MIDL NME	CHAR	50	Y	0
Bride middle name				
BRD MDN NME	CHAR	50	Y	0
Bride maiden last name				
BRD PHNTC LST NME	CHAR	8	Y	0
Soundex of brides last name				
BRD PHNTC MDN NM	CHAR	8	Y	0
Soundex of brides last name maiden				
BRD BD	DATE	4	Y	0
Bride date of birth				
BRD ADDR	CHAR	40	Y	0
Bride address				
BRD CTY	CHAR	35	Y	0
Bride city				
BRD ZIP CD 5	CHAR	5	Y	0
Bride zip code				
BRD ZIP CD 4	CHAR	4	Y	0
Bride zip code				
BRD CNTY	CHAR	35	Y	0
Bride county				
BRD ST	CHAR	40	Y	0
Bride state				
BRD CNTRY	CHAR	40	Y	0
Bride country				
BRD RACE WTE IND	CHAR	1	Y	0
BRD RACE BLK IND	CHAR	1	Y	0
Brides race indica ted as black				
BRD RACE AI AN IND	CHAR	1	Y	0
Brides race indi cated as American Indian or Alaska Native				
BRD RACE ASN IND	CHAR	1	Y	0
Brides race indica ted as Asian				
BRD RACE NH OT INI	CHAR	1	Y	0
Brides race indi cated as Native Hawaiian or other Pacific Islander				
BRD RACE UNK IND	CHAR	1	Y	0
Brides race unknow n				
BRD RACE REF IND	CHAR	1	Y	0
Bride refused to g ive race				
BRD HSPNC CD	CHAR	1	Y	0
Bride Hispanic (Yes, N o, Refused, Unknown)				
END DT	DATE	4	N	0
Date this row was replaced b y an update record (TECHNICAL USE ONLY)				
UPD USRID	CHAR	8	N	0
Last module that added or updated this row. (TECHNICAL USE ONLY)				
UPD TS	TIMESTMP	10	N	0
last time Update Used Id add ed or updated this row (TECHNICAL USE ONLY)				

Parents of **INF_VIT_MARRIAGE**

Children of **INF_VIT_MARRIAGE**

Parent COLNAME	Child TYPE	LEN	SC	D	N

INS_CARRIER

The Insurance Carriers associated with the ARPs involved in a Service Referral.

Priority 7 Dups N Download N Upload N NFOTS869

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2
FK SVC REFID NBR	INTEGER	4	N	0	1
NAME	CHAR	30	Y	0	
The name of the Insurance Carrier.					
INF SSN XREF ID	DECIMAL	12	Y	0	
The ARP ssn xreference n umber for legacy tables.					
TPL PO POLKEY	INTEGER	4	Y	0	
The policy number of the A RP's policy.					
PROC DATE	DATE	4	Y	0	
The date the user retrieved th e original tpl information.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **INS_CARRIER**

N8698681 **Child** INS_CARRIER **Parent** SVC_REF

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SVC_REFID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **INS_CARRIER**

Parent COLNAME	Child TYPE	LEN	SC	D	N

INSTC_STAT

Instance status is used by the expert system to track the status of inserted, updated and deleted rows as the case is proces sed throughout the day.

Priority 87 Dups N Download Y Upload Y NFOTS517

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2
Identifier for this table. Should be a random number.					
FK MST CASEID NBR	INTEGER	4	N	0	1
FOREIGN KEY TO MASTER_C ASE					
CONCAT KEY	CHAR	60	N	0	
This is a concatenation of the primary keys for the rows that this instancce status is tracking the status of.					
TABLE NME	CHAR	18	N	0	
The name of the table that the row referenced by the concatenated key attribute belongs to.					
STAT CD	CHAR	2	N	0	
Two digit code indicating the sta tus of the row this instance is tracking the status of.					
UPD TS	TIMESTMP	10	N	0	

UPD USRID	CHAR	8	N		0

Parents of **INSTC_STAT**

Children of **INSTC_STAT**

N5185171	**Parent**	INSTC_STAT	**Child**	SHDW_ATTR				
		COLNAME			TYPE	LEN	SC	D	N
	FK_MST_CASEID_NBR		FK_INSTC_STATFK_MS		INTEGER	4	0		N
	ID_NBR		FK_INSTC_STATID_NB		INTEGER	4	0		N

INTAKE

The point of entry for reports that are accepted /screened out involving dependent children, status offenders, voluntary relinqui shments, A/N or maltreatment, information requests, & ICPC. CPS may refer these reports to outside agencies such as APS.

Priority 2 Dups N Download N Upload N NFOTS820

Column	Type	Length	Nulls	Scale	Kev
NBR	INTEGER	4	N	0	1
Auto generated value uniquely assigned to each Intake					
FK PGM CASEPGM CD	CHAR	2	Y	0	
FK PGM CASEID NBR	INTEGER	4	Y	0	
SERVING OFC	CHAR	3	Y	0	
Identifies the office to which th e Intake should be assigned.					
FK ASPLOGON ID	CHAR	8	Y	0	
HOTLINE IND	CHAR	1	N	0	
Indicates whether or not call was received athotline (vs local)					
SOURCE	CHAR	2	Y	0	
Code identifying method in which infor mation is made known to CPS. Examples: Phone Call, Letter, Fax, LE, Walk-In, Ho tline					
RCVD DT	DATE	4	N	0	
Date Intake was obtained/received					
RCVD TME	TIME	3	N	0	
TYP CD	CHAR	2	Y	0	
Coded determination of the type of Int ake. Suspected CAN, Dependency, Voluntary Relinquishments, Status Offenders, IC PC, I&R, APS, Delinquency or some combination.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
REPORTER SRC CD	CHAR	2	Y	0	
Describes the relationship th at the reporter has with the victim.					
REC CHK DTL TXT	VARCHAR	254	Y	0	
FREEFORM TEXT THAT ALLOWS THE WORKER TO ENTER NOTES ABOUT THE RECORDS CHECKED OR LIST ALTERNATIVE RECORDS THA T WERE CHECKED DURING THE INTAKE.					
CALLER RPT DTL TXT	VARCHAR	256	Y	0	
Mixed case field to allow users to enter free text about a caller/reporter.					
FK SFTY ASSMNTID N	INTEGER	4	Y	0	

Parents of **INTAKE**

N8200801	**Child**	INTAKE	**Parent**	ASP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ASPLOGON_ID	LOGON_ID		CHARACTER	8	0		N	A
N8200941	**Child**	INTAKE	**Parent**	SFTY_ASSMNT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_SFTY_ASSMNTID_N	ID_NBR		INTEGER	4	0		N	A
N8205951	**Child**	INTAKE	**Parent**	PGM_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PGM_CASEPGM_CD	PGM_CD		CHARACTER	2	0		N	A
		FK_PGM_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **INTAKE**

N1708201	**Parent**	INTAKE	**Child**	COR					
		COLNAME			TYPE	LEN	SC	D	N
	NBR		FK_INTAKENBR		INTEGER	4	0		N
N5628201	**Parent**	INTAKE	**Child**	COMPLAINT					
		COLNAME			TYPE	LEN	SC	D	N
	NBR		FK_INTAKENBR		INTEGER	4	0		N
N8018201	**Parent**	INTAKE	**Child**	ALLEGATION					
		COLNAME			TYPE	LEN	SC	D	N
	NBR		FK_INTAKENBR		INTEGER	4	0		N
N8121201	**Parent**	INTAKE	**Child**	INTAKE_CHAR					
		COLNAME			TYPE	LEN	SC	D	N
	NBR		FK_INTAKENBR		INTEGER	4	0		N
N8218201	**Parent**	INTAKE	**Child**	INTAKE_ARP_INVLV					
		COLNAME			TYPE	LEN	SC	D	N
	NBR		FK_INTAKENBR		INTEGER	4	0		N
N8228201	**Parent**	INTAKE	**Child**	INTAKE_ASGN					
		COLNAME			TYPE	LEN	SC	D	N
	NBR		FK_INTAKENBR		INTEGER	4	0		N
N8238201	**Parent**	INTAKE	**Child**	INTAKE_HIST					
		COLNAME			TYPE	LEN	SC	D	N
	NBR		FK_INTAKENBR		INTEGER	4	0		N
N8248201	**Parent**	INTAKE	**Child**	INTAKE_ORG_INVLV					
		COLNAME			TYPE	LEN	SC	D	N
	NBR		FK_INTAKENBR		INTEGER	4	0		N
N8348201	**Parent**	INTAKE	**Child**	INTAKE_TL_REC					
		COLNAME			TYPE	LEN	SC	D	N
	NBR		FK_INTAKENBR		INTEGER	4	0		N

INTAKE_ARP_INVLV

An entity type which helps identify th e part that was played by an AGENCY RELATED PERSON with the associated INTAKE.

Priority 5 Dups N Download N Upload N NFOTS821

Column	Type	Length	Nulls	Scale	Key
BEG DT	DATE	4	N	0	3
The date an AGENCY RELATED P ERSON was associated with an INTAKE.					
FK ARPID NBR	INTEGER	4	N	0	1
FK INTAKENBR	INTEGER	4	N	0	2
NME IND	CHAR	1	N	0	
Indicates the name of which the Intake is registered.					
REPORTER IND	CHAR	1	N	0	4
Field to indicate that the identified ARP andtheir role is also the reporter of allegation					
END DT	DATE	4	Y	0	
The date an AGENCY RELATED P ERSON ends association with an INTAKE.					

UPD USRID	CHAR	8	N		0
UPD TS	TIMESTMP	10	N		0
ADLT CHLD IND	CHAR	1	Y		0

Indicates whether or not the ARP associated to the Intake is an adult or child. If the birth date is known at the time of the Intake a derived value is used. Otherwise the user ente rs the value. Used for the NCANDS report.

PRIV NTFCN IND	CHAR	1	Y		0

INDICATES WHETHER TH E WORKER INFORMED THE CALLER/REPORTER THAT THEIR IDENTITY COULD BE REVEALED AND TESTIMONY REQUESTED IF ORDERED BY THE COURT. DOES NOT INDICATE A RESPONSE FROM THE CALLER/REPORTER.

Parents of **INTAKE_ARP_INVLV**

N8210401 **Child** INTAKE_ARP_INVLV **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N8218201 **Child** INTAKE_ARP_INVLV **Parent** INTAKE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_INTAKENBR	NBR	INTEGER	4	0		N	A

Children of **INTAKE_ARP_INVLV**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

INTAKE_ASGN

Priority 5 Dups N Download N Upload N NFOTS822

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	4

A number used for unique identifi cation.

BEG DT	DATE	4	Y	0	

The date that the office/worker i s assigned to the INTAKE ASSIGNMENT.

END DT	DATE	4	Y	0	

The date that the office/worker i s no longer assigned to the INTAKE ASSIGNMENT.

FK INTAKENBR	INTEGER	4	N	0	1
FK DSS OFC POSTFK	CHAR	3	N	0	3
FK DSS OFC POSTID	INTEGER	4	N	0	2
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
CW CD	CHAR	2	Y	0	

PROVIDES TYPE OF WORKER ASSIGNED T O THE INTAKE FINANCIAL NOTICE WORKER, CFS WORKER, ETC.

Parents of **INTAKE_ASGN**

N8222301 **Child** INTAKE_ASGN **Parent** DSS_OFC_POSTN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR	CHARACTER	3	0		N	A
FK_DSS_OFC_POSTID	ID_NBR	INTEGER	4	0		N	A

N8228201 **Child** INTAKE_ASGN **Parent** INTAKE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_INTAKENBR	NBR	INTEGER	4	0		N	A

Children of **INTAKE_ASGN**

Parent COLNAME	Child TYPE	LEN	SC	D	N

INTAKE_CHAR

Detail Factors about an Intake. For exampl e: Child Abuse Neglect Factors (Methanphetamine use or Domestic Violence).

Priority 5 Dups N Download N Upload N NFOTS812

Column	Type	Length	Nulls	Scale	Key
FK INTAKENBR	INTEGER	4	N	0	1
TYP CD	CHAR	2	N	0	2
Codes Table Code that references what type of Characteristic is being stored.					
UPD USRID	CHAR	8	N	0	
Userid of the person who last updated the record					
UPD TS	TIMESTMP	10	N	0	
Date/Time the record was last upd ated.					

Parents of **INTAKE_CHAR**

N8121201 **Child** INTAKE_CHAR **Parent** INTAKE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_INTAKENBR	NBR	INTEGER	4	0		N	A

Children of **INTAKE_CHAR**

Parent COLNAME	Child TYPE	LEN	SC	D	N

INTAKE_HIST

History information allows ability to keep track of reason intakes are opened closed and reopened

Priority 5 Dups N Download N Upload N NFOTS823

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2
Value uniquely assigned to each I ntake History.					
FK INTAKENBR	INTEGER	4	N	0	1
BEG DT	DATE	4	N	0	
Indicates when the status became effective.					
END DT	DATE	4	N	0	
Indicates when the status ended a nd new (different) status began. If blanks, (high values) it indicates status h as not been ended.					
STAT CD	CHAR	2	N	0	
Indicates whether or not the int ake is open, closed and so forth.					
STAT RSN CD	CHAR	2	Y	0	
Gives the reason why an inta ke was closed.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
PRIORITY CD	CHAR	2	Y	0	
DENOTES THE PRIORITY OF THE INTAKE. HIGH (01), MEDIUM (02), LOW(03).					
TYP CD	CHAR	2	Y	0	
Coded determination of the type o f Intake, Suspected CAN, Dependency, Voluntary Relinquishments, Status Offenders , ICPC, I&R, APS, Delinquecy or some combination.					
CRET TS	TIMESTMP	10	Y	0	
Date/Time on which Worker create d the Intake					
CRET USRID	CHAR	8	Y	0	
User ID of Worker who created the Intake					

Parents of **INTAKE_HIST**

N8238201	**Child**	INTAKE_HIST	**Parent**	INTAKE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_INTAKENBR	NBR		INTEGER	4	0		N	A

Children of **INTAKE_HIST**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

INTAKE_ORG_INVLV

An entity type which helps identify th e part that was played by an ORG with the associated INTAKE.

Priority 5 Dups N Download N Upload N NFOTS824

Column	Type	Length	Nulls	Scale	Key
FK INTAKENBR	INTEGER	4	N	0	1
FK ORGID NBR	INTEGER	4	N	0	2
ROLE CD	CHAR	2	N	0	
Code indicating the type of INVOLVEMENT for an AGENCY RELATED PERSON					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **INTAKE_ORG_INVLV**

N8245501	**Child**	INTAKE_ORG_INVLV	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A
N8248201	**Child**	INTAKE_ORG_INVLV	**Parent**	INTAKE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_INTAKENBR	NBR		INTEGER	4	0		N	A

Children of **INTAKE_ORG_INVLV**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

INTAKE_TL_REC

Captures screening tools used, priority r esponse tools used, and records checked for a particular Intake.

Priority 5 Dups N Download N Upload N NFOTS834

Column	Type	Length	Nulls	Scale	Key
FK INTAKENBR	INTEGER	4	N	0	1
INTAKE TL REC CD	CHAR	2	N	0	2
Indicates what screen ing tool(s) were used and/or what priority response tool(s) were used and/or wha t record(s) were checked during the intake. Logically relates to a code value i n the codes tables.					
TYP CD	CHAR	2	N	0	3
Determines whether the INTAKE_T OOL_RECORD is a screening tool, response tool, or record checked.					
UPD TS	TIMESTMP	10	N	0	
The timestamp that the ARP reco rd was inserted or last updated.					
UPD USRID	CHAR	8	Y	0	
The identification of the us er or module that inserted or last updated the ARP record.					

Parents of **INTAKE_TL_REC**

N8348201	**Child**	INTAKE_TL_REC	**Parent**	INTAKE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_INTAKENBR	NBR		INTEGER	4	0		N	A

Children of **INTAKE_TL_REC**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

INTC_IUC_OTH_INC

Priority 1 Dups N Download N Upload N NFOTS470

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2
A unique number used for ide ntification.**********Comments********** SOURCE:Designed					
CHK AMT	DECIMAL	5	N	2	
The amount of the unemploym ent compensation check paid to the claimant.**********Comments********* *********SOURCE: Basic					
CHK DT	DATE	4	Y	0	
The date the unemployment co mpensation check was sent to the claimant. **********Comments******** *********Take into account mailing time to determine when the check must be cons idered for budgeting purposes.					
WK END DT	DATE	4	N	0	
The last day of the week for which unemployment compensation benefits are being determined.					
EI AMT	DECIMAL	5	N	2	
Earned income received by th e claimant that may reduce the benefit amount paid to the claimant.					
SS BEN AMT	DECIMAL	5	N	2	
Social Security income r eceived by the claimant that may reduce the benefit amount paid to the claimant.					
PNSN AMT	DECIMAL	5	N	2	
Pension income received by the claimant that may reduce the benefit amount paid to the claimant.					
OTH INC AMT	DECIMAL	5	N	2	
Other income to the cla imant not previously mentioned.					
CHK STAT CD	CHAR	2	N	0	
CHECK STATUS - The stat us of the check payable to the claimant.The field name is NMD-ISSUE-STATUS-CODE- IUC					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK INF IUCID NBR	INTEGER	4	N	0	1
CHK WITH DED	DECIMAL	5	N	2	
TOT PD AMT	DECIMAL	5	N	2	
New field Total Paid amo unt, This amount will be extracted for DOL (ESP VSAM DATABASE ESP960FF BPH Segme nt "SG07").					
FED WITH AMT	DECIMAL	5	N	2	
New field Federal with hold amount, This amount will be extracted for DOL (ESP VSAM DATABASE ESP960FF B PH Segment "SG07").					
CS ACTL AMT	DECIMAL	5	Y	2	
Weekly Child Support Ac tual Amount Paid. We get this amount from DOL VSAM file.					

AGNT OP AMT	DECIMAL	9 Y	2

Parents of **INTC_IUC_OTH_INC**

N4704351	**Child**	INTC_IUC_OTH_INC	**Parent**	INF_IUC						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_INF_IUCID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **INTC_IUC_OTH_INC**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

INTERNET_ADDR

Holds the e-mail address for an ARP and/o r an ORG.

Priority 80 Dups N Download N Upload N NFOTS007

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A number used for unique identi fication.**********THIS ATTRIBUTE USED BY REP ORT(S): ACF-3637.**********					
FK ARPID NBR	INTEGER	4	Y	0	
FK ORGID NBR	INTEGER	4	Y	0	
TYP CD	CHAR	2	N	0	
Defines whether the e-mail addr ess is Personal (P) or Business (B).					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
EMAIL ADDR	VARCHAR	128	N	0	
ARP and/or ORG e-mail addre ss.					

Parents of **INTERNET_ADDR**

N0070401	**Child**	INTERNET_ADDR	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N0075501	**Child**	INTERNET_ADDR	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **INTERNET_ADDR**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

IUC_CLM_BEN_BAL

Capture the benefit details and benefit balance that have been paid to the claimant on his/her claim (entitlement perio d) for each program prefix code.

Priority 5 Dups N Download N Upload N NFOTS437

Column	Type	Length	Nulls	Scale	Key
PGM PRE CD	CHAR	2	N	0	2
Program payment type/pref ix code, example Regular payments, Basic TRA, Remedial TRA. We will have a new c odes category for this program prefix type.					
WKL BEN AMT	DECIMAL	9	N	2	
The amount of weekly ben efits payable to the claimant.					
TOT BEN AMT	DECIMAL	9	N	2	
The total amount of comp ensation the claimant is eligible to receive.					

ACCT AMT	DECIMAL	9	N	2	
The total amount of benefit s that have been paid to the claimant on his/her claim.					
BEN BAL AMT	DECIMAL	9	N	2	
The dollar amount of ben efits remaining to be paid to the claimant on the current claim.					
UPD USRID	CHAR	8	N	0	
Update user ID					
UPD TS	TIMESTMP	10	N	0	
Update Timestamp					
FK INF IUCID NBR	INTEGER	4	N	0	1

Parents of **IUC_CLM_BEN_BAL**

N4374351 **Child** IUC_CLM_BEN_BAL **Parent** INF_IUC

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_INF_IUCID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **IUC_CLM_BEN_BAL**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

KNOWN_CASE

Priority 1 Dups N Download N Upload N NFOTS999

Column	Type	Length	Nulls	Scale	Key
CASE NUMBER	INTEGER	4	N	0	1
CASE ID	SMALLINT	2	N	0	2
BEG DT	DATE	4	N	0	
SYSTEM SOURCE	CHAR	1	N	0	
FK ARPID NBR	INTEGER	4	Y	0	
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	

Parents of **KNOWN_CASE**

N9990401 **Child** KNOWN_CASE **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **KNOWN_CASE**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

LEGAL_AGNT

PERSON INVOLVED IN A COURT ACTION REGARDING THE CHILD'S REMOVEL FROM THE HOME.

Priority 20 Dups N Download N Upload N NFOTS799

Column	Type	Length	Nulls	Scale	Key
FK PRS TRKNGID NBR	INTEGER	4	N	0	1
TYP CD	CHAR	2	N	0	2
CODE INDICATING THE TYPE OF THE LE GAL PERSON					
NME	CHAR	30	Y	0	
NAME OF THE LEGAL PERSON					

UPD USRID	CHAR	8	N	0
LAST UPDATE USER ID				
UPD TS	TIMESTMP	10	N	0
LAST UPDATE TIMESTAMP				

Parents of **LEGAL_AGNT**

N7997861 **Child** LEGAL_AGNT **Parent** PRS_TRKNG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PRS_TRKNGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **LEGAL_AGNT**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

LEGAL_AT

A record of all court related activities assoc iated with all individuals.

Priority 1 Dups N Download N Upload N NFOTS825

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A number used for unique identificat ion					
PETN TYP CD	CHAR	2	Y	0	
The type of petition filed.					
PETN FILED DT	DATE	4	Y	0	
The date the petition was fil ed.					
PETN RQRD DT	DATE	4	Y	0	
The date the petition is requi red.					
ADJU STAT CD	CHAR	2	Y	0	
The status of the adjucication .					
ADJU DT	DATE	4	Y	0	
Date of the adjudication.					
DISPOSTN DT	DATE	4	Y	0	
Date of the dispositional heari ng.					
FK ORGID NBR	INTEGER	4	Y	0	
JUDGE NME	CHAR	52	Y	0	
The name of the judge assigned to this legal action.					
DEP CNTY ATRNY NM	CHAR	52	Y	0	
The deputy/cnty attorney assigned to the legal action.					
DT HELD	DATE	4	Y	0	
The actual date the court hearing t ook place.==========THIS ATTRIBUTE IS REQUI RED BY AFCARS ==========					
CRT DOCKET NBR	CHAR	11	Y	0	
The number the court assigns for each filed petition					
PAGE NBR	CHAR	3	Y	0	
The page number the court assigns for each file petition					
RSLT CD	CHAR	2	Y	0	
A code that specifies the decision of the judge.==========THIS ATTRIBUTE IS RE QUIRED BY AFCARS ==========					
HRNG TYP CD	CHAR	2	Y	0	
DT SCH	DATE	4	Y	0	
The date of an upcoming court hearin g					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

SCH HRNG TME	TIME	3	Y	0

The time the hearing is schedu led to be held for a given legal person.

Parents of **LEGAL_AT**

N8255501	**Child**	LEGAL_AT	**Parent**	ORG
		COLNAME		
		FK_ORGID_NBR		ID_NBR

TYPE	LEN	SC	D	N	UPD
INTEGER	4	0		N	A

Children of **LEGAL_AT**

N0868251	**Parent**	LEGAL_AT	**Child**	CRT_RPT_INFO
		COLNAME		
	ID_NBR		FK_LEGAL_ATID_NBR	
N8098251	**Parent**	LEGAL_AT	**Child**	CPL_LEGAL_AT_INVLV
		COLNAME		
	ID_NBR		FK_LEGAL_ATID_NBR	
N8268251	**Parent**	LEGAL_AT	**Child**	LEGAL_AT_PRS_INVLV
		COLNAME		
	ID_NBR		FK_LEGAL_ATID_NBR	
N8298251	**Parent**	LEGAL_AT	**Child**	LEGAL_AT_RE
		COLNAME		
	ID_NBR		FK_LEGAL_ATID_NBR	
N8358251	**Parent**	LEGAL_AT	**Child**	LEGAL_AT_OPI
		COLNAME		
	ID_NBR		FK_LEGAL_ATID_NBR	
N8718251	**Parent**	LEGAL_AT	**Child**	LEGAL_AT_ARP_INVLV
		COLNAME		
	ID_NBR		FK_LEGAL_ATID_NBR	

TYPE	LEN	SC	D	N
INTEGER	4	0		N
INTEGER	4	0		N
INTEGER	4	0		N
INTEGER	4	0		N
INTEGER	4	0		N
INTEGER	4	0		N

LEGAL_AT_ARP_INVLV

Associative entity type tying ARP_Fu nctional_Relationship to Legal_Action. Specifies the legal agents involved in th e legal action.

Priority 2 Dups N Download N Upload N NFOTS871

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	6
A number used for unique i dentification					
BEG DT	DATE	4	N	0	5
The date the association b egins.					
FK ARP FUNC RELFK	INTEGER	4	N	0	3
FK ARP FUNC RELFK0	INTEGER	4	N	0	2
FK ARP FUNC RELID	INTEGER	4	N	0	1
FK LEGAL ATID NBR	INTEGER	4	N	0	4
END DT	DATE	4	N	0	
The date the association e nds.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **LEGAL_AT_ARP_INVLV**

N8710601	**Child**	LEGAL_AT_ARP_INVLV	**Parent**	ARP_FUNC_REL						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARP_FUNC_RELFK	FK_ARPID_NBR		INTEGER	4	0		N	A
		FK_ARP_FUNC_RELFK0	FK0ARPID_NBR		INTEGER	4	0		N	A
		FK_ARP_FUNC_RELID	ID_NBR		INTEGER	4	0		N	A
N8718251	**Child**	LEGAL_AT_ARP_INVLV	**Parent**	LEGAL_AT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_LEGAL_ATID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **LEGAL_AT_ARP_INVLV**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

LEGAL_AT_OPI

This entity identifies those individuals a ssociated in a legal administrative role currently this is limited to those jud ges directly involved in this legal action, but in the future may include other people such as county attorneys.

Priority 5 Dups N Download N Upload N NFOTS835

Column	Type	Length	Nulls	Scale	Key
FK LEGAL ATID NBR	INTEGER	4	N	0	1
FK ORG PRS INVLFK	INTEGER	4	N	0	2
FK0ORG PRS INVLFK	INTEGER	4	N	0	3
FK ORG PRS INVLTYP	CHAR	2	N	0	4
TYP CD	CHAR	2	N	0	
A code specifying the involvemen t of the AGENCY RELATED PERSON with the ORGANIZATION.					
UPD USRID	CHAR	8	N	0	
The last person or process th at updated this information.					
UPD TS	TIMESTMP	10	N	0	
The last time a person or proces s updated this information					

Parents of **LEGAL_AT_OPI**

N8355701	**Child**	LEGAL_AT_OPI	**Parent**	ORG_PRS_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORG_PRS_INVLFK	FK_ORGID_NBR		INTEGER	4	0		N	A
		FK0ORG_PRS_INVLFK	FK_ARPID_NBR		INTEGER	4	0		N	A
		FK_ORG_PRS_INVLTYP	TYP_CD		CHARACTER	2	0		N	A
N8358251	**Child**	LEGAL_AT_OPI	**Parent**	LEGAL_AT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_LEGAL_ATID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **LEGAL_AT_OPI**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

LEGAL_AT_PRS_INVLV

Priority 4 Dups N Download N Upload N NFOTS826

Column	Type	Length	Nulls	Scale	Key
FK PCPIFK PGM CASE	CHAR	2	N	0	2
FK PCPIFK PGM CAS0	INTEGER	4	N	0	1

FK_PCPIFK_ARPID_NB	INTEGER	4	N	0	3
FK_LEGAL_ATID_NBR	INTEGER	4	N	0	4
ID_NBR	INTEGER	4	N	0	6
A number used for unique i dentification					
BEG_DT	DATE	4	N	0	5
The date the association b egins.					
END_DT	DATE	4	N	0	
The date the association e nds.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
REMOVAL_RSN_CD	CHAR	2	Y	0	
The reason the pro gram case person was removed from the legal action.					
CRT_DOCKET_NBR	CHAR	11	Y	0	
The number the cou rt assigns for each file petition.					
PAGE_NBR	CHAR	3	Y	0	
The page number the cour t assigns for each file petition.					

Parents of **LEGAL_AT_PRS_INVLV**

N8265851 **Child** LEGAL_AT_PRS_INVLV **Parent** PCPI

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_PCPIFK_PGM_CAS0	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_PCPIFK_ARPID_NB	FK_ARPID_NBR	INTEGER	4	0		N	A

N8268251 **Child** LEGAL_AT_PRS_INVLV **Parent** LEGAL_AT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_LEGAL_ATID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **LEGAL_AT_PRS_INVLV**

N0848261 **Parent** LEGAL_AT_PRS_INVLV **Child** CHLD_DTL

COLNAME		TYPE	LEN	SC	D	N
FK_PCPIFK_PGM_CAS0	FK_LEGAL_AT_PRSFK	INTEGER	4	0		N
FK_PCPIFK_PGM_CASE	FK0LEGAL_AT_PRSFK	CHARACTER	2	0		N
FK_PCPIFK_ARPID_NB	FK1LEGAL_AT_PRSFK	INTEGER	4	0		N
FK_LEGAL_ATID_NBR	FK2LEGAL_AT_PRSFK	INTEGER	4	0		N
BEG_DT	FK_LEGAL_AT_PRSBEG	DATE	4	0		N
ID_NBR	FK_LEGAL_AT_PRSID	INTEGER	4	0		N

LEGAL_AT_RE

Priority 2 Dups N Download N Upload N NFOTS829

Column	Type	Length	Nulls	Scale	Key
AGG_CIRC_CD	CHAR	2	N	0	2
SPECIFIES AN AGGRAVATED CIRC UMSTANCE WHY A REASONABLE EFFORT IS NOT REQUIRED.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
FK_LEGAL_ATID_NBR	INTEGER	4	N	0	1

Parents of **LEGAL_AT_RE**

N8298251 **Child** LEGAL_AT_RE **Parent** LEGAL_AT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_LEGAL_ATID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **LEGAL_AT_RE**

Parent COLNAME	Child TYPE	LEN	SC	D	N

LEGAL_HRNG

Court hearings related to the child's remov al, placement and review.

Priority 20 Dups N Download N Upload N NFOTS794

Column	Type	Length	Nulls	Scale	Key
FK PRS TRKNGID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2
ARTIFICIAL ID NUMBER ASSIGNED TO I DENTIFY THE LEGAL_HEARING RECORD					
TYP CD	CHAR	2	Y	0	
A code specifying the type of lega l hearing or event that has occurred.Values: Adjudication, Disposition, Review, 30 Day, 15 Month, Detention					
HRNG HLD DT	DATE	4	Y	0	
Date of official court hearin g					
RVW HRNG SRC CD	CHAR	2	Y	0	
Code for the source of th e court review dateValues: Dataforms, Agenda, Court Documents					
HRNG 15MO RSLT CD	CHAR	2	Y	0	
Code specifying the res ults of the 15 month hearingValues: Relative exemption, Not best interests exemp tion, Opportunity for services exemption					
UPD USRID	CHAR	8	N	0	
Last Update User ID.					
UPD TS	TIMESTMP	10	N	0	
Last Update Timestamp.					

Parents of **LEGAL_HRNG**

N7947861	**Child**	LEGAL_HRNG	**Parent**	PRS_TRKNG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PRS_TRKNGID_NBR		ID_NBR	INTEGER	4	0		N	A

Children of **LEGAL_HRNG**

Parent COLNAME	Child TYPE	LEN	SC	D	N

LICENSE_APRV

A license or certificate belonging to an O RGANIZATION.Example: Domiciliary Facility license.

Priority 1 Dups N Download N Upload N NFOTS827

Column	Type	Length	Nulls	Scale	Key
LICENSE NBR	INTEGER	4	N	0	1
a unique number identifing the License\approval for an ORG.					
MAX RNG CD	CHAR	2	Y	0	
a unique code describing whe ther the age specified is in months, weeks, or years					
MIN RNG CD	CHAR	2	Y	0	
a unique code describing whe ther the min age is in months, weeks or years.					
LICENSE TYP CD	CHAR	2	N	0	
This code shows whether the license is a standard, probationary or provisional license.					
SUBLICENSE IND	CHAR	1	N	0	
When a CCA License Type is selected the user must indicate if the license is a real license or a sublice nse. Selection of sublicense tells the user that the license isn't "real".					
EXTN IND	CHAR	1	N	0	
An indicator used to identify when a license effective end date is extended.					
LICENSE EXTN DT	DATE	4	N	0	
This date records the d ay that the effective end date for a license approval was extended.					
MIN AGE	SMALLINT	2	Y	0	
The minimum age for a male chil d which the ORG is licensed\approved to provide services.					

MAX AGE	SMALLINT	2	Y	0

the Maximum age for a male chil d for which a an ORG is licensed\approved to provide services for.

LICD NBR OF CHLD	SMALLINT	2	Y	0

The maximum number of children for which an ORG is licensed/approved to provide services.

LICD SEX CD	CHAR	2	Y	0

The gender of child for whi ch an ORG is licensed/approved to provide services.

TYP CD	CHAR	2	N	0

A code specifying a PERMIT type. valid values: See I:\appdev\baa\deliv\codeval\permit.doc.

EFCTV BEG DT	DATE	4	Y	0

The date the permit is eff ective. The date can either be the date the PERMIT is factually effective or th e date DSS considers the PERMIT to be effective. This date can be past, present or future.

EFCTV END DT	DATE	4	Y	0

The date the PERMIT is no longer effective. This date can be past, present or future.

APP RCVD DT	DATE	4	N	0

The date the application fo r a license was received.

STAT BEG DT	DATE	4	N	0

The date the STATUS CODE fo r the LICENSE/APPROVAL entity changed.

STAT END DT	DATE	4	N	0

The date the status for a l icense approval ends.

STAT CD	CHAR	2	N	0

A unique code identifying the s tatus of a LICENSE/APPROVAL.

STAT RSN CD	CHAR	2	Y	0

The reason for the License Approval to be placed on hold or closed.

UPD TS	TIMESTMP	10	N	0
UPD USRID	CHAR	8	N	0
FK ORGID NBR	INTEGER	4	Y	0
LICENSED AS NME	CHAR	40	Y	0

The name of the organiz ation that will appear on the license approval.

POT AVLBL SLOT	SMALLINT	2	Y	0

The number of slots in t he facility that maybe available for placement.

Parents of **LICENSE_APRV**

N8275501 **Child** LICENSE_APRV **Parent** ORG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ORGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **LICENSE_APRV**

N1308271 **Parent** LICENSE_APRV **Child** CC_SCH

COLNAME		TYPE	LEN	SC	D	N
LICENSE_NBR	FK_LICENSE_APRVLIC	INTEGER	4	0		N

N8288271 **Parent** LICENSE_APRV **Child** LICENSE_APRV_HIST

COLNAME		TYPE	LEN	SC	D	N
LICENSE_NBR	FK_LICENSE_APRVLIC	INTEGER	4	0		N

N8628271 **Parent** LICENSE_APRV **Child** LICENSE_FCLTY_INVL

COLNAME		TYPE	LEN	SC	D	N
LICENSE_NBR	FK_LICENSE_APRVLIC	INTEGER	4	0		N

LICENSE_APRV_HIST

History of status changes of a licens e or certificate belonging to an ORGANIZATION.Current status information is in t he License_Approval entity type and any previous status information it replaces is moved to history.

Priority 2 Dups N Download N Upload N NFOTS828

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2

STAT_BEG_DT	DATE	4	N		0	
The date the STATUS CO DE for the LICENSE/APPROVAL entity changed.						
STAT_END_DT	DATE	4	N		0	
FK_LICENSE_APRVLIC	INTEGER	4	N		0	1
STAT_CD	CHAR	2	N		0	
A unique code identifying the status of a LICENSE/APPROVAL.						
UPD_TS	TIMESTMP	10	N		0	
UPD_USRID	CHAR	8	N		0	

Parents of **LICENSE_APRV_HIST**

N8288271	**Child**	LICENSE_APRV_HIST	**Parent**	LICENSE_APRV						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_LICENSE_APRVLIC	LICENSE_NBR		INTEGER	4	0		N	A

Children of **LICENSE_APRV_HIST**

Parent		**Child**				
COLNAME			TYPE	LEN	SC	D	N

LICENSE_FCLTY_INVL

Priority 2 Dups N Download N Upload N NFOTS862

Column	Type	Length	Nulls	Scale	Key
FK_LICENSE_APRVLIC	INTEGER	4	N	0	3
FK_FCLTY_TYPEFK_OR	INTEGER	4	N	0	1
FK_FCLTY_TYPETYP_C	CHAR	2	N	0	2
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **LICENSE_FCLTY_INVL**

N8628151	**Child**	LICENSE_FCLTY_INVL	**Parent**	FCLTY_TYPE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_FCLTY_TYPEFK_OR	FK_ORGID_NBR		INTEGER	4	0		N	A
		FK_FCLTY_TYPETYP_C	TYP_CD		CHARACTER	2	0		N	A
N8628271	**Child**	LICENSE_FCLTY_INVL	**Parent**	LICENSE_APRV						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_LICENSE_APRVLIC	LICENSE_NBR		INTEGER	4	0		N	A

Children of **LICENSE_FCLTY_INVL**

Parent		**Child**				
COLNAME			TYPE	LEN	SC	D	N

LIV_ARR

The description of the individual's living arr angement as defined by each program's policy.

Priority 4 Dups N Download N Upload N NFOTS482

Column	Type	Length	Nulls	Scale	Key
TYP_CD	CHAR	2	N	0	
A code specifying an individual's li ving arrangement as defined by program policy.					
BEG_DT	DATE	4	N	0	4
The effective date of the Living Arra ngement.					

END DT	DATE	4	N	0	

The date the Living Arrangement is no longer effective.

HEAT COST IND	CHAR	1	N	0	

An indicator specifying for th e EAP program whether the household containing this individual is responsible fo r heating costs.Valid Values:YesNoNot Applicable - default for other programsUnk nown - default for EAP

COOL COST IND	CHAR	1	N	0	

An indicator specifying for th e EAP program whether the household containing this individual is responsible fo r cooling costs. Valid values:YesNoNot Applicable - default for other programsU nknown - default for EAP

EAP DWELLING CD	CHAR	2	Y	0	

A code specifying the type o f dwelling in which an individual lives. This code is only pertinent for EAP.

EAP PBLC HS IND	CHAR	1	N	0	

An indicator specifying for the EAP program whether the individual lives in public housing.Valid Values:YesN oNot Applicable - default for other programs.Unknown - default for EAP.

FK PCPIFK PGM CASE	CHAR	2	N	0	3
FK PCPIFK PGM CAS0	INTEGER	4	N	0	2
FK PCPIFK ARPID NB	INTEGER	4	N	0	1
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
LIVED W PERP IND	CHAR	1	N	0	

An identifier that shows wh ether the person with a living arrangement of Battered Woman & Children shelter was living with her abuser in the household.

Parents of **LIV_ARR**

N4825851 **Child** LIV_ARR **Parent** PCPI

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_PCPIFK_PGM_CAS0	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_PCPIFK_ARPID_NB	FK_ARPID_NBR	INTEGER	4	0		N	A

Children of **LIV_ARR**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

LIV_PLACE

The description of where an individual lives.

Priority 1 Dups N Download Y Upload Y NFOTS050

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
BEG DT	DATE	4	N	0	2

This attribute is the effective dat e of a living arrangment.

END DT	DATE	4	N	0	

This attribute is the date a living arrangment is no longer effective.

TYP CD	CHAR	2	N	0	

This attribute is a code specifying an individuals living arrangment as defined by program policy.

UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	

Parents of **LIV_PLACE**

N0500401	**Child**	LIV_PLACE	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR		ID_NBR	INTEGER	4	0		N	A

Children of **LIV_PLACE**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

MASS_CHG

Priority 50 Dups N Download N Upload N NFOTS527

Column	Type	Length	Nulls	Scale	Key
TYP_CD	CHAR	2	N	0	1
This is the type of mass change proc ess that this instance of MASS_CHANGE represents. For example, FSP Mass Changes or COLA. The value stored is from code category 1880 Mass Change Type Code.					
BEN_MO_DATE	DATE	4	N	0	2
STAT_CD	CHAR	2	Y	0	
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **MASS_CHG**

Children of **MASS_CHG**

N5285271	**Parent**	MASS_CHG	**Child**	MASS_CHG_DTL				
		COLNAME			TYPE	LEN	SC	D	N
	TYP_CD		FK_MASS_CHGTYP_CD		CHARACTER	2	0		N
	BEN_MO_DATE		FK_MASS_CHGBEN_MO		DATE	4	0		N

MASS_CHG_DTL

Priority 51 Dups N Download Y Upload Y NFOTS528

Column	Type	Length	Nulls	Scale	Key
MST_CSE_ID_NBR	INTEGER	4	N	0	1
A sequential number assi gned by the system to uniquely identify a MASTER_CASE.					
FK_MASS_CHGTYP_CD	CHAR	2	N	0	2
FK_MASS_CHGBEN_MC	DATE	4	N	0	3
PROC_STAT_CD	CHAR	2	Y	0	
CRET_DT	DATE	4	Y	0	
This is the date that the maste r case was selected for mass change processing by the Batch selection job. This date also represents the date that this instance of MASS_CHANGE_DETAIL was crea ted.					
MST_CSE_PROC_CD	CHAR	2	Y	0	
This code stores the va lue of MST_CASE.PROCESS_MASS_CHANGE_CODE at the point in time that this master c ase was processed through the batch selection process. The value stored is from code category 1883 Mass Change Process Code.					
PROC_DT	DATE	4	Y	0	

PA BUD CAT STAT CD	CHAR	2	Y	0
PA BC STAT RSN CD	CHAR	2	Y	0

This value represents the reason that the PA Budget Category was not able to finish processing. This value is set when the PA Budget Category did not have all budgets successfully authorized and saved or if notices were not generated. This value is set

FSP BC STAT CD	CHAR	2	Y	0
FSP BC STAT RSN CD	CHAR	2	Y	0
PRIRTY NBR	SMALLINT	2	Y	0
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
PROC SEQ NBR	INTEGER	4	Y	0

A random number that is se t by the MESA batch selection process. This number is used by by the MESA Maste r Case Requester to process master cases in a random order.

Parents of **MASS_CHG_DTL**

N5285271 **Child** MASS_CHG_DTL **Parent** MASS_CHG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_MASS_CHGTYP_CD	TYP_CD	CHARACTER	2	0		N	A
FK_MASS_CHGBEN_MO	BEN_MO_DATE	DATE	4	0		N	A

Children of **MASS_CHG_DTL**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

MCPCI

The association of a PROGRAM_CASE to a MASTER_CAS E. The model supports PROGRAM_CASEs being related to different MASTER_CASEs ove r time, however this function is not implemented in the application.FULL NAME: MASTER_CASE_PROGRAM_CASE_INVOLVEMENT

Priority 2 Dups N Download Y Upload Y NFOTS485

Column	Type	Length	Nulls	Scale	Key
BEG DT	DATE	4	N	0	4

The date that a PROGRAM_CASE was origin ally registered in a particular MASTER_CASE

END DT	DATE	4	N	0	

The date a PROGRAM_CASE was no longer a ctive in a particular MASTER_CASE due to being transferred to a different MASTER _CASE. This tramsfer function was never implemented in the application.

FK MST CASEID NBR	INTEGER	4	N	0	3
FK PGM CASEID NBR	INTEGER	4	N	0	2
FK PGM CASEPGM CD	CHAR	2	N	0	1
UPD USRID	CHAR	8	N	0	

The ID of the user or module which i nserted or last updated the MASTER_CASE_PROGRAM_CASE_INVLV.

UPD TS	TIMESTMP	10	N	0	

The timestamp that the MASTER_CASE_PROG RAM_CASE_INVLV was inserted or last updated.

Parents of **MCPCI**

N4855151	**Child**	MCPCI	**Parent**	MST_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_MST_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A
N4855951	**Child**	MCPCI	**Parent**	PGM_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PGM_CASEPGM_CD	PGM_CD		CHARACTER	2	0		N	A
		FK_PGM_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **MCPCI**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

MDCR

This attribute is used on interface BENDEX.* ***The MEDICARE CLAIM ACCOUNT NUMBER of the AGENCY RELATED PERSON.*

Priority 1 Dups N Download Y Upload Y NFOTS490

Column	Type	Length	Nulls	Scale	Key
FK_ARPID_NBR	INTEGER	4	N	0	1
ID_NBR	INTEGER	4	N	0	2

****

MDCR_BUYIN_INP

Priority 5 Dups N Download N Upload N NFOTS492

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
TYP	CHAR	1	N	0	2
Indicates Medicare Part A or Part B.* This varies from the standard and is named type because it is on the MDCR t able and it is out of scope to change MDCR.					
TRN CD	CHAR	4	N	0	3
REC PROC DT	DATE	4	N	0	4
HI CLM NBR	CHAR	12	N	0	
Health insurance claim num ber (also called Medicare claim number) that uniquely identifies a claim for Med icare. A pseudo claim number may be used if the beneficiary is entitled under a Rail Road Beneficiary number.					
SEX CD	CHAR	1	N	0	
Sex code of the client.					
BD	DATE	4	N	0	
Date of birth of the client.					
ELIG RSN CD	CHAR	2	Y	0	
Alphabetic code which des cribes the reason the beneficiary is eligible for buy-in					
TRN EFCTV DT	CHAR	6	N	0	5
CMS Year and month on wh ich the accretion or deletion action is effective non standard date from CMS th at Claire does not want to change - CCYYMM.					
CD 75 STP DT	CHAR	6	Y	0	
Used only in conjunction with a closed period of buy-in coverage. The year and month on which the close d period of buy-in coverage ended non standard date from CMS that Claire does n ot want to change - CCYYMM.					
UPD USRID	CHAR	8	N	0	
The identification of the u ser or module that inserted or last updated the ARP record.					
UPD TS	TIMESTMP	10	N	0	
The timestamp that the ARP rec ord was inserted or last updated.					

Parents of **MDCR_BUYIN_INP**

N4920401	**Child**	MDCR_BUYIN_INP	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **MDCR_BUYIN_INP**

Parent	**Child**				
COLNAME	TYPE	LEN	SC	D	N

MDCR_FORCE_BUYIN

Priority 5 Dups N Download N Upload N NFOTS491

Column	Type	Length	Nulls	Scale	Key
FK MDCRFK ARPID NE	INTEGER	4	N	0	1
FK MDCRID NBR	INTEGER	4	N	0	2
BEG DT	DATE	4	N	0	3
Beginning date of the durati on of the force-buy-in. The day will always be the first of the month.					
CRET TS	TIMESTMP	10	N	0	
Date/time the force-buy-in row was created.					

CRET_USRID	CHAR	8	N	0
User Logon ID of the ASP that created the force-buy-in status row.				
END_DT	DATE	4	N	0
Ending date of the duration of the force-buy-in. The day will always be the last day of the month.				
UPD_USRID	CHAR	8	N	0
UPD_TS	TIMESTMP	10	N	0

Parents of **MDCR_FORCE_BUYIN**

N4914901 **Child** MDCR_FORCE_BUYIN **Parent** MDCR

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_MDCRFK_ARPID_NB	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_MDCRID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **MDCR_FORCE_BUYIN**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

MED_DETRMN

Determinations of disability, medical impair ment or medical need for an ARP.

Priority 1 Dups N Download Y Upload Y NFOTS500

Column	Type	Length	Nulls	Scale	Key
FK_ARPID_NBR	INTEGER	4	N	0	1
ID_NBR	INTEGER	4	N	0	2
********** ***********This attribute is used for interface SVES, SDX.********** **********A number used for unique identification.********** Comments********** SOURCE:Designed					
TYP_CD	CHAR	2	N	0	
SRC_CD	CHAR	7	N	0	
STRT_DT	DATE	4	Y	0	
********** ***********This attribute is used for interface SVES, SDX.********** **********The date of onset of this medical determination.					
END_OR_DENL_DT	DATE	4	Y	0	
********** **********This attribute is used for interface SVES, SDX.********** **********The date for which this medical determination is no longer valid or has been denied.					
RVW_DT	DATE	4	Y	0	
********** ***********This attribute is used for interface SVES, SDX.********** **********Date this medical determination is due for review by the determining source.					
DUR	SMALLINT	2	Y	0	
********** ********This attribute is used for interface SVES, SDX.********** **********The estimated length of time, in months, of the determined d isability, medical impairment or medical need.					
SRT_APRV_FUNDNG_CI	CHAR	2	Y	0	
DENL_RSN_CD	CHAR	2	Y	0	
********** **********This attribute is used for interface SVES, SDX.********** **********Code identifying the valid reasons for which this me dical determination might be denied.					
UPD_USRID	CHAR	8	N	0	

UPD TS	TIMESTMP	10	N	0
VERF SRC CD	CHAR	2	Y	0
This will identify the source that was used to verify the medical determination. (1800 code table)				
VERF DT	DATE	4	Y	0
The date the medical determinatio n data was verified.				

Parents of **MED_DETRMN**

N5000401	**Child**	MED_DETRMN	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **MED_DETRMN**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

MED_INFO

A collection of information documenting the he alth and psychological needs of all individuals.

Priority 1 Dups N Download N Upload N NFOTS830

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A number used for unique identificat ion					
FK ARPID NBR	INTEGER	4	Y	0	
ALLER REAC IND	CHAR	1	N	0	
An indicator used to show if there have been any reactions or allergies developed from an office visit.					
LST PHYSCL DT	DATE	4	Y	0	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
ALLER REAC DSC	CHAR	100	Y	0	
DENTAL EXAM DT	DATE	4	Y	0	
Date of the persons last den tal exam					
VISION EXAM DT	DATE	4	Y	0	
Date of the persons last vis ion exam.					
PSYCL EXAM DT	DATE	4	Y	0	
Date of the persons last pysy chological exam.					

Parents of **MED_INFO**

N8300401	**Child**	MED_INFO	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **MED_INFO**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

MED_PROVDR_LOCK_IN

*A restriction of medical services fo r an ARP to aspecified resource(s).*****************Comments******************

Priority 1 Dups N Download N Upload N NFOTS505

Column	Type	Length	Nulls	Scale	Key
FK ORGID NBR	INTEGER	4	N	0	2

FK_ARPID_NBR	INTEGER	4	N	0	1
ID_NBR	INTEGER	4	N	0	3
TYP_CD	CHAR	2	N	0	
BEG_DT	DATE	4	N	0	

The effective date an ARP is locked in to a specificprovider.
**********Comments**********

END_DT	DATE	4	N	0	

The termination date of an ARP's lock in to a specificprovider.
**********Comments********** **

UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **MED_PROVDR_LOCK_IN**

N5050401 **Child** MED_PROVDR_LOCK_IN **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N5055501 **Child** MED_PROVDR_LOCK_IN **Parent** ORG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ORGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **MED_PROVDR_LOCK_IN**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

MODULE_TO_DO

Priority 2 Dups N Download Y Upload Y NFOTS510

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	2

This attribute (slot) holds the unique ID number for a particular row (instance).

MODULE_ID	CHAR	8	N	0	

This attribute (slot) holds t he knowledge base identifier. This ID will be something like this: NFO214k.

MODULE_STATUS	SMALLINT	2	N	0	
MOD_STAT_BEG_DATE	DATE	4	N	0	

This attribute (slot) holds the date the associated Module Status was set. This is useful if process ing a past month.

MOD_STAT_END_DATE	DATE	4	N	0	

This attribute (slot) holds the date that the associated Module Status was ended. This is useful if processing a past month.

FK_MST_CASEID_NBR	INTEGER	4	N	0	1
FK_PGM_CASEID_NBR	INTEGER	4	Y	0	
FK_PGM_CASEPGM_CD	CHAR	2	Y	0	
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **MODULE_TO_DO**

N5105151	**Child**	MODULE_TO_DO	**Parent**	MST_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_MST_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A
N5105951	**Child**	MODULE_TO_DO	**Parent**	PGM_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PGM_CASEPGM_CD	PGM_CD		CHARACTER	2	0		N	A
		FK_PGM_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **MODULE_TO_DO**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

MST_CASE

Priority 1 Dups N Download Y Upload N NFOTS515

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
ID_NBR	INTEGER	4	N	0	1
A sequential number assigned by the system to uniquely identify a MASTER_CASE.					
FK_DSS_OFCID_NBR	CHAR	3	Y	0	
CHKOUT_TS	TIMESTMP	10	Y	0	
CHKOUT_USRID	CHAR	8	Y	0	
The user ID of the person who has currently checked out the MASTER_CASE for expert system processing. If not populated, then the MASTER_CASE is not currently checked out and may be updated in other online business functions if populated, then the MASTER					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
MASS_CHG_PROC_CD	CHAR	2	Y	0	

Parents of **MST_CASE**

N5152251	**Child**	MST_CASE	**Parent**	DSS_OFC						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_DSS_OFCID_NBR	ID_NBR		CHARACTER	3	0		N	A

Children of **MST_CASE**

N0105151	**Parent**	MST_CASE	**Child**	ALRT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_MST_CASEID_NBR		INTEGER	4	0		N	
N0425151	**Parent**	MST_CASE	**Child**	ARP_DTL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_MST_CASEID_NBR		INTEGER	4	0		N	
N1105151	**Parent**	MST_CASE	**Child**	ES_CASE_STAT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_MST_CASEID_NBR		INTEGER	4	0		N	
N1705151	**Parent**	MST_CASE	**Child**	COR						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_MST_CASEID_NBR		INTEGER	4	0		N	
N2005151	**Parent**	MST_CASE	**Child**	RSRC						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_MST_CASEID_NBR		INTEGER	4	0		N	
N3405151	**Parent**	MST_CASE	**Child**	ARP_EXPN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_MST_CASEID_NBR		INTEGER	4	0		N	
N4855151	**Parent**	MST_CASE	**Child**	MCPCI						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_MST_CASEID_NBR		INTEGER	4	0		N	
N5105151	**Parent**	MST_CASE	**Child**	MODULE_TO_DO						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_MST_CASEID_NBR		INTEGER	4	0		N	
N5205151	**Parent**	MST_CASE	**Child**	MST_CASE_PRS						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_MST_CASEID_NBR		INTEGER	4	0		N	
N8855511	**Parent**	MST_CASE	**Child**	CS_REF						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_MST_CASEID_NBR		INTEGER	4	0		N	

MST_CASE_PRS

Priority 2 Dups N Download Y Upload Y NFOTS520

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	2
FK MST CASEID NBR	INTEGER	4	N	0	1
MST CASE NME IND	CHAR	1	N	0	
An indicator which des ignates the primary applicant for a household. Usually this will be the person listed on the first page of the paper application form. The person who fulfills the Master Case Name role may change over time.					
BEG DT	DATE	4	N	0	3
END DT	DATE	4	N	0	
A date representing when the ass ociated values of Household_Membership_Status_Code and Master_Case_Name_Indicato r were no longer effective, i.e., were changed.					
HH MBRSHP STAT CD	CHAR	2	Y	0	
A code specifying if an ARP resides in the household with the person designated as the Master Case Na me. Examples of values: In the Household, Out of the Household.					
HH MBRSHP RSN CD	CHAR	2	Y	0	
HH EXP RET DT	DATE	4	Y	0	
MSR IND	CHAR	1	N	0	
UPD USRID	CHAR	8	N	0	
The ID of the user or module that inserted or last updated the MASTER_CASE_PERSON.					

UPD TS	TIMESTMP	10	N	0

The timestamp that the MASTER_CA SE_PERSON was inserted or last updated.

Parents of **MST_CASE_PRS**

N5200401	**Child**	MST_CASE_PRS	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR		ID_NBR	INTEGER	4	0		N A
N5205151	**Child**	MST_CASE_PRS	**Parent**	MST_CASE					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_MST_CASEID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **MST_CASE_PRS**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

MST_CASE_UNT_TST

Allows batch team members to manage th e master cases to be kept on the unit database for testing.

Priority 80 Dups N Download N Upload N NFOTS522

Column	Type	Length	Nulls	Scale	Key
MST CASE ID NBR	INTEGER	4	N	0	1
Master Case number of the case to be kept in the unit test database.					
USRID	CHAR	8	N	0	
User ID of the batch team mem ber who requested the Master Case number					
REQ DT	DATE	4	N	0	
Date of when the master case was entered into the Master Cases for Unit Testing table.					
EXP DT	DATE	4	N	0	
Date when this master case c an be removed from the table					
DESC	CHAR	200	Y	0	
A brief description of what th e master case is being used for and any other relevant information					
INC CASE IND	CHAR	1	Y	0	
Y = this master case w ill be included in this execution N = this master case will not be included in this execution					
UPD USRID	CHAR	8	N	0	
The Userid of the last us er that updated this row.					
UPD TS	TIMESTMP	10	N	0	
The Timestamp of the last up date for this row.					

Parents of **MST_CASE_UNT_TST**

Children of **MST_CASE_UNT_TST**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

NARR_ENT

Priority 0 Dups N Download N Upload N NFOTS525

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A number used for unique identificat ion.					
SBJ CD	CHAR	2	N	0	
To organize NARRATIVE_ENTRY's into permitted vakues. Describing the contents of the NARRATIVE ENTRY and used for f iltering.See Codes Table for valid values.					

TYP CD	CHAR	2	N	0
A code specifying the type of NARRAT IVE ENTRY.VALID VALUESPhone CallCorrespondenceOffice VisitOut of Office VisitOth er				
SHRT DSC	CHAR	30	N	0
Short description summarizing the text of the Narrative Entry.				
OCC DT	DATE	4	Y	0
The date the incident described in t he NARRATIVE ENTRY occurred.				
REC DT	DATE	4	Y	0
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
DET TXT	VARCHAR	3,900	Y	0
Unstructured text describing/docume nting each contact or other information.				

Parents of **NARR_ENT**

Children of **NARR_ENT**

N6205251	**Parent**	NARR_ENT	**Child**	PGM_CASE_NARR_ENT	
		COLNAME		TYPE	LEN SC D N
	ID_NBR		FK_NARR_ENTID_NBR	INTEGER	4 0 N

NARR_HDR

Priority 0 Dups N Download N Upload N NFOTS831

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A number used for unique identificat ion					
FK PRT ET NME	CHAR	32	N	0	
This attribute was added duri ng TD. Refer to the description for NARRATIVE_HEADER.This attribute holds the na me of the parent entity type to which it is related by the common application co de. In all cases, this attribute is required.					
FK PRT ATTR1	INTEGER	4	N	0	
FK PRT ATTR2	CHAR	2	Y	0	
CRET BY	CHAR	8	N	0	
The Logon ID of the worker who firs t created the narrative					
SBJ AREA CD	CHAR	5	N	0	
A code used to determine which checklist was used for the narrative (e.g. assessment, safety plan, etc.).					
ITM CD	CHAR	2	Y	0	
A code specifying the classification of NARRATIVE.					
STAT CD	CHAR	2	N	0	
REC DT	DATE	4	N	0	
Date narrative was entered.					
OCC DT	DATE	4	Y	0	
The date of NARRATIVE entry or Updat e.					
SHORT DSC	CHAR	40	Y	0	
Used to display a brief descripti on on the list window to help the user determine whether or not that is the narr ative to be selected.					
UPD USRID	CHAR	8	N	0	

UPD_TS	TIMESTMP	10	N	0

Parents of **NARR_HDR**

Children of **NARR_HDR**

N0418311	**Parent**	NARR_HDR	**Child**	ARP_NARR_INVLV						
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_NARR_HDR	ID_NBR		INTEGER	4	0		N
N0928311	**Parent**	NARR_HDR	**Child**	INCLD_NARR_INVLV						
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_NARR_HDR	ID_NBR		INTEGER	4	0		N
N1758311	**Parent**	NARR_HDR	**Child**	COR_ENT						
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_NARR_HDR	ID_NBR		INTEGER	4	0		N
N8328311	**Parent**	NARR_HDR	**Child**	NARR_TXT						
		COLNAME				TYPE	LEN	SC	D	N
	ID_NBR		FK_NARR_HDR	ID_NBR		INTEGER	4	0		N

NARR_TMPL

The table will contain the templates that wil l be used to create Automated Narratives.

Priority 50 Dups N Download N Upload N NFOTS532

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	1
Unique number used to identify each template					
SEQ_NBR	SMALLINT	2	N	0	2
Sequence number which imposes a se quential ordering for templates that span the amount of text that may fit in one row.					
NARR_TYP_CD	CHAR	2	N	0	
Indicates the type of narrativ e that will be created. N1 indicates that an Original Narrative will be create d. N2 indicates that an Expanded Narrative will be created.					
SHRT_DSC	CHAR	30	N	0	
If a short description is supplie d by the calling program, the supplied short description will be used in the nar rative if no short description is provided, this short description will be used in the narrative.					
UPD_USRID	CHAR	8	N	0	
The ID of the last user or proce ss to created/update this template technical use only					
UPD_TS	TIMESTMP	10	N	0	
The last time in which this templat e was created/updated technical use only.					
NARR_TXT	VARCHAR	3,900	N	0	
Contains the template text that w ill be used to build the Automated narrative					

Parents of **NARR_TMPL**

Children of **NARR_TMPL**

Parent			**Child**					
	COLNAME			TYPE	LEN	SC	D	N

NARR_TMPL_STAGING

Priority 50 Dups N Download N Upload N NFOTS533

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	1
Unique number used to ident ify each template					

SEQ_NBR	SMALLINT	2	N	0	2

Sequence number which impo ses a sequential ordering for templates that span the amount of text that may fi t in one row.

NARR_TYP_CD	CHAR	2	N	0	

Indicates the type of narrative that will be created. N1 indicates that an Original Narrative will b e created. N2 indicates that an Expanded Narrative will be created.

SHRT_DSC	CHAR	30	N	0	

If a short description is supplied by the calling program, the supplied short description will be used in the narrative if no short description is provided, this short description will be used in the narrative.

UPD_USRID	CHAR	8	N	0	

The ID of the last user or process to created/update this template technical use only

UPD_TS	TIMESTMP	10	N	0	

The last time in which this template was created/updated technical use only.

NARR_TXT	VARCHAR	3,900	N	0	

Contains the template tex t that will be used to build the Automated narrative

Parents of **NARR_TMPL_STAGING**

Children of **NARR_TMPL_STAGING**

Parent COLNAME	Child TYPE	LEN	SC	D	N

NARR_TXT

Unstructured text associated with a CPS case w hich documents/describes each contact or other information. Codes tables drive narrative type available/required per population type and/or status of MC/PC.

Priority 1 Dups N Download N Upload N NFOTS832

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	2

A number used for unique identificat ion.

FK_NARR_HDRID_NBR	INTEGER	4	N	0	1
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
TXT	VARCHAR	3,900	N	0	

Free form data entered text based on pr edefined narrative types/subtypes.

Parents of **NARR_TXT**

N8328311	Child NARR_TXT	Parent NARR_HDR					
	COLNAME		TYPE	LEN	SC	D	N UPD
	FK_NARR_HDRID_NBR	ID_NBR	INTEGER	4	0		N A

Children of **NARR_TXT**

Parent COLNAME	Child TYPE	LEN	SC	D	N

NEW_HIRE_INF

The NEW HIRE INTERFACE will store the empl oyment data from the state or national directory of new hire coming from CHARTS.

Priority 0 Dups N Download N Upload N NFOTS461

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	1

EMP SSN	CHAR	9	N	0
Subjects Social Security Number .				
FRST NME	CHAR	20	N	0
Employee's First Name.				
MIDL NME	CHAR	20	Y	0
Employee's Middle Name.				
LST NME	CHAR	25	N	0
Employee's Last Name.				
SRC CD	CHAR	1	N	0
Indicator that States if the dat a if from the State directory of new hire (SDNH) or the national directory of ne w hire (NDNH).				
FED ID NBR	CHAR	9	N	0
Federal identifiaction numbe r that comes for either SDNH or NDNH.				
EMP NME	CHAR	45	N	0
Employer name that is supplied by SDNH or NDNH.				
ADDR1 LNE1	CHAR	40	N	0
Employer's accounting or pa yroll street/post office box address supplied.				
ADDR1 LNE2	CHAR	30	Y	0
additional address line.				
CTY1	CHAR	25	N	0
employer's city location supplied by SDNH/NDNH.				
ST1	CHAR	2	N	0
Employer's state location supplied by SDNH/NDNH.				
ZP5 CD1	CHAR	5	N	0
Employer's five digit zip code				
ZP4 CD1	CHAR	4	N	0
Employer's four digit zip code				
PHN NBR	CHAR	10	Y	0
Employer's phone number.				
ADDR2 LN1	CHAR	40	Y	0
Employer's secondary street / post office box address if applicable, from the SDNH/NDNH file.				
ADDR2 LNE2	CHAR	30	Y	0
Additional street address, i f applicable, from the SDNH/NDNH file.				
CTY2	CHAR	25	Y	0
Employer's city address, if appli cable, from the SDNH/NDNH file.				
ST2	CHAR	2	Y	0
Employer's state Adress, if applic able , from the SDNH/NDNH file.				
ZP5 CD2	CHAR	5	Y	0
Employer's five digit zip coed , if applicable, from the SDNH/NDNH file.				
ZP4 CD2	CHAR	4	Y	0
Employer's four digit zip code , if applicable, from the SDNH/NDNH file.				
PROC DT	DATE	4	N	0
Processing date supplied by the computer system.				
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
HIRE DT	DATE	4	Y	0
The actual date of hire This v alue was derived from the upd_ts and this addition should allow us to get away f rom using the UPD_TS as an application value.				

Parents of **NEW_HIRE_INF**

Children of **NEW_HIRE_INF**

Parent		Child				
COLNAME			TYPE	LEN	SC	D	N

NME_HIST

This entity is to record all changes that occu r to an ARP Name.

Priority 1 Dups N Download N Upload N NFOTS535

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
BEG DT	DATE	4	N	0	
END DT	DATE	4	N	0	
LST NME	CHAR	25	N	0	
FRST NME	CHAR	20	N	0	
MIDL NME	CHAR	20	Y	0	
NME EXTN CD	CHAR	3	Y	0	
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
NME TYP CD	CHAR	2	N	0	
A code specifying the type of na me of the ARP.EX Maiden Name before adoption					
PHNTC NME	CHAR	8	N	0	
Used by a soundex search to searc h for a last name.					
ID NBR	INTEGER	4	N	0	2
Used in conjunction with the Agency_ Related_Person identification_number to uniquely identify a Name_History record.					

Parents of **NME_HIST**

N5350401	**Child**	NME_HIST	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **NME_HIST**

Parent		Child				
COLNAME			TYPE	LEN	SC	D	N

NON_ISS_PMT

This entity includes all payments that are not in "issued" status.

Priority 1 Dups N Download N Upload N NFOTS537

Column	Type	Length	Nulls	Scale	Key
STAT CD	CHAR	2	N	0	
STAT CHG DT	DATE	4	N	0	
WRNT NBR	INTEGER	4	N	0	
A number identifying the warran t of the PAYMENT issued.					
**********This attri bute is used on interfaces DAS.**********					
FK PMTWRNT NBR	INTEGER	4	N	0	1
FK PMTISS DT	DATE	4	N	0	2

UPD_USRID	CHAR	8	N		0
UPD_TS	TIMESTMP	10	N		0

Parents of **NON_ISS_PMT**

N5376401 **Child** NON_ISS_PMT **Parent** PMT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PMTWRNT_NBR	WRNT_NBR	INTEGER	4	0		N	A
FK_PMTISS_DT	ISS_DT	DATE	4	0		N	A

Children of **NON_ISS_PMT**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

NTC_HDR

Contains the unique identifier of the specific piece of Notice Text. This should correspond to the Word document used to gener ate the text.

Priority 0 Dups N Download N Upload N NFOTS541

Column	Type	Length	Nulls	Scale	Key
NTC_ID	CHAR	8	N	0	1
Unique identifer for the Notice Messa ge Text					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **NTC_HDR**

Children of **NTC_HDR**

N5435411 **Parent** NTC_HDR **Child** NTC_MSG

COLNAME		TYPE	LEN	SC	D	N
NTC_ID	FK_NTC_HDRNTC_ID	CHARACTER	8	0		N

NTC_MSG

Contains the action text or reason text that is used to compose a Notice.

Priority 1 Dups N Download N Upload N NFOTS543

Column	Type	Length	Nulls	Scale	Key
SEQ_NBR	SMALLINT	2	N	0	2
Used sequence multiple sections of t ext for a single Notice Message.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
NTC_TXT	VARCHAR	3,900	N	0	
Specific Notice Message Text. This could be one sentence or several paragraphs.					
FK_NTC_HDRNTC_ID	CHAR	8	N	0	1

Parents of **NTC_MSG**

N5435411 **Child** NTC_MSG **Parent** NTC_HDR

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_NTC_HDRNTC_ID	NTC_ID	CHARACTER	8	0		N	A

Children of **NTC_MSG**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

OLTRAN

Online to Batch Transaction - Used to communicat e tasks to be completed in batch.

Priority 85 Dups N Download N Upload Y NFOTS545

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Random number to uniquely identify eac h occurence.					
TRN CD	CHAR	8	N	0	
Transaction code for the type of batch transaction. A new code should be assigned from the inventory.					
PRC DT	DATE	4	N	0	
Date the transaction is to be processe d. This can be today's date or a date in the future.					
TRN SRT KEY	CHAR	50	N	0	
Sort key for the transaction. Th is is free form and probably different for each transaction type.					
TRN DTL DATA	CHAR	254	N	0	
Detailed data for the batch tran saction. This is free form and probably different for each transaction type.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **OLTRAN**

Children of **OLTRAN**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

ORG

Priority 0 Dups N Download Y Upload N NFOTS550

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
This attribute is used by report ACF-4125 , ACF-115.**********A number assigned for uniqu e identification.**********Comments********** SOURCE:Designed					
ORG NME	CHAR	48	N	0	
The business name of the ORGANIZATION.** **********This attribute is used on interface D AS, CSE.**********					
DBA NME	CHAR	40	Y	0	
********** ****This attribute is used on interface CSE********** *******The business name most often used and recognized. example: SKK Enterpri ses Inc. does business as Runza Drive Inn.					
WITH FICA IND	CHAR	1	N	0	
An indicator specifying whether an individual is subject to FICA withholding as specified in policy 474 NAC 3-003. 02'Y' - Must withhold FICA'N' - Do not withhold FICA (default)********** **********This attribute is used on report(					
TAX ID	CHAR	9	Y	0	
TAX ID TYP CD	CHAR	2	Y	0	
A code indicating whether the tax_ id is an SSN or an FID.Valid valuse:SSNFID					
TAX ID BEG DT	DATE	4	Y	0	
The date the ORGANIZATION.Federal Identification Number is effective.					
DUPLICATE CD	CHAR	4	Y	0	

UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0
DUP PERM DT	DATE	4	Y	0
The date that the DUP or PERM indica tor was set.				
CRET TS	TIMESTMP	10	Y	0
Date/Time worker creates the Organizatio n				
CRET USRID	CHAR	8	Y	0
User ID of worker who creates the Org anization				
MOD TS	TIMESTMP	10	Y	0
Date/Time worker modifies the Organizatio n				
MOD USRID	CHAR	8	Y	0
User ID of worker who modifies the Org anization				

Parents of **ORG**

Children of **ORG**

N0075501	**Parent**	ORG	**Child**	INTERNET_ADDR						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N0205501	**Parent**	ORG	**Child**	APRV_PGM_SVC						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N0355501	**Parent**	ORG	**Child**	AR						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N0605501	**Parent**	ORG	**Child**	ARP_FUNC_REL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N1185501	**Parent**	ORG	**Child**	COM_BANK_ACCT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N1315501	**Parent**	ORG	**Child**	SWTF_TRAN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N1325501	**Parent**	ORG	**Child**	TRAN_RGST						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N1335501	**Parent**	ORG	**Child**	SWTF_REQ						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N1355501	**Parent**	ORG	**Child**	CLM						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N1705501	**Parent**	ORG	**Child**	COR						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N2745501	**Parent**	ORG	**Child**	AR_BIL_DTL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N3655501	**Parent**	ORG	**Child**	EXT_OP						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N3855501	**Parent**	ORG	**Child**	GOA_TSK						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK0ORGID_NBR		INTEGER	4	0		N	
N3855502	**Parent**	ORG	**Child**	GOA_TSK						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N5055501	**Parent**	ORG	**Child**	MED_PROVDR_LOCK_IN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N5555501	**Parent**	ORG	**Child**	ORG_ADDRSE						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N5605501	**Parent**	ORG	**Child**	ORG_DUP_XREF						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK0ORGID_NBR		INTEGER	4	0		N	
N5605502	**Parent**	ORG	**Child**	ORG_DUP_XREF						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N5625501	**Parent**	ORG	**Child**	COMPLAINT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N5705501	**Parent**	ORG	**Child**	ORG_PRS_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	

N5755501	**Parent**	ORG	**Child**	ORG_TAX_ID						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N5775501	**Parent**	ORG	**Child**	ORG_CONT_ASGN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N5805501	**Parent**	ORG	**Child**	PCAI						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N6355501	**Parent**	ORG	**Child**	PHN_NBR						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N6375501	**Parent**	ORG	**Child**	PYE_PMT_MTHD						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N6425501	**Parent**	ORG	**Child**	ORG_PMT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N7005501	**Parent**	ORG	**Child**	SCHL_ATTNDCE						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N7255501	**Parent**	ORG	**Child**	SVC_APRV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK0ORGID_NBR		INTEGER	4	0		N	
N7255502	**Parent**	ORG	**Child**	SVC_APRV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N7425501	**Parent**	ORG	**Child**	SVC_REQ						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N7625501	**Parent**	ORG	**Child**	RVW_RSTRT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N7635501	**Parent**	ORG	**Child**	RVW_INJ						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N7965502	**Parent**	ORG	**Child**	FCRB_PLMNT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N8035501	**Parent**	ORG	**Child**	ANSWER						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N8155501	**Parent**	ORG	**Child**	FCLTY_TYPE						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N8175501	**Parent**	ORG	**Child**	HOME_DTL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N8245501	**Parent**	ORG	**Child**	INTAKE_ORG_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N8255501	**Parent**	ORG	**Child**	LEGAL_AT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N8275501	**Parent**	ORG	**Child**	LICENSE_APRV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N8335501	**Parent**	ORG	**Child**	ORG_ASGN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	

N8445501	**Parent**	ORG	**Child**	PLMNT_PREF						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N8565501	**Parent**	ORG	**Child**	SUBSIDY						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N8595501	**Parent**	ORG	**Child**	VSTN_PLAN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N8685501	**Parent**	ORG	**Child**	SVC_REF						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	
N8725501	**Parent**	ORG	**Child**	GENR_ALRT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_ORGID_NBR		INTEGER	4	0		N	

ORG_ADDRSE

Priority 1 Dups N Download Y Upload N NFOTS555

Column	Type	Length	Nulls	Scale	Key
FK_ADDRID_NBR	INTEGER	4	N	0	2
FK_ORGID_NBR	INTEGER	4	N	0	1
ID_NBR	INTEGER	4	N	0	3

A number used for unique identific ation.**********Comments********** SOURCE:Designed********** **********This attribute is used on report(s) ACF-4125.******* **********

TYP_CD	CHAR	2	N	0	
BEG_DT	DATE	4	N	0	
END_DT	DATE	4	N	0	

The date the ADDRESS is no longer effective for the ORGANIZATION ADDRESSEE. This date may be past, present or fut ure.**********This attribute is used on report (s) ACF-4125.**********

UPD_USRID	CHAR	8	Y	0	
UPD_TS	TIMESTMP	10	Y	0	

Parents of **ORG_ADDRSE**

N5550051	**Child**	ORG_ADDRSE	**Parent**	ADDR						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ADDRID_NBR	ID_NBR		INTEGER	4	0		N	A
N5555501	**Child**	ORG_ADDRSE	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **ORG_ADDRSE**

Parent		**Child**					
	COLNAME		TYPE	LEN	SC	D	N

ORG_ASGN

Priority 2 Dups N Download N Upload N NFOTS833

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	4

BEG DT	DATE	4	N	0	
CW CD	CHAR	2	Y	0	
FK ORGID NBR	INTEGER	4	N	0	1
END DT	DATE	4	N	0	
FK DSS OFC POSTFK	CHAR	3	N	0	3
FK DSS OFC POSTID	INTEGER	4	N	0	2
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	Y	0	

Parents of **ORG_ASGN**

N8332301 **Child** ORG_ASGN **Parent** DSS_OFC_POSTN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR	CHARACTER	3	0		N	A
FK_DSS_OFC_POSTID	ID_NBR	INTEGER	4	0		N	A

N8335501 **Child** ORG_ASGN **Parent** ORG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ORGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **ORG_ASGN**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

ORG_CONT_ASGN

Identifies the assignment of a child (ARP) that is in a CFS PROGRAM CASE to an ORGANIZATION that contracts case managemen t services. These may or may not be entered into a direct contract that is stor ed in SVC_AUTHN.

Priority 20 Dups N Download N Upload N NFOTS557

Column	Type	Length	Nulls	Scale	Key
FK ORGID NBR	INTEGER	4	N	0	1
FK PCPIFK PGM CASE	CHAR	2	N	0	2
FK0PCPIFK PGM CASE	INTEGER	4	N	0	3
FK PCPIFK ARPID NB	INTEGER	4	N	0	4
BEG DT	DATE	4	N	0	5

Date the child is assigned to a contracted ORGANIZATION that does the case management services.

END DT	DATE	4	N	0

Date the child's assignment is removed from the contracted ORGANIZATION that does the case management services . High date indicates the active row.

UPD USRID	CHAR	8	N	0

User ID of the person/proces s that last updated this row.

UPDATE TIMESTAMP	TIMESTMP	10	N	0

Timestamp when this r ow was last updated.

RLE CD	CHAR	2	Y	0

Identifies the role of the chil d.

Parents of **ORG_CONT_ASGN**

N5775501	**Child**	ORG_CONT_ASGN	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A
N5775851	**Child**	ORG_CONT_ASGN	**Parent**	PCPI						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD		CHARACTER	2	0		N	A
		FK0PCPIFK_PGM_CASE	FK_PGM_CASEID_NBR		INTEGER	4	0		N	A
		FK_PCPIFK_ARPID_NB	FK_ARPID_NBR		INTEGER	4	0		N	A

Children of **ORG_CONT_ASGN**

Parent	Child				
COLNAME		TYPE	LEN	SC	D	N

ORG_DUP_XREF

Associative entity to identify duplicate O RGANIZATION's.

Priority 1 Dups N Download N Upload N NFOTS560

Column	Type	Length	Nulls	Scale	Key
FK ORGID NBR	INTEGER	4	N	0	1
FK0ORGID NBR	INTEGER	4	N	0	2
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **ORG_DUP_XREF**

N5605501	**Child**	ORG_DUP_XREF	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK0ORGID_NBR	ID_NBR		INTEGER	4	0		N	A
N5605502	**Child**	ORG_DUP_XREF	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **ORG_DUP_XREF**

Parent	Child				
COLNAME		TYPE	LEN	SC	D	N

ORG_PMT

PROVIDE A WAY TO DETERMINE THE OWNER ORGANIZATI ON AND THE PROVIDER ORGANIZATIONS THAT GIVEN PAYMENT WAS MADE TO.

Priority 1 Dups N Download N Upload N NFOTS642

Column	Type	Length	Nulls	Scale	Key
TYP CD	CHAR	1	N	0	4
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
FK ORGID NBR	INTEGER	4	N	0	3
FK PMTWRNT NBR	INTEGER	4	N	0	1
FK PMTISS DT	DATE	4	N	0	2

Parents of **ORG_PMT**

N6425501	**Child**	ORG_PMT	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A
N6426401	**Child**	ORG_PMT	**Parent**	PMT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PMTWRNT_NBR	WRNT_NBR		INTEGER	4	0		N	A
		FK_PMTISS_DT	ISS_DT		DATE	4	0		N	A

Children of **ORG_PMT**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

ORG_PREF_CHAR

A collection of information describing a persons changeable tendencies that are acceptable to an ORG.

Priority 2 Dups N Download N Upload N NFOTS837

Column	Type	Length	Nulls	Scale	Key
CHAR_TYP_CD	CHAR	4	N	0	3
A code specifying the type of characteristic.					
FK_PLMNT_PREFID_NB	INTEGER	4	N	0	2
FK_PLMNT_PREFFK_OR	INTEGER	4	N	0	1
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	

Parents of **ORG_PREF_CHAR**

N8378441	**Child**	ORG_PREF_CHAR	**Parent**	PLMNT_PREF						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PLMNT_PREFFK_OR	FK_ORGID_NBR		INTEGER	4	0		N	A
		FK_PLMNT_PREFID_NB	ID_NBR		INTEGER	4	0		N	A

Children of **ORG_PREF_CHAR**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

ORG_PREF_CHAR_HIST

This entity records the ORG Preferen ce Characteristics of a specific occurrence of Placement Preference History.

Priority 3 Dups N Download N Upload N NFOTS867

Column	Type	Length	Nulls	Scale	Key
FK_PLMNT_PREF_HFK	INTEGER	4	N	0	1
FK_PLMNT_PREF_HFK0	INTEGER	4	N	0	2
FK_PLMNT_PREF_HID	INTEGER	4	N	0	3
CHAR_TYP_CD	CHAR	4	N	0	4
A code specifying the type of characteristic.					
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	

Parents of **ORG_PREF_CHAR_HIST**

N8678451	**Child**	ORG_PREF_CHAR_HIST	**Parent**	PLMNT_PREF_HIST						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PLMNT_PREF_HFK	FK_PLMNT_PREFFK_OR		INTEGER	4	0		N	A
		FK_PLMNT_PREF_HFK0	FK_PLMNT_PREFID_NB		INTEGER	4	0		N	A
		FK_PLMNT_PREF_HID	ID_NBR		INTEGER	4	0		N	A

Children of **ORG_PREF_CHAR_HIST**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

ORG_PRS_INVLV

Priority 1 Dups N Download N Upload N NFOTS570

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
FK_ORGID_NBR	INTEGER	4	N	0	1
FK_ARPID_NBR	INTEGER	4	N	0	2
BEG_DT	DATE	4	Y	0	
END_DT	DATE	4	Y	0	
The date the ORGANIZATION PERSO N INVOLVEMENT is nolonger effective. This date can be past, present orfuture. ** **********This attribute is used on report(s) IV -E-12.**********					
TYP_CD	CHAR	2	N	0	3
A code specifying the involveme nt of the AGENCYRELATED PERSON with the ORGANIZATION.Valid ValuesAdministrative ContactFinancial ContactARP as ORGAll contacts refer to the entire ORGANIZATION. e.g. Administrative Contact (Executive Director for the YMCA)					
TYP_CD_DSC	CHAR	70	Y	0	
Unstructured text describin g the contact.					
FAM_RLE_CD	CHAR	2	Y	0	
A unique code describing th e relationship of the Persons within a Foster Care Home, Adoptive Home.ex: Valid values: Mom, Dad, Child, Relative, Nonrelative, other.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **ORG_PRS_INVLV**

N5700401	**Child**	ORG_PRS_INVLV	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N5705501	**Child**	ORG_PRS_INVLV	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **ORG_PRS_INVLV**

N3855701	Parent	ORG_PRS_INVLV	Child	GOA_TSK				
		COLNAME			TYPE	LEN	SC	D	N
	FK_ORGID_NBR		FK_ORG_PRS_INVLFK		INTEGER	4	0		N
	FK_ARPID_NBR		FK_ORG_PRS_INVLFK0		INTEGER	4	0		N
	TYP_CD		FK_ORG_PRS_INVLTYP		CHARACTER	2	0		N

N8355701	Parent	ORG_PRS_INVLV	Child	LEGAL_AT_OPI				
		COLNAME			TYPE	LEN	SC	D	N
	FK_ORGID_NBR		FK_ORG_PRS_INVLFK		INTEGER	4	0		N
	FK_ARPID_NBR		FK0ORG_PRS_INVLFK		INTEGER	4	0		N
	TYP_CD		FK_ORG_PRS_INVLTYP		CHARACTER	2	0		N

ORG_TAX_ID

Priority 1 Dups N Download N Upload N NFOTS575

Column	Type	Length	Nulls	Scale	Key
TAX_ID	CHAR	9	N	0	
BEG_DT	DATE	4	N	0	2
The date the ORGANIZATION.Federal Identification Number is effective.					
END_DT	DATE	4	N	0	
The date the ORGANIZATION.Federal Identifaction Number is no longer effective. This date can be past, present or f uture.					
FK_ORGID_NBR	INTEGER	4	N	0	1
TYP_CD	CHAR	2	Y	0	
A code indicating whether the tax_ id is an SSN or an FID.Valid valuse:SSNFID					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **ORG_TAX_ID**

N5755501	Child	ORG_TAX_ID	Parent	ORG					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N A

Children of **ORG_TAX_ID**

Parent		Child					
	COLNAME		TYPE	LEN	SC	D	N

PA_ARP_INVLV

Documents persons involved in a Protective Action

Priority 37 Dups N Download N Upload N NFOTS103

Column	Type	Length	Nulls	Scale	Key
FK_PROTECTIVE_AID	INTEGER	4	N	0	1
FK_ARPID_NBR	INTEGER	4	N	0	2
RLE_CD	CHAR	2	N	0	
Role of this ARP in this Protect ive Action.					
UPD_USRID	CHAR	8	N	0	
The identification of the use r or module that inserted or last updated the ARP record.					
UPD_TS	TIMESTMP	10	N	0	
The timestamp that the ARP recor d was inserted or last updated.					

Parents of **PA_ARP_INVLV**

N1030401	**Child**	PA_ARP_INVLV	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N1031021	**Child**	PA_ARP_INVLV	**Parent**	PROTECTIVE_AT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PROTECTIVE_AID	ID_NBR		INTEGER	4	0		N	A

Children of **PA_ARP_INVLV**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

PA_STAT_HIST

Protective Action Status History is used t o track the status of a Protective Action over time.

Priority 37 Dups N Download N Upload N NFOTS104

Column	Type	Length	Nulls	Scale	Key
FK PROTECTIVE AID	INTEGER	4	N	0	1
STAT CD	CHAR	2	N	0	2
Indicates the status of the Pro tective Action during period of time.					
STAT BEG DT	DATE	4	N	0	3
The date the Protective Act ion status started.					
STAT BEG TME	TIME	3	N	0	4
The time the Protective Ac tion status started.					
STAT END DT	DATE	4	N	0	
The date the Protective Act ion status ended.					
STAT END TME	TIME	3	N	0	
The time the Protective Ac tion status ended.					
STAT UPD USRID	CHAR	8	N	0	
Worker that updated the status.					
ON BEHALF OF USRID	CHAR	8	Y	0	
Supervisor that was actually responsible for reviewing this Protective Action.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **PA_STAT_HIST**

N1041021	**Child**	PA_STAT_HIST	**Parent**	PROTECTIVE_AT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PROTECTIVE_AID	ID_NBR		INTEGER	4	0		N	A

Children of **PA_STAT_HIST**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

PCA_ARP_INVLV

Associative Entity that documents people (ARPs) who are involved in this Protective Capacity Assessment.

Priority 37 Dups N Download N Upload N NFOTS113

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
FK PRCTV CPCTYID N	INTEGER	4	N	0	2
UPD USRID	CHAR	8	N	0	
Last worker who updated the values in this row (TECHNICAL USE ONLY)					

UPD_TS	TIMESTMP	10	N	0
Last time Update User ID update d any value in this row (TECHNICAL USE ONLY)				

Parents of **PCA_ARP_INVLV**

N1130401	**Child**	PCA_ARP_INVLV	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N A
N1131111	**Child**	PCA_ARP_INVLV	**Parent**	PRCTV_CPCTY_ASSMNT					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_PRCTV_CPCTYID_N	FK_SFTY_ASSMNTID_N		INTEGER	4	0		N A

Children of **PCA_ARP_INVLV**

N1151131	**Parent**	PCA_ARP_INVLV	**Child**	PRCTV_CPCTY_SKL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_ARPID_NBR		FK_PCA_ARP_INVLFKA		INTEGER	4	0		N
	FK_PRCTV_CPCTYID_N		FK_PCA_ARP_INVLFKP		INTEGER	4	0		N

PCA_STAT_HIST

Protective Capacity Assessment Status His tory is used to document the status of a Protective Capacity Assessment over tim e.

Priority 37 Dups N Download N Upload N NFOTS112

Column	Type	Length	Nulls	Scale	Key
FK_PRCTV_CPCTYID_N	INTEGER	4	N	0	1
STAT_CD	CHAR	2	N	0	2
Indicates the status of the Pr otective Capacity Assessment during this period of time.					
STAT_BEG_DT	DATE	4	N	0	3
The date the Protective Ca pacity Assessment STATUS started.					
STAT_BEG_TME	TIME	3	N	0	4
The time the Protective C apacity Assessment STATUS started.					
STAT_END_DT	DATE	4	N	0	
The date the Protective Ca pacity Assessment STATUS ended.					
STAT_END_TME	TIME	3	N	0	
The time the Protective C apacity Assessment STATUS ended.					
STAT_UPD_USRID	CHAR	8	N	0	
User Id of the worker t hat updated the STATUS of the Protective Capacity Assessment.					
OBO_USRID	CHAR	8	Y	0	
Supervisor that was actually responsible for reviewing this Protective Capacity Assessment - usually the cur rent Supervisor of the worker that completed the Protective Capacity Assessment.					
UPD_USRID	CHAR	8	N	0	
Last worker who updated the values in this row (TECHNICAL USE ONLY)					
UPD_TS	TIMESTMP	10	N	0	
Last time Update User ID update d any value in this row (TECHNICAL USE ONLY)					

Parents of **PCA_STAT_HIST**

N1121111	**Child**	PCA_STAT_HIST	**Parent**	PRCTV_CPCTY_ASSMNT					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_PRCTV_CPCTYID_N	FK_SFTY_ASSMNTID_N		INTEGER	4	0		N A

Children of **PCA_STAT_HIST**

	Parent		**Child**						
		COLNAME			TYPE	LEN	SC	D	N

PCAI

The administrative role that an AGENCY_RELATED_PER SON or ORGANIZATION fulfills in a PROGRAM_CASE, commonly abbreviated PCAI.

Priority 2 Dups N Download Y Upload Y NFOTS580

Column	Type	Length	Nulls	Scale	Key

ID NBR	INTEGER	4	N	0	3

A random number assigned by the system t o assist with uniquely identifying the PCAI. Note that the Identification_Numbe r is not the complete identifier of the PCAI - it must be concatenated with the relationship to PROGRAM_CASE.

RLE CD	CHAR	2	N	0	

A code specifying the administrative rol e in a PROGRAM_CASE that an AGENCY_RELATED_PERSON or ORGANIZATION fulfills. Exa mples include: Program Case Name, Payee, Case Representative, Emergency Contact .

BEG DT	DATE	4	N	0	

A date representing when the associated values of PCAI attributes became effective.

END DT	DATE	4	N	0	

A date representing when the associated values of PCAI attributes were no longer effective, i.e., changed.

WRK LST 2MO IND	CHAR	1	N	0	

An indicator documenting whethe r the Food Stamps Principal Wage Earner (PWE) has worked in the last two months. This attribute is flagged for deletion. The ESP project removed the automation of this information.

CURR WRK IND	CHAR	1	N	0	

An indicator documenting whether t he Food Stamps Principal Wage Earner (PWE) is currently working.This attribute i s flagged for deletion. The ESP project removed automation of this information.

WRK NXT MO IND	CHAR	1	N	0	

An indicator documenting whether the Food Stamps Principal Wage Earner (PWE) will work next month.This attribute is flagged for deletion. The ESP project removed automation of this informatio n.

UMP BEN IND	CHAR	1	N	0	

An indicator documenting whether th e Food Stamps Principal Wage Earner is receiving Unemployment Benefits.This attr ibute is flagged for deletion. The ESP project removed automation of this infor mation.

EMP 4YR3MO IND	CHAR	1	N	0	

An indicator documenting whether the Food Stamps Principal Wage Earner (PWE) has been employed in the last 4 yea rs and 3 months.This attribute is flagged for deletion. The ESP project removed automation of this information.

JOBS PART IND	CHAR	1	N	0	

An indicator documenting whether the Food Stamps Principal Wage Earner (PWE) is participating in the Employment F irst program.This attribute is flagged for deletion. The ESP project removed au tomation of this information.

SCH PART IND	CHAR	1	N	0	

An indicator documenting whether t he Food Stamps Principal Wage Earner (PWE) is attending school.This attribute is flagged for deletion. The ESP project removed automation of this information.

NTC IND	CHAR	1	N	0	

An indicator designating whether the AG ENCY_RELATED_PERSON or ORGANIZATION fulfilling this PCAI role should normally re ceive notices and correspondence.

FK PGM CASEID NBR	INTEGER	4	N	0	2
FK PGM CASEPGM CD	CHAR	2	N	0	1
FK ORGID NBR	INTEGER	4	Y	0	
FK ARPID NBR	INTEGER	4	Y	0	
UPD TS	TIMESTMP	10	N	0	

The timestamp that the PCAI was inserted or last updated.

UPD USRID	CHAR	8	N	0	

The ID of the user or module which in serted or last updated the PCAI.

WRK HIST TEST IND	CHAR	1	N	0

An indicator documenting whet her the client met the parental deprivation work history requirement.This attrib ute is flagged for deletion. The ESP project removed the automation of the depr ivation requirement.

UMP TEST IND	CHAR	1	N	0

An indicator documenting whether t he client met the parental deprivation unemployment test requirement.This attrib ute is flagged for deletion. The ESP project removed the automation of the depr ivation requirement.

ONE HUN HR QUAL D	DATE	4	Y	0

The date that the parental d eprivation 100 hours of employment rule was met.This attribute is flagged for de letion. The ESP project removed the automation of the deprivation requirement.

Parents of **PCAI**

N5800401	**Child**	PCAI	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N5805501	**Child**	PCAI	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A
N5805951	**Child**	PCAI	**Parent**	PGM_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PGM_CASEPGM_CD	PGM_CD		CHARACTER	2	0		N	A
		FK_PGM_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **PCAI**

Parent	**Child**					
COLNAME	TYPE	LEN	SC	D	N	

PCPI

The role that an AGENCY_RELATED_PERSON fulfills in the eligibility determination of a PROGRAM_CASE. All data pertaining to this r ole is stored in PCPI_HISTORY.

Priority 2 Dups N Download Y Upload Y NFOTS585

Column	Type	Length	Nulls	Scale	Key
FK PGM CASEID NBR	INTEGER	4	N	0	2
FK PGM CASEPGM CD	CHAR	2	N	0	1
FK ARPID NBR	INTEGER	4	N	0	3
UPD USRID	CHAR	8	N	0	

The ID of the user or module which in serted or last updated the PROGRAM_CASE_PERSON_INVOLVEMENT.

UPD TS	TIMESTMP	10	N	0

The timestamp that the PROGRAM_CASE_PERS ON_INVOLVEMENT was inserted or last updated.

Parents of **PCPI**

N5850401	**Child**	PCPI	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N5855951	**Child**	PCPI	**Parent**	PGM_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PGM_CASEPGM_CD	PGM_CD		CHARACTER	2	0		N	A
		FK_PGM_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **PCPI**

N0335851	**Parent**	PCPI	**Child**	APS_SVC_AT					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_PCPIFK_PGM_CASE		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK0PCPIFK_PGM_CASE		INTEGER		4	0	N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER		4	0	N
N0905851	**Parent**	PCPI	**Child**	RET_COND_PRS_INVLV					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_PCPIFK_PGM_CASE		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK0PCPIFK_PGM_CASE		INTEGER		4	0	N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER		4	0	N
N3505851	**Parent**	PCPI	**Child**	ELIG_RQMT					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_PCPIFK_PGM_CASE		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_PCPIFK_PGM_CAS0		INTEGER		4	0	N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER		4	0	N
N3855851	**Parent**	PCPI	**Child**	GOA_TSK					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_PCPIFK_PGM_CASE		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_PCPIFK_PGM_CAS0		INTEGER		4	0	N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER		4	0	N
N4825851	**Parent**	PCPI	**Child**	LIV_ARR					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_PCPIFK_PGM_CASE		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_PCPIFK_PGM_CAS0		INTEGER		4	0	N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER		4	0	N
N5775851	**Parent**	PCPI	**Child**	ORG_CONT_ASGN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_PCPIFK_PGM_CASE		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK0PCPIFK_PGM_CASE		INTEGER		4	0	N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER		4	0	N
N5905851	**Parent**	PCPI	**Child**	PCPI_HIST					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_PCPIFK_PGM_CASE		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_PCPIFK_PGM_CAS0		INTEGER		4	0	N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER		4	0	N
N6305851	**Parent**	PCPI	**Child**	PGM_SVC_TYP_SEL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_PCPIFK_PGM_CASE		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_PCPIFK_PGM_CAS0		INTEGER		4	0	N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER		4	0	N
N8105851	**Parent**	PCPI	**Child**	CASE_PLAN_PCPI					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_PCPIFK_PGM_CASE		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_PCPIFK_PGM_CAS0		INTEGER		4	0	N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER		4	0	N
N8265851	**Parent**	PCPI	**Child**	LEGAL_AT_PRS_INVLV					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_PCPIFK_PGM_CASE		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_PCPIFK_PGM_CAS0		INTEGER		4	0	N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER		4	0	N
N8605851	**Parent**	PCPI	**Child**	VSTN_PLAN_PCPI					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_PCPIFK_PGM_CASE		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_PCPIFK_PGM_CAS0		INTEGER		4	0	N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER		4	0	N
N8655851	**Parent**	PCPI	**Child**	PLMNT_PCPI_INVLV					
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASEPGM_CD		FK_PCPIFK_PGM_CASE		CHARACTER		2	0	N
	FK_PGM_CASEID_NBR		FK_PCPIFK_PGM_CAS0		INTEGER		4	0	N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER		4	0	N

N8665851	Parent	PCPI	Child	REMOVAL_PCPI_INVLV				
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASE	PGM_CD	FK_PCPIFK_PGM_CASE		CHARACTER	2	0		N
	FK_PGM_CASE	ID_NBR	FK_PCPIFK_PGM_CAS0		INTEGER	4	0		N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER	4	0		N

N8685851	Parent	PCPI	Child	SVC_REF				
		COLNAME			TYPE	LEN	SC	D	N
	FK_PGM_CASE	PGM_CD	FK_PCPIFK_PGM_CASE		CHARACTER	2	0		N
	FK_PGM_CASE	ID_NBR	FK_PCPIFK_PGM_CAS0		INTEGER	4	0		N
	FK_ARPID_NBR		FK_PCPIFK_ARPID_NB		INTEGER	4	0		N

PCPI_HIST

The collection of dated information pertainin g to the role of an AGENCY_RELATED_PERSON in the eligibility determination of a PROGRAM_CASE.

Priority 3 Dups N Download Y Upload Y NFOTS590

Column	Type	Length	Nulls	Scale	Key
BEG DT	DATE	4	N	0	4
A date representing when the associ ated values of PCPI_HISTORY attributes became effective.					
FUND CD	CHAR	2	Y	0	
A code specifying how benefits or services are funded for an individual in a PROGRAM_CASE. Examples include: Fed eral/State, IV-E, State Only, State Supplement.					
APP REQ DT	DATE	4	Y	0	
The date an AGENCY_RELATED_PERS ON requests to apply for assistance or asks to be added to an existing PROGRAM_C ASE.					
ADLT CHLD CD	CHAR	2	Y	0	
COPAY IND	CHAR	1	N	0	
An indicator specifying if the i ndividual is subject to the medicaid copay requirement.					
COPAY RSN CD	CHAR	2	Y	0	
A code specifying why an indi vidual is exempt from the medicaid copay requirement. Examples include: Age, L iving Arrangement, Excess Income Program Case.					
FIN RESP RSN CD	CHAR	2	Y	0	
PART CD	CHAR	2	Y	0	
A code specifying the participatio n type of an individual in an Employment First PROGRAM_CASE. Examples include: Voluntary, Mandatory.					
CAT CD	CHAR	2	Y	0	
SSI FEDBENRTE	DECIMAL	7	Y	2	
The amount of the SSI Federa l Benefit Rate calculated by the SDX Interface for an individual in a PROGRAM_CA SE.					
S1619B IND	CHAR	1	N	0	
An indcator set by the SDX Inte rface specifying whether an individual has been determined Medicaid eligible und er Section 1619b of the Social Security Act.					
S1619B EFTV DT	DATE	4	Y	0	
The date an individual's 1 619b Medicaid status begins. This date is established by the SDX Interface.					
SVC ND RSN CD	CHAR	2	Y	0	
The reason the adults in the PROGRAM_CASE need Child Care assistance.This attribute is flagged for deletion. The information is now stored on the PROGRAM_CASE_HISTORY.					
FK PCPIFK PGM CASE	CHAR	2	N	0	3
FK PCPIFK PGM CAS0	INTEGER	4	N	0	2
FK PCPIFK ARPID NB	INTEGER	4	N	0	1

S75 PCT PART IND	CHAR	1	N	0

An indicator specifying w hether the client particpated in at least 75% of the GOAL_TASK_MONTHLY_PLANNED_H OURS.Monthly_Planned_Hours. This is recorded for the Employment First (previous ly known as JOBS) program.

S75 PCT PART IND D	DATE	4	Y	0

The month and year for which the 75_Percent_Participation_Indicator was recorded.

STAT CD	CHAR	2	N	0

A code specifying the status of a person's eligibility role in a PROGRAM_CASE. Examples include: Active, Denied , Closed, Pending.

STAT RSN CD	CHAR	2	Y	0
END DT	DATE	4	N	0

A date representing when the associ ated values of PCPI_HISTORY attributes were no longer effective, i.e., were chan ged.

UPD USRID	CHAR	8	N	0

The ID of the user or module whi ch inserted or last updated the PCPI_HISTORY.

UPD TS	TIMESTMP	10	N	0

The timestamp the PCPI_HISTORY was inserted or last updated.

RLE CD	CHAR	2	N	0
MANAGED CARE CD	CHAR	2	Y	0

This code documents the in dividual's status in the Managed Care Medicaid program. Examples include: Not mandatory med/surg and not mandatory mh/sc, Mandatory ..., Enrolled ..., Partic ipating ....

OVRD SYS RLE CD	CHAR	2	Y	0

This code is the system-de termined Role_Code that was overridden by the user. The value that the user des ignated is set in Role_Code.

OVRD SYS STAT CD	CHAR	2	Y	0

This code is the system-d etermined Status_Code that was overridden by the user. The value that the user designated in set in Status_Code.

OVRD SYS CAT CD	CHAR	2	Y	0

This code is the system-de termined Category_Code that was overridden by the user. The value that the user designated is set in Category_Code.

OVRD SYS FR RSN CD	CHAR	2	Y	0

This code is the system -determined Financially_Responsible_Reason_Code that was overridden by the user. The value that the user designated is set in the Financially_Responsible_Reaso n_Code.FULL NAME: Override_System_Financially_Responsible_Reason_Code

OVRD WRKR ID	CHAR	8	Y	0

The user ID of the person who overrode the system-determined case configuration.

OVRD WRKR RSN CD	CHAR	2	Y	0

A code designating the re ason the user overrode the system-determined case configuration. Examples inclu de: System Error, Policy Not Yet Implemented in System.

SANCTION DTL	CHAR	2	Y	0

A code detailing the sub-cate gorization for a sanction. Examples include: Refused Work Reg, Refused Job Off er, Voluntary Quit.

ELIG DCSN DT	DATE	4	Y	0
PRO DT	DATE	4	Y	0

Parents of **PCPI_HIST**

N5905851 **Child** PCPI_HIST **Parent** PCPI

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_PCPIFK_PGM_CAS0	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_PCPIFK_ARPID_NB	FK_ARPID_NBR	INTEGER	4	0		N	A

Children of **PCPI_HIST**

Parent COLNAME	Child TYPE	LEN	SC	D	N

PERM_OBJ

A record of the identified main focus of the c ase plan and services

Priority 1 Dups N Download N Upload N NFOTS840

Column	Type	Length	Nulls	Scale	Key
TYP CD	CHAR	2	N	0	3
A code that specifies the projected outcome of the case plan.==========THIS ATT RIBUTE IS REQUIRED BY AFCARS AND NCANDS========== ======					
FK ARPID NBR	INTEGER	4	N	0	1
BEG DT	DATE	4	N	0	
The date in which the permanency obj ective begins.					
TRGT DT	DATE	4	N	0	
The projected date of the outcome					
END DT	DATE	4	Y	0	
The date in which the permanency obj ective ends.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
FK CASE PLANID NBR	INTEGER	4	N	0	2
CONCR PLAN TYP CD	CHAR	2	Y	0	
CNCR PLAN TRGT DT	DATE	4	Y	0	
This column is similar to trgt_dt which stores the permanency_objective target date. This field is optio nal and will be shown as enterable field in cool:gen window.					

Parents of **PERM_OBJ**

N8400401 **Child** PERM_OBJ **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N8408061 **Child** PERM_OBJ **Parent** CASE_PLAN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CASE_PLANID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **PERM_OBJ**

Parent COLNAME	Child TYPE	LEN	SC	D	N

PGM_CASE

Priority 1 Dups N Download Y Upload Y NFOTS595

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2
A random number assigned by the syst em to help uniquely identify the PROGRAM_CASE. Note that the Identification_Num ber is not the complete identifier of the PROGRAM_CASE - it must be concatenated with the Program_Code to compose the identifier.					
PGM CD	CHAR	2	N	0	1
A code specifying the HHSS program w hich represents the type of assistance being tracked by the PROGRAM_CASE. Examp les include: AABD, ADC, Medicaid, Child Care.					
NXT RVW DT	DATE	4	Y	0	
The date the next periodic revie w of the PROGRAM_CASE is due.					

LST RVW DT	DATE	4	Y	0
The date the most recent periodi c review of the PROGRAM_CASE was due.				
RVW CMP DT	DATE	4	Y	0
The date the most recent periodi c review of a PROGRAM_CASE was completed.This attribute is obsolete and is flagg ed for deletion. The ESP project determined that this information would no long er be tracked in the application.				
MAIL TYP CD	CHAR	2	Y	0
A code specifying the type of m ail delivery desired for food stamp issuance. Examples include: First Class, C ertified, Redirect.				
FS ISSU CD	CHAR	2	Y	0
A code specifying the desired de livery mode for an issuance of food stamp coupons. Examples include: Over the Counter, Mail.				
ISSU STAG	CHAR	2	Y	0
PLN APRV DT	DATE	4	Y	0
The date the customer approved his/her case plan.				
FK DSS OFCID NBR	CHAR	3	Y	0
CASEWORKER NME	CHAR	52	Y	0
FUND CD	CHAR	2	Y	0
A code specifying how benefits or s ervices are funded for the PROGRAM_CASE. Examples include: IV-E, Federal/State Match, State Only, State Supplement. This is the current Fund_Code which has b een denormalized from PROGRAM_CASE_HISTORY.				
UPD USRID	CHAR	8	N	0
The ID of the user or module that inserted or last updated the PROGRAM_CASE.				
UPD TS	TIMESTMP	10	N	0
The timestamp that the PROGRAM_CASE was inserted or last updated.				
AR WRKR IND	CHAR	1	N	0
QRF MO CD	CHAR	2	Y	0
The month a client's quarterly r eport form is due.				
MAG CARD PIN	SMALLINT	2	Y	0
A Personal Identification Numb er (PIN) which a Food Stamps client must provide to pick up food coupons over t he counter in conjunction with the use of a magnetic card.				
MAG CARD IND	CHAR	1	N	0
An indicator specifying the re quest that a magnetic card be issued for a Food Stamps PROGRAM_CASE.				
FK EBT ACCOUNTID N	INTEGER	4	Y	0
MASS CHG PROC CD	CHAR	2	Y	0

Parents of **PGM_CASE**

N5952251	**Child**	PGM_CASE	**Parent**	DSS_OFC						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_DSS_OFCID_NBR	ID_NBR		CHARACTER	3	0		N	A
N5955961	**Child**	PGM_CASE	**Parent**	EBT_ACCOUNT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_EBT_ACCOUNTID_N	ID_NBR		INTEGER	4	0		N	A

Children of **PGM_CASE**

N0105951	**Parent**	PGM_CASE	**Child**	ALRT						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N0945951	**Parent**	PGM_CASE	**Child**	SFTY_ASSMNT						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N1065951	**Parent**	PGM_CASE	**Child**	SFTY_PLN						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N1395951	**Parent**	PGM_CASE	**Child**	ELEC_APP_PC_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N2405951	**Parent**	PGM_CASE	**Child**	ED						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N2835951	**Parent**	PGM_CASE	**Child**	FSP_CERT_PRD						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N3505951	**Parent**	PGM_CASE	**Child**	ELIG_RQMT						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N3855951	**Parent**	PGM_CASE	**Child**	GOA_TSK						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N4855951	**Parent**	PGM_CASE	**Child**	MCPCI						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N5105951	**Parent**	PGM_CASE	**Child**	MODULE_TO_DO						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N5805951	**Parent**	PGM_CASE	**Child**	PCAI						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N5855951	**Parent**	PGM_CASE	**Child**	PCPI						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N6005951	**Parent**	PGM_CASE	**Child**	PGM_CASE_ASGN						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N6105951	**Parent**	PGM_CASE	**Child**	PGM_CASE_COR						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	
N6155951	**Parent**	PGM_CASE	**Child**	PGM_CASE_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER		2	0	N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER		4	0	N	

N6205951	**Parent**	PGM_CASE	**Child**	PGM_CASE_NARR_ENT						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER	2	0		N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER	4	0		N	
N8055951	**Parent**	PGM_CASE	**Child**	ASSMNT						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER	2	0		N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER	4	0		N	
N8205951	**Parent**	PGM_CASE	**Child**	INTAKE						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER	2	0		N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER	4	0		N	
N8465951	**Parent**	PGM_CASE	**Child**	POP_SERV						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER	2	0		N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER	4	0		N	
N8515951	**Parent**	PGM_CASE	**Child**	RISK_DTL						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER	2	0		N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER	4	0		N	
N8535951	**Parent**	PGM_CASE	**Child**	SAFETY_PLAN_DTL						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER	2	0		N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER	4	0		N	
N9955951	**Parent**	PGM_CASE	**Child**	CONV_CASE_XREF						
		COLNAME			TYPE	LEN	SC	D	N	
	PGM_CD		FK_PGM_CASE	PGM_CD	CHARACTER	2	0		N	
	ID_NBR		FK_PGM_CASE	ID_NBR	INTEGER	4	0		N	

PGM_CASE_ASGN

An associative entity identifying the ass ignment of a specific PROGRAM CASE to a DSS OFFICE POSITION.

Priority 2 Dups N Download Y Upload Y NFOTS600

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	5
A number used for unique identi fication.					
BEG DT	DATE	4	N	0	
The date that the DSS OFFICE PO SITION is assigned to the PROGRAM CASE.					
FK DSS OFC POSTFK	CHAR	3	N	0	3
FK DSS OFC POSTID	INTEGER	4	N	0	4
FK PGM CASEID NBR	INTEGER	4	N	0	2
FK PGM CASEPGM CD	CHAR	2	N	0	1
END DT	DATE	4	N	0	
The date that the DSS OFFICE PO SITION is no longer assigned to the PROGRAM CASE.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
CASE WRKR CD	CHAR	1	Y	0	

Parents of **PGM_CASE_ASGN**

N6002301	**Child**	PGM_CASE_ASGN	**Parent**	DSS_OFC_POSTN						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR		CHARACTER	3	0		N	A
		FK_DSS_OFC_POSTID	ID_NBR		INTEGER	4	0		N	A
N6005951	**Child**	PGM_CASE_ASGN	**Parent**	PGM_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PGM_CASEPGM_CD	PGM_CD		CHARACTER	2	0		N	A
		FK_PGM_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **PGM_CASE_ASGN**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

PGM_CASE_COR

The compilation of all CORRESPONDENCE's f or all applicable PROGRAM CASE's.

Priority 2 Dups N Download N Upload N NFOTS610

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	4
Unique identifier.					
FK CORID NBR	INTEGER	4	N	0	3
FK PGM CASEID NBR	INTEGER	4	N	0	2
FK PGM CASEPGM CD	CHAR	2	N	0	1
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **PGM_CASE_COR**

N6101701	**Child**	PGM_CASE_COR	**Parent**	COR						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_CORID_NBR	ID_NBR		INTEGER	4	0		N	A
N6105951	**Child**	PGM_CASE_COR	**Parent**	PGM_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PGM_CASEPGM_CD	PGM_CD		CHARACTER	2	0		N	A
		FK_PGM_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **PGM_CASE_COR**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

PGM_CASE_HIST

The collection of dated information perta ining to the application, eligibility, and/or receipt of benefits/services for a particular HHSS program.

Priority 2 Dups N Download Y Upload Y NFOTS615

Column	Type	Length	Nulls	Scale	Key
ASTNC CD	CHAR	2	Y	0	
FUND CD	CHAR	2	Y	0	
A code specifying how benefits or services are funded for the PROGRAM_CASE. Examples include: IV-E, Federal/ State Match, State Only, State Supplement.					
BEG DT	DATE	4	N	0	3
A date representing when the as sociated values of PROGRAM_CASE_HISTORY attributes became effective.					

APP RCVD DT	DATE	4	Y	0	

The date an application fo r assistance is received by HHSS.

ELIG DCSN DT	DATE	4	Y	0	

The date program eligibil ity is determined for a PROGRAM_CASE. The case may be determined eligible or in eligible.

FS XPD CASE IND	CHAR	1	N	0	

An indicator specifyin g whether a Food Stamp PROGRAM_CASE meets the requirements for expedited case pr ocessing.

MIG SEA WRKR IND	CHAR	1	N	0	

An indicator specifyi ng if a Food Stamp PROGRAM_CASE includes a migrant or seasonal farm worker.This attribute is flagged for deletion. The ESP project eliminated the need for this attribute.

CRS ENGY CD	CHAR	2	Y	0	
CRS ENGY RSN CD	CHAR	2	Y	0	
CRS ENGY REQ DT	DATE	4	Y	0	

The date the client re quests assistance for an energy related crisis. This attribute is flagged for de letion. Energy Assistance was removed from N-FOCUS implementation scope and wil l be re-analyzed in the future.

JOBS TGT GRP CD	CHAR	2	Y	0	
FK PGM CASEID NBR	INTEGER	4	N	0	2
FK PGM CASEPGM CD	CHAR	2	N	0	1
STAT CD	CHAR	2	N	0	
STAT RSN CD	CHAR	2	Y	0	
END DT	DATE	4	N	0	

A date representing when the as sociated values of PROGRAM_CASE_HISTORY attributes were no longer effective, i.e . were changed.

UPD USRID	CHAR	8	N	0	

The ID of the user or module which inserted or last updated the PROGRAM_CASE_HISTORY.

UPD TS	TIMESTMP	10	N	0	

The timestamp the PROGRAM_CASE_ HISTORY was inserted or last updated.

RETRO MED IND	CHAR	1	Y	0	

An indicator designating whether the case is a retroactive medicaid PROGRAM_CASE.

PRO DT	DATE	4	Y	0	

The date from which the PROGRAM _CASE should have benefits prorated.

SVC ND RSN CD	CHAR	2	Y	0	

The adults' need for ch ild care services is recorded.Examples include: Abuse/Neglect, Education, Emplo yed, Incapacity

PH IND	CHAR	1	Y	0	

An indicator which specifies wh ether the case participants reside in public houseing. This is used for Child C are reporting.

SINGLE PRT IND	CHAR	1	Y	0	

An indicator will speci fies whether the PROGRAM_CASE is a single parent household. This is used for Ch ild Care reporting.

CRT BEG DT	DATE	4	Y	0	
CRT END DT	DATE	4	Y	0	
OVRRD TMA BEG DT	DATE	4	Y	0	

The worker-provided d ate that the transitional medicaid assistance begins. The worker provides this date if they are overriding the medicaid configuration for TMA.

Parents of **PGM_CASE_HIST**

N6155951	**Child**	PGM_CASE_HIST	**Parent**	PGM_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PGM_CASEPGM_CD	PGM_CD		CHARACTER	2	0		N	A
		FK_PGM_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **PGM_CASE_HIST**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

PGM_CASE_NARR_ENT

The compilation of NARRATIVE ENTRIES for all applicable PROGRAM CASE's.

Priority 2 Dups N Download N Upload Y NFOTS620

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	4
A number used for unique id entification.					
FK NARR ENTID NBR	INTEGER	4	N	0	1
FK PGM CASEID NBR	INTEGER	4	N	0	3
FK PGM CASEPGM CD	CHAR	2	N	0	2
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **PGM_CASE_NARR_ENT**

N6205251	**Child**	PGM_CASE_NARR_ENT	**Parent**	NARR_ENT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_NARR_ENTID_NBR	ID_NBR		INTEGER	4	0		N	A
N6205951	**Child**	PGM_CASE_NARR_ENT	**Parent**	PGM_CASE						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PGM_CASEPGM_CD	PGM_CD		CHARACTER	2	0		N	A
		FK_PGM_CASEID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **PGM_CASE_NARR_ENT**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

PGM_SVC_TYP

An involvement between a SERVICE TYPE and a Program.

Priority 1 Dups N Download N Upload N NFOTS625

Column	Type	Length	Nulls	Scale	Key
FK SVC TYPID NBR	INTEGER	4	N	0	1
SVC TYP NME	CHAR	70	N	0	
This attribute is used by AC F-115, ACF-700, IV-E-12, ACF-231, FSA-3645, ACF-3637.********** **********The unique name for a given SERVICE TYPE. e.g. In-home chil d care, safe house-lodging					
SHRT SVC TYP NME	CHAR	25	N	0	
The abbreviation of the unique name for a given SERVICE_TYPE.					
SVC TYP CAT CD	CHAR	2	N	0	
The attribute specifying the category in which a SERVICE TYPE is classified. The category will be the un ique name of a parent SERVICE TYPE.e.g. Child Care Center - Infant will have the category: Child Care					

PGM_CD	CHAR	2	N	0	2

A code specifying a plan of actio n which provides a benefit/service or a group of benefits/services to families, individuals and/or communities.Example:ADCEAJOBS-ADCAABDChild CareFood Stamps

STAT_CD	CHAR	2	N	0	

A code specifyinf the status of a PROGRAM SERVICE TYPE.Valid values:ActivePendingClosed

STAT_END_DT	DATE	4	N	0	

The date the status is no lo nger effective.

STAT_BEG_DT	DATE	4	N	0	

The date the status is effec tive.

PGM_SVC_TYP_DSC	CHAR	200	N	0	

Unstructured text descri ption of PROGRAM SERVICE TYPE.

IV_E_PMT_IND	CHAR	1	N	0	

An indicator specifying whe ther it is allowable to use IV-E Funds to pay for a specific PROGRAM_SERVICE_TYP E.Valid Values: Yes - IV-E Funds may be used No - IV-E Funds may n ot be used. (Default)

UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
PROPOSED_END_DT	DATE	4	Y	0	

An online protected date field to facilitate the initiation of the close program service type process.

MEDI_ELIG_IND	CHAR	1	Y	0	

Indicates special security is required to authorize a medical service for payment by a child welfare progr am. Used when either the client or the service is not medicaid eligible.

AVLBL_DY	SMALLINT	2	Y	0	
DSCNT_PCT	DECIMAL	4	Y	3	
SVC_ND_ASSMNT_IND	CHAR	1	Y	0	

THIS IS A PROGRAM SERV ICE TYPE SERVICE THAT REQUIRES THE CLIENT TO HAVE A SERVICE NEEDS ASSESSMENT (PE RSONAL ASSISTANCE PLAN) IN AN APPROVED STATUS.

ASO_RGSTD_SVC_IND	CHAR	1	Y	0	

An indicator which spe cifies whether a specific service is denoted as a registered service or not to t he Administrative Service Organization (ASO). Y = Yes, N = No

ASO_AUTH_SVC_IND	CHAR	1	Y	0	

An indicator which spec ifies whether a specific service is denoted as an authorized service or not to t he Administrative Service Organization (ASO). Y = Yes, N = No

Parents of **PGM_SVC_TYP**

N6257401 **Child** PGM_SVC_TYP **Parent** SVC_TYP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SVC_TYPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **PGM_SVC_TYP**

N0206251 **Parent** PGM_SVC_TYP **Child** APRV_PGM_SVC

COLNAME		TYPE	LEN	SC	D	N
FK_SVC_TYPID_NBR	FK_PGM_SVC_TYPFK_S	INTEGER	4	0		N
PGM_CD	FK_PGM_SVC_TYPPGM	CHARACTER	2	0		N

PGM_SVC_TYP_SEL

A SERVICE TYPE that has been selected t o be authorized for a PROGRAM CASE PERSON INVOLVEMENT.

Priority 4 Dups N Download N Upload N NFOTS630

Column	Type	Length	Nulls	Scale	Key

ID_NBR	INTEGER	4	N		0	5

********** **********This attribute is used on report(s) ACF-231, ACF-3637.********** **********A number used for unique identification.

FK_SVC_TYPID_NBR	INTEGER	4	N		0	4
FK_PCPIFK_PGM_CASE	CHAR	2	N		0	1
FK_PCPIFK_PGM_CAS0	INTEGER	4	N		0	2
FK_PCPIFK_ARPID_NB	INTEGER	4	N		0	3
UPD_USRID	CHAR	8	N		0	
UPD_TS	TIMESTMP	10	N		0	

Parents of **PGM_SVC_TYP_SEL**

N6305851 **Child** PGM_SVC_TYP_SEL **Parent** PCPI

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_PCPIFK_PGM_CAS0	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_PCPIFK_ARPID_NB	FK_ARPID_NBR	INTEGER	4	0		N	A

N6307401 **Child** PGM_SVC_TYP_SEL **Parent** SVC_TYP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SVC_TYPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **PGM_SVC_TYP_SEL**

N7356301 **Parent** PGM_SVC_TYP_SEL **Child** SVC_AUTHN

COLNAME		TYPE	LEN	SC	D	N
FK_PCPIFK_PGM_CASE	FK_PGM_SVC_TYP_FK3	CHARACTER	2	0		N
FK_PCPIFK_PGM_CAS0	FK_PGM_SVC_TYP_FK2	INTEGER	4	0		N
FK_PCPIFK_ARPID_NB	FK_PGM_SVC_TYP_FK1	INTEGER	4	0		N
FK_SVC_TYPID_NBR	FK_PGM_SVC_TYP_FK	INTEGER	4	0		N
ID_NBR	FK_PGM_SVC_TYP_ID	INTEGER	4	0		N

PHN_NBR

A TELEPHONE NUMBER of an AGENCY RELATED PERSON or an ORGANIZATION.

Priority 1 Dups N Download Y Upload N NFOTS635

Column	Type	Length	Nulls	Scale	Key
EXTN_NBR	CHAR	4	Y	0	

********** **********This attribute is used on interface CSE.********** **********A number attached to a telephone number. (Usually only needed in large ORGANIZATIONS)

AREA_CC_NBR	CHAR	3	N	0	

********** **********This attribute is used on interface CSE.********** **********The three digit area code of the telephone number.

PRFX_NBR	CHAR	3	N	0	

********** **********This attribute is used on interface CSE.********** **********The three digit prefix of the telephone number.

SFX_NBR	CHAR	4	N	0	

********** **********This attribute is used on interface CSE.********** **********The four digit suffix of the telephone number.

AVLBL_HR_DSC	CHAR	77	Y	0	

Text describing what hours a pe rson can be reached at a given telephone number.

ID NBR	INTEGER	4	N	0	1
A number used for unique identificati on.					
TYP CD	CHAR	2	N	0	
A code specifying the classification of the TELEPHONE NUMBER. Valid Values: Home, Work, TDD Home,TDD Work, FAX, Cellu lar, Message Phone, Other					
FK ORGID NBR	INTEGER	4	Y	0	
FK ARPID NBR	INTEGER	4	Y	0	
UPD USRID	CHAR	8	Y	0	
UPD TS	TIMESTMP	10	Y	0	
FK DSS OFCID NBR	CHAR	3	Y	0	

Parents of **PHN_NBR**

N6350401	**Child**	PHN_NBR	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N6352251	**Child**	PHN_NBR	**Parent**	DSS_OFC						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_DSS_OFCID_NBR	ID_NBR		CHARACTER	3	0		N	A
N6355501	**Child**	PHN_NBR	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **PHN_NBR**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

PLMNT

A record of a persons residence during the life o f a case.

Priority 0 Dups N Download Y Upload N NFOTS843

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
ID NBR	INTEGER	4	N	0	1
A number used for unique identification .					
PMT TYP CD	CHAR	2	Y	0	
The type of payment involved in thi s placement.					
ICPC IND	CHAR	1	N	0	
An indicator stating whether this is an ICPC case.					
STAT CD	CHAR	2	N	0	
The status of the placement.					
TYP CD	CHAR	2	N	0	
A code specifying the type of placing e ntity.==========THIS ATTRIBUTE IS REQUIRED BY AFCARS ==========					
AGMT SIG DT	DATE	4	N	0	
The date that the placement agreem ent was completed and signed.This date is also the same as Date Shared that is u sed on several reports.					
CHG RSN CD	CHAR	2	Y	0	
A code specifying why an ARP was mo ved					
PLMNT BY CD	CHAR	2	Y	0	
A code specifying the type of plac ement.==========THIS ATTRIBUTE IS REQUIRED BY AFCARS ==========					

PLACED FROM CD	CHAR	2	Y	0

A code specifying the state/cou ntry where ARP was placed from.==========TH IS ATTRIBUTE IS REQUIRED BY AFCARS ========== ==

LOCT CD	CHAR	2	Y	0

A unique code identifying either the f acility type or living arrangements of the placement.

DISTANCE CD	CHAR	2	Y	0

A unique code identifying the appr oximate distance the placement is from the biological parent.

PLND UNPLND IND	CHAR	1	N	0

An indicator showing if the mo ve was planned or unplanned

STAT BEG DT	DATE	4	N	0

The date the ARP was initially pla ced with the current ORG.==========THIS ATT RIBUTE IS REQUIRED BY AFCARS ==========

STAT END DT	DATE	4	N	0

The last date the ARP was residing with the ORG.==========THIS ATTRIBUTE IS R EQUIRED BY AFCARS ==========

FK ICPCID NBR	INTEGER	4	Y	0
FK SVC AUTHNID NBR	INTEGER	4	Y	0
FK FCLTY TYPEFK OR	INTEGER	4	Y	0
FK FCLTY TYPETYP C	CHAR	2	Y	0
UPD TS	TIMESTMP	10	N	0
UPD USRID	CHAR	8	N	0
RLSE TO	VARCHAR	200	Y	0

A narrative text block listing persons to whom the child may be released.

ACT STAT DT	DATE	4	Y	0

Date that a Placement was changed to an Active Status. If a Placement is changed from an Active status to another status and then back to an Active status then this attribute would represent the most resent date that the Placement was changed to an Activ

Parents of **PLMNT**

N8437351	**Child**	PLMNT	**Parent**	SVC_AUTHN					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_SVC_AUTHNID_NBR	ID_NBR		INTEGER	4	0		N A
N8438151	**Child**	PLMNT	**Parent**	FCLTY_TYPE					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_FCLTY_TYPEFK_OR	FK_ORGID_NBR		INTEGER	4	0		N A
		FK_FCLTY_TYPETYP_C	TYP_CD		CHARACTER	2	0		N A
N8438191	**Child**	PLMNT	**Parent**	ICPC					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ICPCID_NBR	ID_NBR		INTEGER	4	0		N A

Children of **PLMNT**

N8038431	**Parent**	PLMNT	**Child**	ANSWER						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PLMNTID_NBR		INTEGER	4	0		N	
N8658431	**Parent**	PLMNT	**Child**	PLMNT_PCPI_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PLMNTID_NBR		INTEGER	4	0		N	
N8708431	**Parent**	PLMNT	**Child**	PLMNT_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PLMNTID_NBR		INTEGER	4	0		N	

PLMNT_HIST

This entity records the history of status ch anges of placement records.

Priority 1 Dups N Download Y Upload N NFOTS870

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2
A unique number identifying this P lacement history occurrence.					
FK PLMNTID NBR	INTEGER	4	N	0	1
STAT CD	CHAR	2	N	0	
Unique code identifying the statu s of the placement.					
STAT BEG DT	DATE	4	N	0	
The date the placement entere d the status.					
STAT END DT	DATE	4	N	0	
The date the placement ended the status.					
CHG RSN CD	CHAR	2	Y	0	
A unique code identifying the reason for the change in status.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
ACT STAT DT	DATE	4	Y	0	

Parents of **PLMNT_HIST**

N8708431	**Child**	PLMNT_HIST	**Parent**	PLMNT					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_PLMNTID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **PLMNT_HIST**

Parent			**Child**				
	COLNAME			TYPE	LEN	SC	D	N

PLMNT_PCPI_INVLV

Priority 3 Dups N Download Y Upload N NFOTS865

Column	Type	Length	Nulls	Scale	Key
RLE CD	CHAR	2	N	0	5
FK PCPIFK PGM CASE	CHAR	2	N	0	4
FK PCPIFK PGM CAS0	INTEGER	4	N	0	3
FK PCPIFK ARPID NB	INTEGER	4	N	0	2
FK PLMNTID NBR	INTEGER	4	N	0	1
UPD USRID	CHAR	8	N	0	

UPD_TS	TIMESTMP	10	N	0

Parents of **PLMNT_PCPI_INVLV**

N8655851 **Child** PLMNT_PCPI_INVLV **Parent** PCPI

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_PCPIFK_PGM_CAS0	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_PCPIFK_ARPID_NB	FK_ARPID_NBR	INTEGER	4	0		N	A

N8658431 **Child** PLMNT_PCPI_INVLV **Parent** PLMNT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PLMNTID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **PLMNT_PCPI_INVLV**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

PLMNT_PREF

Mutual decision by DSS and ORG regarding cha racteristics of children that are appropriate for placement with the ORG.

Priority 1 Dups N Download N Upload N NFOTS844

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	2
FK_ORGID_NBR	INTEGER	4	N	0	1
BEG_DT	DATE	4	N	0	

The date the preferences were ente red.

TYP_CD	CHAR	2	N	0	

a unique code describing the type of placement for which the org is placing a preference.examples: relative, fost er, adoptive.

CRSS_CULTURAL_IND	CHAR	1	N	0	

An indicator that shows whether an organization is willing to accept placements from ethnic backgrounds other than its own.

MALE_MAX_RNG_CD	CHAR	2	Y	0	

a unique code describing whether the male maximum age is in weeks, months, or years.

MALE_MIN_RNG_CD	CHAR	2	Y	0	

A unique code describing whether the male minimum age is in weeks, months or years.

FEMALE_MAX_RNG_CD	CHAR	2	Y	0	

A unique code describin g what units the maximum age is in, (weeks, months, years)

FEMALE_MIN_RNG_CD	CHAR	2	Y	0	

A unique code describin g whether the age minimum age is in weeks, months, or years.

MALE_MIN_AGE	SMALLINT	2	Y	0	

The minimum age for a male c hild for which an ORG is best suited to provide services.

MALE_MAX_AGE	SMALLINT	2	Y	0	

The maximum age for a male c hild for which an Org is best suited to provide services.

MAX_SIB_CD	CHAR	2	Y	0	

The unique code describing the maximum number of siblings in a group that the a home is willing to accept for placement.example of code values: none 2 3 4 5+

END_DT	DATE	4	Y	0	

The last day the preferences can b e used for placement preference.

DCSN_CD	CHAR	2	N	0	

A unique code identifying who det ermined the ORG's suitability for placement.

FEMALE_MAX_AGE	SMALLINT	2	Y	0	

The maximum age of female child for which an ORG is best suited to provide services.

FEMALE_MIN_AGE	SMALLINT	2	Y	0	

The minimum age of a femal e child for which an ORG is best suited to provide services.

UPD_USRID	CHAR	8	N	0
UPD_TS	TIMESTMP	10	N	0

Parents of **PLMNT_PREF**

N8445501	**Child**	PLMNT_PREF	**Parent**	ORG					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ORGID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **PLMNT_PREF**

N8378441	**Parent**	PLMNT_PREF	**Child**	ORG_PREF_CHAR					
		COLNAME			TYPE	LEN	SC	D	N
	FK_ORGID_NBR		FK_PLMNT_PREFFK_OR		INTEGER	4	0		N
	ID_NBR		FK_PLMNT_PREFID_NB		INTEGER	4	0		N
N8458441	**Parent**	PLMNT_PREF	**Child**	PLMNT_PREF_HIST					
		COLNAME			TYPE	LEN	SC	D	N
	FK_ORGID_NBR		FK_PLMNT_PREFFK_OR		INTEGER	4	0		N
	ID_NBR		FK_PLMNT_PREFID_NB		INTEGER	4	0		N

PLMNT_PREF_HIST

History of changes for all attributes f rom Placement_Preference. All current values for these attributes are kept in th e Placement_Preference entity type and any previous information it replaces is m oved to history.

Priority 2 Dups N Download N Upload N NFOTS845

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	3
FK_PLMNT_PREFID_NB	INTEGER	4	N	0	2
FK_PLMNT_PREFFK_OR	INTEGER	4	N	0	1
BEG_DT	DATE	4	N	0	
The date the Preferences were entered.					
END_DT	DATE	4	N	0	
The last day the Preferences can be used for Placement Preference.					
TYP_CD	CHAR	2	Y	0	
a unique code describing the type of placement for which the org is placing a preference.examples: relative, foster, adoptive.					
CRSS_CULTURAL_IND	CHAR	1	N	0	
An indicator that shows whether an organization is willing to accept placements from ethnic backgr ounds other than its own.					
MALE_MAX_RNG_CD	CHAR	2	Y	0	
a unique code descri bing whether the male maximum age is in weeks, months, or years.					
MALE_MIN_RNG_CD	CHAR	2	Y	0	
A unique code descri bing whether the male minimum age is in weeks, months or years.					
FEMALE_MAX_RNG_CD	CHAR	2	Y	0	
A unique code desc ribing what units the maximum age is in, (weeks, months, years)					
FEMALE_MIN_RNG_CD	CHAR	2	Y	0	
A unique code desc ribing whether the age minimum age is in weeks, months, or years.					
MALE_MIN_AGE	SMALLINT	2	Y	0	
The minimum age for a m ale child for which an ORG is best suited to provide services.					
MALE_MAX_AGE	SMALLINT	2	Y	0	
The maximum age for a m ale child for which an Org is best suited to provide services.					
MAX_SIB_CD	CHAR	2	Y	0	
The unique code describin g the maximum number of siblings in a group that the a home is willing to accept for placement.example of code values: none 2 3 4 5+					
DCSN_DT	DATE	4	Y	0	
The date the decision code w as determined.					

DCSN CD	CHAR	2	Y	0
A unique code identifying wh o determined the ORG's suitability for placement.				
FEMALE MAX AGE	SMALLINT	2	Y	0
The maximum age of fe male child for which an ORG is best suited to provide services.				
FEMALE MIN AGE	SMALLINT	2	Y	0
The minimum age of a female child for which an ORG is best suited to provide services.				
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0

Parents of **PLMNT_PREF_HIST**

N8458441 **Child** PLMNT_PREF_HIST **Parent** PLMNT_PREF

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PLMNT_PREFFK_OR	FK_ORGID_NBR	INTEGER	4	0		N	A
FK_PLMNT_PREFID_NB	ID_NBR	INTEGER	4	0		N	A

Children of **PLMNT_PREF_HIST**

N8678451 **Parent** PLMNT_PREF_HIST **Child** ORG_PREF_CHAR_HIST

COLNAME		TYPE	LEN	SC	D	N
FK_PLMNT_PREFFK_OR	FK_PLMNT_PREF_HFK	INTEGER	4	0		N
FK_PLMNT_PREFID_NB	FK_PLMNT_PREF_HFK0	INTEGER	4	0		N
ID_NBR	FK_PLMNT_PREF_HID	INTEGER	4	0		N

PMT

A warrant issued for an ELIGIBILITY BUDGET or CLAIM ITEM or a consolidated group of ELIGIBILITY BUDGETs or CLAIM ITEMs to an ARP or ORGANIZATION.

Priority 0 Dups N Download Y Upload N NFOTS640

Column	Type	Length	Nulls	Scale	Key
AMT	DECIMAL	8	N	2	
ISS DT	DATE	4	N	0	2
STAT CHG DT	DATE	4	N	0	
WRNT NBR	INTEGER	4	N	0	1
A number identifying the warrant of the PAYMENT issued. **********This attribute is used on interfaces DAS.**********					
CLM PMT IND	CHAR	1	N	0	
An indicator specifying the type of payment.Yes means payment is for a Claim.No means the payment is for an Eligibil ity Determination.					
PYE NME	CHAR	52	N	0	
The ARP or ORG name as it will appear on the warrant.					
ADDR LNE 1	VARCHAR	50	Y	0	
ADDR LNE 2	VARCHAR	50	Y	0	
Line 2 of address of the payee. N OTE: For domestic violence shelters and crisis/hotlines we do not want this fiel d to be populated.**********					
ADDR LNE 3	VARCHAR	50	Y	0	
Line 3 of address of the payee.NOTE: For domestic violence shelters and crisis/hotlines we do not want this field to be populated.					
CTY	CHAR	25	N	0	
The city in which the ADDRESS is located.*** **********This attribute is used on interface DE , CSE.**********					
ST CD	CHAR	2	N	0	

ZP5 CD	CHAR	5	Y	0
ZP4 CD	CHAR	4	Y	0

********** ****This attribute is used on interfaces DE, DAS, CSE.********** **********A 4-digit number that further identifies each postal delivery area in the United States.

STAT CD	CHAR	2	N	0
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0

********** ***This attribute is used on report(s) ACF-231.********** **********

STAT RSN CD	CHAR	2	N	0
COMMENTS	CHAR	180	Y	0
RLSE TO ADDR LNE 1	VARCHAR	50	Y	0
RLSE TO ADDR LNE 2	VARCHAR	50	Y	0
RLSE TO ADDR LNE 3	VARCHAR	50	Y	0

Line 3 of Address that a retu rned or held check was resent. Restricted to Central Office use only. NO TE: For domestic violence shelters and crisis/hotlines we do not

RLSE TO CTY	CHAR	25	Y	0

The city in which the ADDRESS is loc ated.**********This attribute is used on inte rface DE, CSE.**********

RLSE TO ST CD	CHAR	2	Y	0
RLSE TO ZP5 CD	CHAR	5	Y	0
RLSE TO ZP4 CD	CHAR	4	Y	0

********** **********This attribute is used on interfaces DE, DAS, CSE.********** **********A 4-digit number that further identifies each postal delivery area in the United States.

TYP	CHAR	1	Y	0

This attribute will be used to determine if an EFT payment was made (value 'E') or a Warrant payment made (value 'W').

NIS PMT NBR	INTEGER	4	Y	0

Payment number assigned by the NIS s ystem which corresponds to a specific NFOCUS payment (warrant/eft)

Parents of **PMT**

Children of **PMT**

N1456401	**Parent**	PMT	**Child**	CLM_ITM_EXPND					
		COLNAME			TYPE	LEN	SC	D	N
	WRNT_NBR		FK_PMTWRNT_NBR		INTEGER	4	0		N
	ISS_DT		FK_PMTISS_DT		DATE	4	0		N
N3206401	**Parent**	PMT	**Child**	ED_EXPND					
		COLNAME			TYPE	LEN	SC	D	N
	WRNT_NBR		FK_PMTWRNT_NBR		INTEGER	4	0		N
	ISS_DT		FK_PMTISS_DT		DATE	4	0		N
N5376401	**Parent**	PMT	**Child**	NON_ISS_PMT					
		COLNAME			TYPE	LEN	SC	D	N
	WRNT_NBR		FK_PMTWRNT_NBR		INTEGER	4	0		N
	ISS_DT		FK_PMTISS_DT		DATE	4	0		N
N6426401	**Parent**	PMT	**Child**	ORG_PMT					
		COLNAME			TYPE	LEN	SC	D	N
	WRNT_NBR		FK_PMTWRNT_NBR		INTEGER	4	0		N
	ISS_DT		FK_PMTISS_DT		DATE	4	0		N

PMT_DETRMN

Level of care information and the additional payment information used in determining a final foster care payment amount.

Priority 1 Dups N Download N Upload N NFOTS838

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	1
A unique number identifying the PA YMENT DETERMINATION.					
FK_ARPID_NBR	INTEGER	4	Y	0	
RESPITE_AMT	DECIMAL	8	N	2	
The amount of additional paym ent for respite care.					
MNT_AMT	DECIMAL	8	N	2	
The amount of payment for the cor responding payment level.					
DETRMN_DT	DATE	4	N	0	
The date the level of care was determined.					
PT_DET	INTEGER	4	Y	0	
The derived points for maintenance payment					
CLOS_DT	DATE	4	Y	0	
The date the Payment Determinatio n is closed					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **PMT_DETRMN**

N8380401	**Child**	PMT_DETRMN	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N A

Children of **PMT_DETRMN**

N8038381	**Parent**	PMT_DETRMN	**Child**	ANSWER					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_PMT_DETRMNID_NB		INTEGER	4	0		N
N8398381	**Parent**	PMT_DETRMN	**Child**	PMT_DETRMN_HIST					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_PMT_DETRMNID_NB		INTEGER	4	0		N

PMT_DETRMN_HIST

History of changes for all attributes f rom Payment_Determination. All current values for these attributes are kept in t he Payment_Determination entity type and any previous information it replaces is moved to history.

Priority 2 Dups N Download N Upload N NFOTS839

Column	Type	Length	Nulls	Scale	Key

ID NBR	INTEGER	4	N	0	2
REC DT	DATE	4	N	0	
Date of change of any of the attributes in entity type Payment_Determination for which history is stored in P ayment_Determination_History. It could be for one, any or all of these attribute s.					
FK PMT DETRMNID N	INTEGER	4	N	0	1
RESPITE AMT	DECIMAL	8	Y	2	
The amount of additional payment for respite care.					
MNT AMT	DECIMAL	8	Y	2	
The amount of payment for th e corresponding payment level.					
DETRMN DT	DATE	4	Y	0	
The date the level of care was determined.					
PT DET	INTEGER	4	Y	0	
The derived points for mainte nance payment					
CLOS DT	DATE	4	Y	0	
The date the Payment Determi nation is closed					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **PMT_DETRMN_HIST**

N8398381 **Child** PMT_DETRMN_HIST **Parent** PMT_DETRMN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PMT_DETRMNID_NB	ID_NBR	INTEGER	4	0		N	A

Children of **PMT_DETRMN_HIST**

N8038391 **Parent** PMT_DETRMN_HIST **Child** ANSWER

COLNAME		TYPE	LEN	SC	D	N
FK_PMT_DETRMNID_NB	FK_PMT_DETRMN_HFK	INTEGER	4	0		N
ID_NBR	FK_PMT_DETRMN_HID	INTEGER	4	0		N

POP_SERV

Five broad categories of families with childre n that CPS is mandated to serve following ASSESSMENT of a case. Includes: Suspe cted Child A/N, Dependency, Voluntary Relinquishments, Status Offenders, and ICP Cs. Categories may broaden as per statute.

Priority 2 Dups N Download N Upload N NFOTS846

Column	Type	Length	Nulls	Scale	Key
POP CD	CHAR	2	N	0	4
Code identifying the basis for a spe cific family's assessment involvement. Values: Status Offense, Dependency, Abu se/Neglect, etc. Default is NONE					
BEG DT	DATE	4	N	0	3
Date population was identified in as sessment					
END DT	DATE	4	Y	0	
Date coded population became invalid .					
FK PGM CASEPGM CD	CHAR	2	N	0	2
FK PGM CASEID NBR	INTEGER	4	N	0	1
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **POP_SERV**

N8465951 **Child** POP_SERV **Parent** PGM_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PGM_CASEPGM_CD	PGM_CD	CHARACTER	2	0		N	A
FK_PGM_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **POP_SERV**

Parent COLNAME	Child TYPE	LEN	SC	D	N

POSTN_ALRT_DSP

Assignment specific information regardin g the clearance of an ALERT from a worker's display.

Priority 81 Dups N Download N Upload N NFOTS645

Column	Type	Length	Nulls	Scale	Key
CLEARED DT	DATE	4	N	0	
Date the Alert IS MARKED a s cleared from display for the worker.					
FK ALRTFK MST CASE	INTEGER	4	N	0	3
FK ALRTID NBR	INTEGER	4	N	0	4
FK DSS OFC POSTFK	CHAR	3	N	0	1
FK DSS OFC POSTID	INTEGER	4	N	0	2
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **POSTN_ALRT_DSP**

N6450101 **Child** POSTN_ALRT_DSP **Parent** ALRT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ALRTFK_MST_CASE	FK_MST_CASEID_NBR	INTEGER	4	0		N	A
FK_ALRTID_NBR	ID_NBR	INTEGER	4	0		N	A

N6452301 **Child** POSTN_ALRT_DSP **Parent** DSS_OFC_POSTN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR	CHARACTER	3	0		N	A
FK_DSS_OFC_POSTID	ID_NBR	INTEGER	4	0		N	A

Children of **POSTN_ALRT_DSP**

Parent COLNAME	Child TYPE	LEN	SC	D	N

PRCTV_CPCTY_ASSMNT

Documents caseworker findings regard ing parents' and/or caregivers' ability or capacity to protect the child(ren) when it has been determined via the Safety Assessment that safety threats apply to one or more children. The worker normally gathers the

Priority 36 Dups N Download N Upload N NFOTS111

Column	Type	Length	Nulls	Scale	Key
FK SFTY ASSMNTID N	INTEGER	4	N	0	1
BEG DT	DATE	4	N	0	
The date the Worker began researching and documenting the ability of parents and caregivers to protect chi ldren involved in the related Safety Assessment.					
END DT	DATE	4	N	0	
The date this Protective C apacity Assessment was finalized (approved by supervisor). This date will conta in 9999-12-31 until the Protective Capacity Assessment is finalized.					
CASE PLAN ID NBR	INTEGER	4	Y	0	
When an assessme nt results in a CASE_PLAN, this attribute will contain the ID_NBR for that CASE_ PLAN. Not defined as a relationship because it is optional both ways.					

CMP_BY_USRID	CHAR	8	N	0

Worker that assessed the protective capacities of parents and caregivers involved in this Protective Capacity Assessment. (Not necessarily the worker entering the information into N-FOCUS.)

STAT_CD	CHAR	2	N	0

Indicates the current sta tus of the Protective Capacity Assessment. (DraftReady for Review, Revisions Re quired,Final)

STAT_BEG_DT	DATE	4	N	0

The date the Protecti ve Capacity Assessment status was set to the current status.

STAT_BEG_TME	TIME	3	N	0

The time the Protect ive Capacity Assessment status was set to the current status.

STAT_UPD_USRID	CHAR	8	N	0

ID of worker that last changed the status of this Protective Capacity Assessment. (Only tracking worker that updates the status, not all changes to the row.)

OBO_USRID	CHAR	8	Y	0

Supervisor that was act ually responsible for reviewing this Protective Capacity Assessment - usually th e current Supervisor of the worker completing the Protective Capacity Assessment .

UPD_USRID	CHAR	8	N	0

Last worker who updated the values in this row (TECHNICAL USE ONLY)

UPD_TS	TIMESTMP	10	N	0

Last time Update User ID u pdated any value in this row (TECHNICAL USE ONLY)

Parents of **PRCTV_CPCTY_ASSMNT**

N1110941 **Child** PRCTV_CPCTY_ASSMNT **Parent** SFTY_ASSMNT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SFTY_ASSMNTID_N	ID_NBR	INTEGER	4	0		N	A

Children of **PRCTV_CPCTY_ASSMNT**

N1121111 **Parent** PRCTV_CPCTY_ASSMNT **Child** PCA_STAT_HIST

COLNAME		TYPE	LEN	SC	D	N
FK_SFTY_ASSMNTID_N	FK_PRCTV_CPCTYID_N	INTEGER	4	0		N

N1131111 **Parent** PRCTV_CPCTY_ASSMNT **Child** PCA_ARP_INVLV

COLNAME		TYPE	LEN	SC	D	N
FK_SFTY_ASSMNTID_N	FK_PRCTV_CPCTYID_N	INTEGER	4	0		N

PRCTV_CPCTY_SKL

Each ARP involved in the Protective Cap acity Assessment is rated on approximately 25 different behavioral, emotional an d cognitive skills in order to identify strengths and weaknesses that should be addressed in the Case Plan.

Priority 38 Dups N Download N Upload N NFOTS115

Column	Type	Length	Nulls	Scale	Key
FK_PCA_ARP_INVLFKA	INTEGER	4	N	0	1
FK_PCA_ARP_INVLFKP	INTEGER	4	N	0	2
TYP_CD	CHAR	2	N	0	3

Code to indicate the Protecti ve Capacity behavioral, cognitive, or emotional skill that is being evaluated.

RATING_CD	CHAR	2	N	0

Code to indicate the Ratin g for this Protective Capacity skill. (Diminished, Enhanced, Neutral)

UPD_USRID	CHAR	8	N	0

Last worker who updated th e values in this row (TECHNICAL USE ONLY)

UPD_TS	TIMESTMP	10	N	0

Last time Update User ID upda ted any value in this row (TECHNICAL USE ONLY)

Parents of **PRCTV_CPCTY_SKL**

N1151131 **Child** PRCTV_CPCTY_SKL **Parent** PCA_ARP_INVLV

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PCA_ARP_INVLFKA	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_PCA_ARP_INVLFKP	FK_PRCTV_CPCTYID_N	INTEGER	4	0		N	A

Children of **PRCTV_CPCTY_SKL**

Parent COLNAME	Child TYPE	LEN	SC	D	N

PREG

Priority 1 Dups N Download Y Upload Y NFOTS650

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	2
A number used for unique identification.					
BEG_DT	DATE	4	Y	0	
The beginning date of the pregnancy.Note : This date may be derived from Expected_Delivery_Date_H when it is available (probably Begin_Date = Expected_Delivery_Date_H minus 9 months).					
EXPT_DLVRY_DT	DATE	4	N	0	
The date of expected delivery.INT : When PREGNANCY associated to an UNBORN ARP, the Expected Date of Delivery is r equired.					
FETAL_NBR	SMALLINT	2	Y	0	
Number of fetuses involved in the PRE GNANCY.NOTE: Default is one					
FK_ARPID_NBR	INTEGER	4	N	0	1
FK0ARPID_NBR	INTEGER	4	Y	0	
END_RSN_CD	CHAR	2	Y	0	
The reason the PREGNANCY ended.Valid Values: Birth Terminated					
END_DT	DATE	4	Y	0	
The date the PREGNANCY terminates.EXAMPL ES: Date of Miscarriage or Stillbirth, Delivery Date of Child					
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	
VERF_SRC_CD	CHAR	2	Y	0	
This will identify the source that was used to verify the pregnancy (1800 code table)					
VERF_DT	DATE	4	Y	0	
The date the pregnancy data was verifie d.					

Parents of **PREG**

N6500401	**Child**	PREG	**Parent**	ARP						
	COLNAME				TYPE	LEN	SC	D	N	UPD
	FK0ARPID_NBR		ID_NBR		INTEGER	4	0		N	A
N6500402	**Child**	PREG	**Parent**	ARP						
	COLNAME				TYPE	LEN	SC	D	N	UPD
	FK_ARPID_NBR		ID_NBR		INTEGER	4	0		N	A

Children of **PREG**

Parent COLNAME	Child TYPE	LEN	SC	D	N

PROF

Priority 0 Dups N Download N Upload N NFOTS657

Column	Type	Length	Nulls	Scale	Key
LOGON_ID	CHAR	8	N	0	1
The logged on USERID of the user.					

MACHINE_TYP	CHAR	1	N	0	2
The type of machine the NFOCUS appl ication running on. Valid types are: (W)orkstation and (L)aptop.					
STAGE_TYP	CHAR	1	N	0	3
The stage the application is running on the client: (U)nit, (S)ystem, (A)cceptance, (T)rainng, (P)roduction.					
KEYWORD_VAR	CHAR	25	N	0	4
The variable used by "Profile IO" e xternal action block to get path information for a data file.					
KEYWORD_DATA	CHAR	80	Y	0	
The data retrieved from the "Profi le IO" external action block.					
UPD_TS	TIMESTMP	10	N	0	
Last update timestamp.					

Parents of **PROF**

Children of **PROF**

Parent	Child				
COLNAME		TYPE	LEN	SC	D	N

PROTECTIVE_AT

Documents Protective Action taken during a Safety Assessment.

Priority 35 Dups N Download N Upload N NFOTS102

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	1
Unique Id used to identify Narr atives that belong to this Protective Action.					
OCC_DT	DATE	4	N	0	
The date this Protective Action took place as a result of this Safety Assessment.					
OCC_TME	TIME	3	N	0	
The time the Protective Action was taken as a result of this Safety Assessment.					
CMP_BY_USERID	CHAR	8	N	0	
Worker that implemented the Protective Action.					
STAT_CD	CHAR	2	N	0	
The current status of the Prot ective Action.					
STAT_BEG_DT	DATE	4	N	0	
The date the Protective Ac tion status was set to the current status.					
STAT_BEG_TME	TIME	3	N	0	
The time the Protective A ction status was set to the current status.					
STAT_UPD_USRID	CHAR	8	N	0	
ID of worker that last changed the status of this Protective Action.					
ON_BEHALF_OF_USRID	CHAR	8	Y	0	
Supervisor that was responsible for reviewing this Protective Action.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
FK_SFTY_ASSMNTID_N	INTEGER	4	Y	0	

Parents of **PROTECTIVE_AT**

N1020941 **Child** PROTECTIVE_AT **Parent** SFTY_ASSMNT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SFTY_ASSMNTID_N	ID_NBR	INTEGER	4	0		N	A

Children of **PROTECTIVE_AT**

N1031021	**Parent**	PROTECTIVE_AT	**Child**	PA_ARP_INVLV					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_PROTECTIVE_AID		INTEGER	4	0		N
N1041021	**Parent**	PROTECTIVE_AT	**Child**	PA_STAT_HIST					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_PROTECTIVE_AID		INTEGER	4	0		N

PRS_ADD_DTL

A collection of information describing a pe rsons stable charactistics.

Priority 1 Dups N Download N Upload N NFOTS841

Column	Type	Length	Nulls	Scale	Key
FK_ARPID_NBR	INTEGER	4	N	0	1
PREV_ADOP_IND	CHAR	1	N	0	
An indicator showing if th e ARP has previously been adopted.========== =THIS ATTRIBUTE IS REQUIRED BY AFCARS ========== ======					
WEB_SITE_IND	CHAR	1	N	0	
An indicator showing whethe r the child is registered on the web site.					
BRT_PL	CHAR	50	Y	0	
The place where the child was bor n					
BRT_CRT_NBR	CHAR	15	Y	0	
The number issued by Vital S tatistics on the birth certificate					
CNTY_OF_BRT	CHAR	20	Y	0	
The county where the ARP was born					
ST_OF_BRT_CD	CHAR	2	Y	0	
The code for the state wher e the ARP was born					
EXCHG_PHT_LST_IND	CHAR	1	N	0	
If the ARP is a child, an indicator that tells if a photo is available					
CNST_USE_PIC_IND	CHAR	1	N	0	
If the ARP is a child, an indicator showing if the ARP photo can be shared with other ORG's					
MIL_STAT	CHAR	2	Y	0	
DT_OF_CONCEPTION	DATE	4	Y	0	
The date the child was conceived					
CTY_OF_CONCEPTION	CHAR	25	Y	0	
The city where the chi ld was conceived					
ST_CONCEPTION_CD	CHAR	2	Y	0	
The code for the state where the child was conceived					
RLGN_CD	CHAR	2	Y	0	
A code specifying the current re ligious belief of the ARP					
RACE_CD	CHAR	2	Y	0	
This attribute is entered when t he person has a ARP ethnic code of Hispanic, otherwise there is no entry in the field.					
FREE_FOR_ADOP_IND	CHAR	1	N	0	
Whether or not the chi ld is free for adoption.					
FREE_FOR_ADOP_DT	DATE	4	Y	0	
LEGAL_STAT_CD	CHAR	2	Y	0	
The legal status of the pe rson.					
LEGAL_STAT_DT	DATE	4	Y	0	
CNTY_OF_CMTNG_CRT	CHAR	3	Y	0	
This attribute will be used to identify the county of the court where the legal action occurred that m ade the ARP a ward of the department.					
REG_ST_EXCHGE_DT	DATE	4	Y	0	
The date the child was registered on the state adoption exchange.					

ST EXCHGE STAT CD	CHAR	2	Y	0
If the ARP is a child, a code specifying if the ARP needs to be placed, put on hold, or removed from t he adoption exchange				
REG NATL EXCHGE DT	DATE	4	Y	0
The date the child wa s registered on the national adoption exchange.				
NATL EXCHG STAT CD	CHAR	2	Y	0
If the ARP is a child , a code specifying if the ARP needs to be placed, put on hold, or removed from the adoption exchange				
PREV ADOP DT	DATE	4	Y	0
The date a previous ARP ado ption was finalized				
CNTRY OF BRT CD	CHAR	3	Y	0
The country where the AR P was born.				
CNTRY OF CONCP CD	CHAR	3	Y	0
The code of the countr y in which the child was conceived.				
PALS FORM PRIT IND	CHAR	1	N	0
This is used to indic ate when a person has had a Preparation for Adult Living Services form printed f or them.				
UPD TS	TIMESTMP	10	N	0
UPD USRID	CHAR	8	N	0
ADOP FINAL DT	DATE	4	Y	0
The date the adoption was finalized.				
NON WARD RSN CD	CHAR	2	Y	0
A code that specifies th e reason for the Non-ward Legal Status of the PERSON ADDITIONAL DETAIL.				
LEG STAT DE DT	DATE	4	Y	0
The date on which the Leg al Status of the PERSON ADDITIONAL DETAIL occurrence was entered. The LEGAL STA TUS DATA ENTRY DATE will be set to the current date when the Legal Status of the PERSON ADDITIONAL DETAIL is added or changed.				
TRIB PRT IND	CHAR	1	Y	0
At least one parent has bee n identified as a member of a Tribe. This is used in conjunction with Tribal_Inf ormation for eligibility determination for ICWA (Indian Child Welfare Act).				

Parents of **PRS_ADD_DTL**

N8410401 **Child** PRS_ADD_DTL **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **PRS_ADD_DTL**

N8618411 **Parent** PRS_ADD_DTL **Child** PRS_ADD_DTL_HIST

COLNAME		TYPE	LEN	SC	D	N
FK_ARPID_NBR	FK_PRS_ADD_DTLFK_A	INTEGER	4	0		N

PRS_ADD_DTL_HIST

Priority 2 Dups N Download Y Upload N NFOTS861

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2
A number used for unique ide ntification.					
FK PRS ADD DTLFK A	INTEGER	4	N	0	1
REG ST EXCHGE DT	DATE	4	Y	0	
The date the child was registered on the state adoption exchange.					
ST EXCHGE STAT CD	CHAR	2	Y	0	
If the ARP is a c hild, a code specifying if the ARP needs to be placed, put on hold, or removed f rom the adoption exchange					
REG NATL EXCHGE DT	DATE	4	Y	0	
The date the chi ld was registered on the national adoption exchange.					

NATL EXCHG STAT CD	CHAR	2	Y	0
If the ARP is a child, a code specifying if the ARP needs to be placed, put on hold, or removed from the adoption exchange				
PREV ADOP DT	DATE	4	Y	0
The date a previous AR P adoption was finalized				
LEG STAT CD	CHAR	2	Y	0
The legal status of the person				
LEG STAT BEG DT	DATE	4	Y	0
The date the legal status began				
LEG STAT END DT	DATE	4	Y	0
The date the legal status ended				
UPD TS	TIMESTMP	10	N	0
UPD USRID	CHAR	8	N	0
ADOP FINAL DT	DATE	4	Y	0
The date the adoption was finalized.				
CNTY OF CMTNG CRT	CHAR	3	Y	0
This attribute wi ll be used to identify the county of the court where the legal action occurred t hat made the ARP a ward of the department.				
NON WARD RSN CD	CHAR	2	Y	0
A code that specifi es the reason for the Non-ward Legal Status of the PERSON ADDITIONAL DETAIL HIST ORY.				
LEG STAT DE DT	DATE	4	Y	0
The date on which th e Legal Status of the PERSON ADDITIONAL DETAIL HISTORY occurrence was entered. The LEGAL STATUS DATA ENTRY DATE will be set to the current date when the Legal Status of the PERSON ADDITIONAL DETAIL HISTORY is added or changed.				

Parents of **PRS_ADD_DTL_HIST**

N8618411	**Child**	PRS_ADD_DTL_HIST	**Parent**	PRS_ADD_DTL					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_PRS_ADD_DTLFK_A		FK_ARPID_NBR	INTEGER	4	0		N A

Children of **PRS_ADD_DTL_HIST**

Parent		**Child**			
	COLNAME		TYPE	LEN	SC D N

PRS_ASSET

Used to track how much money has accumulated and is available for a Ward to use for personal expenses.

Priority 24 Dups N Download N Upload N NFOTS123

Column	Type	Length	Nulls	Scale	Kev
FK SWTF ACCTFK ARP	INTEGER	4	N	0	1
FK SWTF ACCTID NBR	INTEGER	4	N	0	2
ID NBR	INTEGER	4	N	0	3
Unique identifier for this PERSONAL ASSET.					
ACCUM BAL AMT	DECIMAL	9	N	2	
Total amount accumulated tow ards the $1000 that a Ward may accumulate for personal expenses.					
CURR BAL AMT	DECIMAL	9	N	2	
The amount that remains of th e $1000 that is being accumulated or has been accumulated. This amount is stil l available for a Ward to use towards their personal expenses.					
AVLBL BAL AMT	DECIMAL	9	N	2	
The Current Balance Amount l ess any approved requests or batch disbursement amounts.					

ACCUM BAL FWD AM	DECIMAL	9	N	2
The amount the Ward had accumulated toward the $1000 Personal Assets maximum if and when a Balance Forwa rd transaction is entered.				
CUR BAL FWD AMT	DECIMAL	9	N	2
The Personal Asset balance when a Balance Forward transaction is entered.				
TOT PA RCPT AMT	DECIMAL	9	N	2
The total receipts that ca n be included in Accumulated Balance.				
UPD USRID	CHAR	8	N	0
The Userid of the last user that updated this row.				
UPD TS	TIMESTMP	10	N	0
The Timestamp of the last update fo r this row.				

Parents of **PRS_ASSET**

N1231161 **Child** PRS_ASSET **Parent** SWTF_ACCT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SWTF_ACCTFK_ARP	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_SWTF_ACCTID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **PRS_ASSET**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

PRS_CHAR

A collection of information describing a perso ns changeable tendencies.

Priority 1 Dups N Download N Upload N NFOTS842

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A number used for unique identificat ion.					
FK ARPID NBR	INTEGER	4	Y	0	
CHAR TYP CD	CHAR	2	N	0	
This will identify whether this is an adult or child characteristic.========== ====THIS ATTRIBUTE IS REQUIRED BY AFCARS ========== =========					
CHAR CD	CHAR	2	N	0	
A code specifying the type of chara cteristic an ARP exhibits.==========THIS AT TRIBUTE IS REQUIRED BY AFCARS ==========					
STAT DT	DATE	4	N	0	
The date the characteristic was ide ntified.					
STAT CD	CHAR	3	N	0	
The status of the characteristic.EX : Yes No Undetermined					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	

Parents of **PRS_CHAR**

N8420401 **Child** PRS_CHAR **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **PRS_CHAR**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

PRS_TRKNG

Documentation of the FCRB's oversight of a c hild's out-of-home placement(s).

Priority 20 Dups N Download N Upload N NFOTS786

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Artificial id number assigned to id entify the person tracking record.					
FK ARPID NBR	INTEGER	4	Y	0	
FLD UND NME	CHAR	30	Y	0	
Name the child's FCRB physica l file is filed under. If the file is under the child's name this field will b e blank. If filed under a sibling then this field will contain the name, usuall y as 'last name comma first name'.					
LEG STNDG REQ IND	CHAR	1	Y	0	
Indicates whether FCRB h as formally requested Legal Standing on the case.Values: Yes, No					
LEG STNDG W CRT CI	CHAR	2	Y	0	
Code to indicate whethe r the FCRB appeared in court with legal standingValues: Yes with attorney, No, S taff in Court					
LEG STNDG RSLT CD	CHAR	2	Y	0	
Code for result of the L egal Standing hearingsValues: Primary Goal Met, Primary Goal Unmet, Neutral					
TMS IN CARE NBR	SMALLINT	2	Y	0	
Number of times during chi ld's lifetime s/he has been moved out of the family home.					
PLMNT IN LFTM NBR	SMALLINT	2	Y	0	
Number of placements ove r child's lifetime. Includes any placement with bio or adoptive parents after c hild's first removal from the home.					
CM IN LFTM NBR	SMALLINT	2	Y	0	
Number of case managers thi s child has had over his/her lifetime.					
LFTM PERM OBJ NBR	SMALLINT	2	Y	0	
YRS IN CARE NBR	SMALLINT	2	Y	0	
Lifetime number of years i n care.					
MOS IN CARE NBR	SMALLINT	2	Y	0	
Lifetime number of months in care.					
LFTM IN CARE PCT	DECIMAL	4	Y	3	
Percent of lifetime spent in out-of-home care.					
RVW IN LFTM NBR	SMALLINT	2	Y	0	
Number of lifetime FCRB re views conducted for this child.					
AGE MOS AT RVW NI	SMALLINT	2	Y	0	
Child's age in months at the time of the review.					
SOFNDR PRI VCTM CI	CHAR	2	Y	0	
If child is a status of fender, was the child a prior abuse/neglect victim.Values: Yes, No, NIF					
VERF DT	DATE	4	Y	0	
The date that the FCRB consultant last verified the child's information.					
CASE ACT YR NBR	SMALLINT	2	Y	0	
Year the child's record has had activity (updated data) . E.g., A child's removal really ended in Decem ber 2003, but FCRB didn't find out about it until February 2004, so this record will be included in the counts of those Active for year 2004.					
PLMNT INFO REC DT	DATE	4	Y	0	
Date FCRB received infor mation about change in placement					
CRT UPD DT	DATE	4	Y	0	
Date of most recent notice from court (Court Action Report)					
APP FOR ADD SVC CI	CHAR	2	Y	0	
Indicates if applicatio n has been made for adult development disabilities as of the time of the last re view for the child (child has an IQ below 70 and is age 16 or older)Values: Yes , No, NIF					
DIAG W DISAB CD	CHAR	2	Y	0	
Indicates whether the chil d has been diagnosed with a disability.Values: Yes, No, Not Yet Determined					
MOS TO ADJU NBR	SMALLINT	2	Y	0	
Number of months from the time of removal to adjudication date.					

CHLD IN FAM NBR	SMALLINT	2	Y	0
Number of children in fami ly (both in care and out)				
MST CASE NBR	INTEGER	4	Y	0
N-FOCUS Master Case Number				
CS PLN TMFRM CD	CHAR	2	Y	0
Code indicating whether th e plan being reviewed has the required timeframes.Values: NIF, Yes, No, NA, Part ial				
CS PLN GOAL CD	CHAR	2	Y	0
Code indicating whether the plan being reviewed has the goals defined.Values: NIF, Yes, No, NA, Partial				
CRT INTL DT	DATE	4	Y	0
Date of first notice from cour t that the child had been removed from the home.				
CRT CMNT CNTY CD	CHAR	3	Y	0
Code to identify the coun ty of the court that has the jurisdiction over the removal of the child.Values: Adams, Antelope, Arthur				
OTH INVLV CRTCO CD	CHAR	3	Y	0
Other county court that has legal action on the child that is already in Foster CareValues: Lancaster, Douglas, Sarpy				
PETN FLD DT	DATE	4	Y	0
The date the court petition wa s filed				
SPLMT PETN DT	DATE	4	Y	0
The date a Supplemental Peti tion was filed in court				
NXT HRNG DT	DATE	4	Y	0
The date of the next scheduled court hearing				
NXT HRNG SRC CD	CHAR	2	Y	0
Code for the source of the next scheduled court review dateValues: Dataforms, Agenda, Court Documents				
PLMNT PER RMVL NB	SMALLINT	2	Y	0
Number of placements du ring current removal				
PHYS EXAM DT	DATE	4	Y	0
Date of initial physical exam upon current removal, answered only for reviewed children				
PHYS EXAM 2WK CD	CHAR	2	Y	0
Indicates whether the chi ld's physical completed within 2 weeks as required by law for abuse/neglect cas es.Values: Yes, No, NIF				
UPD TS	TIMESTMP	10	N	0
Last Update Timestamp.				
UPD USRID	CHAR	8	N	0
Last Update User ID.				

Parents of **PRS_TRKNG**

N7860401	**Child**	PRS_TRKNG	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **PRS_TRKNG**

N7617861	**Parent**	PRS_TRKNG	**Child**	REVIEW						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PRS_TRKNG	ID_NBR	INTEGER	4	0		N	
N7877861	**Parent**	PRS_TRKNG	**Child**	IN_CARE						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PRS_TRKNG	ID_NBR	INTEGER	4	0		N	
N7887861	**Parent**	PRS_TRKNG	**Child**	IN_CARE_RSN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PRS_TRKNG	ID_NBR	INTEGER	4	0		N	
N7897861	**Parent**	PRS_TRKNG	**Child**	CUST_AGNCY						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PRS_TRKNG	ID_NBR	INTEGER	4	0		N	
N7917861	**Parent**	PRS_TRKNG	**Child**	DISABILITY						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PRS_TRKNG	ID_NBR	INTEGER	4	0		N	
N7927861	**Parent**	PRS_TRKNG	**Child**	ADOPTION						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PRS_TRKNG	ID_NBR	INTEGER	4	0		N	
N7937861	**Parent**	PRS_TRKNG	**Child**	FCRB_LEGAL_AT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PRS_TRKNG	ID_NBR	INTEGER	4	0		N	
N7947861	**Parent**	PRS_TRKNG	**Child**	LEGAL_HRNG						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PRS_TRKNG	ID_NBR	INTEGER	4	0		N	
N7957861	**Parent**	PRS_TRKNG	**Child**	PRTL_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PRS_TRKNG	ID_NBR	INTEGER	4	0		N	
N7967861	**Parent**	PRS_TRKNG	**Child**	FCRB_PLMNT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PRS_TRKNG	ID_NBR	INTEGER	4	0		N	
N7977861	**Parent**	PRS_TRKNG	**Child**	CONV_FCRB_XREF						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PRS_TRKNG	ID_NBR	INTEGER	4	0		N	
N7997861	**Parent**	PRS_TRKNG	**Child**	LEGAL_AGNT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_PRS_TRKNG	ID_NBR	INTEGER	4	0		N	

PRSN_ASTNC_CRTR

Client Assessment questions that are an swered during the assessment interview process. These answers determine which p lan the client is eligible for PAS, CHORE or either.

Priority 32 Dups N Download N Upload N NFOTS404

Column	Type	Length	Nulls	Scale	Kev
FK PRSN ASTNC PID	INTEGER	4	N	0	1
ASSMNT QUES CD	CHAR	2	N	0	2
Defines which questio n this row of data has answer for. Refer to the Personal Assistance Assessment Questions code/decode category to see the current list of questions.					
ASSMT ANS IND	CHAR	1	N	0	
Either Y or N for Yes or No					
UPD USRID	CHAR	8	N	0	
Userid that last updated					
UPD TS	TIMESTMP	10	N	0	
Timestamp of last update					

Parents of **PRSN_ASTNC_CRTR**

N4044021	**Child**	PRSN_ASTNC_CRTR	**Parent**	PRSN_ASTNC_PLN						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PRSN_ASTNC_PID	ID_NBR		INTEGER	4	0		N	A

Children of **PRSN_ASTNC_CRTR**

Parent		Child					
	COLNAME		TYPE	LEN	SC	D	N

PRSN_ASTNC_ND

Records the specific personal tasks that an agency related person requires assistance.

Priority 32 Dups N Download N Upload N NFOTS403

Column	Type	Length	Nulls	Scale	Key
FK PRSN ASTNC PID	INTEGER	4	N	0	1
CAT CD	CHAR	2	N	0	3
Describes the category of perso nal assistance service the client needs help with.					
TSK CD	CHAR	2	N	0	2
Documents the specific task the client needs help with.					
OCC PER WK	SMALLINT	2	Y	0	
The number of times this ta sk is needed in one week (7-day period).					
MIN PER OCC	SMALLINT	2	Y	0	
The number of minutes it t akes to complete this task one time.					
UPD USRID	CHAR	8	N	0	
User id that last updated					
UPD TS	TIMESTMP	10	N	0	
Timestamp of last update					

Parents of **PRSN_ASTNC_ND**

N4034021	Child	PRSN_ASTNC_ND	Parent	PRSN_ASTNC_PLN				
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_PRSN_ASTNC_PID		ID_NBR	INTEGER	4	0		N A

Children of **PRSN_ASTNC_ND**

Parent		Child					
	COLNAME		TYPE	LEN	SC	D	N

PRSN_ASTNC_PLN

Personal assistance and chore service ti me assessment and service plan for an agency related person.

Priority 30 Dups N Download N Upload N NFOTS402

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A random unique number assigne d by the system for unique identification of the PERSONAL ASSISTANCE PLAN.					
ASSMNT MSG CD	CHAR	2	Y	0	
Message displayed to th e worker for a completed assessment that will indicate PAS, Chore, or either. (Note: will have new code/decode category)					
TOT WKL MNT	INTEGER	4	Y	0	
For this Personal Assista nce Plan the total time needed to perform all the Personal Assistance Need tasks per week (7-day period), rounded up to the next 15 minute increment.					
BEG DT	DATE	4	N	0	
The date the assessment proces s begins					
END DT	DATE	4	Y	0	
An assessment is valid for a m aximum of 12-months from the date the assessment process began. The assessment will expire at the end of the 12-month or will expire if conditions change that begin a new assessment process.					
STAT CD	CHAR	2	N	0	
The status of the Personal As sistance plan, possible values Draft, Approved, Denied					
STAT RSN CD	CHAR	2	Y	0	
Using the 1177 status rea son codes					
STAT CHG DT	DATE	4	Y	0	
The date the status was l ast changed					

CRET LOGON ID	CHAR	8	N	0
This is the logon id of the person that entered the original data for the Personal Assistance Plan.				
CRET DT	DATE	4	N	0
Date that the Personal Assist ance Plan was first created.				
CMP LOGON ID	CHAR	8	Y	0
This is the logon id of the person that assesses the clients needs and either Approves/Denies the Person al Assistance Plan.				
UPD USRID	CHAR	8	N	0
Userid that last updated				
UPD TS	TIMESTMP	10	N	0
Timestamp of last update				
FK ARPID NBR	INTEGER	4	Y	0

Parents of **PRSN_ASTNC_PLN**

N4020401 **Child** PRSN_ASTNC_PLN **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **PRSN_ASTNC_PLN**

N1704021 **Parent** PRSN_ASTNC_PLN **Child** COR

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_PRSN_ASTNC_PID	INTEGER	4	0		N

N4034021 **Parent** PRSN_ASTNC_PLN **Child** PRSN_ASTNC_ND

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_PRSN_ASTNC_PID	INTEGER	4	0		N

N4044021 **Parent** PRSN_ASTNC_PLN **Child** PRSN_ASTNC_CRTR

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_PRSN_ASTNC_PID	INTEGER	4	0		N

PRTL_INVLV

Information about each of the child's legal parents, including Parental Rights, visitation and child support.

Priority 20 Dups N Download N Upload N NFOTS795

Column	Type	Length	Nulls	Scale	Key
FK PRS TRKNGID NBR	INTEGER	4	N	0	1
PRT CD	CHAR	2	N	0	2
Code specifying whether the parent is mom or dad.Values: Mom, Dad					
RI STAT CD	CHAR	2	Y	0	
Code specifying the status of biological/adoptive mother's/father's parental rightsValues: Intact, Deceased, Unknown, Terminated, Relinquished, Paternity Not Established, Parental Identity Unknown, Not in File					
RI STAT DT	DATE	4	Y	0	
Date biological/adoptive mothe r's/fathers parental rights changed					
RI TERM CD	CHAR	2	Y	0	
Code specifying the action tak en by the court/parent in regards to the termination.Values: Appealed, Upheld, P etition Filed					
CHLD SPRT ORDRD CI	CHAR	2	Y	0	
Indicates whether chil d support had been ordered.Values: Yes, No, NIF					
CRT ORDRD VSTN CD	CHAR	2	Y	0	
Indicates whether visit ation is court ordered.Values: Yes, No, NIF					
ATNDG VST CD	CHAR	2	Y	0	
Indicates whether the parent s were attending court ordered visitations.Values: Yes, No, Not Ordered					
SUPVN ORDRD CD	CHAR	2	Y	0	
Indicates whether the visi ts are to be supervised.Values: Yes, No, Not Ordered					
UPD USRID	CHAR	8	N	0	
Last Update User ID.					

UPD TS	TIMESTMP	10	N	0

Last Update Timestamp.

Parents of **PRTL_INVLV**

N7957861	**Child**	PRTL_INVLV	**Parent**	PRS_TRKNG					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_PRS_TRKNGID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **PRTL_INVLV**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

PRTL_RI_APPL

Record of appeals that are filed on a term ination of parental rights.

Priority 20 Dups N Download N Upload N NFOTS048

Column	Type	Length	Nulls	Scale	Key
FK PRTL RIGHTSFK A	INTEGER	4	N	0	1
FK PRTL RIGHTSID N	INTEGER	4	N	0	2
FIL DT	DATE	4	N	0	3

The date that an appeal is filed on a Termination of Parental rights ruling.

CRT CD	CHAR	2	N	0
RULING DT	DATE	4	Y	0

The date the Court makes a ru ling on this appeal for Parental Rights.

RULING CD	CHAR	2	Y	0

Documents the Courts ruling f or termination of Parental Rights to be upheld or overturned.

UPD TS	TIMESTMP	10	N	0

Last Update timestamp

UPT USRID	CHAR	8	N	0

Last Update User ID

Parents of **PRTL_RI_APPL**

N0480441	**Child**	PRTL_RI_APPL	**Parent**	PRTL_RIGHTS					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_PRTL_RIGHTSFK_A		FK_ARPID_NBR	INTEGER	4	0		N A
		FK_PRTL_RIGHTSID_N		ID_NBR	INTEGER	4	0		N A

Children of **PRTL_RI_APPL**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

PRTL_RI_TRMN_EXCP

Reasons that grant an exception to pr event the mandatory filing of a Termination of Parental Rights petition.

Priority 20 Dups N Download N Upload N NFOTS046

Column	Type	Length	Nulls	Scale	Key
FK PRTL RIGHTSFK A	INTEGER	4	N	0	1
FK PRTL RIGHTSID N	INTEGER	4	N	0	2
BEG DT	DATE	4	N	0	3

The date the court rules th at an exception exists to prevent a mandatory filing for Termination of Parental Rights.

RSN CD	CHAR	2	N	0	4

The reason for an exception to prevent filing Parental Rights termination between this parent and child.

END DT	DATE	4	N	0	
The date the exception for filing Termination of Parental Rights expires or is terminated by the courts.					
UPD TS	TIMESTMP	10	N	0	
Last Update timestamp					
UPD USRID	CHAR	8	N	0	
Last Update User ID					

Parents of **PRTL_RI_TRMN_EXCP**

N0460441 **Child** PRTL_RI_TRMN_EXCP **Parent** PRTL_RIGHTS

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PRTL_RIGHTSFK_A	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_PRTL_RIGHTSID_N	ID_NBR	INTEGER	4	0		N	A

Children of **PRTL_RI_TRMN_EXCP**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

PRTL_RIGHTS

The PARENTAL RIGHTS table documents if the parental rights of a parent are intact or not intact for a specific child.

Priority 1 Dups N Download N Upload N NFOTS044

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2
Random number to ensure a unique key.					
BEG DT	DATE	4	N	0	
The date the parental rights term ination begins.					
END DT	DATE	4	N	0	
The date the parental rights term ination ends.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
STAT CD	CHAR	2	N	0	
The STATUS CODE attribute holds whether the parental rights are intact or not intact.					
PRT TYP CD	CHAR	2	Y	0	
This attribute will define pa rent type as Mother or Father when the parent is unknown and will be null when t he parent is known.					
FK0ARPID NBR	INTEGER	4	Y	0	

Parents of **PRTL_RIGHTS**

N0440401 **Child** PRTL_RIGHTS **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N0440402 **Child** PRTL_RIGHTS **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK0ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **PRTL_RIGHTS**

N0460441	**Parent**	PRTL_RIGHTS	**Child**	PRTL_RI_TRMN_EXCP						
		COLNAME			TYPE	LEN	SC	D	N	
	FK_ARPID_NBR		FK_PRTL_RIGHTSFK_A		INTEGER	4	0		N	
	ID_NBR		FK_PRTL_RIGHTSID_N		INTEGER	4	0		N	
N0480441	**Parent**	PRTL_RIGHTS	**Child**	PRTL_RI_APPL						
		COLNAME			TYPE	LEN	SC	D	N	
	FK_ARPID_NBR		FK_PRTL_RIGHTSFK_A		INTEGER	4	0		N	
	ID_NBR		FK_PRTL_RIGHTSID_N		INTEGER	4	0		N	

PYE_PMT_MTHD

An ARP or ORG payee indicating their payme nt method and financial institution account information that will allow a paymen t to be sent electronically to a specific account.

Priority 50 Dups N Download N Upload N NFOTS637

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Unique Identifier					
FK ORGID NBR	INTEGER	4	Y	0	
FK ARPID NBR	INTEGER	4	Y	0	
PMT MTHD TYP CD	CHAR	2	N	0	
A code that defines the method by which a payee will receive their payment (DD direct deposit, DC deb it card, WA - warrant)					
PYE TYP CD	CHAR	2	N	0	
A code that determines if a payment should be made to a client or vendor account. (CL client, VE vendor) I t is possible for the ORG to be in both roles. The ARP will always be a client.					
STAT CD	CHAR	2	N	0	
A code that describes the high- dated (may be current or may be future-dated) status of a payees payment method and corresponding account data (PE pending, PN direct deposit pre-note, RQ de bit card request, CL closed, AC active).					
STAT BEG DT	DATE	4	N	0	
The date the status of a pa yee payment method started					
STAT END DT	DATE	4	N	0	
The date the status of a pa yee payment method ends (should always equal high-dates).					
RSN CD	CHAR	2	Y	0	
A code that defines the reason f or a payee being granted an exception to receive their payments by warrant. Def ault value will be blank. Values will be phased in, in Phase II.					
ROUTING NBR	CHAR	9	Y	0	
A unique identification num ber for the financial institution which is to receive an electronic payment. We named this attribute based on the terminology used by financial institutions. Hence the attribute name containing Number but the type being Chara					
ACCT NBR	CHAR	17	Y	0	
A unique number identifying a specific account at a receiving financial institution to which electronic paymen ts are to be deposited. Common terminology is used when naming this attribute. We named this attribute based on the terminology used by financ					
ACCT NME	CHAR	50	Y	0	
The name associated with a spe cific account at a financial institution					
ACCT TYP CD	CHAR	2	Y	0	
A code designating whether an account is a savings or a Demand/Checking account (DE demand/checking, SA s avings)					
ACCT CLSF CD	CHAR	2	Y	0	
A code that designates the account classification as business, individual, or corporate (BU business, IN individual, CO corporation, SS sub system)					
LST PMT DT	DATE	4	Y	0	
Date the last payment was re ceived by this account. This attribute is used to clean up accounts that have n ot been paid over a certain amount of time.					
CRET USRID	CHAR	8	N	0	
The user that created the in formation entered into the system. This value may not be updated once created. At the point of creation, the user id should exist in the ASP table.					

CRET TS	TIMESTMP	10	N	0

The date/time the information w as entered into the system which may be used for business purposes of tracking t he date/time the information was entered on the system

MOD USRID	CHAR	8	N	0

The worker that changed this information in the system. This will always be the user currently logged on and creating this information CURRENT SQLID

MOD TS	TIMESTMP	10	N	0

The date/time this information w as entered into the system.

UPDT USRID	CHAR	8	N	0

Logon ID for the last update to the record. For technical purposes.

UPDT TS	TIMESTMP	10	N	0

Date and Time the last update w as applied to the record. For technical purposes.

FIN INST NME	CHAR	50	Y	0

Name of the financial inst itution which is to receive an electronic payment. This name correlates to the routing number

Parents of **PYE_PMT_MTHD**

N6370401 **Child** PYE_PMT_MTHD **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N6375501 **Child** PYE_PMT_MTHD **Parent** ORG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ORGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **PYE_PMT_MTHD**

N6386371 **Parent** PYE_PMT_MTHD **Child** PYEPMT_MTH_ST_HIST

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_PYE_PMT_MTHDID	INTEGER	4	0		N

PYEPMT_MTH_ST_HIST

Records the status of a payee paymen t method at a certain point in time

Priority 51 Dups N Download N Upload N NFOTS638

Column	Type	Length	Nulls	Scale	Key
FK PYE PMT MTHDID	INTEGER	4	N	0	1
STAT CD	CHAR	2	N	0	3

A code that describes the status of a payees payment method (PE pending, PN direct deposit pre-note, RQ debit card request, CL closed, AC active).

STAT BEG DT	DATE	4	N	0	2

The date the status o f a payee payment method started

STAT END DT	DATE	4	N	0

The date the status o f a payee payment method ends

CRET USRID	CHAR	8	N	0

The worker that entere d this information into the system. This may be the user currently logged on an d creating this information CURRENT SQLID or the status value may be set by a te chnical batch process.

CRET TS	TIMESTMP	10	N	0

The date/time this inform ation was first entered into the system.

UPDT USRID	CHAR	8	N	0

Logon ID for the last update of the record. For technical purposes.

UPDT TS	TIMESTMP	10	N	0

Date and Time the last up date was applied to the record. For technical purposes.

Parents of **PYEPMT_MTH_ST_HIST**

N6386371 **Child** PYEPMT_MTH_ST_HIST **Parent** PYE_PMT_MTHD

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PYE_PMT_MTHDID	ID_NBR	INTEGER	4	0		N	A

Children of **PYEPMT_MTH_ST_HIST**

Parent COLNAME	Child TYPE	LEN	SC	D	N

RACE_ETHNICITY

The race and/or ethnicity for an ARP.

Priority 2 Dups N Download N Upload N NFOTS043

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
SEQ NBR	SMALLINT	2	N	0	2
A number assigned by the syst em used to help uniquely identify an instance of RACE_ETHNICITY for an ARP.					
TYP CD	CHAR	2	N	0	
A code designating whether the instance contains race information of Ethnicity infromation.					
RACE CD	CHAR	2	Y	0	
A code designating the Race t hat has been indicated for an ARP.					
ETHNIC CD	CHAR	2	Y	0	
A code designating the Ethn icity that has been indicated for an ARP.					
UPD USRID	CHAR	8	N	0	
The identification of the u ser or module that inserted or last updated the ARP record.					
UPD TS	TIMESTMP	10	N	0	
The timestamp that the ARP rec ord was inserted or last updated.					

Parents of **RACE_ETHNICITY**

N0430401	Child RACE_ETHNICITY	Parent ARP					
	COLNAME		TYPE	LEN	SC	D	N UPD
	FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N A

Children of **RACE_ETHNICITY**

Parent COLNAME	Child TYPE	LEN	SC	D	N

REMOVAL

A record of the dates and reasons the ARP was r emoved from the custodial home.

Priority 0 Dups N Download N Upload N NFOTS848

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A number used for unique identificati on.					
RMVD BY CD	CHAR	2	N	0	
A code stating who removed the ch ild.					
DT	DATE	4	N	0	
The date the ARP was removed from the hom e.==========THIS ATTRIBUTE IS REQUIRED BY A FCARS ==========					
ICPC IND	CHAR	1	N	0	
The ICPC indicator shows that the c hild is in an ICPC case and does not have a traditional Removal.					
RET HOME IND	CHAR	1	N	0	
This indicator tracks whether t he child is planned to return home to their parents/caretakers within 90 days.					
UNK IND	CHAR	1	N	0	
ENT DT	DATE	4	N	0	
The date in which the removal was log ged into the system.**** This is AFCARS mandatory ****					

RSNABLE_EFFORTS	CHAR	2	N	0
The codified information of the efforts made by the worker to avoid removing the child from the home.				
UPD_TS	TIMESTMP	10	N	0
UPD_USRID	CHAR	8	N	0
ICJ_IND	CHAR	1	Y	0
The ICJ indicator shows that the chi ld is in an ICJ case and does not have a traditional Removal.				
FK_SFTY_ASSMNTID_N	INTEGER	4	Y	0

Parents of **REMOVAL**

N8480941 **Child** REMOVAL **Parent** SFTY_ASSMNT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SFTY_ASSMNTID_N	ID_NBR	INTEGER	4	0		N	A

Children of **REMOVAL**

N8508481 **Parent** REMOVAL **Child** RMVL_RSN

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_REMOVALID_NBR	INTEGER	4	0		N

N8668481 **Parent** REMOVAL **Child** REMOVAL_PCPI_INVLV

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_REMOVALID_NBR	INTEGER	4	0		N

REMOVAL_PCPI_INVLV

Priority 4 Dups N Download N Upload N NFOTS866

Column	Type	Length	Nulls	Scale	Key
RLE_CD	CHAR	2	N	0	5
FK_PCPIFK_PGM_CASE	CHAR	2	N	0	4
FK_PCPIFK_PGM_CAS0	INTEGER	4	N	0	3
FK_PCPIFK_ARPID_NB	INTEGER	4	N	0	2
FK_REMOVALID_NBR	INTEGER	4	N	0	1
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **REMOVAL_PCPI_INVLV**

N8665851 **Child** REMOVAL_PCPI_INVLV **Parent** PCPI

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_PCPIFK_PGM_CAS0	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_PCPIFK_ARPID_NB	FK_ARPID_NBR	INTEGER	4	0		N	A

N8668481 **Child** REMOVAL_PCPI_INVLV **Parent** REMOVAL

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_REMOVALID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **REMOVAL_PCPI_INVLV**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

REPY_MTHD

Priority 0 Dups N Download Y Upload Y NFOTS690

Column	Type	Length	Nulls	Scale	Key
MTHD TYP CD	CHAR	2	N	0	
A code representation of the f ollowing methods of ensuring payments: Contract Agreement Lien Wage Garnishm ent Court Ordered Payment					
COLL TYP CD	CHAR	2	N	0	
A code representation of the f ollowing types of collections: ED Cash reimbursement CI Cash reimbursement CI Recoupment					
FREQ CD	CHAR	2	N	0	
ID NBR	INTEGER	4	N	0	1
A number used for unique identifica tion.**********Comments********** SOURCE:Designed					
PCT	DECIMAL	4	Y	3	
The percent used to reduce a benefit a mount or CLAIM ITEM AMOUNT to repay an ACCOUNTS RECEIVABLE.**********Comm ents********** SOURCE:Basic					
AMT	DECIMAL	7	Y	2	
The dollar amount agreed upon to be pa id or grant/Food Stamps/CLAIM ITEM AMOUNT to be recouped to reduce the amount of an ACCOUNTS RECEIVABLE.**********Comments********** SOURCE:Basic					
STAT CD	CHAR	2	N	0	
The status of a Repayment Method.V alid values:ActiveInactiveClosed					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **REPY_MTHD**

Children of **REPY_MTHD**

N0356901	**Parent**	REPY_MTHD	**Child**	AR					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_REPY_MTHDID_NBR		INTEGER	4	0		N

RESTRAINT

Priority 20 Dups N Download N Upload N NFOTS910

Column	Type	Length	Nulls	Scale	Key
FIRST NM	CHAR	16	N	0	2
LAST NM	CHAR	16	N	0	1
TYPE REST1	CHAR	1	N	0	
TYPE REST2	CHAR	1	Y	0	
WHERE REST	CHAR	26	N	0	
REST FREQUENCY	SMALLINT	2	Y	0	
INJURY	SMALLINT	2	Y	0	
NO INJ	SMALLINT	2	Y	0	

MED ATTN	SMALLINT	2	Y	0
NO MED ATTN	SMALLINT	2	Y	0
DATE REST	INTEGER	4	N	0
RUG BURNS	CHAR	1	Y	0
BROKEN	CHAR	1	Y	0
SPRAINS	CHAR	1	Y	0
CONCUSSION	CHAR	1	Y	0
DENTAL	CHAR	1	Y	0
OTHER P REST	CHAR	1	Y	0

Parents of **RESTRAINT**

Children of **RESTRAINT**

Parent	**Child**				
COLNAME	TYPE	LEN	SC	D	N

RET_COND

Priority 5 Dups N Download N Upload N NFOTS089

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
ID NBR	INTEGER	4	N	0	1

A number assigned to an ABILITY TO P AY. An adjustment to an ABILITY TO PAY (version number > 1) will have the same identification number as the original ABILITY TO PAY (version number = 1).

RESP WRKR USRID	CHAR	8	N	0

The userid of the case work er who determined the Return Condition. This use of case aide workers for data entry may cause this id to be different than the logged on userid. This value m ay not be updated once created.

BEG DT	DATE	4	N	0

The date on which the ABILITY TO PAY became effective.

END DT	DATE	4	N	0

The date on which the ABILITY TO PAY will end.

CNCL CD	CHAR	2	Y	0

While evaluating the case plan the worker will determine whether all of the Return Conditions have been satisfied. At that point they will select a Conclusion Code.

STAT CD	CHAR	2	N	0

THIS IS A GENERIC ATTRIBUTE THAT WI LL VARY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE STATUS CODE OF WHATEVER WE ARE TRYING TO STORE.

STAT BEG DT	DATE	4	N	0

Date the current status began.

STAT END DT	DATE	4	N	0

Date the current status ended.

STAT UPD USRID	CHAR	8	N	0

Logon ID of the person who c hanged the status to its current state.

OBO APRV USRID	CHAR	8	Y		0

The worker that should have approved this information, but in their absence, was approved by status_update_u serid status_update_userid will always contain the worker who authorized this i nformation when the status_code is final.

UPD USRID	CHAR	8	N		0
UPD TS	TIMESTMP	10	N		0

Parents of **RET_COND**

Children of **RET_COND**

N0900891	**Parent**	RET_COND	**Child**	RET_COND_PRS_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_RET_CONDID_NBR		INTEGER	4	0		N	
N0910891	**Parent**	RET_COND	**Child**	RET_COND_STAT_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_RET_CONDID_NBR		INTEGER	4	0		N	

RET_COND_PRS_INVLV

An associative entity between RETURN CONDITION and PCPI. The persons role in the RETURN CONDITION is managed with t he associative entity.

Priority 10 Dups N Download N Upload N NFOTS090

Column	Type	Length	Nulls	Scale	Key
FK PCPIFK ARPID NB	INTEGER	4	N	0	1
FK0PCPIFK PGM CASE	INTEGER	4	N	0	2
FK PCPIFK PGM CASE	CHAR	2	N	0	3
FK RET CONDID NBR	INTEGER	4	N	0	4
RLE CD	CHAR	2	N	0	

The role the involved pers on is playing in the Condition of Return.

UPD USRID	CHAR	8	N		0
UPD TS	TIMESTMP	10	N		0

Parents of **RET_COND_PRS_INVLV**

N0900891	**Child**	RET_COND_PRS_INVLV	**Parent**	RET_COND						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_RET_CONDID_NBR	ID_NBR		INTEGER	4	0		N	A
N0905851	**Child**	RET_COND_PRS_INVLV	**Parent**	PCPI						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD		CHARACTER	2	0		N	A
		FK0PCPIFK_PGM_CASE	FK_PGM_CASEID_NBR		INTEGER	4	0		N	A
		FK_PCPIFK_ARPID_NB	FK_ARPID_NBR		INTEGER	4	0		N	A

Children of **RET_COND_PRS_INVLV**

Parent		**Child**				
COLNAME			TYPE	LEN	SC	D	N

RET_COND_STAT_HIST

This table tracks status change hist ory for the Conditions for Return table.

Priority 10 Dups N Download N Upload N NFOTS091

Column	Type	Length	Nulls	Scale	Key
FK RET CONDID NBR	INTEGER	4	N	0	1
STAT BEG DT	DATE	4	N	0	2
Date the current stat us began.					
STAT UPD TME	TIME	3	N	0	3
Time that the status was changed to its current state.					
STAT CD	CHAR	2	N	0	
THIS IS A GENERIC ATTRIBU TE THAT WILL VARY BASED ON THE CLASSIFICATION CODE. IT COULD BE USED TO CAPTURE THE STATUS CODE OF WHATEVER WE ARE TRYING TO STORE.					
STAT END DT	DATE	4	N	0	
Date the current stat us ended.					
STAT UPD USRID	CHAR	8	N	0	
Logon ID of the pe rson who changed the status to its current state.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **RET_COND_STAT_HIST**

N0910891 **Child** RET_COND_STAT_HIST **Parent** RET_COND

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_RET_CONDID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **RET_COND_STAT_HIST**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

REVIEW

A recorded determination that a child is identif ied to have been reviewed by a specified Review Board at a specified time.

Priority 20 Dups N Download N Upload N NFOTS761

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
ARTIFICIAL ID NUMBER ASSIGNED TO IDENT IFY THE REVIEW RECORD					
FK PRS TRKNGID NBR	INTEGER	4	Y	0	
ASGN DT	DATE	4	Y	0	
Most recently scheduled review date. The date in can be past, present, future, or blank depending on when the child entered care, where case is in terms of the review cycle, and whether the child has left care					
NXT RCMND RVW DT	DATE	4	Y	0	
Date reviewer recommends sch eduling the next review.					
ACTL MTG DT	DATE	4	Y	0	
Date the FCRB meeting was conduct ed					
BOARD CD	CHAR	4	Y	0	
Code identifying Local FCRB responsi ble for reviewing the case.Values: IA, IB, IB10, IB11					
PRS INVTD NBR	SMALLINT	2	Y	0	
Number of persons invited to at tend the review, answered only for reviewed children					
PRS ATTND NBR	SMALLINT	2	Y	0	
Number of persons who attended the review, answered only for reviewed children					
RVW VERF IND	CHAR	1	Y	0	
Indicates that the FCRB staff ha s verified that the review recommendations have been received and entered.Values : Yes, No					
FK ASPLOGON ID	CHAR	8	Y	0	

UPD_USRID	CHAR	8	N	0
Last Update User ID.				
UPD_TS	TIMESTMP	10	N	0
Last Update Timestamp.				

Parents of **REVIEW**

N7610801	**Child**	REVIEW	**Parent**	ASP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ASPLOGON_ID		LOGON_ID	CHARACTER	8	0		N A
N7617861	**Child**	REVIEW	**Parent**	PRS_TRKNG					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_PRS_TRKNGID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **REVIEW**

N7627611	**Parent**	REVIEW	**Child**	RVW_RSTRT					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR			FK_REVIEWID_NBR	INTEGER	4	0		N
N7637611	**Parent**	REVIEW	**Child**	RVW_INJ					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR			FK_REVIEWID_NBR	INTEGER	4	0		N
N7647611	**Parent**	REVIEW	**Child**	RVW_DTL					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR			FK_REVIEWID_NBR	INTEGER	4	0		N
N7667611	**Parent**	REVIEW	**Child**	RVW_SERV_PROVD					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR			FK_REVIEWID_NBR	INTEGER	4	0		N
N7677611	**Parent**	REVIEW	**Child**	RVW_CNTCT					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR			FK_REVIEWID_NBR	INTEGER	4	0		N
N7687611	**Parent**	REVIEW	**Child**	RVW_BOARD_RSLT					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR			FK_REVIEWID_NBR	INTEGER	4	0		N

RISK_DTL

Information gathered which will help determine the safety of an AGENCY RELATED PERSON and those forces which impact the family in creating risk.

Priority 2 Dups N Download N Upload N NFOTS851

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	1
Value uniquely assigned to each Risk Detail.					
FK_PGM_CASEID_NBR	INTEGER	4	Y	0	
FK_PGM_CASEPGM_CD	CHAR	2	Y	0	
ENT_DT	DATE	4	N	0	
Date the Final Risk Eval/Concl was e ntered/completed in the system					
INDEP_TOT	SMALLINT	2	Y	0	
Number of predefined questions (I ndependent Indicators) answered 'YES' which are used to assess safety factors during Assessment.					
DEP_TOT	SMALLINT	2	Y	0	
Number of predefined questions (Dep endent Indicators) answered 'YES' which are used to assess safety factors duri ng Assessment					
PURPOSE_CD	CHAR	2	Y	0	
Rationale for Final Risk Eval/Co nc completion					
CMP_DT	DATE	4	N	0	
The date the Risk Evaluation was com pleted.					
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	

Parents of **RISK_DTL**

N8515951 **Child** RISK_DTL **Parent** PGM_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PGM_CASEPGM_CD	PGM_CD	CHARACTER	2	0		N	A
FK_PGM_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **RISK_DTL**

N8038511 **Parent** RISK_DTL **Child** ANSWER

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_RISK_DTLID_NBR	INTEGER	4	0		N

N8528511 **Parent** RISK_DTL **Child** RISK_ITEM

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_RISK_DTLID_NBR	INTEGER	4	0		N

RISK_ITEM

List of codes relating to those representing a risk evaluation and their effective dates.

Priority 3 Dups N Download N Upload N NFOTS852

Column	Type	Length	Nulls	Scale	Key
ENT DT	DATE	4	N	0	
FK RISK DTLID NBR	INTEGER	4	N	0	1
INDEP DEP CD	CHAR	2	N	0	2
INDEP DEP IND	CHAR	1	N	0	
SEL FLG	CHAR	1	N	0	
The selection flag determines whet her the risk influence has been selected or de-selected.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **RISK_ITEM**

N8528511 **Child** RISK_ITEM **Parent** RISK_DTL

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_RISK_DTLID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **RISK_ITEM**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

RMVL_RSN

Conditions associated with a child's removal from home and contact with the foster care system.INT: The relationship REMOVAL always DOCUMENTED_BY REMOVAL_REASON was changed to optional in TD. The insert/d elete process(es) for REMOVAL_REASON must enforc

Priority 1 Dups N Download N Upload N NFOTS850

Column	Type	Length	Nulls	Scale	Key
TYP CD	CHAR	2	N	0	2
The codified type of reasons the chi ld was removed from their home.					
FK REMOVALID NBR	INTEGER	4	N	0	1
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **RMVL_RSN**

N8508481	**Child**	RMVL_RSN	**Parent**	REMOVAL						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_REMOVALID_NBR		ID_NBR	INTEGER	4	0		N	A

Children of **RMVL_RSN**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

RPT_ARCH

The entity saves the Advanced Function Printin g (AFP) data streams for one generation of a report.

Priority 1 Dups N Download N Upload N NFOTS692

Column	Type	Length	Nulls	Scale	Key
FK RPT INFORPT ID	CHAR	10	N	0	1
FK RPT INFORPT PRD	DATE	4	N	0	2
SEQ NBR	INTEGER	4	N	0	3
Ordering for each AFP record row.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
AFP REC	VARCHAR	3,900	N	0	

Parents of **RPT_ARCH**

N6926941	**Child**	RPT_ARCH	**Parent**	RPT_INFO						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_RPT_INFORPT_ID		RPT_ID	CHARACTER	10	0		N	A
		FK_RPT_INFORPT_PRD		RPT_PRD_END_DT	DATE	4	0		N	A

Children of **RPT_ARCH**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

RPT_INFO

Entity supports Online Reporting Business Syst em.

Priority 0 Dups N Download N Upload N NFOTS694

Column	Type	Length	Nulls	Scale	Key
RPT ID	CHAR	10	N	0	1
Unique identifier					
TYP CD	CHAR	2	N	0	
A code specifying the general type o f report.Valid Values:Case LoadManagementFederal					
NME CD	SMALLINT	2	N	0	
A code specifying the specific name of the report.					
RPT PRD END DT	DATE	4	N	0	2
Period for which the report was produced.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
AUX ID	INTEGER	4	Y	0	
Auxiliary key used for unique identi fication when transmitted to the LAN via the AFP viewer.					

Parents of **RPT_INFO**

Children of **RPT_INFO**

N6926941	**Parent**	RPT_INFO	**Child**	RPT_ARCH				
		COLNAME		TYPE	LEN	SC	D	N
	RPT_ID		FK_RPT_INFORPT_ID	CHARACTER	10	0		N
	RPT_PRD_END_DT		FK_RPT_INFORPT_PRD	DATE	4	0		N

RPT_STAT

The holding area for the ending statistics fro m a report for a given reporting period. These counts and totals can then be us ed as the beginning numbers for the next reporting period.

Priority 0 Dups N Download N Upload N NFOTS695

Column	Type	Length	Nulls	Scale	Key
RPT_ID	CHAR	12	N	0	1
The unique identifier distinguishing one report from another.					
RPT_PRD_END_DT	DATE	4	N	0	2
The end date of the reportin g period. This could be for a month, quarter or year.					
RPT_TOT	VARCHAR	2,000	N	0	
Counts, total and statistics from a report to be used as starting totals when preparing the report for the next per iod.					
UPD_TS	TIMESTMP	10	N	0	3
Last update timestamp.					
UPD_USRID	CHAR	8	N	0	

Parents of **RPT_STAT**

Children of **RPT_STAT**

Parent	**Child**				
COLNAME	TYPE	LEN	SC	D	N

RSRC

A resource or asset belonging to one or more ARPs.

Priority 10 Dups N Download Y Upload Y NFOTS200

Column	Type	Length	Nulls	Scale	Key
ID_NBR	INTEGER	4	N	0	1
A number used for unique identification.					
TYP_CD	CHAR	2	N	0	
Code used to specify the resource type. (I.e. automobile, land, savings account) See code table 1812 for a list of typ es.					
CLOSE_DT	DATE	4	Y	0	
ACCT_LOCT	CHAR	25	Y	0	
User entered text field that stores t he location of the resource. (I.e. Name of the bank, etc.)					
ACCT_NBR	CHAR	15	Y	0	
User entered number to identify the re source. (I.e. checking account number, bond number)					
UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	
FK_MST_CASEID_NBR	INTEGER	4	Y	0	

DSC	VARCHAR	100	Y	0

User entered description to further describ e the resource. May contain automobile information (make, year, model), comment s about the resource, etc.

Parents of **RSRC**

N2005151	**Child**	RSRC	**Parent**	MST_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_MST_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **RSRC**

N1952001	**Parent**	RSRC	**Child**	RSRC_OWNER

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_RSRCID_NBR	INTEGER	4	0		N

N2052001	**Parent**	RSRC	**Child**	RSRC_VALUATION

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_RSRCID_NBR	INTEGER	4	0		N

N2102001	**Parent**	RSRC	**Child**	RSRC_EXCLSN_DISRD

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_RSRCID_NBR	INTEGER	4	0		N

RSRC_EXCLSN_DISRD

Documents what time period the resour ce may be excluded or disregarded.

Priority 20 Dups N Download Y Upload Y NFOTS210

Column	Type	Length	Nulls	Scale	Key
FK RSRCID NBR	INTEGER	4	N	0	1
TYP CD	CHAR	2	N	0	3
Code used to specify the ex clusion / disregard type. See code table 1811.					
BEG DT	DATE	4	N	0	2
The date the exclusion / di sregard began.					
END DT	DATE	4	N	0	
The date the exclusion / di sregard ended.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **RSRC_EXCLSN_DISRD**

N2102001	**Child**	RSRC_EXCLSN_DISRD	**Parent**	RSRC

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_RSRCID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **RSRC_EXCLSN_DISRD**

Parent	**Child**

COLNAME	TYPE	LEN	SC	D	N

RSRC_OWNER

Describes the ARP that owns the resource for a specific time period.

Priority 20 Dups N Download Y Upload Y NFOTS195

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
FK RSRCID NBR	INTEGER	4	N	0	2
BEG DT	DATE	4	N	0	3
The date the ownership began.					
END DT	DATE	4	N	0	
The date the ownership ended.					
OWN PCT	DECIMAL	4	N	3	
Percentage of the resource owned by this RESOURCE_OWNER for this time period.					

UPD_USRID	CHAR	8	N		0
UPD_TS	TIMESTMP	10	N		0

Parents of **RSRC_OWNER**

N1950401	**Child**	RSRC_OWNER	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N1952001	**Child**	RSRC_OWNER	**Parent**	RSRC						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_RSRCID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **RSRC_OWNER**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

RSRC_VALUATION

Holds the value of the resource as it re lates to a specific time period.

Priority 20 Dups N Download Y Upload Y NFOTS205

Column	Type	Length	Nulls	Scale	Key
FK_RSRCID_NBR	INTEGER	4	N	0	1
BEG_DT	DATE	4	N	0	2
The date the value began.					
END_DT	DATE	4	N	0	
The date the value ended.					
VALUE_AMT	DECIMAL	9	Y	2	
Dollar amount representing the value of the resource.					
CASH_VALUE_AMT	DECIMAL	9	Y	2	
Dollar amount represen ting the cash value of the resource. Collected for bonds, life insurance, etc.					
FACE_VALUE_AMT	DECIMAL	9	Y	2	
Dollar amount represen ting the face value of the resource. Collected for bonds, life insurance, etc.					
ENCUM_AMT	DECIMAL	9	Y	2	
Dollar amount that is held against the resource.					
LICD_IND	CHAR	1	Y	0	
Yes / No indicator used to d emonstrate if the vehicle is licensed.					
VERF_SRC_CD	CHAR	2	Y	0	
This will identify the so urce that was used to verify the RESOURCE_VALUATION. (I.e. receipts, tax return , birth certificate, etc.)					
VERF_DT	DATE	4	Y	0	
This will provide the date th at the RESOURCE_VALUATION was verified.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **RSRC_VALUATION**

N2052001	**Child**	RSRC_VALUATION	**Parent**	RSRC						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_RSRCID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **RSRC_VALUATION**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

RVW_BOARD_RSLT

Review Board recommendations and finding s regarding a child's current placement, case plan and permanency objectives

Priority 20 Dups N Download N Upload N NFOTS768

Column	Type	Length	Nulls	Scale	Key
FK_REVIEWID_NBR	INTEGER	4	N	0	1
CLSF_CD	CHAR	2	N	0	2
Code to identify the type of result.New FieldValues: Findings, Barriers					
CAT_CD	CHAR	2	N	0	3
Code to group the findings or barriersValues: 1, 2, 3					
TYP_CD	CHAR	2	N	0	4
Code to define the specific fi nding or barrier within a group.Values: A, B, C etc.					
UPD_USRID	CHAR	8	N	0	
Last Update User ID.					
UPD_TS	TIMESTMP	10	N	0	
Last Update Timestamp.					

Parents of **RVW_BOARD_RSLT**

N7687611 **Child** RVW_BOARD_RSLT **Parent** REVIEW

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_REVIEWID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **RVW_BOARD_RSLT**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

RVW_CNTCT

Persons invited to participate in the FCRB re view

Priority 20 Dups N Download N Upload N NFOTS767

Column	Type	Length	Nulls	Scale	Key
FK_REVIEWID_NBR	INTEGER	4	N	0	1
ID_NBR	INTEGER	4	N	0	2
ARTIFICIAL ID NUMBER ASSIGNED TO ID ENTIFY REVIEW_CONTACT RECORD					
TYP_CD	CHAR	2	N	0	
Code indicating the type of contact .Values: GAL, Mother, Father					
QSTNR_SENT_CD	CHAR	2	Y	0	
Code indicating whether the questionnaire was sent to the party defined in the type code.Values: Yes, No, N/ A					
QSTNR_RET_CD	CHAR	2	Y	0	
Code indicating whether the q uestionnaire was received from the party defined in the type code.Values: Yes, No, N/A					
INVTD_CD	CHAR	2	Y	0	
Code indicating whether the conce rned party was invited to the reviewValues: Yes, No, N/A					
ATTND_CD	CHAR	2	Y	0	
Code indicating whether the conce rned party attended the reviewValues: Yes, No, N/A					
FNL_RECMND_SNT_CD	CHAR	2	Y	0	
Code indicating whether the FCRB send the final recommendation to the concerned partyValues: Yes, No, Un known					
UPD_USRID	CHAR	8	N	0	
Last Update User ID.					
UPD_TS	TIMESTMP	10	N	0	
Last Update Timestamp.					

Parents of **RVW_CNTCT**

N7677611	**Child**	RVW_CNTCT	**Parent**	REVIEW						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_REVIEWID_NBR		ID_NBR	INTEGER	4	0		N	A

Children of **RVW_CNTCT**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

RVW_DTL

Information gathered during the FCRB review pro cess for tracking purposes.

Priority 20 Dups N Download N Upload N NFOTS764

Column	Type	Length	Nulls	Scale	Key
FK REVIEWID NBR	INTEGER	4	N	0	1
HLTH REC IN FIL CD	CHAR	2	Y	0	
Indicates whether there i s a health record in the child's file when the file review occurredValues: Yes, No					
EDUC REC IN FIL CD	CHAR	2	Y	0	
Indicates whether there i s an education record in the child's file when the file review occurred.Values: Yes, No, N/A					
ENROL SPCL ED CD	CHAR	2	Y	0	
Indicates whether the child is enrolled in a special education program as of the review dateValues: Yes, No , N/A					
INJ TO OTH CD	CHAR	2	Y	0	
Indicates whether the child i njured anyone since entering care.Values: Yes, No, NIF					
SXL ACTNG OUT CD	CHAR	2	Y	0	
Indicates whether the child is sexually acting out.Values: Yes, No, NIF					
ALLGD SXL PRP CD	CHAR	2	Y	0	
Indicates whether the child is an alleged sexual perpetrator.Values: Yes, No, NIF					
ALLGD PRP VCTM NBI	SMALLINT	2	Y	0	
Number of victims disclos ed if the child is an alleged sexual perpetrator.					
CNTCT CSE MGR CD	CHAR	2	Y	0	
Indicates whether there was child/casemanager contact in the specified period prior to the review.Values: Y es, No, NIF					
CNTCT GAL CD	CHAR	2	Y	0	
Indicates whether the GAL conta cted the child in the specified period prior to the reviewValues: Yes, No, NIF					
CNTCT SIB CD	CHAR	2	Y	0	
Code to indicate whether the ch ild had sibling visitations at the time of the reviewValues: Yes, No, N/A, Some					
OTH CHLD ATRSK CD	CHAR	2	Y	0	
Indicates whether there ar e other children in home at serious riskValues: Yes, No, NIF					
OTHR ADLTS HME CD	CHAR	2	Y	0	
INDICATES WHETHER THERE AR E OTHER ADULTS IN THE HOME OF REMOVAL (IN ADDITION TO MOTHER AND FATHER) VALUES : YES, NO					
CHLD PLCD W SIB CD	CHAR	2	Y	0	
Code to indicate whether the child is placed with siblings.Values: Yes, No, Some					
HMSTDY AVAIL CD	CHAR	2	Y	0	
Indicates whether the homest udy is available.Values: Yes, No, NIF					
MED REC RCVD CD	CHAR	2	Y	0	
Indicates whether the placem ent received medical records for the child.Values: Yes, No, NIF					
EDUC REC RCVD CD	CHAR	2	Y	0	
Indicates whether the place ment received education records for the child.Values: Yes, No, NIF					
AB INVSTGN CD	CHAR	2	Y	0	
Indicates whether the foster home has been investigated for abuse for a child in foster family home.Values: Y es, No, NIF					

AB INVSTGN RSLT CD CHAR 2 Y 0
Code for abuse investigat ion results.Values: NIF, Substantiated, Unsubstantiated, Unfounded, Restriction, Incomplete, Founded, Pending
ADOP PLCMNT CD CHAR 2 Y 0
Indicates whether the child w as in an adoptive placement.Values: Yes, No, NIF
ADOP PLCMNT REL CI CHAR 2 Y 0
Indicates whether the pot ential adoptive parent is a relative.Values: Yes, No
ADOP HMSTDY CMP (CHAR 2 Y 0
Indicates whether an ado ptive homestudy has been completed.Values: Yes, No, NIF
FCRB REC CS PLN CD CHAR 2 Y 0
FCRB's description of Ag ency's Permanency Objectives. This may not be identical to the HHS Permanency O bjectives.Values: Independent Living, Relative Placement, Adoption
PERM OBJ TRGT DT DATE 4 Y 0
Custody agency's target da te for achieving the Permanency Objective.
PRM OBJ TRGT DT CI CHAR 2 Y 0
Indicates whether target date that has been assigned to the Permanency Objective is appropriate, reasonab le and current.Values: Yes, No, N/A
CS PLN BEG DT DATE 4 Y 0
Begin Date of the case plan be ing reviewed
ADOP PLN EXP CD CHAR 2 Y 0
Indicates whether the Adopti on Plan is current or not. Values: Yes, No
AB INVSTGN STAT CD CHAR 2 Y 0
Code to indicate whether the abuse/neglect investigation has been completed.
MOS TO TRFR NBR SMALLINT 2 Y 0
Number of months waiting tra nsfer to adoption unit at the time of review.
MOS IN UNIT NBR SMALLINT 2 Y 0
Number of months in the adop tion unit at the time of the review
CNTRCT SVC CD CHAR 2 Y 0
Code to indicate whether there is a contract with a private agency to provide caseworker or placement services
SVC CONT NME CHAR 30 Y 0
Name of the agency providing ca seworker or placement services
HIST SELF INJ CD CHAR 2 Y 0
Code to indicate whether th e child has ever injured him/herself.
UPD USRID CHAR 8 N 0
Last Update User ID.
UPD TS TIMESTMP 10 N 0
Last Update Timestamp.

Parents of **RVW_DTL**

N7647611 **Child** RVW_DTL **Parent** REVIEW

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_REVIEWID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **RVW_DTL**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

RVW_INJ

Information gathered during the FCRB review pro cess regarding injuries received during placement or visitation.

Priority 20 Dups N Download N Upload N NFOTS763

Column	Type	Length	Nulls	Scale	Kev
FK REVIEWID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2

ARTIFICIAL ID NUMBER ASSIGNED TO IDEN TIFY THE REVIEW_INJURY RECORD

SITE_TYP_CD	CHAR	2	Y	0
Code to indicate where the injur y occurred.Values: Placement, Visitation				
RSTRT_CD	CHAR	2	Y	0
Indicates whether the injury is due to restraint or not.Values: Yes, No, NIF				
TYP_CD	CHAR	2	N	0
Code to indicate the type of injury.V alues: Broken Bone, Burn, Physical, sexual, emotional, Self				
PROVDR_STL_USE_CD	CHAR	2	Y	0
Indicates whether the pla cement where the injury occurred is still in use.Values: Yes, No, NIF				
FK_ORGID_NBR	INTEGER	4	Y	0
UPD_USRID	CHAR	8	N	0
Last Update User ID.				
UPD_TS	TIMESTMP	10	N	0
UPDATE_TIMESTAMP				

Parents of **RVW_INJ**

N7635501	**Child**	RVW_INJ	**Parent**	ORG					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N A
N7637611	**Child**	RVW_INJ	**Parent**	REVIEW					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_REVIEWID_NBR	ID_NBR		INTEGER	4	0		N A

Children of **RVW_INJ**

Parent	**Child**				
COLNAME	TYPE	LEN	SC	D	N

RVW_RSTRT

Priority 20 Dups N Download N Upload N NFOTS762

Column	**Type**	**Length**	**Nulls**	**Scale**	**Kev**
FK_REVIEWID_NBR	INTEGER	4	N	0	1
ID_NBR	INTEGER	4	N	0	2
ARTIFICAL ID NUMBER ASSIGNED TO IDE NTIFY THE REVIEW_RESTRAINT RECORD					
TYP_CD	CHAR	2	Y	0	
Code to indicate the type of restra int.Values: Physical, Chemical, Medication					
FREQ_CD	CHAR	2	Y	0	
Code used to estimate frequency of restraint incidents.Values: Daily, Weekly, Monthly					
RSLT_IN_INJ_CD	CHAR	2	Y	0	
Indicates whether the restr aint resulted in injury.Values: Yes, No, NIF					
RSLT_IN_INJ_NBR	SMALLINT	2	Y	0	
Number of restraint incide nts that resulted in injury.					
MED_ATTN_REC_CD	CHAR	2	Y	0	
Indicates whether medical attention was sought for the injury.Values: Yes, No, NIF					
MED_ATTN_REC_NBR	SMALLINT	2	Y	0	
Number of restraint incid ents where medical attention was sought.					
FK_ORGID_NBR	INTEGER	4	Y	0	
UPD_USRID	CHAR	8	N	0	
Last Update User ID.					
UPD_TS	TIMESTMP	10	N	0	
Last Update Timestamp.					

Parents of **RVW_RSTRT**

N7625501	**Child**	RVW_RSTRT	**Parent**	ORG							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A	
N7627611	**Child**	RVW_RSTRT	**Parent**	REVIEW							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_REVIEWID_NBR	ID_NBR		INTEGER	4	0		N	A	

Children of **RVW_RSTRT**

Parent	**Child**					
COLNAME	TYPE	LEN	SC	D	N	

RVW_SERV_PROVD

Information gathered during the FCRB rev iew process regarding services provided to the child in care, parents, and foste r parents

Priority 20 Dups N Download N Upload N NFOTS766

Column	Type	Length	Nulls	Scale	Key
FK_REVIEWID_NBR	INTEGER	4	N	0	1
TYP_CD	CHAR	2	N	0	2
Code to indicate the category of person receiving the service(s).Values: Child, Parent, Foster Parent					
SERV_CD	CHAR	2	N	0	3
Code indicating the type of s ervice received.Values: Mental health evaluation or treatment, educational servi ces, medical services					
UPD_USRID	CHAR	8	N	0	
Last Update User ID.					
UPD_TS	TIMESTMP	10	N	0	
Last Update Timestamp.					

Parents of **RVW_SERV_PROVD**

N7667611	**Child**	RVW_SERV_PROVD	**Parent**	REVIEW							
		COLNAME			TYPE	LEN	SC	D	N	UPD	
		FK_REVIEWID_NBR	ID_NBR		INTEGER	4	0		N	A	

Children of **RVW_SERV_PROVD**

Parent	**Child**					
COLNAME	TYPE	LEN	SC	D	N	

SA_POSTN_ALRT_DSP

Assignment specific information regar ding the clearance of an ALERT from a worker's display.

Priority 3 Dups N Download N Upload N NFOTS697

Column	Type	Length	Nulls	Scale	Key
CLEARED_DT	DATE	4	N	0	
Date the Alert IS MARKE D as cleared from display for the worker.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
FK_SVC_APRV_ALRFK	INTEGER	4	N	0	3
FK_SVC_APRV_ALRFK0	INTEGER	4	N	0	2
FK_SVC_APRV_ALRID	INTEGER	4	N	0	1
FK_DSS_OFC_POSTFK	CHAR	3	N	0	5

FK DSS OFC POSTID	INTEGER	4	N	0	4

Parents of **SA_POSTN_ALRT_DSP**

N6972301 **Child** SA_POSTN_ALRT_DSP **Parent** DSS_OFC_POSTN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR	CHARACTER	3	0		N	A
FK_DSS_OFC_POSTID	ID_NBR	INTEGER	4	0		N	A

N6977271 **Child** SA_POSTN_ALRT_DSP **Parent** SVC_APRV_ALRT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SVC_APRV_ALRFK	FK_SVC_APRVFK_ORGI	INTEGER	4	0		N	A
FK_SVC_APRV_ALRFK0	FK_SVC_APRVID_NBR	INTEGER	4	0		N	A
FK_SVC_APRV_ALRID	ID_NBR	INTEGER	4	0		N	A

Children of **SA_POSTN_ALRT_DSP**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

SA_RENEWAL_DT

Priority 2 Dups N Download N Upload N NFOTS698

Column	Type	Length	Nulls	Scale	Kev
RENEWAL DT	DATE	4	N	0	3
The date the SERVICE APPROV AL was renewed.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
FK SVC APRVFK ORGI	INTEGER	4	N	0	2
FK SVC APRVID NBR	INTEGER	4	N	0	1
CONT NBR	CHAR	7	Y	0	
The number assigned to a cont ract by the DSS Legal Division.					

Parents of **SA_RENEWAL_DT**

N6987251 **Child** SA_RENEWAL_DT **Parent** SVC_APRV

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SVC_APRVFK_ORGI	FK_ORGID_NBR	INTEGER	4	0		N	A
FK_SVC_APRVID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SA_RENEWAL_DT**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

SAFETY_PLAN_DTL

A method to help CPS or the assigned AG ENCY STAFF PERSON identify/determine safety surrounding a particular AGENCY RELA TED PERSON case. In addition, the identification of potential needed services t o be provided may be indicated.

Priority 2 Dups N Download N Upload N NFOTS853

Column	Type	Length	Nulls	Scale	Kev
ID NBR	INTEGER	4	N	0	1
Value uniquely assigned to ea ch Safety Plan Detail.					
FK PGM CASEID NBR	INTEGER	4	Y	0	
FK PGM CASEPGM CD	CHAR	2	Y	0	

ENT DT	DATE	4	N	0	
Date the Safety Plan was ente red/completed in the system					
PURPOSE CD	CHAR	2	Y	0	
Rationale for Safety Plan Completion					
CMP DT	DATE	4	N	0	
Date the safety plan was comp leted.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **SAFETY_PLAN_DTL**

N8535951 **Child** SAFETY_PLAN_DTL **Parent** PGM_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PGM_CASEPGM_CD	PGM_CD	CHARACTER	2	0		N	A
FK_PGM_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SAFETY_PLAN_DTL**

N8038531 **Parent** SAFETY_PLAN_DTL **Child** ANSWER

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_SAFETY_PLAN_ID	INTEGER	4	0		N

N8548531 **Parent** SAFETY_PLAN_DTL **Child** SAFETY_PLAN_ITM

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_SAFETY_PLAN_ID	INTEGER	4	0		N

SAFETY_PLAN_ITM

A database table/object to be used to s tore data such as identified services which help to address the safety of a chil d.

Priority 3 Dups N Download N Upload N NFOTS854

Column	Type	Length	Nulls	Scale	Key
SAFETY SVC CD	CHAR	2	N	0	2
Codes identifying serv ices which are appropriate for controlling influences affecting safety.					
ENT DT	DATE	4	N	0	
Date codes identify services which are appropriate for controlling influences affecting safety became effecti ve.					
FK SAFETY PLAN ID	INTEGER	4	N	0	1
SEL FLG	CHAR	1	N	0	
The selection flag determine s whether the safety service has been selected or de-selected.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **SAFETY_PLAN_ITM**

N8548531 **Child** SAFETY_PLAN_ITM **Parent** SAFETY_PLAN_DTL

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SAFETY_PLAN_ID	ID_NBR	INTEGER	4	0		N	A

Children of **SAFETY_PLAN_ITM**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

SANCTION

The description of a budget sanction.

Priority 1 Dups N Download Y Upload Y NFOTS053

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1

TYP CD	CHAR	2	N	0	2
This attribute is a code specifying an individual's sanction type as defined by program policy.					
BEG DT	DATE	4	N	0	3
This attribute is the effective date of a sanction.					
END DT	DATE	4	N	0	
This attribute is the date a sanctio n is no longer effective.					
RSN CD	CHAR	2	Y	0	
Optional field to store the work req uired reason while closing an FSP (08) case or and FSP Participant with a Sancti on and Sanction Type, Work Req 1 FSP, Work Req 2 FSP and Work Req 3 FSP.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	

Parents of **SANCTION**

N0530401 **Child** SANCTION **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SANCTION**

Parent COLNAME	Child TYPE	LEN	SC	D	N

SCHL_ATTNDCE

Priority 1 Dups N Download Y Upload N NFOTS700

Column	Type	Length	Nulls	Scale	Key
BEG DT	DATE	4	N	0	
EDUC AREA TYP	CHAR	30	Y	0	
EXPT CMP DT	DATE	4	Y	0	
The date that an AGENCY REL ATED PERSON is anticipated to obtain the degree/diploma/ certification reference d in SCHOOL ATTENDANCE.Education Area Type Code.					
EDUC LEV CD	CHAR	2	N	0	
ID NBR	INTEGER	4	N	0	2
A number used for unique identif ication.					
FK ARPID NBR	INTEGER	4	N	0	1
FK ORGID NBR	INTEGER	4	Y	0	
STAT CD	CHAR	2	N	0	
END DT	DATE	4	N	0	
********** **********THIS ATTRIBUTE NEEDED FOR REPORT(S): ACF-700, ACF-4125.********** **********The date the school status is no longer effect ive.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
SURROGATE PRT	CHAR	45	Y	0	
A representative appointe d by the school to determine the educational best interest of the child.					
SPCL ED TYP CD	CHAR	2	Y	0	
A code specifying the ty pe of Special Education verification of the ARP					

SPCL ED STAT CD CHAR 2 Y 0
A code spedifying the e nrollment status of the ARP in Special Education
SPCL ED LEV CD CHAR 2 Y 0
A code specifying the ty pe of classroom for which the ARP is
placed.========== ==========THIS ATTRIBUTE IS REQUIRED
BY AFCARS AND NCANDS========== ==========
MDT DT DATE 4 Y 0
The date of the multi-disciplina ry team meeting
IEP DT DATE 4 Y 0
The date of the Individual Educa tional Plan Meeting
IFSP DT DATE 4 Y 0
The date of the Individual Fami ly Service Plan

Parents of **SCHL_ATTNDCE**

N7000401	**Child**	SCHL_ATTNDCE	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N7005501	**Child**	SCHL_ATTNDCE	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **SCHL_ATTNDCE**

Parent	**Child**				
COLNAME	TYPE	LEN	SC	D	N

SDX_MEDI

Priority 1 Dups N Download N Upload N NFOTS703

Column	**Type**	**Length**	**Nulls**	**Scale**	**Kev**
ID NBR	INTEGER	4	N	0	2

A number used for unique identificat ion.**********Comments**********
SOURCE:Basic

MEDI CHG DT	CHAR	6	Y	0	
MEDI ELIG CD	CHAR	1	Y	0	
PMT STAT CD	CHAR	3	Y	0	
MEDI FED LA CD	CHAR	1	Y	0	

FULL NAME: Medicaid Federal Living Arrangement CodeThis indicates the domicile of the converted individual recipient as of December 1973. CodeValueAOwn householdBAnother's householdCPare nt's household (for child cases only)DTitle XIX institutionENo Fe

MD LV CD OP ST SPL	CHAR	1	Y	0	
JURIS CD	CHAR	5	Y	0	
FK INF SDXID NBR	INTEGER	4	N	0	1
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **SDX_MEDI**

N7034401	**Child**	SDX_MEDI	**Parent**	INF_SDX						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_INF_SDXID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **SDX_MEDI**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

SDX_UEI

Priority 1 Dups N Download N Upload N NFOTS707

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2
A number used for unique identificati on.**********Comments**********					
SOURCE:Basic					
UNERN INC TYP CD	CHAR	1	Y	0	
UNERN INC STRT DT	CHAR	6	Y	0	
This indicates the date (Y YMM) when the unearned income started if the payment is monthly or when received if a one-time payment.					
UNERN INC STP DT	CHAR	6	Y	0	
UNERN INC AMT	DECIMAL	6	Y	2	
UNERN INC FREQ CD	CHAR	1	Y	0	
UNERN INC NBR	CHAR	12	Y	0	
UNERN INC VERF CD	CHAR	1	Y	0	
FK INF SDXID NBR	INTEGER	4	N	0	1
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **SDX_UEI**

N7074401	**Child**	SDX_UEI	**Parent**	INF_SDX						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_INF_SDXID_NBR		ID_NBR	INTEGER	4	0		N	A

Children of **SDX_UEI**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

SEQ_NBR_ASGN

This entity maintains the last assigned ID ENTIFICATION_NUMBER for entities with meaningful (the users will see and use) un ique identifiers.

Priority 0 Dups N Download N Upload N NFOTS710

Column	Type	Length	Nulls	Scale	Key
ENT NME	CHAR	32	N	0	1
The name of the entity with a m eaningful IDENTIFICATION_NUMBER.					
LST USED NBR	INTEGER	4	N	0	
Contains the last assigned sequential number.					

Parents of **SEQ_NBR_ASGN**

Children of **SEQ_NBR_ASGN**

Parent COLNAME	Child TYPE	LEN	SC	D	N

SFTY_ASSMNT

Priority 31 Dups N Download N Upload N NFOTS094

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Unique Id used to identify Narrat ives that belong to this Safety Assessment.					
TYP CD	CHAR	2	N	0	
Indicates what kind of Safety Ass essment this Assessment is.					
BEG DT	DATE	4	N	0	
The date the assigned Worker bega n researching and documenting the home environment and family functioning in ter ms of this Safety Assessment.					
BEG TME	TIME	3	N	0	
The time of day the assigned Wor ker began researching and documenting this Safety Assessment.					
END DT	DATE	4	N	0	
The date this Safety Assessment w as finalized (approved by supervisor).					
END TME	TIME	3	N	0	
The time of day this Safety Asse ssment was finalized (approved by supervisor).					
STAT CD	CHAR	2	N	0	
Indicates the current status of the Safety Assessment.					
STAT BEG DT	DATE	4	N	0	
The date the Safety Assessme nt status was set to the current status.					
CONCLUSION CODE	CHAR	2	Y	0	
Conclusion reached by th e worker for this Safety Assessment.					
STAT UPD USRID	CHAR	8	N	0	
ID of worker that last ch anged the status of this Safety Assessment.					
ON BEHALF OF USRID	CHAR	8	Y	0	
Supervisor that was a ctually responsible for reviewing this Safety Assessment - usually the current S upervisor of the assigned worker.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK PGM CASEPGM CD	CHAR	2	Y	0	
FK PGM CASEID NBR	INTEGER	4	Y	0	

Parents of **SFTY_ASSMNT**

N0945951 **Child** SFTY_ASSMNT **Parent** PGM_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PGM_CASEPGM_CD	PGM_CD	CHARACTER	2	0		N	A
FK_PGM_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SFTY_ASSMNT**

N0960941	**Parent**	SFTY_ASSMNT	**Child**	SFTY_AST_ARP_INVLV						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SFTY_ASSMNTID_N		INTEGER	4	0		N	
N1000941	**Parent**	SFTY_ASSMNT	**Child**	SFTY_ASSMNT_ASGN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SFTY_ASSMNTID_N		INTEGER	4	0		N	
N1010941	**Parent**	SFTY_ASSMNT	**Child**	SFTY_AST_STAT_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SFTY_ASSMNTID_N		INTEGER	4	0		N	
N1020941	**Parent**	SFTY_ASSMNT	**Child**	PROTECTIVE_AT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SFTY_ASSMNTID_N		INTEGER	4	0		N	
N1050941	**Parent**	SFTY_ASSMNT	**Child**	SFTY_ASSMNT_RVW						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SFTY_ASSMNTID_N		INTEGER	4	0		N	
N1110941	**Parent**	SFTY_ASSMNT	**Child**	PRCTV_CPCTY_ASSMNT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SFTY_ASSMNTID_N		INTEGER	4	0		N	
N6460941	**Parent**	SFTY_ASSMNT	**Child**	YLS_ASSMNT						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SFTY_ASSMNTID_N		INTEGER	4	0		N	
N8200941	**Parent**	SFTY_ASSMNT	**Child**	INTAKE						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SFTY_ASSMNTID_N		INTEGER	4	0		N	
N8480941	**Parent**	SFTY_ASSMNT	**Child**	REMOVAL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SFTY_ASSMNTID_N		INTEGER	4	0		N	

SFTY_ASSMNT_ASGN

Documents worker responsible for this SAFETY ASSESSMENT.

Priority 35 Dups N Download N Upload N NFOTS100

Column	Type	Length	Nulls	Scale	Key
FK SFTY ASSMNTID N	INTEGER	4	N	0	1
FK DSS OFC POSTFK	CHAR	3	N	0	2
FK DSS OFC POSTID	INTEGER	4	N	0	3
BEG DT Begin Date of the Assignment	DATE	4	N	0	4
END DT Ending Date of the Assignmen t	DATE	4	N	0	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **SFTY_ASSMNT_ASGN**

N1000941	**Child**	SFTY_ASSMNT_ASGN	**Parent**	SFTY_ASSMNT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_SFTY_ASSMNTID_N	ID_NBR		INTEGER	4	0		N	A
N1002301	**Child**	SFTY_ASSMNT_ASGN	**Parent**	DSS_OFC_POSTN						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR		CHARACTER	3	0		N	A
		FK_DSS_OFC_POSTID	ID_NBR		INTEGER	4	0		N	A

Children of **SFTY_ASSMNT_ASGN**

Parent		**Child**					
	COLNAME		TYPE	LEN	SC	D	N

SFTY_ASSMNT_RVW

Documents supervisors' evaluation of t his SAFETY ASSESSMENT.

Priority 35 Dups N Download N Upload N NFOTS105

Column	Type	Length	Nulls	Scale	Key
FK SFTY ASSMNTID N	INTEGER	4	N	0	1
ITEM CD	CHAR	2	N	0	2
There are 24 criteria that t he superviser reviews on each Safety Assessment.					
RVW DT	DATE	4	N	0	
Date the Supervisor reviewed this item.					
APRV CD	CHAR	2	N	0	
Code that indicates if this item was approved or not.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **SFTY_ASSMNT_RVW**

N1050941	**Child**	SFTY_ASSMNT_RVW	**Parent**	SFTY_ASSMNT					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_SFTY_ASSMNTID_N		ID_NBR	INTEGER	4	0		N A

Children of **SFTY_ASSMNT_RVW**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D N

SFTY_AST_ARP_INVLV

Priority 35 Dups N Download N Upload N NFOTS096

Column	Type	Length	Nulls	Scale	Key
FK SFTY ASSMNTID N	INTEGER	4	N	0	1
FK ARPID NBR	INTEGER	4	N	0	2
BEG DT	DATE	4	N	0	3
The date the ARP became in volved in this Safety Assessment.					
END DT	DATE	4	N	0	
The date the ARP's involv ement in this Safety Assessment ended.					
REL DSC	CHAR	50	Y	0	
Text to describe ARPs rel ationship to family.					
RESIDES IN HME IND	CHAR	1	N	0	
Indicates whet her the ARP was residing in the home or not when this Safety Assessment was fina lized.					
NON CP IND	CHAR	1	Y	0	
Indicates whether this ARP is a Non-Custodial Parent of at least one child in the Safety Assessment.					
RTV IND	CHAR	1	Y	0	
Indicates whether the ARP is a Relative of at least one child in the Safety Assessment.					
CNTCT ONLY IND	CHAR	1	Y	0	
Indicates if ARP i s included in the Safety Assessment only to provide input about the situation.					
NON CNTCT RSN CD	CHAR	2	Y	0	
Indicates the re ason a person involved in the Safety Assessment was not interviewed.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **SFTY_AST_ARP_INVLV**

N0960401	**Child**	SFTY_AST_ARP_INVLV	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N0960941	**Child**	SFTY_AST_ARP_INVLV	**Parent**	SFTY_ASSMNT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_SFTY_ASSMNTID_N	ID_NBR		INTEGER	4	0		N	A

Children of **SFTY_AST_ARP_INVLV**

N0970961	**Parent**	SFTY_AST_ARP_INVLV	**Child**	SFTY_FACTOR					
		COLNAME			TYPE	LEN	SC	D	N
	FK_SFTY_ASSMNTID_N		FK0SFTY_AST_ARPFK		INTEGER	4	0		N
	FK_ARPID_NBR		FK_SFTY_AST_ARPFK		INTEGER	4	0		N
	BEG_DT		FK_SFTY_AST_ARPBEG		DATE	4	0		N
N0990961	**Parent**	SFTY_AST_ARP_INVLV	**Child**	CNTCT_DTL					
		COLNAME			TYPE	LEN	SC	D	N
	FK_SFTY_ASSMNTID_N		FK0SFTY_AST_ARPFK		INTEGER	4	0		N
	FK_ARPID_NBR		FK_SFTY_AST_ARPFK		INTEGER	4	0		N
	BEG_DT		FK_SFTY_AST_ARPBEG		DATE	4	0		N

SFTY_AST_STAT_HIST

Safety Assessment Status History is used to document the status of a Safety Assessment over time.

Priority 35 Dups N Download N Upload N NFOTS101

Column	Type	Length	Nulls	Scale	Key
FK SFTY ASSMNTID N	INTEGER	4	N	0	1
STAT CD	CHAR	2	N	0	2
Indicates the status of t he Safety Assessment during this period of time.					
STAT BEG DT	DATE	4	N	0	3
The date the Safety A ssessment status started.					
STAT BEG TME	TIME	3	N	0	4
The time the Safety Assessment status started.					
STAT END DT	DATE	4	N	0	
The date the Safety A ssessment status ended.					
STAT END TME	TIME	3	N	0	
The time the Safety Assessment status ended.					
STAT UPD USRID	CHAR	8	N	0	
User Id of the wor ker that updated the status.					
ON BEHALF OF USRID	CHAR	8	Y	0	
Supervisor tha t was actually responsible for reviewing this Safety Assessment - usually the cu rrent Supervisor of the assigned worker.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **SFTY_AST_STAT_HIST**

N1010941	**Child**	SFTY_AST_STAT_HIST	**Parent**	SFTY_ASSMNT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_SFTY_ASSMNTID_N	ID_NBR		INTEGER	4	0		N	A

Children of **SFTY_AST_STAT_HIST**

Parent		**Child**						
	COLNAME			TYPE	LEN	SC	D	N

SFTY_FACTOR

Documents whether or not a Safety Factor ap plies to a child in a Safety Assessment. Each factor is documented for for each child.

Priority 37 Dups N Download N Upload N NFOTS097

Column	Type	Length	Nulls	Scale	Key
FK SFTY AST ARPFK	INTEGER	4	N	0	1
FK0SFTY AST ARPFK	INTEGER	4	N	0	2
FK SFTY AST ARPBEG	DATE	4	N	0	3
SFTY FACTOR TYP CD	CHAR	2	N	0	4
Code to indicate the Safety Factor being evaluated.					
SFTY FACTOR IND	CHAR	1	N	0	
Indicates if this Safety Factor was a threat to this child.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **SFTY_FACTOR**

N0970961 **Child** SFTY_FACTOR **Parent** SFTY_AST_ARP_INVLV

COLNAME		TYPE	LEN	SC	D	N	UPD
FK0SFTY_AST_ARPFK	FK_SFTY_ASSMNTID_N	INTEGER	4	0		N	A
FK_SFTY_AST_ARPFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_SFTY_AST_ARPBEG	BEG_DT	DATE	4	0		N	A

Children of **SFTY_FACTOR**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

SFTY_PLN

A safety plan identifies threats and associate d actions that HHSS in conjunction with persons present in the child's environm ent must do to keep the child safe.

Priority 31 Dups N Download N Upload N NFOTS106

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Unique Id used to identify Narrative s that belong to this Safety Plan.					
EFCTV BEG DT	DATE	4	N	0	
The date the worker provided a written copy of the safety plan to the person/family contacted.					
EFCTV BEG TME	TIME	3	N	0	
The time the Safety Plan was provided.					
EFCTV END DT	DATE	4	N	0	
The date the safety plan was n o longer considered to be in effect. This may occur when a new safety plan has been created or when the CFS case is closed.					
EFCTV END TME	TIME	3	N	0	
The time the Safety Plan ende d.					
CMP BY USERID	CHAR	8	N	0	
The HHS worker that provided the written copy of the safety plan to the family. This information may be ente red by a case aide.					
STAT CD	CHAR	2	N	0	
Status of the Safety Plan.					
STAT DT	DATE	4	N	0	
Date the Safety Plan status was set to the current status.					
STAT UPD USRID	CHAR	8	N	0	
Worker that updated the stat us to the current status.					
ON BEHALF OF USRID	CHAR	8	Y	0	
Supervisor that was actu ally responsible for reviewing this Safety Plan.					
UPD USRID	CHAR	8	N	0	

UPD TS	TIMESTMP	10	N		0
FK PGM CASEPGM CD	CHAR	2	Y		0
FK PGM CASEID NBR	INTEGER	4	Y		0

Parents of **SFTY_PLN**

N1065951 **Child** SFTY_PLN **Parent** PGM_CASE

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PGM_CASEPGM_CD	PGM_CD	CHARACTER	2	0		N	A
FK_PGM_CASEID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SFTY_PLN**

N0771061 **Parent** SFTY_PLN **Child** SFTY_PLN_ANLYS

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_SFTY_PLNID_NBR	INTEGER	4	0		N

N1071061 **Parent** SFTY_PLN **Child** SFTY_PLN_ARP_INVLV

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_SFTY_PLNID_NBR	INTEGER	4	0		N

N1081061 **Parent** SFTY_PLN **Child** SFTY_PLN_STAT_HIST

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_SFTY_PLNID_NBR	INTEGER	4	0		N

N1091061 **Parent** SFTY_PLN **Child** SFTY_PLN_RVW

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_SFTY_PLNID_NBR	INTEGER	4	0		N

SFTY_PLN_ANLYS

Document Safety Workers analysis of the caregiver(s) and the home environment for a Safety Plan.

Priority 34 Dups N Download N Upload N NFOTS077

Column	Type	Length	Nulls	Scale	Key
FK SFTY PLNID NBR	INTEGER	4	N	0	1
ITM CD	CHAR	2	N	0	2
Indicates which analysis crite ria is documented (e.g. 01 Does a home exist , 02 The home environment is calm enough for services, etc.)					
ITM IND	CHAR	1	N	0	
Indicates whether or not this analysis item applies for this Safety Plan.					
UPD USRID	CHAR	8	N	0	
Logon ID for the last updat e to the row.					
UPD TS	TIMESTMP	10	N	0	
Date and Time the last update was applied to the row.					

Parents of **SFTY_PLN_ANLYS**

N0771061 **Child** SFTY_PLN_ANLYS **Parent** SFTY_PLN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SFTY_PLNID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SFTY_PLN_ANLYS**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

SFTY_PLN_ARP_INVLV

Documents persons involved in a Safe ty Plan - children, parents, and other adults who live in the home and/or are re sponsible for keeping the children safe.

Priority 35 Dups N Download N Upload N NFOTS107

Column	Type	Length	Nulls	Scale	Key
FK SFTY PLNID NBR	INTEGER	4	N	0	1

FK_ARPID_NBR	INTEGER	4	N	0	2
SFTY_MONITOR_IND	CHAR	1	Y	0	
Indicates if ARP is a Safety Monitor in this Safety Plan. A Safety Monitor has agreed to help e nsure the safety of the children in the safety plan.					
RESIDES_IN_HME_IND	CHAR	1	N	0	
Indicates whet her or not the ARP was residing in the home when this Safety Plan went into effe ct.					
NON_CP_IND	CHAR	1	Y	0	
Indicates whether this ARP is a Non-Custodial Parent of at least one child in the Safety Plan.					
REL_IND	CHAR	1	Y	0	
Indicates whether the ARP is a Relative of at least one child in the Safety Plan.					
REL_DSC	CHAR	50	Y	0	
Text to describe ARPs inv olvement in this Safety Plan					
EXCP_REQ_DT	DATE	4	Y	0	
If this ARP is found on the CPS or APS Central Registry or has a criminal history, an exception must be approved before the person can be a Safety Monitor. This is the date the wor ker who completed the Safety Plan requested the exception.					
EXCP_APRV_IND	CHAR	1	Y	0	
Indicates whether t he exception was approved or not.					
EXCP_RVW_BY_USERID	CHAR	8	Y	0	
User Id of the Service Area Administrator or Central Office Administrator that approved the ex ception. This will be entered by the CPS Worker or Case Aid.					
EXCP_RVW_DT	DATE	4	Y	0	
Date the exception wa s approved.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **SFTY_PLN_ARP_INVLV**

N1070401 **Child** SFTY_PLN_ARP_INVLV **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N1071061 **Child** SFTY_PLN_ARP_INVLV **Parent** SFTY_PLN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SFTY_PLNID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SFTY_PLN_ARP_INVLV**

N0981071 **Parent** SFTY_PLN_ARP_INVLV **Child** SFTY_PLN_PRTC_AST

COLNAME		TYPE	LEN	SC	D	N
FK_SFTY_PLNID_NBR	FK_SFTY_PLN_ARPFK	INTEGER	4	0		N
FK_ARPID_NBR	FK0SFTY_PLN_ARPFK	INTEGER	4	0		N

SFTY_PLN_PRTC_AST

Priority 37 Dups N Download N Upload N NFOTS098

Column	Type	Length	Nulls	Scale	Key
FK_SFTY_PLN_ARPFK	INTEGER	4	N	0	1
FK0SFTY_PLN_ARPFK	INTEGER	4	N	0	2
CRTR_CD	CHAR	2	N	0	3
Code to indicate which cri teria is being evaluated.					
CRTR_IND	CHAR	1	N	0	
Indicates if Participant met this criteria.					
UPD_USRID	CHAR	8	N	0	

UPD_TS	TIMESTMP	10	N	0

Parents of **SFTY_PLN_PRTC_AST**

N0981071 **Child** SFTY_PLN_PRTC_AST **Parent** SFTY_PLN_ARP_INVLV

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SFTY_PLN_ARPFK	FK_SFTY_PLNID_NBR	INTEGER	4	0		N	A
FK0SFTY_PLN_ARPFK	FK_ARPID_NBR	INTEGER	4	0		N	A

Children of **SFTY_PLN_PRTC_AST**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

SFTY_PLN_RVW

Safety Plans should be reviewed approximat ely every 7 days once the Safety Plan is finalized.

Priority 35 Dups N Download N Upload N NFOTS109

Column	Type	Length	Nulls	Scale	Key
FK_SFTY_PLNID_NBR	INTEGER	4	N	0	1
RVW_DT	DATE	4	N	0	2
Date the worker reviewed the Saf ety Plan.					
RVW_BY_USERID	CHAR	8	Y	0	
Worker that last reviewed the Safety Plan.					
DATA_ENT_USERID	CHAR	8	Y	0	
Last worker who updated the values in this row (BUSINESS USE ONLY)					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **SFTY_PLN_RVW**

N1091061 **Child** SFTY_PLN_RVW **Parent** SFTY_PLN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SFTY_PLNID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SFTY_PLN_RVW**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

SFTY_PLN_STAT_HIST

Safety Plan Status History is used t o track the status of a Safety Plan.

Priority 35 Dups N Download N Upload N NFOTS108

Column	Type	Length	Nulls	Scale	Key
FK_SFTY_PLNID_NBR	INTEGER	4	N	0	1
STAT_CD	CHAR	2	N	0	2
Indicates the status of t he Safety Plan during this period of time.					
STAT_BEG_DT	DATE	4	N	0	3
The date the Safety P lan status started.					
STAT_BEG_TME	TIME	3	N	0	4
The time the Safety Plan status started.					
STAT_END_DT	DATE	4	N	0	
The date the Safety P lan status ended.					
STAT_END_TME	TIME	3	N	0	
The time the Safety Plan status ended.					
STAT_UPD_USRID	CHAR	8	N	0	
CPS Worker that up dated the status.					

ON BEHALF OF USRID	CHAR	8	Y		0

Supervisor tha t was actually responsible for reviewing this Safety Plan. Populated only when status is set to Revisions Required or Final.

UPD USRID	CHAR	8	N		0
UPD TS	TIMESTMP	10	N		0

Parents of **SFTY_PLN_STAT_HIST**

N1081061 **Child** SFTY_PLN_STAT_HIST **Parent** SFTY_PLN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SFTY_PLNID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SFTY_PLN_STAT_HIST**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

SHDW_ATTR

Shadow_attribute stores the original value of the column in "attribute_name" for the row referenced by the owning INSTANCE_ST ATUS.

Priority 89 Dups N Download Y Upload Y NFOTS518

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	3

Identifier for this table. Should b e a random number.

FK INSTC STATFK MS	INTEGER	4	N	0	1
FK INSTC STATID NB	INTEGER	4	N	0	2
ATTR NME	CHAR	18	N	0	

The name of the column which valu e are being tracked

UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
ORIG VALU	VARCHAR	254	N	0	

The value of the column referenc ed by this row before that value was first modified by the expert system over a single day.

Parents of **SHDW_ATTR**

N5185171 **Child** SHDW_ATTR **Parent** INSTC_STAT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_INSTC_STATFK_MS	FK_MST_CASEID_NBR	INTEGER	4	0		N	A
FK_INSTC_STATID_NB	ID_NBR	INTEGER	4	0		N	A

Children of **SHDW_ATTR**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

SLF_EMP_FED_TX_RET

A compilation of all the income and expenses for an individual, their spouse and any dependents for a specific time period, generally a calendar year.

Priority 20 Dups N Download Y Upload Y NFOTS675

Column	Type	Length	Nulls	Scale	Key
FK INC ACTIVITYFK	INTEGER	4	N	0	1
FK INC ACTIVITYID	INTEGER	4	N	0	2
TX YR	CHAR	4	N	0	3

The calendar or fiscal year for which the Federal Tax Return was filed.

BEG DT	DATE	4	N	0
The start date that this F ederal Tax Return can be used for budgeting.				
END DT	DATE	4	N	0
The last date that this Fe deral Tax Return can be used for budgeting.				
MO RET REFL NBR	SMALLINT	2	N	0
This will indicat e the number of months this Federal Tax Return represents. This normally will b e 12.				
RET CTBL PCT	DECIMAL	4	N	3
This indicates the p ercentage of ownership that should be applied to the Federal Tax Return amounts.				
VERF SRC CD	CHAR	2	Y	0
This will identify th e source that was used to verify the SELF_EMLOYMENT_FEDERAL_TAX_RETURN.				
VERF DT	DATE	4	Y	0
This will provide the dat e that the SELF_EMPLOYMENT_FEDERAL_TAX_RETURN was verified.				
UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0

Parents of **SLF_EMP_FED_TX_RET**

N6756601 **Child** SLF_EMP_FED_TX_RET **Parent** INC_ACTIVITY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_INC_ACTIVITYFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_INC_ACTIVITYID	ID_NBR	INTEGER	4	0		N	A

Children of **SLF_EMP_FED_TX_RET**

N6806751 **Parent** SLF_EMP_FED_TX_RET **Child** SLF_EMP_FED_TX_SCH

COLNAME		TYPE	LEN	SC	D	N
FK_INC_ACTIVITYFK	FK_SLF_EMP_FED_FK	INTEGER	4	0		N
FK_INC_ACTIVITYID	FK0SLF_EMP_FED_FK	INTEGER	4	0		N
TX_YR	FK_SLF_EMP_FED_TX	CHARACTER	4	0		N

SLF_EMP_FED_TX_SCH

Amounts taken from a specific tax sc hedule that is associated with a SELF_EMPLOYMENT_FED_TAX_RETURN.

Priority 30 Dups N Download Y Upload Y NFOTS680

Column	Type	Length	Nulls	Scale	Key
FK SLF EMP FED FK	INTEGER	4	N	0	1
FK0SLF EMP FED FK	INTEGER	4	N	0	2
FK SLF EMP FED TX	CHAR	4	N	0	3
SCH TYP LNE NBR CD	CHAR	2	N	0	4
The code that denotes the Federal Tax Schedule from which the amounts were taken from. This co de is stored on the 1833 codetable.					
NEG LNE AMT	DECIMAL	9	Y	2	
The negative line amo unt taken from the tax schedule. Specific line numbers for each tax schedule ar e in code table 1833.					
POS LNE AMT	DECIMAL	9	Y	2	
The positive line amo unt taken from the tax schedule. Specific line numbers for each tax schedule ar e in code table 1833.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **SLF_EMP_FED_TX_SCH**

N6806751 **Child** SLF_EMP_FED_TX_SCH **Parent** SLF_EMP_FED_TX_RET

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SLF_EMP_FED_FK	FK_INC_ACTIVITYFK	INTEGER	4	0		N	A
FK0SLF_EMP_FED_FK	FK_INC_ACTIVITYID	INTEGER	4	0		N	A
FK_SLF_EMP_FED_TX	TX_YR	CHARACTER	4	0		N	A

Children of **SLF_EMP_FED_TX_SCH**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

SLF_EMP_LDG

Priority 20 Dups N Download Y Upload Y NFOTS685

Column	Type	Length	Nulls	Scale	Key
FK_INC_ACTIVITYFK	INTEGER	4	N	0	1
FK_INC_ACTIVITYID	INTEGER	4	N	0	2
EST_ACTL_AMT_CD	CHAR	2	N	0	3
A code that indicates wh ether the received and expense amounts entered in the SELF_EMPLOYMENT_LEDGER are actual amounts or estimated amounts.					
MO_REC_DT	DATE	4	N	0	4
This reperesents the first mon th (in yyyymmdd format) that this ledger can be used in budgeting. It also repr esents the month that the RECEIVED_AMOUNT and EXPENSE_AMOUNT were incurred.					
SLF_EMP_RCVD_AMT	DECIMAL	9	N	2	
The total amount receiv ed for the month that this SELF_EMPLOYMENT_LEDGER represents.					
SLF_EMP_EXPN_AMT	DECIMAL	9	N	2	
The total expense amoun t for the month that this SELF_EMPLOYMENT_LEDGER represents.					
VERF_SRC_CD	CHAR	2	Y	0	
This will identify the sourc e that was used to verify the SELF_EMPLOYMENT_LEDGER.					
VERF_DT	DATE	4	Y	0	
This will provide the date that the SELF_EMPLOYMENT_LEDGER was verified.					
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **SLF_EMP_LDG**

N6856601 **Child** SLF_EMP_LDG **Parent** INC_ACTIVITY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_INC_ACTIVITYFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_INC_ACTIVITYID	ID_NBR	INTEGER	4	0		N	A

Children of **SLF_EMP_LDG**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

SSN_HIST

Table will track the History of SSNs entered f or an ARP.

Priority 1 Dups N Download N Upload N NFOTS047

Column	Type	Length	Nulls	Scale	Key
SSN	CHAR	9	N	0	2
SSN entered for the ARP					
BEG_DT	DATE	4	N	0	3
The date the ARP's SSN was set to t his value					

END DT	DATE	4	N	0	
The end date of this SSN for this AR P.					
TYP CD	CHAR	2	N	0	
Indicates if the SSN was updated to this value by the NFOCUS system or by the SVES Interface.					
UPD LOGON ID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
The date/time this row was last upda ted.					
UPD USRID	CHAR	8	N	0	
The userid of the last person or program to update this row.					
FK ARPID NBR	INTEGER	4	N	0	1

Parents of **SSN_HIST**

N0470401	**Child**	SSN_HIST	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **SSN_HIST**

Parent	**Child**					
COLNAME	TYPE	LEN	SC	D	N	

ST_WARD_DTL

Priority 20 Dups N Download N Upload N NFOTS122

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
FK ARPID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2
The ID will make this occurance o f STATE WARD unique.					
JUV DB XREF	CHAR	11	Y	0	
This contains the Youth# tha t is used to identify the Youth in the Juvenile Data Base system. YRTCs must ha ve a means to tie the 2 systems together.					
VA XREF NBR	CHAR	10	Y	0	
VA CROSS REFERENCE NUMBER					
SSI CLM NBR	CHAR	12	Y	0	
The number used by SSI to id entify the client.					
SSA CLM NBR	CHAR	12	Y	0	
The number used by SSA to id entify the client.					
RR RET XREF	CHAR	15	N	0	
The Railroad Retirement cros s reference number.					
RPT GRP CD	CHAR	2	Y	0	
This is a 'Group' used for reporting purposes (HHSS Facilities Report - Payee Trust Balance & Message for A ctive Clients as of date mm/dd/yyyy) This is tracked to generate reports with account balances by cottage.					
UPD USRID	CHAR	8	N	0	
The Userid of the last user th at updated this row.					
UPD TS	TIMESTMP	10	N	0	
The Timestamp of the last update for this row.					

Parents of **ST_WARD_DTL**

N1220401	**Child**	ST_WARD_DTL	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **ST_WARD_DTL**

Parent	**Child**					
COLNAME	TYPE	LEN	SC	D	N	

SUBS_ADOP_DTL

Used to save information that determines the funding for subsidized adoption cases (14, 28 and 11AJ)

Priority 2 Dups N Download Y Upload Y NFOTS724

Column	Type	Length	Nulls	Scale	Key
FK_ARPID_NBR	INTEGER	4	N	0	1
BEG_DT	DATE	4	N	0	2
Begin Date - real dated no over lapping of rows for an ARP					
END_DT	DATE	4	N	0	
End Date - real dated					
ADOP_TYP_CD	CHAR	2	N	0	
AGE_UNDR18_IND	CHAR	1	N	0	
Is the adopted child un der the age of 18? Yes or No					
READOP_IND	CHAR	1	N	0	
If the child has been previ souly adopted, this indicator will be set to Y.					
PREV_IVE_ADOP_IND	CHAR	1	Y	0	
If the child is bein g readopted and the previous adoption was determined 4E, this indicator will be set to Y					
IVE_ELIG_LSTMO_IND	CHAR	1	Y	0	
"For HHS adoption i f the child was determined 4E in a CFS case, this indicator will be set to YY im plies the child was IV-E eligible last month."					
ELIG_TYP_CD	CHAR	2	Y	0	
Type Code 00 indicates not eligible for SSI or ADC grant. 01 indicates SSI eligible and Type Code 02 indic ates eligible or receiving ADC grant as per 1996 standards.					
WLFR_IND	CHAR	1	Y	0	
"Indicates whether the court determined contrary to the welfare or Best InterestNeed better description to de termine if a value in Reasonable Efforts Type Code could be used to represent th e necessary value in Reasonable Efforts Indicator"					
WLFR_PLMNT_TYP_CD	CHAR	2	Y	0	
Type Code 01 indicat es placement in Foster Care, 02 indicates Voluntary Placement or Relinquishment.					
DISAB_TYP_CD	CHAR	2	Y	0	
Type Code 00 indicates de termined not Disabled, 01 indicates SSI Disabled or Determined Disabled by the m edical review team.					
IVE_FUND_CD_IND	CHAR	1	N	0	
"IV-E Fund Code Indica tor stores Y/N. Indicates that the adoption is subsidized by IV-E funds."					
WRKR_LOGON_ID	CHAR	8	N	0	
Logon ID of the user who determined eligibility - used for Audit purposes					
ELIG_DET_DT	DATE	4	N	0	
Eligibility Determination Date used for Audit purposed					
UPD_USRID	CHAR	8	N	0	
The Userid of the last user that updated this row.					
UPD_TS	TIMESTMP	10	N	0	
The Timestamp of the last updat e for this row.					

Parents of **SUBS_ADOP_DTL**

N7240401	**Child**	SUBS_ADOP_DTL	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **SUBS_ADOP_DTL**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

SUBSIDY

A record of all determinationsfor ongoing adopt ion and guardianship services.

Priority 1 Dups N Download N Upload N NFOTS856

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A number used for unique identificati on.					
FK ARPID NBR	INTEGER	4	Y	0	
FK ORGID NBR	INTEGER	4	Y	0	
PRE EXST COND IND	CHAR	1	N	0	
An indicator showing wheth er the child has a pre existing condition.					
ELIG STAT CD	CHAR	2	N	0	
This is the status of the subsi dy eligibility.					
TYP CD	CHAR	2	N	0	
A code specifying if the subsidy is g uardianship or adoption					
STAT CD	CHAR	2	N	0	
A code specifying if the subsidy was approved or denied					
DCSN DT	DATE	4	N	0	
The date the subsidy was approved.== ==========THIS ATTRIBUTE IS REQUIRED BY AFCAR S ==========					
STAT DT	DATE	4	N	0	
The date the subsidy was approved					
ED DT	DATE	4	N	0	
The date the subsidy agreement was sig ned					
ELIG DT	DATE	4	N	0	
The date the determination was made approving subsidy eligibility.==========THI S ATTRIBUTE IS REQUIRED BY AFCARS ========== ==					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
CRET DT	DATE	4	Y	0	
Date the final Subsidy was created.					

Parents of SUBSIDY

N8560401	**Child**	SUBSIDY	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N8565501	**Child**	SUBSIDY	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of SUBSIDY

N8038561	**Parent**	SUBSIDY	**Child**	ANSWER					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_SUBSIDYID_NBR		INTEGER	4	0		N
N8748561	**Parent**	SUBSIDY	**Child**	SUBSIDY_RSN					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_SUBSIDYID_NBR		INTEGER	4	0		N
N8758561	**Parent**	SUBSIDY	**Child**	SUBSIDY_PMT					
		COLNAME			TYPE	LEN	SC	D	N
	ID_NBR		FK_SUBSIDYID_NBR		INTEGER	4	0		N

SUBSIDY_PMT

A record of all the payments associated wit h the subsidy.

Priority 3 Dups N Download N Upload N NFOTS875

Column	Type	Length	Nulls	Scale	Key

ID NBR	INTEGER	4	N	0	2
A number used for unique identifi cation.					
FK SUBSIDYID NBR	INTEGER	4	N	0	1
TYP CD	CHAR	2	N	0	
The type of payment					
AMOUNT	DECIMAL	7	N	2	
The amount of the payment					
BEG DT	DATE	4	N	0	
The date the payment begins					
END DT	DATE	4	Y	0	
The date the payment ends.					
RECURRING	CHAR	1	N	0	
Indicator as to whether the pa yment is one time or recurring.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	

Parents of **SUBSIDY_PMT**

N8758561	**Child**	SUBSIDY_PMT	**Parent**	SUBSIDY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SUBSIDYID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SUBSIDY_PMT**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

SUBSIDY_RSN

A record of the reasons for eligibility det ermination.

Priority 3 Dups N Download N Upload N NFOTS874

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2
A number used for unique identifi cation.					
FK SUBSIDYID NBR	INTEGER	4	N	0	1
RSN CD	CHAR	2	N	0	
The reason for eligibility					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	
PRIM SPCL ND IND	CHAR	1	Y	0	
Indicates which SUBSIDY _REASON is the "Primary Special Need" that the child has that the worker/supervi sor feels was the main barrier that would have prevented this child from being a dopted with a subsidy.					

Parents of **SUBSIDY_RSN**

N8748561	**Child**	SUBSIDY_RSN	**Parent**	SUBSIDY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SUBSIDYID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SUBSIDY_RSN**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

SUSP_CLM

This designer added entity type expedites the searching and listing of Claims with Suspended, Posponed, and Rejected Claim_Ite m's. It is created during the validation, when a Claim_Item is suspended. It is deleted if all Claim_Items related to it are

Priority 2 Dups N Download N Upload N NFOTS721

Column	Type	Length	Nulls	Scale	Key
FK CLMID NBR	INTEGER	4	N	0	1
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
POSTPONED IND	CHAR	1	N	0	
If at least one Postponed Cla im Item exists for the Claim, the value of this indicator will by "Y". The valu e of this indicator is set during the On-line Claim Update process when the work er decides to 'postpone' a Suspended Claim.					
SUSP IND	CHAR	1	N	0	

Parents of **SUSP_CLM**

N7211351 **Child** SUSP_CLM **Parent** CLM

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_CLMID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SUSP_CLM**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

SVC_APRV

The approval of an ORGANIZATION governing thep rovision of a service(s) This may include agreements or contracts.

Priority 1 Dups N Download N Upload N NFOTS725

Column	Type	Length	Nulls	Scale	Key
CONT NBR	CHAR	7	Y	0	
The number assigned to a contract by the DSS Legal Division.					
ID NBR	INTEGER	4	N	0	2
A number used for unique identificat ion.**********Comments********** Source:Designed					
BEG DT	DATE	4	N	0	
The date the SERVICE APPROVAL is eff ective. This datecan either be the date the SERVICE APPROVAL isfactually effecti ve OR the date DSS considers theSERVICE APPROVAL to be effective or important. T hisdate can be past, present or future.					
TYP CD	CHAR	2	N	0	
A code identifying the type of SERVI CE APPROVAL.Valid Values:contractwritten agreementverbal agreement (used for "on e time" service authorizations, ex - clothing or for communicating Foster Care payment determinations)					
FK ORGID NBR	INTEGER	4	N	0	1
FK0ORGID NBR	INTEGER	4	Y	0	
END DT	DATE	4	N	0	
The date the SERVICE APPROVAL is no longer effective. This date can be past, present or future.INT: SERVICE APPROVA L.End Date requires an actual value, not 12/31/9999.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	

Parents of **SVC_APRV**

N7255501	**Child**	SVC_APRV	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK0ORGID_NBR		ID_NBR	INTEGER	4	0		N	A
N7255502	**Child**	SVC_APRV	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR		ID_NBR	INTEGER	4	0		N	A

Children of **SVC_APRV**

N0207251	**Parent**	SVC_APRV	**Child**	APRV_PGM_SVC					
		COLNAME			TYPE	LEN	SC	D	N
	FK_ORGID_NBR		FK_SVC_APRVFK_ORGI		INTEGER	4	0		N
	ID_NBR		FK_SVC_APRVID_NBR		INTEGER	4	0		N
N6987251	**Parent**	SVC_APRV	**Child**	SA_RENEWAL_DT					
		COLNAME			TYPE	LEN	SC	D	N
	FK_ORGID_NBR		FK_SVC_APRVFK_ORGI		INTEGER	4	0		N
	ID_NBR		FK_SVC_APRVID_NBR		INTEGER	4	0		N
N7277251	**Parent**	SVC_APRV	**Child**	SVC_APRV_ALRT					
		COLNAME			TYPE	LEN	SC	D	N
	FK_ORGID_NBR		FK_SVC_APRVFK_ORGI		INTEGER	4	0		N
	ID_NBR		FK_SVC_APRVID_NBR		INTEGER	4	0		N
N7307251	**Parent**	SVC_APRV	**Child**	SVC_APRV_ASGN					
		COLNAME			TYPE	LEN	SC	D	N
	FK_ORGID_NBR		FK_SVC_APRVFK_ORGI		INTEGER	4	0		N
	ID_NBR		FK_SVC_APRVID_NBR		INTEGER	4	0		N

SVC_APRV_ALRT

Notification (either system or worker gen erated) to DSS personnel of impending or past activity which is either informati on to or requiring action by a worker.

Priority 2 Dups N Download N Upload N NFOTS727

Column	Type	Length	Nulls	Scale	Key
ALRT NBR	INTEGER	4	N	0	
A specific ALERT number retri eved from the master ALERT decode table.See: i:\appdev\baa\deliv\codeval\alrtcod e.doc					
ID NBR	INTEGER	4	N	0	3
An identifier which will cause a particular ALERT to be unique.					
TYP CD	CHAR	2	N	0	
DSP DT	DATE	4	N	0	
Date an ALERT is displayed to a worker.****** Comments ******For worker-generated ALERTs, Display Date will be specified by the worker.The date to be displayed on system-generated ALERTs, wil l need to be specified in the appropriate rule.					
DUE DT	DATE	4	Y	0	
The date any action required by an action-required ALERT is due to complete.					
SHRT DSC	CHAR	20	N	0	
Allows users to better identi fy Alerts from the Alert Display Window.					
DSC	CHAR	174	Y	0	
The English text detailing specifi c information regarding the ALERT.Free-form for worker-generated pre-set text fo r system-generated.					
SRC ID	CHAR	8	N	0	
Identification of the source of the ALERT whether system or worker (userid) generated.Worker generated will sho w user id or sign-on id, etc.					
CLOS DT	DATE	4	Y	0	
The date any action required b y an ALERT (with a due date) is completed.					
FK SVC APRVFK ORGI	INTEGER	4	N	0	1
FK SVC APRVID NBR	INTEGER	4	N	0	2

UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0

Parents of **SVC_APRV_ALRT**

N7277251 **Child** SVC_APRV_ALRT **Parent** SVC_APRV

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SVC_APRVFK_ORGI	FK_ORGID_NBR	INTEGER	4	0		N	A
FK_SVC_APRVID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SVC_APRV_ALRT**

N6977271 **Parent** SVC_APRV_ALRT **Child** SA_POSTN_ALRT_DSP

COLNAME		TYPE	LEN	SC	D	N
FK_SVC_APRVFK_ORGI	FK_SVC_APRV_ALRFK	INTEGER	4	0		N
FK_SVC_APRVID_NBR	FK_SVC_APRV_ALRFK0	INTEGER	4	0		N
ID_NBR	FK_SVC_APRV_ALRID	INTEGER	4	0		N

SVC_APRV_ASGN

An associative entity identifying the ass ignment of a specific SERVICE APPROVAL to a DSS OFFICE POSITION.

Priority 2 Dups N Download N Upload N NFOTS730

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	5
A number used for unique identi fication.					
BEG DT	DATE	4	N	0	
The date that the DSS OFFICE PO SITION is assigned to the SERVICE APPROVAL.					
END DT	DATE	4	N	0	
The date that the DSS OFFICE PO SITION is no longer assigned to the SERVICE APPROVAL.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK DSS OFC POSTFK	CHAR	3	N	0	3
FK DSS OFC POSTID	INTEGER	4	N	0	4
FK SVC APRVFK ORGI	INTEGER	4	N	0	1
FK SVC APRVID NBR	INTEGER	4	N	0	2

Parents of **SVC_APRV_ASGN**

N7302301 **Child** SVC_APRV_ASGN **Parent** DSS_OFC_POSTN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_DSS_OFC_POSTFK	FK_DSS_OFCID_NBR	CHARACTER	3	0		N	A
FK_DSS_OFC_POSTID	ID_NBR	INTEGER	4	0		N	A

N7307251 **Child** SVC_APRV_ASGN **Parent** SVC_APRV

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SVC_APRVFK_ORGI	FK_ORGID_NBR	INTEGER	4	0		N	A
FK_SVC_APRVID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SVC_APRV_ASGN**

Parent **Child**

COLNAME		TYPE	LEN	SC	D	N

SVC_AUTHN

Priority 6 Dups N Download N Upload N NFOTS735

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A number used for unique identifica tion.**********This attribute is used by repo rt(s) ACF-115, IV-E-12, ACF-108, FSA-3645.********** *******					
TYP CD	CHAR	2	N	0	
BEG DT	DATE	4	N	0	
RTV PROVDR IND	CHAR	1	N	0	
CUST OBL IND	CHAR	1	N	0	
An indicator specifying if th is PCPI authorization includes a Customer Fee. Values: Yes, No, Does Not ApplyD efault: No - For Child Care Cases Does Not Apply - For all other Cases.					
AUTOCLM OVRRD IND	CHAR	1	N	0	
FK PGM SVC TYP FK	INTEGER	4	Y	0	
FK PGM SVC TYP FK1	INTEGER	4	Y	0	
FK PGM SVC TYP FK2	INTEGER	4	Y	0	
FK PGM SVC TYP FK3	CHAR	2	Y	0	
FK PGM SVC TYP ID	INTEGER	4	Y	0	
FK APRV PGM SVCFK	CHAR	2	Y	0	
FK APRV PGM SVCFK(	INTEGER	4	Y	0	
FK APRV PGM SVCFK1	INTEGER	4	Y	0	
FK APRV PGM SVCFK2	INTEGER	4	Y	0	
FK APRV PGM SVCFK3	INTEGER	4	Y	0	
END DT	DATE	4	N	0	
The date the SERVICE AUTHORIZATION ends.NOTE: If SERVICE AUTHORIZATION.Type Code = "To Customer", then default to s ame value as SERVICE AUTHORIZATION.Begin Date.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
CFS CD	CHAR	2	Y	0	
A text field to allow mgmt to track the kind of services that are offered through svc auths.					
REUNIF CD	CHAR	2	Y	0	
CRET DT	DATE	4	Y	0	
Date on which original.svc.auth. n otice was created. This is the date that the original NOTICE for the SERVICE_A UTHORIZATION was created. The date the SERVICE AUTHORIZATION was created is the DATA ENTRY DATE.					
LST NTC UPD DT	DATE	4	Y	0	
Date on which original svc. auth. notice was created					
CFS ADD NEEDS CD	CHAR	2	Y	0	
Attribute to hold 'Excep tional' and 'Supplemental' service type classifications.					

DATA_ENT_DT	DATE	4	Y	0

Date when Service Authorizatio n was created. The business only requires a date of when the SERVICE AUTHORIZAT ION was created.

DATA_ENT_USRID	CHAR	8	Y	0

USERID of the user that cre ated the SERVICE AUTHORIZATION.

DSC	VARCHAR	500	Y	0

Unstructured text describing/documenti ng a SERVICE AUTHORIZATION.

ASO_ATSTN_DT	DATE	4	Y	0

Date supplied by Administrati ve Service Organization (ASO) of when a service provider affirmed they would or would not provide a specific service

ASO_ATSTN_IND	CHAR	1	Y	0

Indicator supplied by Admini strative Service Organization (ASO) based on whether a service provider will or will not provide a specific service. Y = Yes, Null or N = No

ASO_AUTHN_NBR	CHAR	6	Y	0

Identification number suppli ed by Administrative Service Organization (ASO) which identifies an authorizatio n on their system

ASO_AUTHN_VERS_NBI	CHAR	3	Y	0

Sequential number suppl ied by Administrative Service Organization (ASO) which identifies a version of a n authorization on their system

CPT_PROC_CD	CHAR	8	Y	0
CPT_MOD_CD	CHAR	2	Y	0

The second attribute further mo difies the CPT_PROC_CD with an additional CPT code.

Parents of **SVC_AUTHN**

N7350201 **Child** SVC_AUTHN **Parent** APRV_PGM_SVC

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_APRV_PGM_SVCFK2	FK_SVC_APRVFK_ORGI	INTEGER	4	0		N	A
FK_APRV_PGM_SVCFK1	FK_SVC_APRVID_NBR	INTEGER	4	0		N	A
FK_APRV_PGM_SVCFK3	FK_ORGID_NBR	INTEGER	4	0		N	A
FK_APRV_PGM_SVCFK	FK_PGM_SVC_TYPPGM	CHARACTER	2	0		N	A
FK_APRV_PGM_SVCFK0	FK_PGM_SVC_TYPFK_S	INTEGER	4	0		N	A

N7356301 **Child** SVC_AUTHN **Parent** PGM_SVC_TYP_SEL

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PGM_SVC_TYP_FK3	FK_PCPIFK_PGM_CASE	CHARACTER	2	0		N	A
FK_PGM_SVC_TYP_FK2	FK_PCPIFK_PGM_CAS0	INTEGER	4	0		N	A
FK_PGM_SVC_TYP_FK1	FK_PCPIFK_ARPID_NB	INTEGER	4	0		N	A
FK_PGM_SVC_TYP_FK	FK_SVC_TYPID_NBR	INTEGER	4	0		N	A
FK_PGM_SVC_TYP_ID	ID_NBR	INTEGER	4	0		N	A

Children of **SVC_AUTHN**

N1307351 **Parent** SVC_AUTHN **Child** CC_SCH

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_SVC_AUTHNID_NBR	INTEGER	4	0		N

N1407351 **Parent** SVC_AUTHN **Child** CLM_ITM

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_SVC_AUTHNID_NBR	INTEGER	4	0		N

N7327351 **Parent** SVC_AUTHN **Child** UNT_AND_RTE

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_SVC_AUTHNID_NBR	INTEGER	4	0		N

N8437351 **Parent** SVC_AUTHN **Child** PLMNT

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_SVC_AUTHNID_NBR	INTEGER	4	0		N

SVC_REF

This entity tracks the services referred to the client and the Orgs that are being referred to the client.

Priority 4 Dups N Download N Upload N NFOTS868

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Unique identifier of the entity					
SVC UNITS	INTEGER	4	Y	0	
The number of service units being referred to the client.					
FREQ CD	CHAR	2	Y	0	
The frequency at which those service units will be received.					
BEG DT	DATE	4	N	0	
The Date that the Service Referral wi ll begin.					
END DT	DATE	4	Y	0	
The Date that the Service Referral wi ll end.					
CRET DT	DATE	4	N	0	
The Date that the User actually prin ts the final.					
SERVICE	CHAR	50	Y	0	
The Service that is being referred t o the client.					
CRET IND	CHAR	1	N	0	
Indicator to determine whether or n ot Service Referral has been finalized.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK ORGID NBR	INTEGER	4	Y	0	
FK SVC TYPID NBR	INTEGER	4	Y	0	
FK PCPIFK PGM CASE	CHAR	2	Y	0	
FK PCPIFK PGM CAS0	INTEGER	4	Y	0	
FK PCPIFK ARPID NB	INTEGER	4	Y	0	
UNT TYP	CHAR	2	Y	0	
THIS IS THE TYPE OF SERVICE UNITS RE CEIVED BY THE CUSTOMER. EX. MONTH, WEEK, DAY, ETC.					

Parents of **SVC_REF**

N8685501 **Child** SVC_REF **Parent** ORG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ORGID_NBR	ID_NBR	INTEGER	4	0		N	A

N8685851 **Child** SVC_REF **Parent** PCPI

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_PCPIFK_PGM_CAS0	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_PCPIFK_ARPID_NB	FK_ARPID_NBR	INTEGER	4	0		N	A

N8687401 **Child** SVC_REF **Parent** SVC_TYP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SVC_TYPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SVC_REF**

N8698681 **Parent** SVC_REF **Child** INS_CARRIER

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_SVC_REFID_NBR	INTEGER	4	0		N

SVC_REQ

Priority 2 Dups N Download N Upload N NFOTS742

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	2
Identifier					
ORIG REQ DT	DATE	4	N	0	
Original date the service was re quested.					
NEED DT	DATE	4	Y	0	
Date the client would like the servi ce to begin.					
SVC ACD	CHAR	2	Y	0	
General Service Area where the clien t would like to receive service.					
TYP CD	CHAR	2	N	0	
Type of Service Request - e.g. waitin g for funding, or a provider, or a service resumption.					
NEED END DT	DATE	4	Y	0	
Date the specific request ended.					
END RSN CD	CHAR	2	Y	0	
Reason the specific request ended .					
FUNDING SRC CD	CHAR	2	Y	0	
Source of any specialized fun ds used to meet the request.					
AMT	DECIMAL	9	Y	2	
Amount of money allocated to meet the re quest.					
UPD TS	TIMESTMP	10	N	0	
Last Update User ID.					
UPD USRID	CHAR	8	N	0	
Last Update Timestamp.					
FK ARPID NBR	INTEGER	4	N	0	1
FK SVC TYPID NBR	INTEGER	4	Y	0	
FK DSS OFCID NBR	CHAR	3	Y	0	
FK ORGID NBR	INTEGER	4	Y	0	

Parents of **SVC_REQ**

N7420401	**Child**	SVC_REQ	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N7422251	**Child**	SVC_REQ	**Parent**	DSS_OFC						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_DSS_OFCID_NBR	ID_NBR		CHARACTER	3	0		N	A
N7425501	**Child**	SVC_REQ	**Parent**	ORG						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N	A
N7427401	**Child**	SVC_REQ	**Parent**	SVC_TYP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_SVC_TYPID_NBR	ID_NBR		INTEGER	4	0		N	A

Children of **SVC_REQ**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

SVC_TYP

*Care, task, work, chore or product provided by anORGANIZATION including client services and services ofinterest to DSS for refe rral purposes.*****************Comments*****************

Priority 0 Dups N Download N Upload N NFOTS740

Column	Type	Length	Nulls	Scale	Key
NME	CHAR	70	N	0	
This attribute is used by ACF-115, ACF-7 00, IV-E-12, ACF-231, FSA-3645, ACF-3637.********** ********The unique name for a given SERVICE TYPE. e.g. In-home child care, safe house-lodging					
SHRT NME	CHAR	25	N	0	
The abbreviation of the unique name for a given SERVICE_TYPE.					
CAT CD	CHAR	2	N	0	
The attribute specifying the category in which a SERVICE TYPE is classified. The category will be the unique name of a parent SERVICE TYPE.e.g. Child Care Center - Infant will have the category: Child Care					
STAT CD	CHAR	2	N	0	
A code specifying the status of a SE RVICE TYPE.Valid values:Active PendingClosed					
STAT BEG DT	DATE	4	N	0	
The date that a SERVICE TYPE sta tus is effective.					
STAT END DT	DATE	4	N	0	
The date that a SERVICE TYPE sta tus is no longer effective. This date can be past or present.					
FICA STAT IND	CHAR	1	N	0	
ID NBR	INTEGER	4	N	0	1
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
NCANDS SVC CD	CHAR	2	Y	0	
Code to map service catalog to NCANDS service types.					

Parents of **SVC_TYP**

Children of **SVC_TYP**

N6257401	**Parent**	SVC_TYP	**Child**	PGM_SVC_TYP						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SVC_TYP	ID_NBR	INTEGER	4	0		N	
N6307401	**Parent**	SVC_TYP	**Child**	PGM_SVC_TYP_SEL						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SVC_TYP	ID_NBR	INTEGER	4	0		N	
N7427401	**Parent**	SVC_TYP	**Child**	SVC_REQ						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SVC_TYP	ID_NBR	INTEGER	4	0		N	
N8687401	**Parent**	SVC_TYP	**Child**	SVC_REF						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SVC_TYP	ID_NBR	INTEGER	4	0		N	

SVES_REQUEST

Sves request is a new interface table that will track sves request.

Priority 0 Dups N Download N Upload N NFOTS442

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Unique identifier of the table s ves request.					
NFOCUS REQ IND	CHAR	1	N	0	
'Y' will indicate that NFOCUS initiated (has requested) the request for the SVES accretion. 'N" will indicate NFOCUS has not or is no longer requesting SVES accretion for this SSN/ Claim Number.					

EXT_REQ_IND	CHAR	1	N	0
'Y' will indicate that SV ES accretion for this SSN was requested by external users. 'N' will indicate external users have not or are no longer requesting SVES accretion.				
SVES_REQ_DT	DATE	4	N	0
This is the date SVES accre tion was requested.				
SVES_DEL_DT	DATE	4	N	0
This is the date accretion for SVES data was deleted (or Terminated).				
SVES_VERF_CD	CHAR	1	N	0
4 - SSN not verified, 6 - Accretion requested, not yet submitted, 7 - Accretion requested, reply not yet r eceived, 9 - SSN verified				
ERROR_COND	CHAR	3	N	0
Indicates why the SSN wasn' t verified.				
FORTY_QTR_REQ_DT	DATE	4	N	0
The date Forty work hi story was requestedfor this SSN/Claim Number.				
FORTY_QTR_VERF_CD	CHAR	1	N	0
5 - 40 Quarters reque sted, not yet submitted, 7 - 40 Quarters requested, reply not yet received. 0 - 40 quarters data received.				
FK_ARPID_NBR	INTEGER	4	Y	0
If this an NFOCUS request for SVES verification, this column will contain the arp-id.				
INPUT_SSN	CHAR	9	Y	0
SSN that SVES accretion is be ing requested for.				
VERIFIED_SSN	CHAR	9	Y	0
SSN verified by SSA.				
LST_NME	CHAR	25	N	0
Last name of the individual tha t SVES accretion is being requested for.				
FRST_NME	CHAR	20	N	0
First name of the individual t hat SVES accretion is being requested for.				
MIDL_INIT	CHAR	1	Y	0
Middle initial of the individ ual that SVES accretion is being requested for.				
BD	DATE	4	Y	0
Birthdate of the indiviual that SVES is being requested for.				
SEX_CD	CHAR	1	Y	0
Sex of the Individual SVES accre tion is being requested for.				
UPD_TS	TIMESTMP	10	N	0
UPD_USRID	CHAR	8	N	0
RQSTR_ID	CHAR	8	Y	0
New field requestor id. The re questor's id that submitted the SVES request.				
RQSTR_ID_TS	TIMESTMP	10	Y	0
New field requestor id time stamp. The timestamp when the request was submitted by the requestor.				

Parents of **SVES_REQUEST**

Children of **SVES_REQUEST**

N4414421	**Parent** SVES_REQUEST	**Child** SVES_TRIGGER		
	COLNAME		TYPE	LEN SC D N
	ID_NBR	FK_SVES_REQUESTID	INTEGER	4 0 N

SVES_TRIGGER

Sves Trigger contains a row for each SVES request made thru the online system.

Priority 0 Dups N Download N Upload N NFOTS441

Column	Type	Length	Nulls	Scale	Kev
ACCR_DEL_40_QTR_CD	CHAR	2	N	0	
Manditory code to in dicate what type of request this is.					

UPD TS	TIMESTMP	10	N	0	2
UPD USRID	CHAR	8	N	0	
FK SVES REQUESTID	INTEGER	4	N	0	1

Parents of **SVES_TRIGGER**

N4414421	**Child**	SVES_TRIGGER	**Parent**	SVES_REQUEST						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_SVES_REQUESTID	ID_NBR		INTEGER	4	0		N	A

Children of **SVES_TRIGGER**

Parent	**Child**					
COLNAME	TYPE	LEN	SC	D	N	

SWTF_ACCT

An ACCOUNT is used to track money that is own ed by a State Ward.

Priority 22 Dups N Download N Upload N NFOTS116

Column	Type	Length	Nulls	Scale	Kev
FK ARPID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2
This will be a number assigned by N -FOCUS and will uniquely identify an ACCOUNT.					
TYP CD	CHAR	2	N	0	
Code to indicate the type of ACCOUN T.					
STAT CD	CHAR	2	N	0	
The current status of the ACCOUNT.					
STAT BEG DT	DATE	4	N	0	
This is the beginning date of the status for the ACCOUNT.					
CURR BAL AMT	DECIMAL	9	N	2	
This is the beginning date of the status for the ACCOUNT.					
AVLBL BAL AMT	DECIMAL	9	N	2	
The current balance of the A CCOUNT.					
CURR MO LW BAL AM	DECIMAL	9	N	2	
The lowest balance of t he Month					
FK COM BANK ACCID	INTEGER	4	Y	0	
CMNT	VARCHAR	50	N	0	
Comments entered by user.					
UPD USRID	CHAR	8	N	0	
The Userid of the last user that updated this row.					
UPD TS	TIMESTMP	10	N	0	
The Timestamp of the last update fo r this row.					

Parents of **SWTF_ACCT**

N1160401	**Child**	SWTF_ACCT	**Parent**	ARP						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N	A
N1161181	**Child**	SWTF_ACCT	**Parent**	COM_BANK_ACCT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_COM_BANK_ACCID	ID_NBR		INTEGER	4	0		N	A

Children of **SWTF_ACCT**

N1141161	**Parent**	SWTF_ACCT	**Child**	SWTF_ACCT_BAL_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	FK_ARPID_NBR		FK_SWTF_ACCTFK_ARP		INTEGER		4	0	N	
	ID_NBR		FK_SWTF_ACCTID_NBR		INTEGER		4	0	N	
N1171161	**Parent**	SWTF_ACCT	**Child**	SWTF_ACCT_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	FK_ARPID_NBR		FK_SWTF_ACCTFK_ARP		INTEGER		4	0	N	
	ID_NBR		FK_SWTF_ACCTID_NBR		INTEGER		4	0	N	
N1231161	**Parent**	SWTF_ACCT	**Child**	PRS_ASSET						
		COLNAME			TYPE	LEN	SC	D	N	
	FK_ARPID_NBR		FK_SWTF_ACCTFK_ARP		INTEGER		4	0	N	
	ID_NBR		FK_SWTF_ACCTID_NBR		INTEGER		4	0	N	
N1241161	**Parent**	SWTF_ACCT	**Child**	SWTF_MO_MNT_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	FK_ARPID_NBR		FK_SWTF_ACCTFK_ARP		INTEGER		4	0	N	
	ID_NBR		FK_SWTF_ACCTID_NBR		INTEGER		4	0	N	
N1311161	**Parent**	SWTF_ACCT	**Child**	SWTF_TRAN						
		COLNAME			TYPE	LEN	SC	D	N	
	FK_ARPID_NBR		FK_SWTF_ACCTFK_ARP		INTEGER		4	0	N	
	ID_NBR		FK_SWTF_ACCTID_NBR		INTEGER		4	0	N	

SWTF_ACCT_BAL_HIST

Balance history for Ward Trust Fund accounts.

Priority 24 Dups N Download N Upload N NFOTS114

Column	Type	Length	Nulls	Scale	Key
FK SWTF ACCTFK ARP	INTEGER	4	N	0	1
FK SWTF ACCTID NBR	INTEGER	4	N	0	2
ID NBR	INTEGER	4	N	0	3
This will be a number assi gned by N-FOCUS and will uniquely identify an ACCOUNT.					
HIST DT	DATE	4	N	0	
Date of this history row for this account.					
HIST TME	TIME	3	N	0	
The time of the history row for this account.					
CURR BAL AMT	DECIMAL	9	N	2	
The current balance of the account as of this history date and time.					
INT BAL AMT	DECIMAL	9	Y	2	
Interest balance of t he account as of this history date and time.					
UPD USRID	CHAR	8	N	0	
The Userid of the last user that updated this row.					
UPD TS	TIMESTMP	10	N	0	
The Timestamp of the last update for this row.					

Parents of **SWTF_ACCT_BAL_HIST**

N1141161	**Child**	SWTF_ACCT_BAL_HIST	**Parent**	SWTF_ACCT						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_SWTF_ACCTFK_ARP	FK_ARPID_NBR		INTEGER		4	0	N	A
		FK_SWTF_ACCTID_NBR	ID_NBR		INTEGER		4	0	N	A

Children of **SWTF_ACCT_BAL_HIST**

Parent		**Child**					
	COLNAME		TYPE	LEN	SC	D	N

SWTF_ACCT_HIST

History of the ACCOUNT.

Priority 24 Dups N Download N Upload N NFOTS117

Column	Type	Length	Nulls	Scale	Key

FK SWTF ACCTFK ARP	INTEGER	4	N	0	1
FK SWTF ACCTID NBR	INTEGER	4	N	0	2
ID NBR	INTEGER	4	N	0	3

A unique number assigned by NF OCUS to identify SWTF_ACCOUNT_HISTORY

BEG DT	DATE	4	N	0

This is the beginning date of this status for this ACCOUNT.

BEG TME	TIME	3	N	0

This is the beginning TIME of this status for this ACCOUNT.

STAT CD	CHAR	2	N	0

The status of the ACCOUNT for the date range on this row.

END DT	DATE	4	N	0

This is the end date of this s tatus for this ACCOUNT. For the current status, the row will have a high-dated end date (9999-12-31).

CMNT	VARCHAR	50	N	0

Comments entered by user.

UPD USRID	CHAR	8	N	0

The Userid of the last user that updated this row.

UPD TS	TIMESTMP	10	N	0

The Timestamp of the last upda te for this row.

Parents of **SWTF_ACCT_HIST**

N1171161 **Child** SWTF_ACCT_HIST **Parent** SWTF_ACCT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SWTF_ACCTFK_ARP	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_SWTF_ACCTID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SWTF_ACCT_HIST**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

SWTF_BTCH_HDR

Batch Header contains summary information about the Batch Detail transactions.

Priority 22 Dups N Download N Upload N NFOTS136

Column	Type	Length	Nulls	Scale	Kev
FK COM BANK ACCID	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2

Unique number to identify the b atch.

TYP CD	CHAR	2	N	0

Receipt or Disbursement.

DATA ENT DT	DATE	4	N	0

The date the batch is ente red.

EFCTV DT	DATE	4	N	0

The date of the Transaction.

STAT CD	CHAR	2	N	0

Once the Batch Transaction Cou nt and the Batch Total Amount equal the total of the detail lines, the batch can be Committed or Posted and the transactions are applied to the accounts.

STAT DT	DATE	4	N	0

The date the batch status was set to this status.

CRET LOGON ID	CHAR	8	Y	0

SWTF BATCH HEADER create d by ASP - instead of RI.

TRAN CNT	SMALLINT	2	N	0

The number of transactions in the batch.

TOT AMT	DECIMAL	9	N	2

Total dollar amount of the bat ch (compared with total of detail transactions).

COPY DT	DATE	4	N	0	
The batch will be copied by th is date.					
UPD USRID	CHAR	8	N	0	
The Userid of the last user that updated this row.					
UPD TS	TIMESTMP	10	N	0	
The Timestamp of the last updat e for this row.					

Parents of **SWTF_BTCH_HDR**

N1361181 **Child** SWTF_BTCH_HDR **Parent** COM_BANK_ACCT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_COM_BANK_ACCID	ID_NBR	INTEGER	4	0		N	A

Children of **SWTF_BTCH_HDR**

N1311361 **Parent** SWTF_BTCH_HDR **Child** SWTF_TRAN

COLNAME		TYPE	LEN	SC	D	N
FK_COM_BANK_ACCID	FK_SWTF_BTCH_HDFK	INTEGER	4	0		N
ID_NBR	FK_SWTF_BTCH_HDID	INTEGER	4	0		N

N1321361 **Parent** SWTF_BTCH_HDR **Child** TRAN_RGST

COLNAME		TYPE	LEN	SC	D	N
FK_COM_BANK_ACCID	FK_SWTF_BTCH_HDFK	INTEGER	4	0		N
ID_NBR	FK_SWTF_BTCH_HDID	INTEGER	4	0		N

SWTF_MO_MNT_HIST

Monthly Maintenance History for Ward T rust Fund Accounts

Priority 24 Dups N Download N Upload N NFOTS124

Column	Type	Length	Nulls	Scale	Key
FK SWTF ACCTFK ARP	INTEGER	4	N	0	1
FK SWTF ACCTID NBR	INTEGER	4	N	0	2
ID NBR	INTEGER	4	N	0	3
Unique ID Number to identify this monthly maintenance history row					
BEG DT	DATE	4	N	0	
Begin date of this history r ow for this Monthly Maintenance History.					
END DT	DATE	4	N	0	
End date of this history row for this Monthly Maintenance History..					
MO MNT IND	CHAR	1	N	0	
Indicates if Monthly Mai ntenance is/was paid for this Account during this time period.					
UPD USRID	CHAR	8	N	0	
The Userid of the last us er that updated this row.					
UPD TS	TIMESTMP	10	N	0	
The Timestamp of the last up date for this row.					
MAIL TO CD	CHAR	2	Y	0	
If the transaction was a disbursement, this indicator is used to indicate if the payment is mailed to th e Payee or the local office.					
FK SWTF REQID NBR	INTEGER	4	Y	0	

Parents of **SWTF_MO_MNT_HIST**

N1241161 **Child** SWTF_MO_MNT_HIST **Parent** SWTF_ACCT

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SWTF_ACCTFK_ARP	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_SWTF_ACCTID_NBR	ID_NBR	INTEGER	4	0		N	A

N1241331 **Child** SWTF_MO_MNT_HIST **Parent** SWTF_REQ

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SWTF_REQID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SWTF_MO_MNT_HIST**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

SWTF_REQ

A REQUEST contains detailed information about a Request for funds from a ward's account.

Priority 22 Dups N Download N Upload N NFOTS133

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
This will be a number assigned by N- FOCUS and will uniquely identify a REQUEST.					
STAT CD	CHAR	2	N	0	
The current status of the REQUEST.					
STAT DT	DATE	4	N	0	
The date the REQUEST was set to thi s Status.					
STAT TME	TIME	3	N	0	
The TIME the REQUEST was set to th is Status.					
REQ LOGON ID	CHAR	8	Y	0	
SWTF REQUEST requested by ASP - instead of RI.					
REV LOGON ID	CHAR	8	Y	0	
SWTF REQUEST reviewed by ASP - instead of RI.					
TRAN CD	CHAR	2	N	0	
Code to indicate the type of REQUES T.					
REQ AMT	DECIMAL	9	N	2	
The AMOUNT of the REQUEST.					
MAIL TO CD	CHAR	2	N	0	
If the transaction was a disburs ement, this indicator is used to indicate if the payment is mailed to the Payee or the local office.					
FK ORGID NBR	INTEGER	4	Y	0	
FK ARPID NBR	INTEGER	4	Y	0	
UPD USRID	CHAR	8	N	0	
The Userid of the last user that updated this row.					
CMNT	VARCHAR	50	N	0	
Text field to store comments about the REQUEST.					
UPDATE TIMESTAMP	TIMESTMP	10	N	0	
The Timestamp of the last update for this row.					
CRET DT	DATE	4	Y	0	
The date the request was created.					
MO MNT IND	CHAR	1	Y	0	
Indicate whether to begin or end monthly maintenance.					
MO MNT EFCTV DT	DATE	4	Y	0	
The date the monthly mainte nance begins or ends.					
FK0ARPID NBR	INTEGER	4	Y	0	

Parents of SWTF_REQ

N1330401 **Child** SWTF_REQ **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N1330402 **Child** SWTF_REQ **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK0ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N1335501 **Child** SWTF_REQ **Parent** ORG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ORGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **SWTF_REQ**

N1241331	**Parent**	SWTF_REQ	**Child**	SWTF_MO_MNT_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SWTF_REQID_NBR		INTEGER		4	0	N	
N1311331	**Parent**	SWTF_REQ	**Child**	SWTF_TRAN						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SWTF_REQID_NBR		INTEGER		4	0	N	
N1341331	**Parent**	SWTF_REQ	**Child**	SWTF_REQ_HIST						
		COLNAME			TYPE	LEN	SC	D	N	
	ID_NBR		FK_SWTF_REQID_NBR		INTEGER		4	0	N	

SWTF_REQ_HIST

History of a REQUEST.

Priority 24 Dups N Download N Upload N NFOTS134

Column	Type	Length	Nulls	Scale	Key
FK SWTF REQID NBR	INTEGER	4	N	0	1
ID NBR	INTEGER	4	N	0	2
A number assigned by N-FOCUS an d will uniquely identify a REQUEST HISTORY.					
STAT CD	CHAR	2	N	0	
The status of the REQUEST for the date range on this row.					
BEG DT	DATE	4	N	0	
This is the beginning date of t his status for this REQUEST.					
BEG TME	TIME	3	N	0	
This is the beginning TIME of this status for this REQUEST.					
END DT	DATE	4	N	0	
This is the end date of this st atus for this REQUEST. For the current status, the row will have a high-dated e nd date (9999-12-31).					
END TME	TIME	3	N	0	
This is the end TIME of this s tatus for this REQUEST. For the current status, the row will have a high-dated end date (9999-12-31).					
TRAN CD	CHAR	2	N	0	
Code to indicate the type of R EQUEST.					
REQ AMT	DECIMAL	9	N	2	
The AMOUNT of the REQUEST.					
MAIL TO CD	CHAR	2	N	0	
This code indicates if the payment for the request should be mailed to the Payee or to the local office.					
CMNT	VARCHAR	50	N	0	
UPD USRID	CHAR	8	N	0	
The Userid of the last user that updated this row.					
UPD TS	TIMESTMP	10	N	0	
The Timestamp of the last updat e for this row.					
CRET DT	DATE	4	Y	0	
The date the request was creat ed.					
MO MNT IND	CHAR	1	Y	0	
Indicate whether to begin o r end monthly maintenance.					
MO MNT EFCTV DT	DATE	4	Y	0	
The date the monthly m aintenance begins or ends.					
ORG ID NBR	INTEGER	4	Y	0	
The ID of the ORG that is t he payee for the request.					
ARP ID NBR	INTEGER	4	Y	0	
The ID of the ARP that is t he payee for the request.					
REQ LOGON ID	CHAR	8	Y	0	
SWTF REQUEST requested by ASP - instead of RI.					
REV LOGON ID	CHAR	8	Y	0	
SWTF REQUEST reviewed by ASP - instead of RI.					

Parents of **SWTF_REQ_HIST**

N1341331	**Child**	SWTF_REQ_HIST	**Parent**	SWTF_REQ						
		COLNAME			TYPE	LEN	SC	D	N	UPD
		FK_SWTF_REQID_NBR		ID_NBR	INTEGER	4	0		N	A

Children of **SWTF_REQ_HIST**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

SWTF_TRAN

A TRANSACTION contains detailed debit, credit , and other information about activity on a ward or a Bank ACCOUNT.

Priority 28 Dups N Download N Upload N NFOTS131

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
This will be a number assigned by N -FOCUS and will uniquely identify a TRANSACTION.					
APRV LOGON ID	CHAR	8	Y	0	
Used to show the ASP LOGON I D that approved the TRANSACTION. (Rather than using RI)					
ACCT TYP CD	CHAR	2	N	0	
Code to indicate the type of A ccount this transaction belongs to.					
STAT CD	CHAR	2	N	0	
Code to indicate the status of TRA NSACTION.					
TRAN CD	CHAR	2	N	0	
Code to indicate the type of TRANS ACTION.					
TRAN DT	DATE	4	N	0	
The date of the TRANSACTION.					
TRAN TME	TIME	3	N	0	
The TIME of the TRANSACTION.					
TRAN AMT	DECIMAL	9	N	2	
The AMOUNT of the TRANSACTION.					
MAIL TO CD	CHAR	2	Y	0	
If the transaction was a disbur sement, this code indicates if the payment was mailed to the Payee or the local office.					
RCPT NBR	CHAR	8	Y	0	
The number of the receipt that wa s issued to the Ward for this receipt transaction.					
PRSN ASSET IND	CHAR	1	Y	0	
Indicates if this Transacti on Amount was used to compute the ACCOUNT's Personal Asset Balances.					
PA LOGON ID	CHAR	8	Y	0	
Identifies User who updated th is PRS_ASSETS_INDICATOR.					
FK ORGID NBR	INTEGER	4	Y	0	
FK ARPID NBR	INTEGER	4	Y	0	
FK COM BANK ACCID	INTEGER	4	Y	0	
FK SWTF BTCH HDFK	INTEGER	4	Y	0	
FK SWTF BTCH HDID	INTEGER	4	Y	0	
FK SWTF ACCTFK ARP	INTEGER	4	Y	0	
FK SWTF ACCTID NBR	INTEGER	4	Y	0	
FK SWTF REQID NBR	INTEGER	4	Y	0	
FK TRAN RGSTFK SWT	INTEGER	4	Y	0	

FK0TRAN_RGSTFK_SWT	INTEGER	4	Y		0
FK_TRAN_RGSTID_NBR	INTEGER	4	Y		0
CMNT	VARCHAR	50	N		0
Text field to store comments about th e TRANSACTION.					
UPD_USRID	CHAR	8	N		0
The Userid of the last user that updated this row.					
UPD_TS	TIMESTMP	10	N		0
The Timestamp of the last update fo r this row.					

Parents of **SWTF_TRAN**

N1310401	**Child**	SWTF_TRAN	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR	ID_NBR		INTEGER	4	0		N A
N1311161	**Child**	SWTF_TRAN	**Parent**	SWTF_ACCT					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_SWTF_ACCTFK_ARP	FK_ARPID_NBR		INTEGER	4	0		N A
		FK_SWTF_ACCTID_NBR	ID_NBR		INTEGER	4	0		N A
N1311181	**Child**	SWTF_TRAN	**Parent**	COM_BANK_ACCT					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_COM_BANK_ACCID	ID_NBR		INTEGER	4	0		N A
N1311321	**Child**	SWTF_TRAN	**Parent**	TRAN_RGST					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_TRAN_RGSTFK_SWT	FK_SWTF_BTCH_HDFK		INTEGER	4	0		N A
		FK0TRAN_RGSTFK_SWT	FK_SWTF_BTCH_HDID		INTEGER	4	0		N A
		FK_TRAN_RGSTID_NBR	ID_NBR		INTEGER	4	0		N A
N1311331	**Child**	SWTF_TRAN	**Parent**	SWTF_REQ					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_SWTF_REQID_NBR	ID_NBR		INTEGER	4	0		N A
N1311361	**Child**	SWTF_TRAN	**Parent**	SWTF_BTCH_HDR					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_SWTF_BTCH_HDFK	FK_COM_BANK_ACCID		INTEGER	4	0		N A
		FK_SWTF_BTCH_HDID	ID_NBR		INTEGER	4	0		N A
N1315501	**Child**	SWTF_TRAN	**Parent**	ORG					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ORGID_NBR	ID_NBR		INTEGER	4	0		N A

Children of **SWTF_TRAN**

Parent	**Child**					
COLNAME		TYPE	LEN	SC	D	N

TRAN_RGST

The physical document that is related to a tr ansaction.

Priority 24 Dups N Download N Upload N NFOTS132

Column	**Type**	**Length**	**Nulls**	**Scale**	**Key**
FK_SWTF_BTCH_HDFK	INTEGER	4	N	0	1
FK_SWTF_BTCH_HDID	INTEGER	4	N	0	2
ID_NBR	INTEGER	4	N	0	3
This will be a number assigned by N -FOCUS to uniquely identify a TRANSACTION REGISTER.					
STAT_CD	CHAR	2	N	0	
If the source document was a check , this contains the status of the check.					

DOC TYP CD	CHAR	2	N	0
Code to indicate the Type of en try in the TRANSACTION REGISTER.				
DOC NBR	CHAR	8	N	0
Check Number or Receipt Number				
DOC AMT	DECIMAL	9	N	2
The AMOUNT of the TRANSACTION.				
DOC DT	DATE	4	N	0
The date of the check was printed o r the date the deposit was deposited in the commercial bank account.				
STAT RSN CD	CHAR	2	Y	0
The reason a check was cancell ed.				
STAT RSN DT	DATE	4	Y	0
The date the STATUS_REASON_COD E was set.				
DTL ADV STMNT IND	CHAR	1	N	0
A 'Y' indicates that a detailed advise statement needs to be printed. A 'N' indicates that the COMM ENT will be printed.				
FK ORGID NBR	INTEGER	4	Y	0
FK ARPID NBR	INTEGER	4	Y	0
ADV STMNT CMNT	VARCHAR	50	N	0
UPD USRID	CHAR	8	N	0
The Userid of the last user that updated this row.				
UPD TS	TIMESTMP	10	N	0
The Timestamp of the last update fo r this row.				

Parents of **TRAN_RGST**

N1320401 **Child** TRAN_RGST **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

N1321361 **Child** TRAN_RGST **Parent** SWTF_BTCH_HDR

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SWTF_BTCH_HDFK	FK_COM_BANK_ACCID	INTEGER	4	0		N	A
FK_SWTF_BTCH_HDID	ID_NBR	INTEGER	4	0		N	A

N1325501 **Child** TRAN_RGST **Parent** ORG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ORGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **TRAN_RGST**

N1311321 **Parent** TRAN_RGST **Child** SWTF_TRAN

COLNAME		TYPE	LEN	SC	D	N
FK_SWTF_BTCH_HDFK	FK_TRAN_RGSTFK_SWT	INTEGER	4	0		N
FK_SWTF_BTCH_HDID	FK0TRAN_RGSTFK_SWT	INTEGER	4	0		N
ID_NBR	FK_TRAN_RGSTID_NBR	INTEGER	4	0		N

TRIBAL_INFO

Priority 1 Dups N Download N Upload N NFOTS836

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1
TRIBAL NME CD	CHAR	3	N	0	2
TRIB STAT CD	CHAR	2	Y	0	
This attribute documents th e childs status in the given Tribe. The possible values are: Eligible Is eligib le for the membership of the tribe. Member Is determined to be member of a trib e. Ineligible Not eligible for membership in the given tribe.					

ICWA IND	CHAR	1	Y	0
Yes - The child is covered unde r ICWA (Indian Child Welfare Act). No This child is not covered under ICWA.				
CRET TS	TIMESTMP	10	N	0
Timestamp of initial creation of the row will never be changed.				
CRET USRID	CHAR	8	N	0
Userid of initial creation of the row will never be changed.				
MOD TS	TIMESTMP	10	N	0
Timestamp of the last modificatio n to be used for business purposes.				
MOD USRID	CHAR	8	N	0
Userid that made last modifica tion to be used for business purposes.				
UPD TS	TIMESTMP	10	N	0
UPD USRID	CHAR	8	N	0

Parents of **TRIBAL_INFO**

N8360401 **Child** TRIBAL_INFO **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **TRIBAL_INFO**

Parent COLNAME	Child TYPE	LEN	SC	D	N

UI_AMT

Amount(s) that are associated with a Stable or F luctuating Unearned income type over the life of the income.

Priority 20 Dups N Download Y Upload Y NFOTS688

Column	Type	Length	Nulls	Scale	Key
FK INC ACTIVITYFK	INTEGER	4	N	0	1
FK INC ACTIVITYID	INTEGER	4	N	0	2
ID NBR	INTEGER	4	N	0	3
A number used for unique identificatio n.					
STABLE INC BEG DT	DATE	4	Y	0	
The date that the Stable In come Amount began.					
STABLE INC END DT	DATE	4	Y	0	
The date that the Stable In come Amount ended or was closed. NOTE: The last instance of Unearned_Income_Am ount for a given Income_Activity MUST be kept in sync with the CLOSE_DATE on the Income_Activity table.					
FLCTG INC REC DT	DATE	4	Y	0	
The date that the Fluctuatin g Income Amount was received.					
GROSS AMT	DECIMAL	9	N	2	
The gross amount of the income for the specified time of the UNEARNED_INCOME_AMOUNT.					
ADJ RSN CD	CHAR	2	Y	0	
A business policy allowed reason f or the adjustment amount taken against an unearned income amount. This code is s tored on the 1832 codetable.					
ADJ AMT	DECIMAL	9	Y	2	
The amount associated with the adjust ment reason.					
SSI FED BEN CD	CHAR	2	Y	0	
VERF SRC CD	CHAR	2	Y	0	
This will identify the source tha t was used to verify the UNEARNED_INCOME_AMOUNT.					
VERF DT	DATE	4	Y	0	
This will provide the date that the U NEARNED_INCOME_AMOUNT was verified.					

UPD USRID	CHAR	8	N	0
UPD TS	TIMESTMP	10	N	0

Parents of **UI_AMT**

N6886601 **Child** UI_AMT **Parent** INC_ACTIVITY

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_INC_ACTIVITYFK	FK_ARPID_NBR	INTEGER	4	0		N	A
FK_INC_ACTIVITYID	ID_NBR	INTEGER	4	0		N	A

Children of **UI_AMT**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

UNT_AND_RTE

This entity type has the units and rates in formation for a specific Sevice Authrization. Unit and Rates information for mu ltiple frequencies can be created.

Priority 7 Dups N Download N Upload N NFOTS732

Column	Type	Length	Nulls	Scale	Key
FK SVC AUTHNID NBR	INTEGER	4	N	0	1
BEG DT	DATE	4	N	0	2
The date the unit and rate begins .					
END DT	DATE	4	N	0	
The date the untis and rates end.					
RENEWAL DT	DATE	4	Y	0	
The date the Service Authoriz aton was renewed.					
FREQ	CHAR	2	N	0	3
The frequency of the units and rate s.					
RATE	DECIMAL	7	Y	3	
The amount authorized for a specifi c period for a specific frequency.					
BAL NBR	DECIMAL	7	Y	2	
The remaining units for specific period for a specific frequency.					
UNT NBR	DECIMAL	7	N	2	
The units authorized for a speci fic period for a specific frequency.					
UPD TS	TIMESTMP	10	N	0	
UPD USRID	CHAR	8	N	0	

Parents of **UNT_AND_RTE**

N7327351 **Child** UNT_AND_RTE **Parent** SVC_AUTHN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_SVC_AUTHNID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **UNT_AND_RTE**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

US_IMMGRTN_STAT

*The immigration classification of an Ag ency RelatedPerson as determined by the US Immigration andNaturalization Service .*****************Comments******************

Priority 1 Dups N Download Y Upload Y NFOTS745

Column	Type	Length	Nulls	Scale	Key
FK ARPID NBR	INTEGER	4	N	0	1

ID NBR INTEGER 4 N 0 2
********** **********This attribute is used for report(s) SF-269B, ORR-6.********** **********A number used for unique identification.
STAT BEG DT DATE 4 Y 0
The Date that the Immigr ation Status began for a person.
STAT CD CHAR 2 N 0

STAT END DT DATE 4 Y 0

UPD USRID CHAR 8 N 0

UPD TS TIMESTMP 10 N 0

ENTRY DT DATE 4 Y 0
The date that an individual entered the US.
VERF SRC CD CHAR 2 Y 0
This will identify the s ource that was used to verify the U>S> Immigration Status (1800 code table)
VERF DT DATE 4 Y 0
The date the U>S> Immigratio n Status data was verified.
ALN RGSTN NBR CHAR 12 Y 0
Optional field to stor e the Alien Registration Number issued by the INS. A unique 7, 8 or 9 digit num ber prefixed by letter 'A'. Need provision to accommodate more characters if required. Hence length set to 12.

Parents of **US_IMMGRTN_STAT**

N7450401 **Child** US_IMMGRTN_STAT **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **US_IMMGRTN_STAT**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

USR_FNC_AUD

Documents when a computer user performs a g iven function within a specific business area. USER FUNCTION AUDIT occurrences will be created for functions that deal with sensitive business information.

Priority 1 Dups N Download N Upload N NFOTS747

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1

A number assigned to a USER FUNCT ION AUDIT (this number will be randomly assigned).

ACCS TS	TIMESTMP	10	N	0	

The date and time the computer u ser accessed a given business function.

ACCS USRID	CHAR	8	N	0	

The userid of the computer us er that accessed a given business function.

BUS ACD	CHAR	2	N	0	

A code that indicates the busine ss area the USER FUNCTION AUDIT occurrence was created for. Example business ar eas: IUC Interface, SEW Interface, IWD Interface, NHM Interface, Intake, and Gen eral.

FNC CD	CHAR	2	N	0	

A code that indicates which funct ion was being performed when the USER FUNCTION AUDIT occurrence was created. Ex ample functions: display, add, update, search, and logon.

TRAN ID	CHAR	4	Y	0	

The CICS transaction that was ac tive when the USER FUNCTION AUDIT occurrence was created.

PGM NME	CHAR	8	Y	0	

Indicates which program was acti ve when the USER FUNCTION AUDIT occurrence was created.

COMP_NME	CHAR	8	Y	0

The name of the computer that w as used to create the USER FUNCTION AUDIT occurrence.

TB_NME1	VARCHAR	32	Y	0

The name of the database table w here the data stored in the COLUMN DATA 1 attribute originated from.

COL_NME1	VARCHAR	32	Y	0

The name of the database column where the data stored in the COLUMN DATA 1 attribute originated from.

COL_DATA1	VARCHAR	50	Y	0

This is a generic attribute th at will vary based on the TABLE NAME 1.COLUMN NAME 1. It can be used to store a ny type of data.

COL_TYP1	CHAR	2	Y	0

TB_NME2	VARCHAR	32	Y	0

The name of the database table w here the data stored in the COLUMN DATA 2 attribute originated from.

COL_NME2	VARCHAR	32	Y	0

The name of the database column where the data stored in the COLUMN DATA 2 attribute originated from.

COL_DATA2	VARCHAR	50	Y	0

This is a generic attribute th at will vary based on the TABLE NAME 2.COLUMN NAME 2. It can be used to store a ny type of data.

COL_TYP2	CHAR	2	Y	0

A code that indicates the data type of the data stored in the COLUMN NAME 2 attribute.

TB_NME3	VARCHAR	32	Y	0

The name of the database table w here the data stored in the COLUMN DATA 3 attribute originated from.

COL_NME3	VARCHAR	32	Y	0

The name of the database column where the data stored in the COLUMN DATA 3 attribute originated from.

COL_DATA3	VARCHAR	50	Y	0

This is a generic attribute th at will vary based on the TABLE NAME 3.COLUMN NAME 3. It can be used to store a ny type of data.

COL_TYP3	CHAR	2	Y	0

A code that indicates the data type of the data stored in the COLUMN NAME 3 attribute.

TB_NME4	VARCHAR	32	Y	0

The name of the database table w here the data stored in the COLUMN DATA 4 attribute originated from.

COL_NME4	VARCHAR	32	Y	0

The name of the database column where the data stored in the COLUMN DATA 4 attribute originated from.

COL_DATA4	VARCHAR	50	Y	0

This is a generic attribute th at will vary based on the TABLE NAME 4.COLUMN NAME 4. It can be used to store a ny type of data.

COL_TYP4	CHAR	2	Y	0

A code that indicates the data type of the data stored in the COLUMN NAME 4 attribute.

TB_NME5	VARCHAR	32	Y	0

The name of the database table w here the data stored in the COLUMN DATA 5 attribute originated from.

COL_NME5	VARCHAR	32	Y	0

The name of the database column where the data stored in the COLUMN DATA 5 attribute originated from.

COL_DATA5	VARCHAR	50	Y	0

This is a generic attribute th at will vary based on the TABLE NAME 5.COLUMN NAME 5. It can be used to store a ny type of data.

COL_TYP5	CHAR	2	Y	0

A code that indicates the data type of the data stored in the COLUMN NAME 5 attribute.

TB NME6	VARCHAR	32	Y	0
The name of the database table w here the data stored in the COLUMN DATA 6 attribute originated from.				
COL NME6	VARCHAR	32	Y	0
The name of the database column where the data stored in the COLUMN DATA 6 attribute originated from.				
COL DATA6	VARCHAR	50	Y	0
This is a generic attribute th at will vary based on the TABLE NAME 6.COLUMN NAME 6. It can be used to store a ny type of data.				
COL TYP6	CHAR	2	Y	0
A code that indicates the data type of the data stored in the COLUMN NAME 6 attribute.				
TB NME7	VARCHAR	32	Y	0
The name of the database table w here the data stored in the COLUMN DATA7 attribute originated from.				
COL NME7	VARCHAR	32	Y	0
The name of the database column where the data stored in the COLUMN DATA 7 attribute originated from.				
COL DATA7	VARCHAR	50	Y	0
This is a generic attribute th at will vary based on the TABLE NAME 7.COLUMN 7. It can be used to store any ty pe of data.				
COL TYP7	CHAR	2	Y	0
A code that indicates the data type of the data stored in the COLUMN NAME 7 attribute.				
UPD USRID	CHAR	8	N	0
Last Update User ID.				
UPD TS	TIMESTMP	10	N	0
Last Update Timestamp.				

Parents of **USR_FNC_AUD**

Children of **USR_FNC_AUD**

Parent	Child				
COLNAME	TYPE	LEN	SC	D	N

VIT_CERT_REQ

This will track requests made for verifica tion or certified copies of vital statistic records.

Priority 10 Dups N Download N Upload N NFOTS410

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
Unique Identifier					
REQ TYP CD	CHAR	2	N	0	
Type of request needed. Ver ification, Certified, Out of State					
EVNT TYP CD	CHAR	2	N	0	
Birth, Death, Marriage, Div orce					
EVNT DT	DATE	4	Y	0	
Date of death, Divorce, or marr iage depending on certificate type code.					
ISSU CTY	CHAR	30	Y	0	
City of certificate issuance					
ISSU ST	CHAR	2	Y	0	
State of certificate issuance					
ISSU CNTY	CHAR	30	Y	0	
County of certificate issuanc e					
NFO ARP ID NBR	INTEGER	4	Y	0	
ARP ID of ARP that was s elected in N-focus to do the Vital Stats Request. This may not be the person th at the request is for.					

CSE_ARP_ID	CHAR	13	Y	0
Charts ARP ID of ARP that wa s selected to do the Vital Stats Request				
UPD_TS	TIMESTMP	10	N	0
UPD_USRID	CHAR	8	N	0
FK_VIT_OUT_ST_RWRN	INTEGER	4	Y	0
FK0VIT_OUT_ST_RWRN	DATE	4	Y	0
CERT_NBR	INTEGER	4	Y	0
This is the certificate number (birth, death, marriage or divorce) of the certificate that was used to verify the request. This data will be entered by Central Office Staff as part of the v ital statistics verification process.				

Parents of **VIT_CERT_REQ**

N4104091 **Child** VIT_CERT_REQ **Parent** VIT_OUT_ST_REQ

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_VIT_OUT_ST_RWRN	WRNT_NBR	INTEGER	4	0		N	A
FK0VIT_OUT_ST_RWRN	WRNT_ISS_DT	DATE	4	0		N	A

Children of **VIT_CERT_REQ**

N4114101 **Parent** VIT_CERT_REQ **Child** VIT_CERT_REQ_PRS

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_VIT_CERT_REQID	INTEGER	4	0		N

N4124101 **Parent** VIT_CERT_REQ **Child** VIT_REQ_STAT_HIST

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_VIT_CERT_REQID	INTEGER	4	0		N

VIT_CERT_REQ_PRS

Identifies the people involved in the request process, but may not be the object of the request (e.g. for Marriage/Div orce this would be the spouses, for Birth/Death, the person, etc.).

Priority 20 Dups N Download N Upload N NFOTS411

Column	Type	Length	Nulls	Scale	Kev
FK_VIT_CERT_REQID	INTEGER	4	N	0	1
RLE_CD	CHAR	2	N	0	2
This is the role of the Name for the Divorce or Marriage certificate					
FRST_NME	CHAR	20	Y	0	
First name					
MIDL_NME	CHAR	20	Y	0	
Middle name					
LST_NME	CHAR	25	Y	0	
Last name					
MDN_NME	CHAR	25	Y	0	
MAIDEN Name					
NME_EXTN_CD	CHAR	3	Y	0	
Name Extension, JR, SR, etc					
BD	DATE	4	Y	0	
The month, day, century, and yea r a person was born.					
SSN	CHAR	9	Y	0	
The unique number assigned to a person by the Social Security Administration.					
UPD_TS	TIMESTMP	10	N	0	
The timestamp that the ARP r ecord was inserted or last updated.					
UPD_USRID	CHAR	8	N	0	
The identification of the user or module that inserted or last updated the ARP record.					

Parents of **VIT_CERT_REQ_PRS**

N4114101	**Child**	VIT_CERT_REQ_PRS	**Parent**	VIT_CERT_REQ					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_VIT_CERT_REQID		ID_NBR	INTEGER	4	0		N A

Children of **VIT_CERT_REQ_PRS**

Parent	**Child**				
COLNAME		TYPE	LEN	SC	D	N

VIT_OUT_ST_REQ

This will track will a group of requests sent for out of state vital stats verification.

Priority 20 Dups N Download N Upload N NFOTS409

Column	Type	Length	Nulls	Scale	Key
WRNT NBR	INTEGER	4	N	0	1
A number identifying the war rant of the PAYMENT issued. **********This at tribute is used on interfaces DAS.**********					
WRNT ISS DT	DATE	4	N	0	2
Date warrant was issued f or out of state requests					
AMT	DECIMAL	9	N	2	
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
********** **********This attribute is used on report(s) ACF-231.********** **********					

Parents of **VIT_OUT_ST_REQ**

Children of **VIT_OUT_ST_REQ**

N4104091	**Parent**	VIT_OUT_ST_REQ	**Child**	VIT_CERT_REQ					
		COLNAME			TYPE	LEN	SC	D	N
	WRNT_NBR			FK_VIT_OUT_ST_RWRN	INTEGER	4	0		N
	WRNT_ISS_DT			FK0VIT_OUT_ST_RWRN	DATE	4	0		N

VIT_REQ_STAT_HIST

This will track requests made for ver ification or certified copies of vital statistic records.

Priority 20 Dups N Download N Upload N NFOTS412

Column	Type	Length	Nulls	Scale	Key
FK VIT CERT REQID	INTEGER	4	N	0	1
STAT DT	DATE	4	N	0	2
The Date of the request st atus					
STAT TME	TIME	3	N	0	3
The Time of the request s tatus.					
STAT CD	CHAR	2	N	0	
Status of request, pending , waiting for certificate, rejected, verified, complete, mailed, and received.					
STAT RSN CD	CHAR	2	Y	0	
Reason why request wa s rejected sent to incorrect state, form not attached					
CRET TS	TIMESTMP	10	N	0	
The date/time the informat ion was entered into the system which may be used for business purposes of track ing the date/time the information was entered on the system. This time may not be updated once created.					

CRET_USRID	CHAR	8	N	0	

The user that created t he information entered into the system. This value may not be updated once crea ted. At the point of creation, the user id should exist in the ASP table batch programs performing inserts should be the name of the program.

UPD_TS	TIMESTMP	10	N	0	
UPD_USRID	CHAR	8	N	0	

Parents of **VIT_REQ_STAT_HIST**

N4124101 **Child** VIT_REQ_STAT_HIST **Parent** VIT_CERT_REQ

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_VIT_CERT_REQID	ID_NBR	INTEGER	4	0		N	A

Children of **VIT_REQ_STAT_HIST**

Parent	Child					
COLNAME		TYPE	LEN	SC	D	N

VOCHR

Priority 0 Dups N Download N Upload N NFOTS755

Column	Type	Length	Nulls	Scale	Key
NBR	INTEGER	4	N	0	1

This is the DAS assigned Voucher Number. The numbers are reused approximately every 20 years.

STAT_CD	CHAR	2	N	0	
STAT_CHG_DT	DATE	4	N	0	

********** **********This attribute is used on interface DAS********** **********The date that the status of a VOUCHER changes.

UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	
CRET_DT	DATE	4	N	0	2

Parents of **VOCHR**

Children of **VOCHR**

N1457551 **Parent** VOCHR **Child** CLM_ITM_EXPND

COLNAME		TYPE	LEN	SC	D	N
NBR	FK_VOCHRNBR	INTEGER	4	0		N
CRET_DT	FK_VOCHRCRET_DT	DATE	4	0		N

N3207551 **Parent** VOCHR **Child** ED_EXPND

COLNAME		TYPE	LEN	SC	D	N
NBR	FK_VOCHRNBR	INTEGER	4	0		N
CRET_DT	FK_VOCHRCRET_DT	DATE	4	0		N

N7607551 **Parent** VOCHR **Child** VOCHR_SUMMARY_LNE

COLNAME		TYPE	LEN	SC	D	N
NBR	FK_VOCHRNBR	INTEGER	4	0		N
CRET_DT	FK_VOCHRCRET_DT	DATE	4	0		N

VOCHR_SUMMARY_LNE

The details about specific instances of PAYMENT which are summarized on the VOUCHER.

Priority 1 Dups N Download N Upload N NFOTS760

Column	Type	Length	Nulls	Scale	Key
FK VOCHRNBR	INTEGER	4	N	0	1
VOCHR LNE CD	CHAR	3	N	0	
The code specifying t he line of the Voucher from which the amounts will be allocated.					
ID NBR	INTEGER	4	N	0	3
A number used for unique id entification.					
DEBIT AMT	DECIMAL	9	N	2	
The dollar amount for th e payment of expenses.					
CRDT AMT	DECIMAL	9	N	2	
The dollar amount which i s determined to be payable back in return or determined to be a recovery amount.					
UPD USRID	CHAR	8	N	0	
UPD TS	TIMESTMP	10	N	0	
FK VOCHRCRET DT	DATE	4	N	0	2

Parents of **VOCHR_SUMMARY_LNE**

N7607551 **Child** VOCHR_SUMMARY_LNE **Parent** VOCHR

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_VOCHRNBR	NBR	INTEGER	4	0		N	A
FK_VOCHRCRET_DT	CRET_DT	DATE	4	0		N	A

Children of **VOCHR_SUMMARY_LNE**

Parent COLNAME	Child	TYPE	LEN	SC	D	N

VSTN_PLAN

A record of child and ARP interactions and co ntacts.

Priority 2 Dups N Download N Upload N NFOTS859

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1
A number used for unique identifica tion.					
FK ORGID NBR	INTEGER	4	Y	0	
FK ASPLOGON ID	CHAR	8	Y	0	
PREP DT	DATE	4	N	0	
The date the visitation plan was p repared.					
PREP BY	CHAR	52	N	0	
The person who prepared the visita tion plan.					
ORG STF PRS	CHAR	52	Y	0	
TRGT END DT	DATE	4	Y	0	
The date in which the visitati on plan is scheduled to end.					
BEG DT	DATE	4	N	0	
The date that the plan is effective					
STAT CD	CHAR	2	N	0	
END DT	DATE	4	Y	0	
The date that the plan is no longer effective					
UPD TS	TIMESTMP	10	N	0	

UPD_USRID	CHAR	8	N	0
OTHER_PRS	VARCHAR	250	Y	0

Other persons involved in superv ising/monitoring the visitation.

Parents of **VSTN_PLAN**

N8590801 **Child** VSTN_PLAN **Parent** ASP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ASPLOGON_ID	LOGON_ID	CHARACTER	8	0		N	A

N8595501 **Child** VSTN_PLAN **Parent** ORG

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ORGID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **VSTN_PLAN**

N8608591 **Parent** VSTN_PLAN **Child** VSTN_PLAN_PCPI

COLNAME		TYPE	LEN	SC	D	N
ID_NBR	FK_VSTN_PLANID_NBR	INTEGER	4	0		N

VSTN_PLAN_PCPI

Priority 4 Dups N Download N Upload N NFOTS860

Column	Type	Length	Nulls	Scale	Key
FK_PCPIFK_PGM_CASE	CHAR	2	N	0	3
FK_PCPIFK_PGM_CAS0	INTEGER	4	N	0	2
FK_PCPIFK_ARPID_NB	INTEGER	4	N	0	1
FK_VSTN_PLANID_NBR	INTEGER	4	N	0	4
UPD_USRID	CHAR	8	N	0	
UPD_TS	TIMESTMP	10	N	0	

Parents of **VSTN_PLAN_PCPI**

N8605851 **Child** VSTN_PLAN_PCPI **Parent** PCPI

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_PCPIFK_PGM_CASE	FK_PGM_CASEPGM_CD	CHARACTER	2	0		N	A
FK_PCPIFK_PGM_CAS0	FK_PGM_CASEID_NBR	INTEGER	4	0		N	A
FK_PCPIFK_ARPID_NB	FK_ARPID_NBR	INTEGER	4	0		N	A

N8608591 **Child** VSTN_PLAN_PCPI **Parent** VSTN_PLAN

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_VSTN_PLANID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **VSTN_PLAN_PCPI**

Parent **Child**

COLNAME		TYPE	LEN	SC	D	N

WRK_REG_ET

The description of an individual's particip ation in Work Registration and Employment Training.

Priority 1 Dups N Download Y Upload Y NFOTS051

Column	Type	Length	Nulls	Scale	Key
FK_ARPID_NBR	INTEGER	4	N	0	1
BEG_DT	DATE	4	N	0	2

This attribute is the effective da te of a work registration and employment training.

END DT	DATE	4	N	0

This attribute is the date work re gistration and employment training are no longer effective.

WRK REG STAT CD	CHAR	2	N	0

This attribute is a code specifying the status of an individual's participation in Work Registration.

WRK REG STA RSN CI	CHAR	2	N	0

This attribute is a co de specifying the reason of an individual's status in Work Registration.

ET STAT CD	CHAR	2	N	0

This attribute is a code speci fying the status of an individual's participation in Employment Training.

ET STAT RSN CD	CHAR	2	N	0

This attribute is a code s pecifying the reason of an individual's status in Employment Training.

UPD TS	TIMESTMP	10	N	0
UPD USRID	CHAR	8	N	0

Parents of **WRK_REG_ET**

N0510401 **Child** WRK_REG_ET **Parent** ARP

COLNAME		TYPE	LEN	SC	D	N	UPD
FK_ARPID_NBR	ID_NBR	INTEGER	4	0		N	A

Children of **WRK_REG_ET**

Parent **Child**

COLNAME	TYPE	LEN	SC	D	N

YLS_ASSMNT

The OJS is required to assess the risk level of juveniles. An assessment can be triggered as an initial evaluation from the court or it can be a routine re-assessment of a juveniles case. The outcome of the assessment is provided to the court/judge to h

Priority 30 Dups N Download N Upload N NFOTS646

Column	Type	Length	Nulls	Scale	Key
ID NBR	INTEGER	4	N	0	1

ID_NBR was introduced to reduce th e complexity of the inherited keys on the child tables.

FK ARPID NBR	INTEGER	4	Y	0
BEG DT	DATE	4	N	0

The date the current Status Code V alue was set or modified. This will be populated by the system.

BEG TME	TIME	3	N	0

The time the current Status Code Value was set or modified. This will be populated by the system. It is intende d to capture the time between the changes in the STATUS_CODE.

TYP CD	CHAR	2	N	0

OJS must distinguish between a cou rt ordered evaluation and a standard re-assessment. The type will distinguish w hat triggered the assessment.

END DT	DATE	4	N	0

The date the current Status Code V alue has ended.

END TME	TIME	3	N	0

The time the current Status Code Value has ended.

STAT CD	CHAR	2	N	0
TOT SCOR NBR	SMALLINT	2	Y	0

Represents the overall risk score for a juvenile. The assessment is made up of numerous domains which are s cored individually. The total score is an accumulation of all the domain scores .

ITV DT	DATE	4	Y	0

The date the caseworker conducted the interview. This date cannot be later than the assessment date.

DE LOGON ID	CHAR	8	N	0
DE DT	DATE	4	N	0

The date the Assessment is entered in to N-FOCUS. This date will be the same as YLS_ASSESSMENT_HISTORY.BEGIN DATE. It is being duplicated here to avoid a join with the history record.

OVERRD RSK LEV CD	CHAR	2	Y	0

The worker has the abil ity to override the risk level provided by the YLS Software. They may feel that circumstances for a juvenile warrant a different rating than the scoring engine provides.

OVERRD LOGON ID	CHAR	8	Y	0

Logon ID of the person pe rforming the override.

OVERRD DT	DATE	4	Y	0

The date the override was execu ted.

SFTY ASSMNT REQIND	CHAR	1	Y	0

If the supervisor appr oving the assessment feels that a Safety Assessment is warranted for the juvenil e, they can indicate so here. The Safety Assessment process can use this column to trigger possible action.

APRV BY LOGON ID	CHAR	8	Y	0

The logon ID of the ASP approving the YLS Assessment is captured when the status is changed to Approved.

CLOSE RSN CD	CHAR	2	Y	0

When an Assessment is closed we need to document why it was closed in case the juvenile is reviewed in the f uture.

UPD USRID	CHAR	8	N	0

Logon ID of the last person to update the record. OJS has requested that we track the last change information on all YLS tables.

UPD TS	TIMESTMP	10	N	0

Date and Time the last update was applied to the record.

FK SFTY ASSMNTID N	INTEGER	4	Y	0

Parents of **YLS_ASSMNT**

N6460401	**Child**	YLS_ASSMNT	**Parent**	ARP					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_ARPID_NBR		ID_NBR	INTEGER	4	0		N A
N6460941	**Child**	YLS_ASSMNT	**Parent**	SFTY_ASSMNT					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_SFTY_ASSMNTID_N		ID_NBR	INTEGER	4	0		N A

Children of **YLS_ASSMNT**

N1706461	**Parent**	YLS_ASSMNT	**Child**	COR					
		COLNAME			TYPE	LEN	SC	D	N
		ID_NBR		FK_YLS_ASSMNTID_NB	INTEGER	4	0		N
N6436461	**Parent**	YLS_ASSMNT	**Child**	YLS_ASSMNT_CHAR					
		COLNAME			TYPE	LEN	SC	D	N
		ID_NBR		FK_YLS_ASSMNTID_NBR	INTEGER	4	0		N
N6476461	**Parent**	YLS_ASSMNT	**Child**	YLS_ASSMNT_DOMN					
		COLNAME			TYPE	LEN	SC	D	N
		ID_NBR		FK_YLS_ASSMNTID_NB	INTEGER	4	0		N
N6496461	**Parent**	YLS_ASSMNT	**Child**	YLS_ASSMNT_HIST					
		COLNAME			TYPE	LEN	SC	D	N
		ID_NBR		FK_YLS_ASSMNTID_NB	INTEGER	4	0		N

YLS_ASSMNT_CHAR

Priority	31	Dups	N	Download	N	Upload	N		NFOTS643

Column	Type	Length	Nulls	Scale	Key

FK_YLS_ASSMNTID_NBI	INTEGER	4	N	0	1
CAT_CD	CHAR	2	N	0	2
Code indicating the category of the characteristics.(e.g.) Family/Parent, Youth					
CHAR_CD	CHAR	2	N	0	3
UPDT_TS	TIMESTMP	10	N	0	
Date and Time the last updat e was applied to the record.					
UPDT_USRID	CHAR	8	N	0	
Logon ID for the last upd ate to the record.					

Parents of **YLS_ASSMNT_CHAR**

N6436461	**Child**	YLS_ASSMNT_CHAR	**Parent**	YLS_ASSMNT					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_YLS_ASSMNTID_NBR		ID_NBR	INTEGER	4	0		N A

Children of **YLS_ASSMNT_CHAR**

Parent		**Child**			
COLNAME			TYPE	LEN	SC D N

YLS_ASSMNT_DOMN

Priority 31 Dups N Download N Upload N NFOTS647

Column	Type	Length	Nulls	Scale	Key
FK_YLS_ASSMNTID_NB	INTEGER	4	N	0	1
CAT_CD	CHAR	2	N	0	2
Represents one of the evaluat ion categories that make-up an Assessment. An example would be Family/Parenting .					
SCOR_NBR	SMALLINT	2	Y	0	
Summary score of all the do main characteristics for the domain.					
STRGTH_IND	CHAR	1	Y	0	
The case worker can decla re a domain to be strength for the juvenile. If the domain_strength is selected (value of Y), then the case worker must create a narrative explaining why they are declaring this domain as a strength.					
UPD_USRID	CHAR	8	N	0	
Logon ID of the last perso n to update the record.					
UPD_TS	TIMESTMP	10	N	0	
Date and Time that the record was last updated.					
SRC_TXT	VARCHAR	50	Y	0	
The case worker will documen t where they got their information to make the assessment.					

Parents of **YLS_ASSMNT_DOMN**

N6476461	**Child**	YLS_ASSMNT_DOMN	**Parent**	YLS_ASSMNT					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_YLS_ASSMNTID_NB		ID_NBR	INTEGER	4	0		N A

Children of **YLS_ASSMNT_DOMN**

N6486471	**Parent**	YLS_ASSMNT_DOMN	**Child**	YLS_DOMN_CHAR				
		COLNAME			TYPE	LEN	SC	D N
	FK_YLS_ASSMNTID_NB		FK_YLS_ASSMNT_DFK		INTEGER	4	0	N
	CAT_CD		FK_YLS_ASSMNT_DCAT		CHARACTER	2	0	N

YLS_ASSMNT_HIST

Maintains a history of select data colu mns from the YLS_ASSESSMENT table. The history table will store a row for the c urrent status with a high dated end date.

Priority 31 Dups N Download N Upload N NFOTS649

Column	Type	Length	Nulls	Scale	Key
FK_YLS_ASSMNTID_NB	INTEGER	4	N	0	1

BEG DT	DATE	4	N	0	3
The date the current Status C ode Value was set or modified. This will be populated by the system.					
BEG TME	TIME	3	N	0	2
The time the current Status Code Value was set or modified. This will be populated by the system. It is in tended to capture the time between the changes in the STATUS_CODE.					
END DT	DATE	4	N	0	
The date the current Status C ode Value has ended.					
END TME	TIME	3	N	0	
The time the current Status Code Value has ended.					
STAT CD	CHAR	2	N	0	
UPD USRID	CHAR	8	N	0	
Logon ID of the last perso n to update the record. OJS has requested that we track the last change informa tion on all YLS tables.					
UPD TS	TIMESTMP	10	N	0	
Date and Time the last update was applied to the record.					

Parents of **YLS_ASSMNT_HIST**

N6496461	**Child**	YLS_ASSMNT_HIST	**Parent**	YLS_ASSMNT					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_YLS_ASSMNTID_NB		ID_NBR	INTEGER	4	0		N A

Children of **YLS_ASSMNT_HIST**

Parent		**Child**			
	COLNAME		TYPE	LEN	SC D N

YLS_DOMN_CHAR

Priority	32	Dups	N	Download	N	Upload	N		NFOTS648

Column	Type	Length	Nulls	Scale	Key
FK YLS ASSMNT DFK	INTEGER	4	N	0	1
FK YLS ASSMNT DCAT	CHAR	2	N	0	2
CHAR CD	CHAR	2	N	0	3
Each Assessment Domain will ha ve multiple Characteristics associated with it. The Characteristic Code will pr ovide uniqueness for each characteristic. This will be a codes table entry.					
SCOR NBR	SMALLINT	2	Y	0	
If the caseworker selects the characteristic for scoring (Yes answer) a value of one (1) is stored. If the c ase worker does not select the characteristic (No/Blank answer) a value of zero (0) is stored.					
UPD USRID	CHAR	8	N	0	
Logon ID of the last person to update the record.					
UPD TS	TIMESTMP	10	N	0	
Date and Time that the record w as last updated.					

Parents of **YLS_DOMN_CHAR**

N6486471	**Child**	YLS_DOMN_CHAR	**Parent**	YLS_ASSMNT_DOMN					
		COLNAME			TYPE	LEN	SC	D	N UPD
		FK_YLS_ASSMNT_DFK		FK_YLS_ASSMNTID_NB	INTEGER	4	0		N A
		FK_YLS_ASSMNT_DCAT		CAT_CD	CHARACTER	2	0		N A

Children of **YLS_DOMN_CHAR**

Parent		**Child**			
	COLNAME		TYPE	LEN	SC D N